

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. 1st Street, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

NSL 4873

Form C-101
Revised March 17, 1999

Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

Submit to appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

| | | |
|---|---|---|
| ¹ Operator Name and Address OXY USA Inc. P.O. Box 50250 Midland, TX 79710-0250 | | ² OGRID Number 16696 |
| ⁴ Property Code 27111 | ⁵ Property Name Bravo Dome Carbon Dioxide Gas Unit 1934 | ³ API Number 30- 059- 20398 |
| | | ⁶ Well No. 032 OK |

| | | | | | | | | | |
|-------------------------------|--------------|-----------------|--------------|----------|----------------------|---------------------------|----------------------|------------------------|-----------------|
| ⁷ Surface Location | | | | | | | | | |
| UL or lot no. P | Section 3 | Township 19N | Range 34E | Lot. Idn | Feet from the 660 | North/South Line south | Feet from the 660 | East/West line east | County Union |

| | | | | | | | | | |
|--|---------|----------|-------|----------|---------------|------------------|---------------|----------------|--------|
| ⁸ Proposed Bottom Hole Location If Different From Surface | | | | | | | | | |
| UL or lot no. | Section | Township | Range | Lot. Idn | Feet from the | North/South Line | Feet from the | East/West line | County |



| | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|
| ⁹ Proposed Pool 1 Bravo Dome Carbon Dioxide Gas 640 | | | | | ¹⁰ Proposed Pool 2 96010 | | | | |
|---|--|--|--|--|--|--|--|--|--|

| | | | | |
|-----------------------------------|---------------------------------------|---------------------------------|------------------------------------|---|
| ¹¹ Work Type Code N | ¹² Well Type Code C | ¹³ Cable/Rotary R | ¹⁴ Lease Type Code P | ¹⁵ Ground Level Elevation 4819.6' |
| ¹⁶ Multiple No | ¹⁷ Proposed Depth 2600' | ¹⁸ Formation Tubb | ¹⁹ Contractor N/A | ²⁰ Spud Date 5/15/03 |

| | | | | | |
|--|-------------|--------------------|---------------|-----------------|---------------|
| ²¹ Proposed Casing and Cement Program | | | | | |
| Hole Size | Casing Size | Casing weight/foot | Setting Depth | Sacks of Cement | Estimated TOC |
| 12-1/4" | 8-5/8" | 24# | 700' | 300sx | Surface |
| 7-7/8" | 5-1/2" | 5.9#FG/15.5# | 2600' | 300sx | Surface |
| | | | | | |
| | | | | | |
| | | | | | |

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

SEE ATTACHED

| | | | |
|--|---------------------|--|-------------------------|
| ²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. | | OIL CONSERVATION DIVISION | |
| Signature:  | | Approved by:  | |
| Printed name: David Stewart | | Title: DISTRICT SUPERVISOR | |
| Title: Sr. Regulatory Analyst | | Approval Date: 5/7/03 | Expiration Date: 5/7/04 |
| Date: 4/2/03 | Phone: 915-685-5717 | Conditions of Approval: Attached <input type="checkbox"/> | |

ATTACHMENT C-101
BDCDGU 1934-032

PROPOSED TD: 2600' TVD

BOP PROGRAM: 0-700' None
700-2600' 8" 2M annular hydril preventer.

CASING: Surface: 8-5/8" OD 24# J55 8rd ST&C new casing set at 700'
12-1/4" hole
Centralizers from TD-Surf, every fourth joint
Production: 5-1/2" OD new casing from 0-2600'
300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG
7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT: Surface - Circulate cement with 300sx Premium Plus with 2% CaCl_2 + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)
Production - Cement with 150sx Premium Plus with 3% CaCl_2 + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl_2 + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD: 0-700' Fresh water/native mud.
Wt 8.6-9.2ppg, Vis 32-36sec
700-2600' Fresh water/Starch/Gel
pH control as needed.
Wt 9.0-9.2ppg, Vis 28-29sec

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

| | | |
|---------------|---|-------------------------------|
| API Number | Pool Code | Pool Name |
| | 96010 | BRAVO DOME CARBON DIOXIDE GAS |
| Property Code | Property Name | Well Number |
| 27111 | BRAVO DOME CARBON DIOXIDE GAS UNIT 1934 | 032 |
| OGRID No. | Operator Name | Elevation |
| 16696 | OXY USA INC. | 4819.6 |


Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn. | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|----------|---------------|------------------|---------------|----------------|--------|
| P | 3 | 19 N | 34 E | | 660' | SOUTH | 660' | EAST | UNION |

Bottom Hole Location If Different From Surface

| | | | | | | | | | |
|------------------------|----------------------|--------------------|-------|-----------|---------------|------------------|---------------|----------------|--------|
| UL or lot no. | Section | Township | Range | Lot Idn. | Feet from the | North/South line | Feet from the | East/West line | County |
| Dedicated Acres 640 | Joint or Infill 1 | Consolidation Code | | Order No. | | | | | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

| | |
|---|---|
| <div style="border: 1px dashed black; height: 300px; position: relative;"> <div style="position: absolute; top: 10%; left: 40%;">1</div> <div style="position: absolute; top: 60%; left: 55%;">2</div> <div style="position: absolute; top: 65%; left: 50%;">2970'</div> <div style="position: absolute; top: 85%; left: 58%;">660'</div> <div style="position: absolute; top: 85%; left: 61%;">660'</div> <div style="position: absolute; top: 80%; left: 35%;"> NM-E NAD27 Lat - 35° 54' 04.95" Lon - 103° 18' 16.95" </div> </div> | <div> <div>OPERATOR CERTIFICATION</div> <div>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</div> <div style="border-top: 1px solid black; margin-top: 10px;"> <div style="text-align: center;"><i>David Stewart</i></div> <div>Signature</div> </div> <div style="border-top: 1px solid black; margin-top: 5px;"> <div style="text-align: center;">David Stewart</div> <div>Printed Name</div> </div> <div style="border-top: 1px solid black; margin-top: 5px;"> <div style="text-align: center;">Sr. Regulatory Analyst</div> <div>Title</div> </div> <div style="border-top: 1px solid black; margin-top: 5px;"> <div style="text-align: center;">4/2/03</div> <div>Date</div> </div> </div> |
| <div style="border: 1px dashed black; height: 300px; position: relative;"> <div style="position: absolute; top: 10%; left: 40%;">1</div> <div style="position: absolute; top: 60%; left: 55%;">2</div> <div style="position: absolute; top: 65%; left: 50%;">2970'</div> <div style="position: absolute; top: 85%; left: 58%;">660'</div> <div style="position: absolute; top: 85%; left: 61%;">660'</div> <div style="position: absolute; top: 80%; left: 35%;"> NM-E NAD27 Lat - 35° 54' 04.95" Lon - 103° 18' 16.95" </div> </div> | <div> <div>SURVEYOR CERTIFICATION</div> <div>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</div> <div style="border-top: 1px solid black; margin-top: 10px;"> <div style="text-align: center;">March 20, 2003</div> <div>Date of Survey</div> </div> <div style="border-top: 1px solid black; margin-top: 5px;"> <div style="text-align: center;"> <i>Jesse M. Martin</i> Signature and Seal of Professional Surveyor </div> </div> <div style="text-align: center; margin-top: 20px;">  </div> <div style="border-top: 1px solid black; margin-top: 10px;"> <div style="text-align: center;">Jesse M. Martin</div> <div>Certificate Number</div> </div> </div> |



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM