

*****TIGHT HOLE !!!*****

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.
30-053-20012

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
Manzano Oil Corporation 505/623-1996

3. Address of Operator
P.O. Box 2107/Roswell, NM 88202-2107

4. Well Location
Unit Letter K : 2310 Feet From The South Line and 1650 Feet From The West Line
Section 8 Township 4 South Range 9 East NMPM Socorro County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
6264' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11/02/96 Well P&A. Released rig @ 3:00 a.m. 11/02/96. Received plugging orders from Roy Johnson w/NMOCD 11/01/96. Plugged well in the following manner:
Set a 100' - 50 sx Class C cmt plug (at the base of the 9-5/8" csg @ 3900') from 3950' to 3850'. Free point & pulled 21 jts 9-5/8" csg (1680'). Set a 100' - 85 sx Class C cmt plug from 1700' to 1600'. Waited 3 hrs. RIH and tagged plug @ 1585'. Set a 100' - 150 sx Class C cmt plug (at the base of the 13-3/8" csg) from 1120' to 1020'. Set a 100' - 65 sx Class C cmt plug (at the top of the Yeso) from 745' to 645'. Set a 15' - 10 sx Class C cmt plug at the surface. Released rig @ 3:00 a.m. 11/02/96.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Allison Hernandez TITLE Engineering Technician DATE 11/05/96

TYPE OR PRINT NAME Allison Hernandez TELEPHONE NO. 623-1996

(This space for State Use)

APPROVED BY Ry E. Plummer TITLE DISTRICT SUPERVISOR DATE 11/12/96

CONDITIONS OF APPROVAL, IF ANY: