District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

State of New Mexico Energy, Minerals & Natural Resources

> Oil Conservation Divsiion 1220 S. St. Francis Dr.

Submit to appropriate District Office

Form C-101

May 27, 2004

APR 11 2007

Oil Conservation Division AMENDED REPORT

District IV. 1220 S. St. Francis	s Dr., Santa F	e, NM 8750:	5 .		Santa Fe, N	MI 8	87505 Oil 6	Conservation (Division AME	NDED REPORT		
				O DRI	LL, RE-EN	ITEF	R. DEEPEN22	PLIGRACE	COR ADD	A ZONE		
APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, Operator Name and Address								anta Fe. NW 2 OGRID Number 16696				
OXY USA Inc.		- 4 TV		³ APl Number								
P.O. Box 502		land, lx	79710-025	10	⁵ Property 1	Name		30- 021- 2 0 3 97 Well No.				
	⁴ Property Code Sproperty No. 27111 Bravo Dome Carbon Di											
Bravo Dome		⁹ Proposed I			96010			10 Proposed Pool 2				
DI UVO DOM	; our borr .	JIVA CO C	<u> </u>		⁷ Surface L	Locat	rion					
UL or lot no.	o. Section Township Range Lot.		Lot. Idn			North/South Line	Feet from the	East/West line	County			
G	10	(9 N	32 E	<u> </u>	1699		north	1699	east	Harding		
8 Proposed Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot. idn	Feet from t	he	North/South Line	Feet from the	East/West line	County		
Additional Well Location												
11 Work Ty	pe Code	1:	² Well Type Cod		13 Cable/R	lotary		se Type Code	15 Ground Level Elevation			
l	N		<u>C</u>		R			<u> P</u>	પુંદ્રિક્ષ. પ			
¹⁶ Mult N	iiple lO	ļ "	17 Proposed Depth 2600 '		18 Format Tub		ν(Contractor N/A	Spud Date			
Depth to ground	water			Distance fr	rom nearest fresh	water v			est surface water			
<u> </u>		>100'			>10 Pit Volume _40	000, 000,	5.45.35.4		>1000'			
,	nthetic 🔯 🗕		hick Clay	ıy	×		_			. —		
Closed-Lo	oop System L						Vater X Brine		il-based	Gas/Air		
			ر ا ا	Propose	d Casing an	id Ce	ment Program	1		<u></u> -		
Hole S	ize	Cas	ing Size Casing we		ng weight/foot	weight/foot Sett		Sacks of Cemer	at E	stimated TOC		
12-1/	/4"	8-	8-5/8"		24#		700'	300sx	Surface			
7-7/	8*	5-	5-1/2* 5		5.9#FG/15.5#		2600'	300sx		Surface		
<u></u>		⊥		<u> </u>		<u> </u>						
				<u> </u>		<u> </u>		·				
		<u> </u>		<u> </u>								
						K, giv	e the data on the pro-	esent productive zo	ne and proposed	new productive zone.		
Describe the blov	vout prevenu	on program, i	iany. Use accu	itional succ	As it necessary.							
					See Attach	hmen	it					
<u> </u>						 -	 -					
I hereby certify	y that the info	rmation giver	above is true	and comple	te to the best of	OIL CONSERVATION DIVISION						
my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines \(\begin{align*} \limin \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \												
an (attached) alternative OCD approved plan Signature:							roved by:	Mas	£			
Printed name: D	avid Stew	vart				Title:	DISTRIC	T SUPER	VISOR			
Title: S	r. Regula	itory Ana	lyst_			Appr	oval Date: 4-/	The second second	The second second	4-12-08		
E-mail Address:	david_st	ewart@ox	y.com									
Date:		Phone:			Cond	litions of Approval:						
4/9/07		1	432-685-5717				thed					

ATTACHMENT C-101' BDCDGU 1932-101

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-7001

None

700-26001

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% $CaCl_2$ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud. Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department


Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease – 4 Copies Fee Lease – 3 Copies

1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheo	o, Santa F	e, NM 87505				-,				ARCENE	DED REPORT
	-,							areton p		AMEN	DED REPORT
		WEL	L LO	<u> </u>		ACI	REAGE DEDIC				
API Number				Pool Cod		Pool Name BRAVO DOME CARBON DIOXIDE GAS ሬ ሣር					
30-021-		9601	0		BRAVO DO	ME CARBO	OIU NO	XIDE	GAS 690		
Property Code							Name		Well Number		
27111 BRAV			O DC	O DOME CARBON DIOXIDE GAS L					NIT 1932 101		
OGRID No.		-					Name		Elevation		
16696			OXY USA INC.						4	4 <u>681.4</u>	
					Sur	face	Location				
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West	t line	County
G	10	19 N	32 E		1699)'	NORTH	1699'	EA	ST	HARDING
Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West	line	County
Dedicated Acres	Joint	or Infill C	onsolidation	Code (Order No.			<u> </u>			.L
640	1	١ ١									
NO ALLOW	ABLE V	VILL BE A	SSIGNE	TO TI	HS COME	PLETI	ON UNTIL ALL	INTERESTS I	HAVE BE	EEN CO	NSOLIDATED
		OR A	<u>NON-ST</u>	ANDARD	UNIT H	AS B	EEN APPROVED	BY THE DIV	ISION		
10					1699′			I hereby certi	fy that the in	formation o	IFICATION contained herein is throwledge and belief.
					1			Signature	Doved	d Ste	
					ˈ ⅆ −−		1699 <i>'</i>	Printed Nam		d bre	NAIL
	}				-E NAD27 t - 35°53'39	ן 1 ייד אַ נ		Sr.	Regula	atory	Analyst
				Loi	n - 103° 31'22 - 740006.89	2.86"		Title	. 1 . 1		
	ļ				- 1781757.05			Date	4 (9 (0	<u> </u>	<u></u>
<u> </u>			,, =:								
		<u></u>						I hereby cert was plotted fi me or under and correct to	ify that the virom field m my supervision the best of	well location otes of actu- ion, and the other well.	100g

Certificate Number

15079



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM

80, 80

Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

