State of New Mexico Energy, Minerals & Natural Resources

District I 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210 District III

Oil Conservation Divsiion

1220 S St Francia De

Submit to appropriate District Office

1000 Rio Brazos R	d., Aztec, Nr	M 8741	,0			1220 S. St.						
District IV 1220 S. St. Francis APPLIC					ro drii	Santanie, A LL. RE-EN	NTEI NTEI	83 ⁵⁰ AM 11 R, DEEPEN,	53 PLUGBAC	ئيسا	ENDED REPORT D A ZONE	
<u> </u>	<u>/ CL R R R R R R R R R R R R R R R R R R </u>			ator Name and			<u> </u>		1	² OGRID Number		
OXY USA Inc.	· .		•							16696		
P.O. Box 502		dl and	TX -	79710-025	.50				30- 021-	³ API Number 20399	!	
⁴ Proper	rty Code		<u></u>			⁵ Property l			1	⁶ We	ell No.	
271	111	93.0	<u> </u>		ravo Dome	e Carbon עו	ioxide	e Gas Unit K			51	
Bravo Dome	e Carbon		posed Po ide Ga			96010]		10 Proposed F	0012	ļ	
Di ute pomo	7 04	<u>D.C.</u>	<u> </u>	9 5.5		⁷ Surface I	Locat	tion				
UL or lot no.	Section	Tow	vnship	Range	Lot. Idn			North/South Line	Feet from the	East/West line	County	
G. or iot no.	25	19		32E		16-2		north	1700	east	Harding	
	<u></u>				Bottom I			f Different Fro			<u> </u>	
UL or lot no.	Section	Tow	vnship	Range	Lot. Idn			North/South Line	Feet from the	East/West line	County	
L	Additional Well Location											
11 Work Ty			12	Well Type Cod	ode	13 Cable/R		¹⁴ Les	ase Type Code		Level Elevation	
J	N		17	C C	+	18 Former		19	<u>p</u>	477	20.7'	
¹⁶ Mujt	ltiple NO		· · ·	Proposed Dept 2600	th	18 Format Tub		•-	Contractor N/A	[pud Date	
Depth to ground		>100			Distance fro	rom nearest fresh		well	Distance from near			
Pit: Liner: Syr	nthetic X	12	_ mils thi	hick Clr	llay [Pit Volume _40		bbls Drilling Med	thind:		 _	
Į.	oop System				· -	Į	Fresh W	Vater X Brit	ne Diesel/O	Oil-based	Gas/Air 🔲	
				21,	Proposer	d Casing ar	nd Ce	ment Program	n			
Hole S	Size	1	Casin	ng Size	Casing weight/foot		1	Setting Depth	Sacks of Cem	ent F	Estimated TOC	
12-1/	/4"	4	8-5	5/8"		24#		700'	300sx		Surface	
7-7/	8"		<u>5-1</u>	1/2"	5.9#	5.9#FG/15.5#		2600'	300sx		Surface	
					<u> </u>		<u> </u>					
						-		_				
Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone Describe the blowout prevention program, if any. Use additional sheets if necessary. See Attachment												
									·			
²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be						be		OIL CONSERVATION DIVISION				
constructed according to NMOCD guidelines X a general permit , or an (attached) alternative OCD-approved plan . Signature:							Approved by: A Markin					
Printed name: David Stewart							Title:	UISTRIC	T SUPER	VISOR		
Title: S	r. Regula	atory	Anal:	yst			Appr	oval Date: 4-3	23-0> B	xpiration Date:	4-23-08	
E-mail Address: david_stewart@oxy.com												
Date: 4(20	5(07		P	Phone: 432	32-685-571	/17	Conditions of Approval: Attached					
<i>i</i> -			_		4 200-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						

ATTACHMENT C-101' BDCDGU 1932-25

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-7001

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505


Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office

State Lease – 4 Copies Fee Lease – 3 Copies

District IV 2040 South Pacheco, Santa Fe, NM 87505

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT												
	r		Pool Cod		Pool Name							
30-021	399		96010		BRAVO DOME CARBON DIOXIDE GAS 64							
Property				Property			Well Number					
2711	BRAV	O DC	ME CA			UNIT 1932 251						
OGRID				•	erator Name			Elevation				
1669		<u> </u>		OXY US	A INC.			4	720.5			
Surface Location												
UL or lot no.	L or lot no. Section To		Range	Lot Idn.	Feet from the	North/South line Feet from the		East/West line		County		
G	25	19 N	32 E	1652′		NORTH	1700'	EAS	EAST HARDIN			
Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from the	North/South line	Feet from the	East/West line		County		
Dedicated Acre	s Joint	or Infill C	onsolidation	Code C	order No.	1						
640		١										
	WABLE V	VILL BE A	SSIGNEI	то тн	IS COMPLETI	ON UNTIL ALL	INTERESTS F	IAVE BEI	EN CO	NSOLIDATED		
	···					EEN APPROVED						
25							OPER	ATOR (CERTI	FICATION		
	1						11			ntained herein is		
	į						true and comp	olete to the be	est of my kr	nowledge and belief.		
	į				652′							
	j				16.							
										2/		
	·				_ 			Signature				
	i				1	1700 <i>′</i>	olgnature	David	Stew	art		
	i			NM-F	NAD27		Printed Nam	Printed Name				
				Lat - 3	35° 51'04,01" 03° 29'12,41"			Sr. Regulatory Analyst Title 4 (2007				
	i İ			X - 75	0876.15		Title					
	!		Y - 1766119.22				Date	Date (ED(O)				
				+			SURVI	EYOR (TFRTI	FICATION		
	j				j		II.			shown on this plat		
	į			ŀ	i		was plotted fr	om field note	es of actual	surveys made by		
	i				i		me or under			the same is true		
	İ				i İ		Fe	- 1.C.	Q15.	% 2007		
					1		Date of Surve	15/8				
							Signature and	Ball broke	1 9(97 94	rveyar 🔅 🕽		
					1 							
					J 			\ [©] &\				
							Je	my Sta	SSIDNAL	2/9/2007		
ļ									y Ase	e/		
<u> </u>							Certificate Nu	mber 150	79	<u></u>		



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM

œ

Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

