District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources - 1

Form C-101 May 27, 2004

Oil Conservation Divsiion MAY 03 2007 Submit to appropriate District Office

1220 S. St. Francis Dr.

Santa Fe, NM 87505 On Conservation Division AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE													
¹ Operator Name and Address									² OGRID Number 16696				
OXY USA Inc.									³ API Number				
P.O. Box 50250 Midland, 1X /9/10-0250 30-021-20417													
⁴ Property Code 27111 Bravo Dom					⁵ Property Name Ome Carbon Dioxide Gas Unit \			932	⁶ Well No.				
9 Proposed Pool 1 Bravo Dome Carbon Dioxide Gas 640 96010								¹⁰ Proposed Pool 2					
⁷ Surface L								ion					
UL or lot no. Section Tox		Tow	wnship Range Lo		Lot. Idi	Lot. Idn Feet from th		North/South Line	Feet from the	East/West line	County		
G	5	19	N N	3み E	1700		_	north		ea51	Harding		
⁸ Proposed Bottom Hole Location If Different From Surface													
UL or lot no.	Section	Township Range		Range	Lot. Idn Feet from		ne North/South Line Fe		Feet from the	East/West line	County		
Additional Well Location													
1.5				Well Type Cod	le]	¹³ Cable/R	otary 14 Lease T		se Type Code		15 Ground Level Elevation		
16 Multi		}	17 Proposed Depth			18 Forma		19 (19 Contractor		oud Date		
No	-			2600'		Tubb			N/A				
Depth to ground water >100'					Distance f	rom nearest fresh >1(water v	vell	Distance from nearest surface water >1000'				
Pit: Liner: Synthetic X 12 mils thick Clay Pit Volume 4000 bbls Drilling Method:													
Closed-Loop System Fresh Water X Brine Diesel/Oil-based Gas/Air										Gas/Air 🔲			
²¹ Proposed Casing and Cement Program													
Hole S	ize		Casing			g weight/foot	Ţ				stimated TOC		
12-1/4"			8-5/8"			24#		700'	300sx		Surface		
7-7/8"			5-1/2"			5.9#FG/15.5#		2600'	300sx		Surface		
													
							<u> </u>						
_				•			K, giv	e the data on the pro-	esent productive zon	ne and proposed	new productive zone.		
Describe the blowout prevention program, if any. Use additional sheets if necessary.													
See Attachment													
²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be							OIL CONSERVATION DIVISION						
constructed according to NMOCD guidelines a general permit , or							Approved by:						
an (attached) alternative OCD-anneoved plan . Signature:							Appr	oved by:	Ma	1 tra			
Printed name: David Stewart							Title:		DISTRICT	SUPFRY	SUB		
Title: Sr. Regulatory Analyst							Appr	oval Date: 5-/4	1/0 > Ex	piration Date:	5-14/08		
E-mail Address: david_stewart@oxy.com											, ,		
Date: Phone:							Conditions of Approval:						
7/1/07				432	2-685-5	-685-5717		Attached					

ATTACHMENT C-101 BDCDGU 1932-051

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-2600'

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2* OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-7001

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-26001

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies


District IV 2040 South Pacheco, Santa Fe, NM 87505

AMENDED REPORT

2040 South Pache	eco, Santa F	e, NM 8750	0							AMEN	DED REPORT	
		WE	LL LO	CATION	AND	ACF	REAGE DEDIC	CATION PI	_AT			
		Pool Coo	le	[Pool Name							
30-02		9601	0		BRAVO DOME CARBON I				OXIDE GAS 640			
Property			Pro	operty	Name		Well Number					
2711	BRA	VO DC	DME C	<u>ARBON</u>	DI	OXIDE GAS	<u>UNIT 193</u>	32 051				
OGRID					-	erator			Elevation			
1669	6	<u></u>					'A INC.		4675.4			
Surface Location										- ₁		
UL or lot no.	Section _	Township	Range	Lot Idn.	Feet from		North/South line	Feet from the	East/West		County	
G	5	19 N	32 E		1700		NORTH	1700'	ΕA	.S I	HARDING	
Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West	t line	County	
Dedicated Acre	es Loint	or Infill	Consolidatio	n Code (Order No.							
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED												
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION												
5								OPER	ATOR	CERT	IFICATION	
						I hereby certif	I hereby certify that the information contained herein is					
							true and com	true and complete to the best of my knowledge and belief.				
					2007						İ	
					1							
				_		_ _		_	D	ST		
					1	1		Signature				
				NM-E	/-E NAD27		1 700 '	Printed Nam	David Stewart Printed Name			
				Lat - :	35° 54'33.08'			11	Sr. Regulatory Analyst Title Sl(07			
				Lon - 103° 33'30.84" X - 729434.61 Y - 1787081.59								
						1		Date				
			, , , , , , , , , , , , , , , , , , , ,	-								
											IFICATION	
											shown on this plat al surveys made by	
								me or under	my supervisi	on and the	at the same is true	
	1					1		and correct to	100	my belief.	2006	
-	 							Date of Surve	y feetable	N MIN	\ <u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>	
								Signature and	Agilor Fr	fessional S	urveypr	
	i											
						i				A	1811	
	į								eng	tal	2/9/2007	
									1 eri	ry As	el	

Certificate Number

15079



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM

. 80 80

Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

