State of New Mexico Energy, Minerals & Natural Resources

NSL 4873 Form C-101 Revised March 17, 1999

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. 1st Street, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505 Oil Conservation Divsiion 2040 South Pacheco Santa Fe, NM 87505

Submit to appropriate District Office

State Lease - 6 Copies Fee Lease - 5 Copies

AMENDED REPORT

A DDI 14	CATION	J FAR P	EPMIT T	יח שמו	II. RE-EI	VTER) DEI	FPFN.	PLUGRA(CK, OR ADI	D A ZONE	
AFILI	DATION		erator Name and		LL, RE-E	1 I ASA	ig Maria	<u> </u>	LOGDAS	² OGRID Number 16696		
OXY USA Inc		, -,	. =====									
P.O. Box 50250 Midland, TX 79710-0250 Property Code SProperty Name 27111 Bravo Dome Carbon Dioxide Gas Unit 1934								30- 059- 3API Number 9 6Well No.				
	erty Code 7111		Brav	o Dome (Carbon Diox	ride Ga	as <u>Uni</u>	t 1 <u>934</u>			042 A	
					⁷ Surface I							
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from t	the	North/St	outh Line	Feet from the	East/West line	County	
Р	4	19N	34E		983			outh	858	east	Union	
⁸ Proposed Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot. Idn					Feet from the	East/West line	County	
Bravo Dom	- Carbon	⁹ Proposed		<u>. </u>	96010	¹⁰ Proposed Pool 2						
DI QVO DOM	e carbon	DIOXIGE	uas 040	<u> </u>	30010	<u> </u>						
	Type Code N		12 Well Type Co	13 Cable/		14 Lease Type Code		15 Ground Level Elevation 4869.3'				
	ultiple No		¹⁷ Proposed Dep 2600 '	<u> </u>	¹⁸ Formation Tubb			19 Contractor . N/A			²⁰ Spud Date 5/15/03	
			21	Propose	d Casing an	ıd Cen	nent P	годтат				
Hole S	Size	Car	sing Size	weight/foot Setting Depth			epth	Sacks of Cement Estim		stimated TOC		
12-1/	/4"	8	·5/8"	24#		700'		300sx		Surface		
7-7/	8"	5	-1/2"	FG/15.5#		2600'		300sx		Surface		
	<u></u>										···	
				<u> </u>		<u> </u>						
Describe the Describe the blow						K, give	the data	on the pre-	sent productive 2	one and proposed	new productive zone.	
			,									
SEE ATTACHED												
23 r b szaby conti	C. shot the in		·		7		<u> </u>					
l hereby certi			iven above is tr	rue and con	aplete to the			OFC	DNSERVAS	TION DIVISI	(ON	
best of my knowledge and belief. Signature:							Approved by:					
Printed name: David Stewart							Title: DISTRICT/SUPERVISOR					
Title: Sr. Regulatory Analyst							Approval Date: 5/7/03 Expiration Date: 5/7/04					
Detail	2(03	· · · · · · · · · · · · · · · · · · ·	Phone:			1		Approval:		DAPAGON DELL.	J	
712	L(D)		915-685-5717				Attached					

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700′

None

700-2600'

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% $CaCl_2$ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700′

Fresh water/native mud. Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed. Wt 9.0-9.2ppg, Vis 28-29sec District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department


OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

Jessê, Certificate Number 7911801531013

AMENDED REPORT

		WEI	L LO	CATION	AND	ACF	REAGE DEDIC	CATION P	LAT		
		Pool Code			Pool Name						
		9601	0	BRAVO DOME CARBON DIOXIDE GAS							
Property Code							Name		Well Number		
2711	1	BF	BRAVO DOME CARB				DIOXIDE G	AS UNIT	UNIT 1934 042		
OGRID		-					Name		Elevation		
16696		OXY				US	A INC.		4869.3		
Surface Location											
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West		County
Р	4	19 N	34 E		983		SOUTH	858'	EAST		UNION
Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from the		North/South line	Feet from the	East/West line		County
Dedicated Acre	s Joint	or Infill C	onsolidatio	n Code : C	Order No.						
640 1											
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED											
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION											
4					[II '	OPERATOR CERTIFICATION			
								I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.			
						ļ		1 000 200 000	piece to the o	cat or my a	nonteage and bench.
	1										
								On Set			
L	. <u></u> l							Z. £			
		ı					Signature				
									David	Ste	wart
							Printed Nam		A	A1	
								Title	keguia	tory	<u>Analyst</u>
						ĺ			41210	3	
	Ì					į		Date			_
							· · · · · · · · · · · · · · · · · · ·	SURV	EYOR	CERT	IFICATION
								ll .			shown on this plat
								11 7			al surveys made by
	į	•1	_			į		and correct to			at the same is true
	į			1		į	NM-E NAD27		March	20_2	2003
	į	2700'			İ	Lat - 35° 54'08.24'' Lon -103° 19'23.53''	Date of Surve	Date of Survey			
				<u> </u>				Signature and	d Seal of Pro	essional 9	urveyor
	i					_	2 250/	1 house	- In my	alle	1 1 Sec. 1



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM