

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 South St Francis, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St Francis
Santa Fe, NM 87505

Form C-105
Revised March 25, 1999

WELL API NO. 30-007-20397

5. Indicate Type of Lease
STATE FEE X

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL GAS WELL DRY OTHER X COALBED METHANE
b. Type of Completion:
NEW WORK PLUG DIFF.
WELL OVER DEEPEN BACK RESVR. OTHER

7. Lease Name or Unit Agreement Name

VPR D

2. Name of Operator

EL PASO ENERGY RATON, L.L.C.

8. Well No.

112

3. Address of Operator

PO BOX 190
RATON, NEW MEXICO 87740

9. Pool name or Wildcat

Castle Rock Park - Vermejo Gas

4. Well Location

Unit Letter B 821 Feet From The North Line and 2169 Feet From The East Line

Section 14 Township 30N Range 17E NMPM COLFAX County

10. Date Spudded

02/15/03

11. Date T.D. Reached

02/16/03

12. Date Compl. (Ready to Prod.)

07/17/03

13. Elevations (DF& R(B. RT, GR, etc.)

8297'

14. Elev. Casinghead

8297'

15. Total Depth

2300'

16. Plug Back T.D.

2243'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

0 - TD

Cable Tools

None

19. Producing Interval(s), of this completion - Top, Bottom, Name

1743' - 2020' VERMEJO COALS

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

Array Induction, Epithermal Neutron Litho Density, After Frac and Cement Bond Log

21. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23 lb.	324'	11"	100 sx.	None
5 1/2"	15.5 lb.	2253'	7 7/8"	288 sx.	

24. LINER RECORD

25. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	2075'	N/A

26. Perforation record (interval, size, and number)

2018' - 2020' 5 Holes
1971' - 1973' 5 Holes
1947' - 1949' 5 Holes
1743' - 1747' 10 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
1743' - 2020' 116,120 lbs 20/40 Ottawa/TLC Sand

28. PRODUCTION

Date First Production

07/29/03

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping water up 2 7/8 tubing w/ 2' X 1 1/4" X 10' insert pump.
Flowing gas up 5 1/2" casing.

Well Status (Prod. or Shut-in)

Production

Date of Test

07/28/03

Hours Tested

24 Hours

Choke Size

Full 2"

Prod'n For

Test Period

Oil - Bbl

N/A

Gas - MCF

62

Water - Bbl.

4

Gas - Oil Ratio

N/A

Flow Tubing

Press.

Casing Pressure

115 psi

Calculated 24-

Hour Rate

Oil - Bbl.

N/A

Gas - MCF

62

Water - Bbl.

4

Oil Gravity - API - (Corr.)

N/A

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold, used for fuel.

Test Witnessed By:

Jerry Colburn

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature: Shirley Mitchell Printed Name: Shirley A. Mitchell Title: Senior Specialist Date: 08-18-03

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzde
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. Raton - Surface 552'
T. Blinebry	T. Gr. Wash	T. Morrison	T. Vermejo 1,704'
T. Tubb	T. Delaware Sand	T. Todilto	T. Trinidad 2,036'
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS
OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology