Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103
District I	Energy, Minerals and Natural R	sources	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240 District II	the state of the s	20	-007-20770
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIV	5 Indicate Type	
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South Str Francis	STATE	☐ FEE ⊠
District IV	sama Fe, NEW BY OCE	6. State Oil & C	as Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	2007 AUG 29 PM 3	- 2A	
SUNDRY NOTICES AND REPORTS ON WELLS			or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			VDD D
PROPOSALS.)			VPR B 140
1. Type of Well: Oil Well Gas Well Other Coalbed Methane			
2. Name of Operator  EL PASO E & P COMPANY, L.P.		9. OGRID Num	ber 180514
3. Address of Operator		10. Pool name o	or Wildcat
PO BOX 190, RATON, NM 87740		Van B	remmer – Vermejo Gas
4. Well Location			EAST
Unit Letter I: 1884 feet from the South line and 553 feet from the West line			
Section 18 Town		NMPM Colfax Count	y
	11. Elevation (Show whether DR, RKB 7,936' (GL)	RT, GR, etc.)	
Pit or Below-grade Tank Application 🔲 o			
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water			
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
			EPORT OF:
		MENCE DRILLING OPNS.□	ALTERING CASING  P AND A
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB			
_			
OTHER:	OTH		ompletion 🗵
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.			
05/10/07 Superior ran CBL. Estimated top of cement at 110'. 06/06/07 Superior perf'd 1 <sup>st</sup> stage - 2255' - 2257', 2281' - 2285' 24 Holes			
HES frac'd 1st stage - Pumped 343,430 scf 70% quality nitrogen with linear gel foam with 17,365 lbs 20/40 mesh sand.			
Superior perf'd 2 <sup>nd</sup> stage - 2049' - 2053', 2082' - 2084' 24 Holes HES frac'd 2 <sup>nd</sup> stage - Pumped 186,008 scf 70% quality nitrogen with linear gel foam with 11,055 lbs 20/40 mesh sand.			
Superior perf'd 3 <sup>rd</sup> stage - 1758'- 1763', 1803'- 1806', 1813'- 1816', 1837'- 1839, 1854'- 1857', 1871'- 1874' 76 Holes			
HES frac'd 3 <sup>rd</sup> stage - Pumped 404,444 scf 70% quality nitrogen with linear gel foam with 33,065 lbs 20/40 mesh sand.			
Superior perf'd 4 <sup>th</sup> stage - 1075'- 1078', 1104'- 1106', 1119'- 1123', 1202'- 1206' 52 Holes HES frac'd 4 <sup>th</sup> stage - Pumped 256,972 scf 70% quality nitrogen with linear gel foam with 21,124 lbs 20/40 mesh sand.			
Superior perf'd 5 <sup>th</sup> stage - 816' - 819', 828' - 831', 867' - 874', 895' - 898', 919' - 921', 967' - 970' 84 Holes			
	ped 502,029 scf 70% quality nitrogen with lin		mesh sand.
06/15/07 Clean out well bore. RIH tub	ing, rods and pump. Well is ready to be tester	and put on production.	
	above is true and complete to the best of		
grade tank has been/will be constructed or	closed according to NMOCD guidelines □, a ge	ieral permit 🗌 or an (attached) alter	native OCD-approved plan .
SIGNATURE Sherley	nitehell TITLE	Regulatory Analyst	DATE <u>08/21//2007</u>
Type or print name Shirley A Mi		Il@elpaso.com Telephone N	
For State Use Only		·	
APPROVED BY:	Martin TITLE DIS	RICT SUPERVISOR	DATE 8/30/07
Conditions of Approval (if any):	THE TOTAL	AND ESSERIES PARTIES	2112 0/20/07