| Submit 3 Copies To Appropriate District Office State of New Mexico | |
|--|--|
| <u>District I</u> Energy, Minerals and Natural I | Resources May 27, 2004 WELL API NO. |
| 1625 N. French Dr., Hobbs, NM 88240 District II | 30.007.20853 |
| 1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DI | VISION 5 LILLS CL |
| District III 1220 South St. Francise 1000 Rio Brazos Rd., Aztec. NM 87410 | DIF C - IV - MATE, T FEE M |
| District IV Santa Fe, NM 8/503 | |
| 1220 S. St. Francis Dr., Santa Fe, NM 87505 200 | AUG 30 AM 11 11 |
| SUNDRY NOTICES AND REPORTS ON WELLS | 7. Lease Name or Unit Agreement Name |
| (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG B. | ICH . |
| DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUPPOPOSALS.) | VIKA |
| 1. Type of Well: Oil Well Gas Well Other Coalbed Metha | |
| 2. Name of Operator | 9. OGRID Number |
| EL PASO E & P COMPANY, L.P. 3. Address of Operator | 10. Pool name or Wildcat |
| P.O. BOX 190, RATON, NM 87740 | 10. Foot hame of whiceat |
| 4. Well Location | |
| Unit Letter D : 1286 feet from the North line and 1017 feet from the West line | |
| Section 27 Township 31N Range 21E | NMPM Colfax County |
| o 11. Elevation (Show whether DR, RK. | |
| 7, 982 (GL | |
| Pit or Below-grade Tank Application ☐ or Closure ☐ | |
| Pit typeDepth to GroundwaterDistance from nearest fresh water wellDistance from nearest surface water | |
| Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material | |
| 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data | |
| | |
| NOTICE OF INTENTION TO: | SUBSEQUENT REPORT OF: |
| | MEDIAL WORK ALTERING CASING |
| | MMENCE DRILLING OPNS.⊠ P AND A □ □ SING/CEMENT JOB □ |
| POLL ON ALTER CASING WIDETIFLE COMPL CA | SINO/CEMENT 30B |
| - · · · - · · · - · · · · · · · · · · · | HER: |
| 13. Describe proposed or completed operations. (Clearly state all perti | |
| of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. | |
| 07/10/07 0 10 500 P 11111 C 1 1 2241 P 0' | C 0.5/00 0.4# 155 CT 0. C 1.2021 |
| 07/18/07 Spud @ 5:00 a.m. Drill 11" surface hole to 334'. Run 8 jts. of 8 5/8", 24#, J55 ST & C casing at 323'. Halliburton mixed and pumped 100 sks Midcon II cement. Circulated 5 bbls of cement to surface. | |
| WOC 8 hrs. Test surface 8 5/8" csg to 500 psi for 30 minutes. | |
| n oc o miss. Postourius o ere tag te est par tar en miss. | |
| 07/19/07 Drill 7 7/8" hole from 334' – 2060'. Reached TD at 2060' at 3:00 a.m. | |
| MIRU Superior and log well. Logger's TD 2055'. Run 42 jts 5 ½, 15.5 ppf, J-55, and 8 jts 17 ppf, J-55 LT&C casing at 2009'. | |
| HES mixed and pumped 231 sks Midcon II cement. Circulate | |
| 1120 mixed and pamped 231 site inflation in committee | |
| | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed/occording to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan. | |
| | |
| | ulatory Analyst DATE <u>08/28/2007</u> |
| 71 1 , | nitchell@elpaso.com Telephone No. (505) 445-6785 |
| For State Use Only | |
| APPROVED BY: Martin TITLE D | STRICT SUPERVISOR DATE 9/5/07 |
| THE STATE OF THE S | ** * * * * * * * * * * * * * * * * * * |