Submit To Appropria State Lease - 6 copies		State of New Mexico				Form C-105				
Fee Lease - 5 copies District I	En	Energy, Minerals and Natural Resources			-	Revised June 10, 2003 WELL API NO.				
1625 N. French Dr., Hobbs, NM 88240					20 007 20760)	
District II 1301 W. Grand Aven	0		l Conservation			5. Indicate Type of Lease				
District III 1000 Rio Brazos Rd.,	Aztec, NM 87410		12	20 South St. Fr			STAT	E 🗌	FEE	
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505				Santa Fe, NM	8/303		State Oil & Gas Lease No.			
WELL C	OMPLETION	OR RECO	MPL	ETION REPOR	RT AND LOG					
1a. Type of Well:	LL GAS WE	TI ⊠ DRY		OTHER Coalbed	Methane		7. Lease Name	or Unit Agr	eement N	ame
b. Type of Comp	_	DE Z DICI	LJ	OTTEN COMPCU.	ractitude	ĺ		VPR B		
NEW 🛛 V	VORK 🔲 DEE			DIFF.						
WELL C	OVER	BAC	K	RESVR. OTH	ER		8. Well No.			
2. Traine of operation		E & P COM	[PAN]	Y, L.P.			J		131	
3. Address of Oper	ator						9. Pool name or	Wildcat		
3. Address of Oper	РО ВОХ	190							er – Vei	mejo Gas
	RATON,	NEW MEXI	CO 8	37740						
4. Well Location										
Unit Letter	E : 1944	Feet From	The	North Line	and 756	Feet	From The	VestL	ine	
Section	17 To	vnship 29	N	Range	19E N	MI	PM	Colfax	County	
10. Date Spudded				mpl. (Ready to Prod.)			RKB, RT, GR,			Casinghead
03/19/2007	03/20/20			06/18/2007	110		',921'		0.11.7	7,921'
15. Total Depth 2,555 '	16. Plug E	ack 1.D.		Multiple Compl. How ones?	Many 18. Interv Drilled B		Rotary Tools 0 - T	D	Cable T	ools
19. Producing Inter	val(s), of this com	oletion - Top, Bo				-	20	. Was Dire	ctional Su	rvey Made
21. Type Electric a			Rato	n – Vermejo Coa	ls		22 Wee Well (Torod.		
			Log a	and Cement Bon	d Log		22. Was Well Cored No			
23.	· · · · · · · · · · · · · · · · · · ·	2		SING RECOR		trin	gs set in we	ell)		
CASING SIZI		HT LB./FT.		DEPTH SET	HOLE SIZE		CEMENTING RECORD AMOUNT PULLED			
8 5/8"		23 lbs	323'		11"		100 sks			
5 ½"	5.5 lbs		2,446'	7 7/8" 416 sks						
									-	
24. SIZE	ТОР	ВОТТОМ	LIN	ER RECORD SACKS CEMENT	SCREEN	25. SIZ		JBING RE		PACKER SET
SIZE	105	BOTTOM		SACKS CEMENT	SCREEN	_	2.7/8"	2,350	EI	PACKER SET
							7.10	,.		
26. Perfora	tion record (interva	l, size, and numb	er)		27. ACID, SHOT					
2279'- 2284' 20 He	oles	1055 1050 55			791' – 2,284'		AMOUNT AND KIND MATERIAL USED 128,132 lbs 20/40 mesh sand			
1750'- 1756', 1835'- 1837', 1848'- 1851', 1857'- 1860' 56 Holes 1195'- 1198', 1210'- 1213', 1261'- 1264', 1283'- 1286' 48 Holes					771 2,204		1,666,279 scf 70% quality Nitrogen w/ Linear gel			
	958'- 963', 1004'- 1008', 1060'- 1063', 1112' - 1116' 64 Holes 791'- 796', 806'- 809', 839'- 845', 884'- 887' 68 Holes									
28				PRO	DUCTION					
Date First Production 07/12/2007	on	Pumping water	up 2 7/	owing, gas lift, pumpin /8" tubing, insert pum ig gas up 5 ½" casing.)	Well Status (ut-in) P roductio n	1
Date of Test 07/12/2007	Hours Tested 24 Hours	Choke Size		Prod'n For Test Period	Oil - Bbl N/A	Gas	- MCF	Water - Bl		Gas - Oil Ratio
Flow Tubing	Casing Pressure	Calculated	24-	Oil - Bbl.	Gas - MCF	<u> </u>	Water - Bbl.			N/A PI - (Corr.)
Press. 0 psi	0 psi	Hour Rate		N/A	0		60			N/A
29. Disposition of C	Sas (Sold, used for						11	est Witness		Essman
Sold, used for fuel. 30. List Attachments										
ļ	31 .I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief									
					true and complete to	the	best of my knov	vledge and	belief	,
Signature Shirley Initabell Printed Name Shirley A. Mitchell Title Regulatory Analyst Date 08/28/2007										
E-mail Address shirley.mitchell@elpaso.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northwe	Northwestern New Mexico				
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"				
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"				
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"				
T. Yates	T. Miss_	T. Cliff House	T. Leadville				
T. 7 Rivers	T. Devonian_	T. Menefee	T. Madison				
T. Queen	T. Silurian	T. Point Lookout	T. Elbert				
T. Grayburg	T. Montoya	T. Mancos	T. McCracken				
T. San Andres	T. Simpson_	T. Gallup	T. Ignacio Otzte				
T. Glorieta	T. McKee	Base Greenhorn	T. Granite				
T. Paddock	T. Ellenburger	T. Dakota	T Raton 0'				
T. Blinebry	T. Gr. Wash	T. Morrison_	T <u>Vermejo 2,048'</u>				
T.Tubb	T. Delaware Sand	T.Todilto_	T Trinidad 2,298'				
T. Drinkard	T. Bone Springs	T. Entrada	T.				
T. Abo	T.	T. Wingate	T.				
T. Wolfcamp	T.	T. Chinle	T.				
T. Penn	T	T. Permian	T				
T. Cisco (Bough C)	T.	T. Penn "A"	OIL OR GAS				

			OIL OR GAS SANDS OR ZONES
No. 1, from	to	No. 3, fromt	0
No. 2, from	to	No. 4, fromt	0
	IMPORTANT \	WATER SANDS	
Include data on rate of v	water inflow and elevation to which wate	r rose in hole.	
No. 1, from	to	feet	
No. 2, from	to	feet	
No. 3, from	to	feet	
•	LITHOLOGY RECORD	Attach additional sheet if necessary	<i>(</i>)

Thickness

Thickness

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
					•		