

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL-API NO.

30-007-20778

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

VPR B

8. Well Number 168

9. OGRID Number 180514

10. Pool name or Wildcat

Van Bremmer - Vermejo Gas

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Coalbed Methane

2. Name of Operator

EL PASO E & P COMPANY, L.P.

3. Address of Operator

PO BOX 190, RATON, NM 87740

4. Well Location

Unit Letter M : 951 feet from the South line and 1150 feet from the West line

Section 21 Township 29N Range 19E NMPM Colfax County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

7,966' (GL)

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☒ Completion

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

03/13/07 Superior ran CBL. Estimated top of cement at 2170'.

05/16/07 Superior shot squeeze holes at 2120' - 2121'. HES pumped 326 sks midcon II cement. No returns.

05/19/07 Superior ran CBL. Estimated top of cement at 1860'.

05/31/07 Superior perf'd 1<sup>st</sup> stage - 2183' - 2187', 2216' - 2220' 32 Holes

HES frac'd 1<sup>st</sup> stage - Pumped 84,706 scf 70% quality nitrogen with linear gel foam with 8,207 lbs 20/40 mesh sand.

Superior perf'd 2<sup>nd</sup> stage - 1999' - 2005', 2111' - 2113', 2128' - 2132', 2140' - 2144' 64 Holes

HES frac'd 2<sup>nd</sup> stage - Pumped 228,839 scf 70% quality nitrogen with linear gel foam with 24,190 lbs 20/40 mesh sand.

06/06/07 Superior shot squeeze holes at 1836' - 1837'. HES pumped 356 sks midcon II cement. No returns.

06/12/07 Superior ran CBL. Estimated top of cement at 716'.

06/13/07 Superior perf'd 3<sup>rd</sup> stage - 1762' - 1764', 1783' - 1787', 1794' - 1799' 44 Holes

HES frac'd 3<sup>rd</sup> stage - Pumped 328,355 scf 70% quality nitrogen with linear gel foam with 30,729 lbs 20/40 mesh sand.

Superior perf'd 4<sup>th</sup> stage - 1023' - 1028', 1068' - 1073', 1095' - 1097', 1112' - 1115' 60 Holes

HES frac'd 4<sup>th</sup> stage - Pumped 317,307 scf 70% quality nitrogen with linear gel foam with 29,011 lbs 20/40 mesh sand.

06/26/07 Maverick Coil Tubing clean out. HES top off well with 60 sks cement. Pumped 6 bbls of cement to the pit.

06/28/07 Superior ran CBL. Estimated top of cement at surface.

06/29/07 Clean out well bore. RIH tubing, rods and pump. Well is ready to be tested and put on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Shirley Mitchell TITLE Regulatory Analyst DATE 09/12/2007

Type or print name Shirley A Mitchell E-mail address: shirley.mitchell@elpaso.com Telephone No. (505) 445-6785

For State Use Only

APPROVED BY: Ed Martin TITLE DISTRICT SUPERVISOR DATE 9/20/07

Conditions of Approval (if any):