

## District I

1625 N. French Dr., Hobbs, NM 87240

## District II

811 South First, Artesia, NM 87210

## District III

1000 Rio Brazos Rd., Aztec, NM 87410

## District IV

1220 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

## OIL CONSERVATION DIVISION

1220 South St Francis

Santa Fe, NM 87505

WELL API NO.

30-007-20819

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil &amp; Gas Lease No.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER Coal Bed Methane

b. Type of Completion:

NEW ☒ WORK ☐ PLUG ☐ DIFF. ☐  
WELL OVER ☐ DEEPEN ☐ BACK ☐ RESVR. ☐ OTHER ☐

2. Name of Operator

EL PASO E &amp; P COMPANY, L.P.

3. Address of Operator

PO BOX 190, RATON, NEW MEXICO 87740

7. Lease Name or Unit Agreement Name

VPR A

8. Well No.

306

9. Pool name or Wildcat

Stubblefield Canyon Raton - Vermejo Gas

4. Well Location

Unit Letter A : 1259 Feet From The North Line and 1158 Feet From The East LineSection 22 Township 31N Range 20E NMPM Colfax County

10. Date Spudded

06/05/2007

11. Date T.D. Reached

06/05/2007

12. Date Compl. (Ready to Prod.)

08/15/2007

13. Elevations (DF&amp; R(B. RT, GR, etc.)

8,065'

14. Elev. Casinghead

8,065'

15. Total Depth

2,315'

16. Plug Back T.D.

2,232'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

0 - TD

Cable Tools

NONE

19. Producing Interval(s), of this completion - Top, Bottom, Name

844'- 2049' Vermejo - Raton Coals

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

Compensated Density and Cement Bond Log

22. Was Well Cored

No

## 23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23	323'	11"	100 sks	None
5 1/2"	15.5	2,232'	7 7/8"	307 sks	

24.

## LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25.

## TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	2,078'	No

26. Perforation record (interval, size, and number)

865'- 869', 901'- 908', 816'- 920' 60 Holes  
 1069'- 1073', 1091'- 1096', 1134'- 1138', 1158'- 1161' 64 Holes  
 1680'- 1684', 1719'- 1722', 1736'- 1740' 44 Holes  
 2016'- 2020', 2036'- 2041', 2051'- 2058' 64 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

865'- 2058'

99,442 lbs 20/40 sand

836,768 scf nitrogen foam

20# Linear gel

## 28. PRODUCTION

Date First Production

09/18/2007

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping water up 2 7/8" tubing, pc pump.. Flowing gas up 5 1/2" Casing.

Well Status (Prod. or Shut-in)

Production

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
09/18/2007	24 hrs.	Full 2"		N/A	0	187	N/A
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
0	38		N/A	0	187	N/A	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold, used for fuel.

Test Witnessed By:

Vern Little

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.

Signature: Shirley A. Mitchell Printed Shirley A. Mitchell Title Regulatory Analyst Date: 11/01/2007

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

T. Anhy_____	T. Canyon_____
T. Salt_____	T. Strawn_____
B. Salt_____	T. Atoka_____
T. Yates_____	T. Miss_____
T. 7 Rivers_____	T. Devonian_____
T. Queen_____	T. Silurian_____
T. Grayburg_____	T. Montoya_____
T. San Andres_____	T. Simpson_____
T. Glorieta_____	T. McKee_____
T. Paddock_____	T. Ellenburger_____
T. Blinebry_____	T. Gr. Wash_____

T. Tubb_____	T. Delaware Sand_____
T. Drinkard_____	T. Bone Springs_____
T. Abo_____	T. _____
T. Wolfcamp_____	T. _____
T. Penn_____	T. _____
T. Cisco (Bough C)_____	T. _____

## Northwestern New Mexico

T. Ojo Alamo_____	T. Penn. "B"_____
T. Kirtland-Fruitland_____	T. Penn. "C"_____
T. Pictured Cliffs_____	T. Penn. "D"_____
T. Cliff House_____	T. Leadville_____
T. Menefee_____	T. Madison_____
T. Point Lookout_____	T. Elbert_____
T. Mancos_____	T. McCracken_____
T. Gallup_____	T. Ignacio Otzte_____
Base Greenhorn_____	T. Granite_____
T. Dakota_____	T. Raton Top <u><b>Surface</b></u>
T. Morrison_____	T. Vermejo <u><b>1,907'</b></u>
	Trinidad <u><b>2,067'</b></u>

OIL OR GAS SANDS  
OR ZONES

No. 1, from.....to.....  
No. 2, from.....to.....

No. 3, from.....to.....  
No. 4, from.....to.....

## IMPORTANT WATER SANDS

**Include data on rate of water inflow and elevation to which water rose in hole.**

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

# LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology