### State of New Mexico Energy, Minerals & Natural Resources

Form C-101 May 27, 2004

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division F E C E V Submit to appropriate District Office 1220 S. St. Francis Dr.

Santa Fe, NM 8750 PIN 20 PM 2 AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL RE-ENTER DEEPEN PLUGBACK OR ADD A ZONE

AFFLIC	ATION	ruk i	EKWIII I	O DKILI	L, KE-EI	A I TO	K, DEEPEN,				
OVV LICA T		<sup>1</sup> O	perator Name an	d Address				<sup>2</sup> OGRID Number <b>16696</b>			
OXY USA Inc.									<sup>3</sup> API Number		
P.O. Box 502		lland, 1	X 79710-025	0	5 n	<u> </u>		30- 021-	20457		
<sup>4</sup> Proper 271	ty Code .11			ravo Dome	<sup>5</sup> Property Carbon D	ioxide Gas Unit 1830 241					
Bravo Dome	9 Proposed Pool I Bravo Dome Carbon Dioxide Gas 160 96010							<sup>10</sup> Proposed P	0012		
					Surface I	Locat	ion				
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from t	he	North/South Line	Feet from the	East/West line	County	
I	24	18			1700		South	1700	East	Harding	
		8	Proposed I	Bottom Ho	ole Locati	ion I	Different Fro	m Surface			
UL or lot no.						he	North/South Line	Feet from the	East/West line	County	
			μ <u>Ι</u>	Add	itional W	ell L	ocation				
<sup>11</sup> Work Typ			12 Well Type Coo	ie	13 Cable/R	otary		se Type Code		Level Elevation	
<sup>16</sup> Multi			17 Proposed Dept	h	18 Forma	tion		Contractor	<sup>20</sup> Sp	ud Date	
No.			2600'		Tub			N/A		20/08	
Depth to ground v		>100'		Distance from		water v	vell	Distance from neare	est surface water >1000'		
Pit: Liner: Synt	thetic X	12 mi	s thick Clay	y Pit	Volume 40	000_	bbls Drilling Metl	nod:			
						Fresh W	ater X Brine	e Diesel/O	il-based 🔲	Gas/Air 🔲	
<del></del>	***		<sup>21</sup> I	Proposed (	Casing an	d Ce	ment Progran	 1			
Hole Si	ze	С	sing Size	I .	eight/foot		Setting Depth	Sacks of Ceme	nt E	stimated TOC	
12-1/	4"	8	-5/8"	24	l#	+/-750'		400sx		Surface	
7-7/8	3"		-1/2"	5.9#FG/15.5#		+/-2600'		550sx		Surface	
									_		
		<u> </u>									
						ŀ					
Describe the p Describe the blower						K, giv	e the data on the pro	esent productive zo	ne and proposed	new productive zone.	
	•		·		-						
				;	See Attach	nmen	t				
					-						
23 I hereby certify	that the infor	mation giv	en above is true	and complete to	o the best of		OII C	ONSERVATI	ON DIVICI	ON	
I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be					OIL CONSERVATION DIVISION						
constructed according to NMOCD guidelines \( \text{\Lambda} \) a general permit \( \text{\Lambda} \), or an (attached) alternative OCD-approved plan \( \text{\Lambda} \). Signature:						Approved by: Marker'					
Printed name: David Stewart						Title:	DIST	RICT SLIP	ERVISOR		
Title: Sr. Regulatory Analyst						Appr	oval Date: 3/2	2/08 E	xpiration Date:	3/27/10	
E-mail Address:	david_st	ewart@o	ky.com					-		, ,	
Date:	- 6-		Phone:			Cond	itions of Approval:				
3/17/	.0B		433	2-685-5717		Attac	hed				

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

2040 South Pacheco, Santa Fe, NM 87505

District IV

#### State of New Mexico Energy, Minerals & Natural Resources Department

#### OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

API Numb	API Number		Pool Name					
30-021-20457		96010	BRAVO DOME CARBON DIO	XIDE GAS 160				
Property Code		Pro	operty Name	Well Number				
27111	BRAVO	DOME CARBON	241					
OGRID No.		Op	perator Name	Elevation				
16696		OXY	USA INC.	4362.0				
	Surface Location							

UL or lot no.	Section	Township	Range	Lot Idn.	Feet from the	North/South line	Feet from the	East/West line	County
J	24	18 N	30 E		1700'	SOUTH	1700'	EAST	HARDING
Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from the	North/South line	Feet from the	East/West line	County
	····-								
Dedicated Acre	es Joint	or Infill (	Consolidation	Code C	order No.				
160	N 19								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED ADDDOVED BY THE DIVICION

	OR A NON-SIA	NDARD UNIT HAS	DEBUT THE INC VED	JI THE BIVISION
24				OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.
				Signature  David Stewart
	,		,	Printed Name Sr. Regulatory Analyst Title 3(17(08) Date
		NM-E NAD27 Lat - 35° 46'22.07" Lon - 103° 42'04.86" X - 687472.01 Y - 1737131.39	1700′	SURVEYOR CERTIFICATION  I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
		1700′		Dec 17 2007  Date of Survey  Signature and Searor Hososophar Sunveyor  15079
				Certificate Number 15079

#### Bravo Dome CO2 wells - 2008

## CASING:

MD (ft)	Hole Size (in)	Csg Size (in)	Wt (Ib/ft)	Grd	Cplg
0 - ±750	12-1/4	8-5/8	24	<b>J</b> 55	STC
0 - ± 2440	7-7/8	5-1/2 FG	5.9	FG	10 Rd
2440 - ± 2600	7-7/8	5-1/2 Steel	15.5	J55	LTC

# CEMENT:


## Surface:


			Cen	ent Design					
Slurry	Weight (ppg)	TOC (feet)	BOC (feet)		Slurry Volume (Bbls)	Cement Required (sx.)	Comment		
Lead	14.8	Surface	750		96	400	TOC ±surface		
Premium Plus			Le	ad Slurry	4	00 sx			
CaCl Poly E Flake						00 sx 2% 25 lb/sx			
Slurry Yield Mix Water					1.35 cfs 6.3 gal/sx				
Mix Water Sou	ırce			Freshwater					

# Production:

			Се	men	t Design				
Slurry	Weight (ppg)	TOC (feet)	BOC (feet)			Slurry Volume (Bbls)	Cement Required (sx.)	Com	ment
Lead	11.1	0	±1830			233	400	TOC Surface	to
Tail	13.2	±1830	2600			50	150	TOC above Cimarro	±600' on
	Lead S	Slurry				Tail	Slurry		
Premium Plus       400 sx         CaCl       3%         Poly E Flake       0.125 lb/sx         Slurry Yield       3.28 cfs         Mix Water       20.56 gal/sk         Mix Water Source       Freshwater				Premium Plus         150 sx           CaCl         3%           Poly E Flake         0.125 lb/sx           Slurry Yield         1.86 cfs           Mix Water         9.99 gal/sk           Mix Water Source         Freshwater					

## 9" BOP - 3000psi





# Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

