

Submit to Appropriate District Office
Five Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
July 17, 2008

1. WELL API NO.
30-021-20393
2. Type Of Lease
 STATE FEE FED/INDIAN
3. State Oil & Gas Lease No.

RECEIVED OOD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)
5. Lease Name or Unit Agreement Name
Bravo Dome Carbon Dioxide Gas 1932
6. Well Number
091

2009 DEC 15 A 11:51

9. Type of Completion
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER

8. Name of Operator
OXY USA Inc.
9. OGRID Number
16696

10. Address of Operator
P.O. Box 4294 Houston, TX 77210-4294
11. Pool name or Wildcat
Bravo Dome Carbon Dioxide Gas 640

12. Location	Unit Letter	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	9	19N	32E		1700	N	1700	E	Harding
BH:										

13. Date Spudded
05/07/08
14. Date T.D. Reached
05/10/08
15. Date Rig Released
05/10/08
16. Date Completed (Ready to Produce)
17. Elevations (DF & RKB, RT, GR, etc.)
4699.8' GR

18. Total Measured Depth of Well
2335'
19. Plug Back Measured Depth
2324'
20. Was Directional Survey Made
No
21. Type Electric and Other Logs Run
CN/GR/CCL

22. Producing Interval(s), of this completion - Top, Bottom, Name
2250-2280' - Tubb

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	713'	12-1/4"	400 SX	N/A
5-1/2"	5.3#FG/15.5#	2324'	7-7/8"	450 SX	N/A

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

25. TUBING RECORD

26. Perforation record (interval, size, and number)
2250-2280' (4 SPF, 124 total holes)
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL
2250-2280'
AMOUNT AND KIND MATERIAL USED
12707g CO2 gel frac w/401 sx snd

28. PRODUCTION

- Date First Production
- Production Method (Flowing, gas lift, pumping - Size and type pump)
- Well Status (Prod. or Shut-in)
Shut-In
- Date of Test
- Hours Tested
- Choke Size
- Prod'n For Test Period
- Oil - Bbl.
- Gas - MCF
- Water - Bbl.
- Gas - Oil Ratio
- Flow Tubing Press.
- Casing Pressure
- Calculated 24-Hour Rate
- Oil - Bbl.
- Gas - MCF
- Water - Bbl.
- Oil Gravity - API -(Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
30. Test Witnessed By

31. List Attachments
Deviation Svy, Log (1 set)

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:
Latitude Longitude NAD: 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature
E-mail address
kimberly.long@oxy.com

Printed Name
Kimberly Long

Title
Sr. Reg Analyst

Date
12/10/09

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1469'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 1759'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb 2245'	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Yeso 1852'	T. Entrada	
T. Wolfcamp	T. Cimarron 2228'	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____
 No. 2, from _____ to _____ feet _____
 No. 3, from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	713	713	redbed				
713	2335	1622	sandstone/shale				