

Submit 1 Copy To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
October 13, 2009

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-059-20479
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name BRAVO DOME CARBON DIOXIDE UNIT 18 35
8. Well Number 302
9. OGRID Number
10. Pool name or Wildcat BRAVO DOME CARBON DIOXIDE GAS UNIT 640 96010

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other ; CO2 SUPPLY WELL	
2. Name of Operator OXY USA INC.	
3. Address of Operator P.O. BOX 303, AMISTAD , NEW MEXICO 88410	
4. Well Location Unit Letter <u>K</u> : <u>1650</u> feet from the <u>SOUTH</u> line and <u>1650</u> feet from the WEST line Section <u>30</u> Township <u>18N</u> Range <u>35E</u> NMPM UNION County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4645.6	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED DETAILED PROPOSED PLUG AND ABANDON PROCEDURE PLUS WELLBORE SKETCH

ESTIMATED DATE TO PERFORM THIS WORK SUMMER 2010

Spud Date: 6/29/06 Rig Release Date: 7/01/06

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Alberto Giussani TITLE Engineering Advisor DATE 12/16/09

Type or print name Alberto Giussani E-mail address: albert-giussani@oxy.com PHONE: 806 894 0200

For State Use Only

APPROVED BY: Ed Martez TITLE DISTRICT SUPERVISOR DATE 12/21/09

Conditions of Approval (if any):

OIL CONSERVATION COMMISSION TO BE NOTIFIED  
WITHIN 24 HOURS OF BEGINNING OPERATIONS

WELL NAME

API No;

**18 35 30 2 K**

**3005920479**

RIG UP

KILL WELL WITH FRESH WATER

NIPPLE UP BOP

PICK UP CEMENT RETAINER

TRIP IN HOLE WITH WORK STRING

DEPTH OF CEMENT RETAINER

**2,397. FT**

ESTABLISH RATE THROUGH CEMENT RETAINER

SET RETAINER

PUMP 1st CEMENT PLUG - **TOTAL CEMENT VOLUME**

**12 SX**

STING OUT OF CR - **SPOT CEMENT ON TOP OF CR**

**6 SX**

CIRCULATE WELL WITH APPROPRIATE CORROSION INHIBITED  
FRESH WATER - **TOTAL VOLUME**

**56 BBLS**

**PRESSURE TEST CASING TO 500 PSI**

PULL TUBING TO (10 FT BELOW YESO TOP)

**1,852. FT**

SPOT 2nd CEMENT PLUG - **TOTAL VOLUME**

**17 SX**

SLOWLY PULL TUBING OUT OF CEMENT PLUG

PULL TUBING TO

**30. FT**

SPOT 3rd CEMENT PLUG - **TOTAL VOLUME**

**4 SX**

CUT :WELLHEAD & ANCHORS 3" BELOW GROUND LEVEL

CAP WELL WITH STEEL PLATE AND 4' MARKER

BACK FILL LOCATION

TOTAL CEMENT VOLUME

**38 SX**

CEMENT TYPE: PREMIUM PLUS + 2 % CaCl

WELL 18 35 30 2 K  
API 3005920479

