District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Page Lof 2

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Santa Fe, NM 87505

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.

I. Operator: El Paso E&P Company, L.P. OGRID #: 180514		
Address: 1001 Louisiana, Travis Place Rm 9.028, Houston, Texas 77002		
Facility or well name:VPR A-443		
API Number: <u>30-007-20952</u> OCD Permit Number:		
U/L or Qtr/Qtr NESW Section 34 Township 31N Range 20E County: Colfax		
Center of Proposed Design: Latitude		
Surface Owner: Tederal State Private Tribal Trust or Indian Allotment		
☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC		
Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or Haul-off Bins		
Above Ground Site: Talks of Taut-on Bills		
Signs: Subsection C of 19.15.17.11 NMAC		
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
⊠ Signed in compliance with 19.15.3.103 NMAC		
4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC □ Previously Approved Design (attach copy of design) API Number: □		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Swaste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: VPR A 07 WDW (Water) Disposal Facility Permit Number: API 30-007-20116		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **Swaste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: VPR A 07 WDW (Water) Disposal Facility Permit Number: SRU 98-7 Disposal Facility Permit Number: SRU 98-7		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: VPR A 07 WDW (Water) Disposal Facility Permit Number: API 30-007-20116		

6. Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): <u>Maria S. Gomez</u>	Title: Sr. Regulatory Analyst	
Signature: Maria D. Domey	Date: <u>September 08, 2010</u>	
e-mail address: maria.gomez@elpaso.com	Telephone: (713) 420-5038 or (832) 683-0361	
7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)		
OCD Representative Signature:	Approval Date: 9/13/10	
Title:DISTRICT SUPERVISÓR	OCD Permit Number:	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operated. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone	

FORM C-144 CLEZ ATTACHMENT EL PASO E & P COMPANY, L.P. RATON BASIN ABOVE GROUND STEEL TANKS

Closed-Looped Design Plan

In accordance with Rule 19.15.17 NMAC, the following describes the design of a closed-looped system for El Paso E & P Company, L.P. The following describes El Paso E & P Company's standard procedures for a closed-looped system; a separate plan will be submitted for any closed-loop system, which does not conform to this plan.

El Paso E & P Company's closed-loop system will not require a drying pad, temporary pit, below grade tank or a sump. It will include an above ground steel tank suitable for holding the solids and fluids for rig operations. The flow-back tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from the rig operations.

- Fencing is not required for an above ground closed-loop system.
- El Paso E & P Company will post a well sign in compliance with 19.15.3.103 NMAC.
- El Paso E & P Company will place a tank on location to store fresh water.

Operating and Maintenance Plan (O & M)

El Paso E & P Company's closed-loop system will be operated and maintained to contain liquids and solids to prevent contamination of fresh water sources, to protect public health, and the environment. El Paso E & P Company's O & M plan will include the following steps:

- e El Paso E & P Company has contracted Rain For Rent to supply flow-back tanks at the location. This company will haul off water and liquids for disposal at one of our nearest Salt Water Disposals located on the Vermejo Park Ranch.
- Solids in the closed-loop tank will be hauled off location by Rain For Rent and disposed At the Phantom Landfill located at Penrose, Colorado # SRU 98-7.
- No hazardous waste, miscellaneous solid waste, or debris will be stored in the tanks. Only fluids or cuttings, used or generated by rig operations, will be placed or stored in the tanks.
- El Paso E & P Company will notify the Santa Fe District Office within 48 hours, if a discovery of the closed-loop system's integrity is compromised in any way. Upon a discovery of a compromised tank, repairs will be made immediately.
- During rig operations, a daily inspection will be conducted, which will be logged, signed, and dated.

Closure Plan

The closed-loop system will be hauled off within 60 days of completion, and in accordance with Subsection D of 19.15.17.13. This will be done by transporting the liquids to the nearest Salt Water Disposal on the Vermejo Park Ranch; and the solids will be transported by Rain For Rent to the Phantom Landfill located at Penrose, Colorado # SRU 98-7. The flow-back tank will be removed from the location as part of the rig mob. If any equipment is set off location, El Paso E & P Company will re-seed the disturbed area. Also as part of the abandonment of the well, the location will be re-contoured and re-vegetated to pre-existing conditions when possible.

FREMONT COUNTY

CERTIFICATE OF DESIGNATION

ISSUED TO:

TWIN LANDFILL FREMONT

420 St. Paul Street, Denver, Colorado 80206

FOR THE OPERATION OF PHANTOM LANDFILL

LOCATED AT:

2500 FREMONT COUNTY ROAD 67, PENROSE, COLORADO 81240

RESOLUTION # 97-12, APPROVED FEBRUARY 11, 1997, BY THE FREMONT COUNTY BOARD OF COUNTY COMMISSIONERS

SPECIAL REVIEW USE PERMIT # SRU 98.7 RECORDED ON 4/21/99, AT BOOK 1366, PAGE 47

AMES R. SCHAUER, CHAIRMAN

MAN NORMA HATFIELD, COUN

KEITH L. McNEW

JOSEPH F. RALL

