

Michael H. Feldewert Recognized Specialist in the Area of Natural Resources - oil and gas law -New Mexico Board of Legal Specialization mfeldewert@hollandhart.com

May 24, 2011

VIA HAND-DELIVERY

Ms. Gail MacQuesten, Esq.
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

Re: <u>Case No. 14583</u>: Application of Farleigh Oil Properties for a compliance order, against SWEPI LP and Shell Exploration and Production Company, Guadalupe County, New Mexico.

Dear Ms. MacQuesten:

Pursuant to the Division's Response to Shell's Motion to Dismiss in the above referenced matter, enclosed please find corrected C-103s (and in the case of the Webb CD-1, a corrected C-105) for the subject wells. It is my understanding that these corrected filings constitutes the last step that the Division believes is necessary to clarify the record before the case is dismissed. Original copies of these corrected filings have been provided to Ed Martin, District Supervisor, for approval and filing.

Thank you for your attention to this matter.

Sincerely,

Michael H. Feldewert

cc: David Brooks, Esq.

Oil Conservation Division

Ed Martin, District Supervisor.
Oil Conservation Division

James Bruce, Esq.
Attorney for Farleigh Oil Properties



Gail MacQuesten May 23, 2011 Page 2

W. Thomas Kellahin, Esq. Attorney for Bayswater Exploration and Production, L.L.C.

John Michael Richardson Agent for Granada Holdings Limited Partnership, L.L.P. State of New Mexico
Energy, Minerals and Natural Resources Dept.
Oil Conservation Division-District 4
1220 South St. Francis Drive
Sante Fe, New Mexico 87505
Attn.: Ed Martin, District Supervisor

Shell Exploration & Production Co.

Regulatory Affairs-EP Americas 4582 S. Ulster Street Parkway Suite 1400 Denver, Colorado 80237

May 20, 2011

Subject: Amended Subsequent Report of Completion

Shell Exploration & Production Co., Latigo Ranch 3-5 (API No. 30-019-20137) Guadalupe County, New Mexico

Dear Mr. Martin:

As requested by the New Mexico Oil Conservation Division, Shell Exploration & Production Company (Shell), as service provider to SWEPI LP in New Mexico, is submitting our Amended Subsequent Report (Form C-103) to provide corrected completions data for the subject well to New Mexico Oil Conservation Division-District 4 (OCD) for your review and approval.

The amended Form C-103 is revised only in "No. of Completions" in Completed Operations (Section 13), as shown in red.

If you have any questions or require any additional information regarding these reports, please contact me at (303) 222-6347.

Regards,

Michael L. Bergstrom

Senior Regulatory Advisor

Shell Exploration & Production Company

Michael & Bugo tron

Attachments: Form C-103

Submit 1 Copy 10 Office	Appropriate District		State of New	Mexico				rm C-103
District I		Energy, 1	Minerals and N	Natural Res	ources	WELL ADINO		ber 13, 2009
1625 N. French Dr. District II					WELL API NO. 30-019-20137			
1301 W. Grand Av	e., Artesia, NM 88210	OIL CONSERVATION DIVISION				5. Indicate Type of Lease		
<u>District III</u> 1000 Rio Brazos R	d., Aztec, NM 87410	1220 South St. Francis Dr.			•	STATE	☐ FEE	\boxtimes
District IV			Santa Fe, NM	1 87505		6. State Oil & C	Gas Lease No.	
87505	Dr., Santa Fe, NM					NA		
		TICES AND REF				7. Lease Name	or Unit Agreem	ent Name
	IIS FORM FOR PROF ERVOIR. USE "APP					G' 1 4 D		
PROPOSALS.)			·	1)101150011		Singleton Prop 8. Well Number		3.5
1. Type of We		Gas Well 🖂	Other			<u> </u>		
2. Name of Op SWEPI LP	perator					9. OGRID Num	iber 250036	
3. Address of 0	Operator					10. Pool name of	or Wildcat Wild	lcat
	Houston, TX 770	001					•	•
4. Well Location	on							
Unit L	etter <u>K</u>	:1831+/fee	et from theS	outh li	ne and	1768+/- feet from	the West	_line
Section	n 5	Tov	wnship 10 N	Range	23 E	NMPM	County Gu	ıadalupe
			(Show whether	DR, RKB, F	RT, GR, etc.)		
		4687' +/- gra	aded					* *
	10 01 1			3.7	227 1	D	.	
	12. Check	Appropriate E	Box to Indicat	e Nature o	of Notice,	Report or Othe	r Data	
	NOTICE OF	NTENTION T	ГО:	J	SUB	SEQUENT RI	EPORT OF:	
	MEDIAL WORK	_	PLUG AND ABANDON REMEDIAL WO				ALTERING C	ASING 🗌
TEMPORARILY	Y ABANDON: [CHANGE PL	ANS 🗌	COM	MENCE DRI	ILLING OPNS.	P AND A	
PULL OR ALTE	ER CASING [] · MULTIPLE C	OMPL	CASIN	NG/CEMEN	T JOB 🔲		
DOWNHOLE C	COMMINGLE [
	COMMINGLE [П	OTHE	R. Comp	oletion 🕅		
OTHER:			s. (Clearly state	OTHE all pertinen			ntes, including e	stimated date
OTHER: 13. Describ of starti	ne proposed or coning any proposed	npleted operations work). SEE RUL	s. (Clearly state E 19.15.7.14 NI	all pertinen	t details, an	oletion d give pertinent da mpletions: Attach	ntes, including e	stimated date
OTHER: 13. Describ of starti	pe proposed or con	npleted operations work). SEE RUL	s. (Clearly state E 19.15.7.14 NI	all pertinen	t details, an	d give pertinent da	ates, including e wellbore diagra	stimated date um of
OTHER: 13. Describ of starti propose	be proposed or coning any proposed ed completion or r	npleted operations work). SEE RUL	s. (Clearly state E 19.15.7.14 NI	all pertinen	t details, an	d give pertinent da	ates, including e wellbore diagra	stimated date im of
OTHER: 13. Describ of starti	be proposed or coning any proposed ed completion or r	npleted operations work). SEE RUL	s. (Clearly state E 19.15.7.14 NI	all pertinen	t details, an	d give pertinent da	ates, including e wellbore diagra	stimated date um of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date	pe proposed or coning any proposed ed completion or rure as follows:	npleted operations work). SEE RUL ecompletion. Backplug TD	s. (Clearly state E 19.15.7.14 NI	all pertinen MAC. For M	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including e wellbore diagra	stimated date am of
OTHER: 13. Describ of starti propose Pertinent dates a	pe proposed or coning any proposed ed completion or rure as follows:	npleted operations work). SEE RUL ecompletion.	E 19.15.7.14 NI	all pertinen MAC. For M	t details, an Multiple Con	d give pertinent da mpletions: Attach	ntes, including e wellbore diagra	stimated date im of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09	pe proposed or coning any proposed ed completion or rare as follows: TD 14,538'	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812'	E 19.15.7.14 NI No. of Comp 1	all pertinent MAC. For M	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including e wellbore diagra	stimated date um of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details	pe proposed or coning any proposed ed completion or rare as follows: TD 14,538' Set Date	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval	No. of Comp 1	all pertinent MAC. For M letions Cement	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including e wellbore diagra	stimated date
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09	pe proposed or coning any proposed ed completion or rare as follows: TD 14,538'	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812'	E 19.15.7.14 NI No. of Comp 1	all pertinent MAC. For M	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including e wellbore diagra	stimated date
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4"	pe proposed or coning any proposed or completion or rare as follows: TD 14,538' Set Date 2/13/09	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308'	No. of Comp 1 Weight 40.5#	e all pertinent MAC. For M letions Cement 660sx	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including en wellbore diagra	stimated date
OTHER: 13. Describe of startic proposes Pertinent dates as TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2"	pe proposed or conting any proposed or conting any proposed of completion or rare as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529'	No. of Comp 1 Weight 40.5# 29.7# 13.5#	e all pertinent MAC. For Mac.	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including e wellbore diagra	stimated date
OTHER: 13. Describe of startic proposes Pertinent dates as TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2"	pe proposed or conting any proposed or completion or reas follows: TD 14,538' Set Date 2/13/09 3/01/09	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529'	No. of Comp 1 Weight 40.5# 29.7# 13.5#	e all pertinent MAC. For Mac.	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including en wellbore diagra	stimated date
OTHER: 13. Describ of startipropose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitude	pe proposed or coning any proposed of completion or rare as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ande location is: No	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5#	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con Direction	d give pertinent da mpletions: Attach al Survey	ates, including e wellbore diagra	stimated date
OTHER: 13. Describe of startic proposes Pertinent dates as TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2"	pe proposed or coning any proposed of completion or rare as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ande location is: No	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529'	No. of Comp 1 Weight 40.5# 29.7# 13.5#	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey	ates, including en wellbore diagra	stimated date
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitus See Additional I	pe proposed or coning any proposed of completion or rare as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ande location is: No	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con Direction	d give pertinent da mpletions: Attach al Survey	ates, including en wellbore diagra	stimated date
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitu	pe proposed or conting any proposed or completion or reas follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ande location is: Note that the continuous indication is: Note that the continuous is: Note tha	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5#	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con Direction	d give pertinent da mpletions: Attach al Survey	ates, including es wellbore diagra	stimated date
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitus See Additional I	pe proposed or conting any proposed or completion or reas follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ande location is: Note that the continuous indication is: Note that the continuous is: Note tha	mpleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con Direction	d give pertinent da mpletions: Attach al Survey	ates, including en	stimated date
OTHER: 13. Describ of startipropose. Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitus See Additional I	pe proposed or coning any proposed of completion or rate as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ade location is: Note that the control of the control o	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey Yes	ates, including en wellbore diagra	stimated date
OTHER: 13. Describ of startipropose. Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitus See Additional I	pe proposed or conting any proposed or completion or reas follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ande location is: Note that the continuous indication is: Note that the continuous is: Note tha	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey Yes	ates, including en	stimated date
OTHER: 13. Describ of startipropose. Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitus See Additional I	pe proposed or coning any proposed of completion or rate as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ade location is: Note that the control of the control o	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053	letions Cement 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con	d give pertinent da mpletions: Attach al Survey Yes	ates, including en	stimated date
OTHER: 13. Describ of startipropose. Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitus See Additional I	pe proposed or coning any proposed of completion or rate as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 ade location is: Note that the control of the control o	npleted operations work). SEE RUL ecompletion. Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053	letions Cemen 660sx 1,172sx 802sx (NAD 83)	t details, an Multiple Con Direction t	d give pertinent dampletions: Attach al Survey Yes ge and belief.	ates, including exwellbore diagra	um of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitu See Additional I Spud Date:	that the information	Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053 Rig Releas	letions Cement 660sx 1,172sx 802sx (NAD 83) the Date: he best of my	t details, an Multiple Condition Direction t t y knowledger Regulato	d give pertinent da mpletions: Attach al Survey es and belief. ry Advisor DA	wellbore diagra	um of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitu See Additional I	be proposed or conting any proposed of completion or rate as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 Inde location is: Not Details Attached 2-9-09 that the information of the completion of the	Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053 Rig Releas	letions Cement 660sx 1,172sx 802sx (NAD 83) the Date: he best of my	t details, an Multiple Condition Direction t t y knowledger Regulato	d give pertinent dampletions: Attach al Survey Yes ge and belief.	wellbore diagra	um of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitu See Additional I Spud Date:	be proposed or conting any proposed of completion or rate as follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 Inde location is: Not Details Attached 2-9-09 that the information of the completion of the	Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053 Rig Releas TIT E-mail addre	letions Cement 660sx 1,172sx 802sx (NAD 83) the Date: he best of my LE Senions Ess: mich:	t details, an Multiple Condition Direction t y knowledger Regulator ael.bergstre	d give pertinent da mpletions: Attach al Survey des ge and belief. ry Advisor Da om@shell.com	wellbore diagra	um of
OTHER: 13. Describ of starti propose Pertinent dates a TD Date 03/28/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longitu See Additional I	be proposed or conting any proposed of completion or reas follows: TD 14,538' Set Date 2/13/09 3/01/09 4/04/09 Inde location is: Note that the information of the completion of the completio	Backplug TD 13.812' Interval 0-1,308' 0-6,258' 0-14,529' orth 35.119508, W	No. of Comp 1 Weight 40.5# 29.7# 13.5# Vest 104.526053 Rig Releas TIT E-mail addre	letions Cement 660sx 1,172sx 802sx (NAD 83) the Date: he best of my LE Senions Ess: mich:	t details, an Multiple Condition Direction t y knowledger Regulator ael.bergstre	d give pertinent da mpletions: Attach al Survey des ee and belief. ry Advisor Da om@shell.com	wellbore diagra	um of