ABOVE THIS L	NE COR	CUS/ICIONI	LIZE ONLY	
ABOVE INISI	INC FOR	DIAIGIONA	USE UNK	

NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -

ADMINISTRATIVE APPLICATION COVERSHEET

	THIS	I COVERSHEET IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS
Applic		ms: [NSP-Non-Standard Proration Unit] [NSL-Non-Standard Location] [DD-Directional Drilling] [SD-Simultaneous Dedication] HC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling] [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement] [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion] [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase] [OR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]
[1]	TYPE OI [A	F APPLICATION - Check Those Which Apply for [A] I Location - Spacing Unit - Directional Drilling MNSL NSP DD SD
	Cl	neck One Only for [B] or [C]
	(B] Commingling - Storage - Measurement
		DHC CTB PLC PC OLS OLM
	[C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery WFX PMX SWD IPI EOR PPR
[2]	NOTIFIC	CATION REQUIRED TO: - Check Those Which Apply, or Does Not Apply
	[A] Uworking, Royalty or Overriding Royalty Interest Owners
	[B] Offset Operators, Leaseholders or Surface Owner
	[C] Application is One Which Requires Published Legal Notice
	[[] U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
	[E]
	[F] • Waivers are Attached

[3] **INFORMATION / DATA SUBMITTED IS COMPLETE - Statement of Understanding**

Signature

I hereby certify that I, or personnel under my supervision, have read and complied with all applicable Rules and Regulations of the Oil Conservation Division. Further, I assert that the attached application for administrative approval is accurate and complete to the best of my knowledge and where applicable, verify that all interest (WI, RI, ORRI) is common. I further verify that all applicable API Numbers are included. I understand that any omission of data, information or notification is cause to have the application package returned with no action taken.

JAMES BRUCE
P.O. BOX 1056 SANTA FE, NM 87504

	Note:	Statement mus	t b <u>e compieted</u> by a	n individual with supervi	sory capacity.		,	
		/	D	11		4		
1	' I <i>)</i>	m	151	a Atta	mer to 1	đ	1610	2

Title

nt or Type Name

JAMES BRUCE ATTORNEY AT LAW

. .

POST OFFICE BOX 1056 SANTA FE, NEW MEXICO 87504

3304 CAMINO LISA SANTA FE, NEW MEXICO 87501

(505) 982-2043 (505) 982-2151 (FAX)

April 8, 1999

Michael E. Stogner Oil Conservation Division 2040 South Pacheco Street Santa Fe, New Mexico 87505

> Re: Amended application of Devon Energy Corporation (Nevada) ("Devon") for administrative approval of an unorthodox oil well location:

Logan "35B" Fed. Well No. 7 1090 feet FSL & 2120 feet FWL SE¼SW¼ §35, Township 17 South, Range 27 East, NMPM Eddy County, New Mexico

Dear Mr. Stogner:

Devon withdraws its original application for approval of the above unorthodox location, and submits the following materials for its amended application:

- 1. A copy of the original application, requesting approval of an unorthodox location solely for the Red Lake Queen-Grayburg-San Andres Pool; and
- 2. A copy of a Sundry Notice requesting approval to drill the well to a depth sufficient to test the Northeast Red Lake Glorieta-Yeso Pool.¹

The unorthodox location is sought primarily for the Red Lake-Queen-Grayburg-San Andres Pool, and thus is based on the reasons set forth in the original application. The amended request is based on recent drilling activity in the area, which established Glorieta-Yeso production. Glorieta-Yeso wells are low volume producers, as are Queen-Grayburg-San Andres wells, and thus Devon seeks

¹The Northeast Red Lake Glorieta-Yeso Pool is being expanded to include the S½ of Section 35 in Division Case 12160.

unorthodox location approval for both zones.² Downhole commingling approval will be sought administratively on a well-by-well basis.

You had inquired about wells on this acreage operated by Mason-Phillips Properties. Those wells are (or were) part of the South Red Lake Unit, which was terminated last fall. The unitized interval was 1430-1762 feet subsurface, defined as the Grayburg formation. Devon owns the working interest in the subject land from 1762 feet subsurface (the top of the San Andres formation) to the top of the Abo formation.³ Thus, Devon owns a portion of the rights in the Red Lake Queen-Grayburg-San Andres Pool, and all rights in the Glorieta and Yeso formations. <u>Devon's wells will not</u> <u>be completed above 1762 feet subsurface</u>.

Based on the foregoing, Devon requests approval of the above unorthodox location as to both pools. Please call me if you need anything further on this matter.

Very truly yours,

. .

Attorney for Devon Energy Corporation (Nevada)

²Royalty and overriding royalty ownership in the well unit is common as to all depths involved in this application.

³Rights from the surface to 1430 feet subsurface, which would presumably include the Queen formation, are owned by persons other than Devon or Mason-Phillips.

JAMES BRUCE

ATTORNEY AT LAW

POST OFFICE BOX 1056 SANTA FE, NEW MEXICO 87504

SUITE B 612 OLD SANTA FE TRAIL SANTA FE, NEW MEXICO 87501

(505) 982-2043 (505) 982-2151 (FAX)

October 5, 1998

Hand Delivered

Michael E. Stogner Oil Conservation Division 2040 South Pacheco Street Santa Fe, New Mexico 87505

Dear Mr. Stogner:

Pursuant to Division Rule 104.F.(2), Devon Energy Corporation (Nevada) ("Devon") applies for administrative approval of the following unorthodox oil well location:

Logan "35" Fed. Well No. 7 1090 feet FSL & 2120 feet FWL SE¼SW¼ (Unit N) §35, Township 17 South, Range 27 East, NMPM Eddy County, New Mexico

The well will be drilled to a depth sufficient to test the San Andres formation (Red Lake Queen-Grayburg-San Andres Pool). The pool is subject to statewide rules, with 40 acre well units, and wells to be located no closer than 330 feet to a quarter-quarter section line. Attached as Exhibit A is a Form C-102 for the well.

The original location proposed by Devon was orthodox: 900 feet FSL and 2100 feet FWL. The current location is non-standard due to topographic reasons. Attached as Exhibit B is a plat of the well pad, which shows that there are pipelines or power lines at or near the original location. Thus, an unorthodox location is required.

Attached as Exhibit C is a land plat of the area, showing that the well is on federal lease LC 028775-A, and is moving toward federal lease LC 057798. There is common royalty and working interest ownership on the two leases, although overriding royalty ownership varies. However, notice has not been given to any interest owner, for the following reasons:

In Case 11996, Devon presented evidence that the subject pool is continuous across this area, trending in a northeast-southwest

direction. Thus, geology is not a factor in these well locations. There are numerous draws, elevation changes, and pipelines and other facilities in the area, which often necessitate unorthodox locations. Wells in this pool drain less than 20 acres, with a drainage radius of about 445 feet. Unless a well is closer than about 100 feet to an offsetting lease, it will have no more effect on an offset than a well capable of draining 40 acres located at an orthodox location.

In addition, Devon is infill drilling each well unit, and Exhibit C shows that Devon has plans to drill two wells on each offsetting well unit.¹ Devon is also considering the possibility of a future waterflood for this pool, and the proposed wells fit into a waterflood pattern.

Directional drilling the well to an orthodox location is not feasible. Wells in the pool are not prolific producers (averaging 50,000 barrels in reserves), and the added drilling and operating costs would make the wells uneconomic.

Based on the foregoing, Devon requests approval of the above unorthodox location. Please call me if you need anything further on this matter.

Very truly yours,

Attorney for Devon Energy Corporation (Nevada)

DISTRICT I P.O. Box 1980, Hobbs, NM 68240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

State of New Mexico

Energy, Minerals and Natural Resources Department

I AMENDED REPORT

2

Instruction on back


State Lease - 4 Copies Fee Lease - 3 Copies


Revised February 10, 1994

Submit to Appropriate District Office

Form C-102

EXHIBIT #







■ EAGLE 34A-1 M F 1 1 H H 16 H F 1 1 - B 7 SRL 45 W-3 557 370 LC - 067849 EAGLE 34B - A H FED 1140 AC 0 AC ■ EAGLE 34A-2 9 B = 1 SRL 2, SRL 4 SRL 4 SRL 44 0 AC ■ EAGLE 34A-2 9 B = 1 SRL 2, SRL 4 SRL 44 SRL 44 CC = 050158 3 ■ EAGLE 34H - 15 H 17 B0 AC H 13 SRL 44 SRL 44 ACLE 34C - 14 ■ H FED 9 H 13 SRL 6 AB F 2 H F 4 H 3 M S FL 5 12 CC = 057798 W-3 W - 13 OLGAN FED 1 - W - 20 D S H F 3 0 OLGAN FED 5 - 0 D SRL 74 H F 4 H 3 M S FL 5 2 W 13 SRL 15 SRL 6 AB F 2 H F 4 H 3 M S FL 5 2 W 14 F 3 0 OLGAN FED 5 - 0 D SRL 74 H 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 74 H 74 H 3 M S FL 5 - 0 D SRL 75 H 10 S	A F			T FED 1 T F 1 ED T FED 2 T F	т фН 17	-¢-BR
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	557370 eagle 34в-4 н fe 0 AC ОеА	LC-067849 ED 1140 AC IGLE 34A-2 -	H 15	G_2_SRLG 4_srld	4 srlg 44 LC-050158	1
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array}{c} \end{array} \end{array} \\ \end{array} \\ \end{array} \\ \end{array} \\ \begin{array} \end{array} \\ \end{array} \\ \end{array} \end{array} \\ \begin{array} \end{array} \\ \end{array} \\$	FACIE	34H-4R AC	12 80 AC WI-6 H 13 SRLG 15 SR	G 16 B F 2	46 wi-7	ŴI I
$\frac{2}{10}$ $\frac{1}{10}$	AGHE 242-39540 90 A	© EAGLE 351-8 D 2 LEC 3410 6840 @ FAG 40 AC	2 WD17 M / Logan Fe 15 Logan Fed ski	4-3 WI-18 ОLOGA	AN FED JOGAN FED 2	FED 1 WI-20 D S 2 WI G 24
$\frac{2}{100} = \frac{1}{100} = \frac{1}$	NM-29270	ED 1 💮 M	OLOGAN FED 8	OLOGAN FED 10		ST CE
	MALCO-FED 2	- Q-2Q- A-	2029	¹ B-1483		ŵi ^T (10)

. . . .

Form 3160-3 UNI (June 1990) DEPARTME	TED STATES OF THE INTERIOR	51
• • • • • • • • • • • • • • • • • • • •	AND MANAGEMENT	FORM APPROVED Budget Bureau No. 1004-0135 Expires March 31, 1993
Do not use this form for proposals to drill o	S AND REPORTS ON WELLS or to deepen or reentry to a different reservoir. DR PERMIT—" for such proposals	 Lease Designation and Serial No. LC-028755-A If Indian, Allottee or Tribe Name
SUBMIT	IN TRIPLICATE	NA 7. If Unit or CA, Agreement Designation
1. Type of Well Gil Gas Other Well Other		8. Well Name and No.
2. Name of Operator DEVON ENERGY CORPORATION (NEV)	ADA)	Logan "35" Federal #7
3. Address and Telephone No. 20 NORTH BROADWAY, SUITE 1500, O	KLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611	9. API Well No. 30-015-30439
4. Location of Well (Footage. Sec., T., R., M., or Survey 1090' FSL & 2120' FWL of Section 35-T175		10. Field and Pool, or Exploratory Area Red Lake; Q-GB-SA 11. County or Parish, State
		Eddy County, NM
CHECK APPROPRIATE BOX() TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N
Notice of Intent	Abandonment Recompletion	Change of Plans
Subsequent Report	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Altering Casing Other <u>Amend TD & pool, name change</u>	Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The original Application for Permit to Drill, Form 3160-3, approved on 10/13/98 for a proposed depth of 3400' and the Red Lake (Q-GB-SA) pool. Devon Energy Corporation (Nevada) requests to amend the depth to 4000' and include the NE Red Lake (Glorieta-Yeso) pool.

Devon also requests to change the well name:

FROM: Logan "35" Federal #7 TO: Logan "35B" Federal #7		RECEIVED OCD - ARTESIA
14. I hereby certify that the foregoing is the and correct Signed	Tonja Rutelonis Title Engineering Technician Title PETROLEUNI ENGINEER	Date 2/9/99 FEB 1 8 1999 Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations to any matter within its jurisdiction.

·••. •

(June 1990) DEPARTME	TED STATES OF THE INTERIOR LAND MANAGEMENT	FORM APPROVED Budget Bureau No. 1004-0135
Do not use this form for proposals to drill o	AND REPORTS ON WELLS or to deepen or reentry to a different reservoir. OR PERMIT—" for such proposals	Expires March 31, 1993 5. Lease Designation and Serial No. LC-028755-A 6. If Indian, Allottee or Tribe Name
SUBMIT	IN TRIPLICATE	N/A 7. If Unit or CA, Agreement Designation
1. Type of Well ⊠ Oil Gas Other		N/A
2. Name of Operator DEVON ENERGY CORPORATION (NEV)	ADA)	8. Well Name and No. Logen 35 B Fed #7 See Below
3. Address and Telephone No. 20 NORTH BROADWAY, SUITE 1500, OI	KLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611	9. API Well No.
4. Location of Well (Footage. Sec., T., R., M., or Survey Section 35-17S-27E	Description)	10. Field and Pool, or Exploratory Area Red Lake (Q-GB-SA) 11. County or Parish, State Eddy County, New Mexico
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REF	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	Ι
 Notice of Intent Subsequent Report Final Abandonment Notice 13. Describe Proposed or Completed Operations (Clearly state all subsurface locations and measured and true vertical depths 	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other <u>Change of Name</u> pertinent details, and give pertinent dates, including estimated date of startin for all markers and zones pertinent to this work.)*	Change of Plans Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) g any proposed work. If well is directionally drilled, give
Name changed: From: Logan "35" Federal #7 To: Logan "35B" Federal #7	NEW PROPERTY CODE 238	3 OCT 105 51 RECEIVED 72 OCD - ARTING 51
14. I hereby certify that the foregoing is true and correct Signed	Kimberly CrillyTitle Engineering Technician Title	Date Date
Title 18 U.S.C. Section 1001, makes it a crime for any person kno- to any matter within its jurisdiction.	wingly and willfully to make to any department or agency of the United State *See Instruction on Reverse Side	es any false, fictitious or fraudulent statements or representati

Form 3160-3 (December 1990)	UNIT DEPARTMENT BUREAU OF LAN	STATES F THE INTERIOF DMANAGEMENT	549 S2 5 5	LEASE DE	Form approved.	44	
				C-028755	-A		
			PEN 6.		N, ALLOTTEE OR TRIBE	NAME	
la TYPE OF WORK:			-		EEMENT NAME		
b. TYPE OF WELL:		SINGLE	MULTIPLE -				
2 NAME OF OPERAT	OR Other				LEASE NAME, WELL NO. Federal #7		
	DEVON ENERGY CORPO	RATION (NEVADA)		API WELL		<u>7/4</u>	
3. ADDRESS AND TE			30		30439		
4 LOCATION OF WEI	20 N. BROADWAY, SUITE L (Report location clearly and in a	1500, OKC, OK 73102 (40			Q-GB-SA		
	FSL & 2120' FWL, Unit "N"		L		R. M. OR BLOCK AND	CO SURVEY OR AREA	
At top proposed prod.	zone (SAME)				-T17S-27E		
	ND DIRECTION FROM NEAREST TOWN OR	POST OFFICE		2 COUNTY	OR PARISH	13. STATE	
	southeast of Artesia, NM			ddy Cou		New Mexico	
15.DISTANCE FROM PROPORTION TO NEAREST	SED	16.NO. OF ACRES IN LEASE 80			17.NO. OF ACRES A	BSIGNED	
PROPERTY OR LEASE L. (Also to nearest drig, unit lin					40		
18.DISTANCE FROM PROPOS TO NEAREST WELL, DRI	SED LOCATION*	19. PROPOSED DEPTH 3400'			20. ROTARY OR CABL. Rotary	E TOOLS*	
OR APPLIED FOR, ON 2 21. ELEVATIONS (Show whether				22 38	PROX. DATE WORK WILL	(T) DT+	
GR 3614'					aber 1,1998		
23.		PROPOSED CASING AND CE	MENTING PROGRAM				
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH		QUANTITY OF	CEMENT	
<u>17 1/2"</u> <u>12 1/4"</u>	14" 8 5/8", J-55	Conductor 24 ppf	40'		Redimix 350 sx Lite + 200 sx C		
7 7/8"	5 1/2", J-55	15.5 ppf	3400'	250 sx Lite + 350 sx Class C			
* Cement will be circul	ated to surface on all casing string		1	1			
will be plugged and aba Drilling Program Surface Use and Opera Exhibit #1 - Blowout Pr Choke Ma Exhibit #2 - Location a Exhibit #3 - Planned Ad Exhibit #4 - Wells With Exhibit #5 - Production Exhibit #5 - Production Exhibit #7 - Casing Des Exhibit #8 - H ₂ S Opera IN ABOVE SPACE DE	revention Equipment/ inifold nd Elevation Plat ccess Roads in a One Mile Radius Facilities Plan Layout sign Parameters and Factors ting Plan CCRIBE PROPOSED PROGRAM	Programs to adhere to onshore o The undersigned acc operations conducted Bond Coverage: N BLM Bond File No.: NSL- 1: If proposal is to deepen, give o	il and gas regulations are outlin epts all applicable terms, condit I on the leased land or portion th ationwide CO-1104	ed in the ions, stip hereof, as	following exhibits an ulation, and restriction described above. A 051 051 051 051 051 051 051 051 051 051	ad attachments. ons concerning	
proposal is to drill or d any 24.	eepen directionally, give pertinent	data on subsurface locations and		pths. Giv	e blowout preventer	program, if	
SIGNED	E. J. Rattrest J	E. L. BU	TTROSS, JR. <u>CT ENGINEER</u> DATE		8/28/98		
	eral or State office use)						
			APPROVAL DATE				
Application approval does thereon.	not warrant or certify that the applican	t holds legal or equitable title to those	rights in the subject lease which wou	ld entitle t	he applicant to conduct	operations	
CONDITIONS OF API		ActiAssistant	Field Office Manager,		OCT 13	1998	
APPROVED BY	Hu. SGD.) KUNN A SIM	TITLE Lands and	d Minerals	DAT	••••		

.•

See Instructions On Reverse Side

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

۰.

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

AMENDED REPORT

Revised February 10, 1994

Submit to Appropriate District Office

2

Instruction on back


State Lease - 4 Copies Fee Lease - 3 Copies

Form C-102

			WELL LO	CATION	AND ACREA	GE DEDICATI	ON PLAT			
API Number Pool Code Pool Name										
		51300 Red Lake (Q-GB-SA) Property Name Well Numb								
Property (Code			Well Nu	mber					
				LOG				7		
OGRID No.								Eleval 361		
6137		L		DEVON	ENERGY CO			301	4	
				<u> </u>	Surface Loc					
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
N	35	17 S	27 E		1090	SOUTH	2120	WEST	EDDY	
			Bottom	Hole Lo	cation If Diffe	erent From Sur	face			
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acres	s Joint o	r Infill Co	nsolidation	Code Or	der No.			•		
NO ALLO	WABLE W					UNTIL ALL INTER		EEN CONSOLIDA	ATED	
		OR A I	NON-STAN	IDARD UN	IIT HAS BEEN	APPROVED BY	THE DIVISION			
	ī			1			OPERATO	OR CERTIFICAT	TON	
1	ļ				1		11		1	
					1		11	y certify the the inj n is true and compl		
	1				I I		best of my know	wledge and belief.		
	1				1			A .	. 1	
į	1				1		1 2.1.	Rullroll	.h.	
	۱ بلہ			\bot	 		Signature		<u></u>	
	· · · · · · · · · · · · · · · · · · ·			1	1		E. L. Bu	ttrossIr.		
	I			1	1		Printed Nam			
					i		District Title	Engineer_		
	1				i		8/28/98			
	1				İ		Date			
	l						SUDVEY		TON	
			<u></u>	<u> </u>			-	OR CERTIFICAT		
					1			y that the well locat		
					1		actual surveys	as plotted from field made by me or	under my	
					l			nd that the same is Ne best of my belie	true and	
	1							we best of my berne	y.	
					1			just 20_1998		
		3616.7	7 3611.8		ļ		Date Survey	Seal of Seal o		
	<u>ل</u> ــــــــــــــــــــــــــــــــــــ		777	†	+·		Signature &	Sparotter,		
	2120'- <u> </u>	- _``	- ? \` \	4	1			12/24	\ \	
	1	3616.3	3 3605.9	:			13/121	(1977-1), t	An-	
	i			1	ł			d No 82977	<u></u>	
		$\backslash \backslash$		1	1				\$ //	
	i	$\langle \rangle \rangle$			1		Cortificat	A COTY E JONE	7977	
		\setminus			I		11	ASIN SURVEYS		


EXHIBIT #

State of New Mexico Energy, Minerals and Natural Resources Department , ,



....

ŀ



Attachment to Exhibit #1 NOTES REGARDING BLOWOUT PREVENTORS Logan 35 Federal #7 Eddy County, New Mexico

- 1. Drilling nipple will be constructed so it can be removed mechanically without the aid of a welder. The minimum internal diameter will equal BOP bore.
- 2. Wear ring will be properly installed in head.
- 3. Blowout preventor and all associated fittings will be in operable condition and tested to 1000 psi with the rig pump.
- 4. All fittings will be flanged.

•

. ×.

- 5. A full bore safety valve with proper thread connections will be available on the rotary rig floor at all times.
- 6. All choke lines will be anchored to prevent movement.
- 7. All BOP equipment will be equal to or larger in bore than the internal diameter of the last casing string.
- 8. Will maintain a Kelly cock attached to the Kelly.
- 9. Hand wheels and wrenches will be properly installed and tested for safe operation.
- 10. All BOP equipment will meet API standards and include a minimum 40 gallon accumulator having two independent means of power to initiate closing operation.

T	ownship	17	SAL	+1	ya ketak an Maria I	Range	27	Eas	+	NMI	PM			i i i		
-			<u> 200</u>	17	T				1		d,	T				
				\vdash	+	+-+	┼╌╏╴	\dagger	+							هدو بر به کار ۲۰۰۰ میرود کار ۲۰۰۰ میرون میرود میرون
	-6-	-+	•	5-+-	\mathbf{T}	4	┼╌╂╴	3	+		<u>2</u> -			<u>1</u> -		
			+	-	1		┿╍╂╴		1	╏──┼		· · · · ·		· •		n in saint a Shine an
-					+		┼╌┠╌		+	╏╶┼						
		1			1				1				<i>.</i>			
	- 7 -+	\uparrow	+ 1	3 1	1	+- 9 		+ 10			11	e ji		-12	and the	
											12 10					
	-			r gr	T									4 N		an gi
	-18-		1		T	- 16			·		14 -	-	- - -	-13-	99 E	
											 			10		
		\bot									1 d d 1				4 4	
*								_ _	<u> </u>						S 20	
	-19-		2	L 0		- 21-	╞╌┠╴	22 -	- . 		-23-	5 		- 24 ·		
		-+			1	┨			· ·							
	┝─┼─┤			· · ·		+-+	└┨-				:			3. 		
		<u> </u>		<u> </u>			$\left - \right $			┨─┤						
	-30 -	-+-		'9 -		- 28 -	┼┼┼	-27-	+	$\left[+ \right]$	- 26 -		\mathbf{h}	-25		
			1 7 12	┝╼┼╴	-	+ + -	╏	+-+-	+							
	- + +	+		\vdash	+-	+-+-	┼╌╂╌		+	\vdash						
		-			-		┼╌╂─		-	╏──┤	+					
	- 31-		+ 3	2 +		- 33 -	┼╌┢╸	-34 -		╋╌┼	-35-			- 36 -	+ -	
Ex.	+: ⁵ /2 Se	 06.34	15/2	Soc. 3	c(R.	-11/20	4-7-51	с) с)	لتتوسق	1. 1. M. ().			uige.			
	<u> </u>		,			<u> </u>				-	- <u>1</u>	(j. j. j				
			t is				· .					in egy e	đ - 1	1		
	~		فريه وفران			,							n shanadh a ga d			
								. <u> </u>								· ·· ·
											·					ana ta
			. , 			· 5			<u></u>	<u></u> -		<u> </u>		<u>.</u>		,
	•	·									 			,r.	4 48 T.L 	
				<u> </u>											<u> </u>	
		<u> </u>		<u> </u>		<u></u>				······		•				•
							<u></u>				,					
																•

<u>(</u>)

()

 County Eddy	V menning	POOLNOI	-+heast	Red Lak	e-G/	oneta-	<u>. Yes</u>
						- Alerten alert	

÷

•

6

(

C

.

	WINE	ihip	/	8 .	500	けん	10 - 11 	R	lan	ge		<u> </u>	Fa.	<u>st</u>	¥27.	<u>NP</u>	<u>IPM</u>					1.e ;	tasi di	
				Ţ			-		`		Į.		2			Γ	ŀ	Ĩ			1- Q		e vi	
ļ		Ì		10 N. 10 N.		Ţ									ы.		14 - ¹							
	e	2				5-				4	- 30 		1995 - 1905 - 19	3		4 1	1 14 1		e.					
			1997 1997 1997		1. z.)		sw.	ц., ц.,	1. 1			n), rag Marina	1997 - 1997 1997 - 1997				14 1 - 14 14		4 5		÷.	•		
			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1 sy e				- 5-	10			10.2	14 JA		r. 14	1 1) - st.		νĸ.	• •		н н. Ц	A.	
		,		147 - 14 14 - 14 14 - 14	1	ي ار م					14 14 14	teres :		L) -		*	? ¶				- 1	. ⊜ 2 —		
		- 1. 1. 1.	100	n an	i A	0		() ()								i. e	2 - Ş	Ē			1		$\frac{1}{2} = \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2}$	
		5		ŝ				Areses		·				44	1998年 - 2014									
			- 2. *			· · · · ·	1 5	* < *	× ~2				8 s. 8 s.		2 - 2 2	3.	a a a	н қ і						
	- 1	s –	ġ.			1 17 -	-	1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -	- 1	6 -	- 8 -	ing and a second	- 1	1			1	4 –	. 11 	ţ.	-1	3—		
			12.60			1				, s	a a la contra da contra d Contra da contra da	14 C	- 64 A	 			94 -				-			
		1	25 - 25 1913					 			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1				Barra an	200 - 201 200 - 201 201	3.85 A		12		1947 - Y			
*			1. 1. al	919-1 J.			191 A	· 🖄						. : 2,5.	12 N.					2			2 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 - 2000 2000 - 2000	
- +	-1	9 –				20 -		1999 - Y	- 2	」 1—		2 8 2 44	- 2			2). 4 20	-2	3-	177 - 184 - 1		- 2			
-+	_			1							1 miles	10			<u> </u>								いない まで能が	
	· .	1	an Suit	•				1000 C		書け、管理	-		र्थ अर्थ २१ मध्य ११ मध्य		19 - 19 19 - 19 19 - 19	5		and the second s			1	ा स्र		
		۸.	>> 	Ŀ			<u> </u>					2004 10.12			1997. 1946 -	÷.		in de la Reference			- 12 - 5		- <u></u>	
-	3	0 –			+:	29 -	-	۰ تو بر	- 2	8 –	8. S.			27 -			 2	6-			- 2	5 —		
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1						÷.	ري ع	ta setta se ta setta se	<u>е</u> .	in the second	1	1.15	15. 1		4	1.44		- 2		.3C	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
	~~	20. ~ar				-												- 23				20 20		
-†			Serjeja a	4					<u>د</u> و ک		- 44		4. 13 13		- . 41			2 4				- y#	1997 - 19	
	- 3 	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1997) 1997)	-	32 - I		<u> </u>	⊢ 3	3 – ∛			<u>†</u> :	34 	. 4		 - 3	5 - I		, .	- 3	6 	1	
		-	÷.					- Å	1 3	پېټې : پېټې :	30	1	à à		: %	19		ش به		1	· · · ·	ළා		
De	<u>~</u>	ri n	1.0		νw	US.	ec.3	s (R	2-11	013	5-	30-9	8)	Ex	+:/	×13	Sec.	26	Rtl	323	2-	70-	00)	
		T		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			ζŦ.Υ	1.0 20.4 2. 2.	anti i s					an Alan an tao			ارسی، میرون میرون	2. 29	1.4			્રાષ્ટ્રજ્યનં		
_			÷ .	đ. Serie		\$1 m.		· · · 2			5.32		و میں دیا۔ بیر کا کہ ک		· ·						· · · · ·			
			تفتر در بر	in a c	. تېر		a sa		ېنې مېنې . مېر	an e.			20020		• • •							. •		
									27 			e b					···••· - ·			· ·		· .		-
•			1. 1.20	i sann -			· -·	عر ثر 		······································	· · · · ·													
			-	•																				•
	÷					:					····				i'n	•	<u></u>	da - en					···· ·	2
		. <u> </u>		6			:						•										-	
				, 1 (CTA)					de la el		<u>1. js</u> a 							. ~.				میں نے ایں۔ 	19-10-19-19-19-19-19-19-19-19-19-19-19-19-19-	-
																		.`				<u> </u>		- an South -