

**NM2 - 1**

**CLOSURE  
REPORT**



RECEIVED OCD

2012 JUL 19 PM 12:45

July 17, 2012

Mr. Brad Jones  
Oil Conservation Division  
1220 South St. Francis Street  
Santa Fe, New Mexico 87505

Email: brad.a.jones@state.nm.us  
Phone (505) 476-3487

**RE: CENTRALIZED EVAPORATION POND #2  
OCD PERMIT #NM-02-0001**

Dear Mr. Jones:

XTO has determined that the Centralized Evaporation Pond #2 will be closed pursuant to the previously submitted, and approved, closure plan. The previously submitted closure plan was approved by the NMOCD on February 17, 2011. A closure report detailing the closure activities will be submitted once the closure activities outlined in the approved closure plan have been completed.

Respectfully Submitted,

James McDaniel, CHMM #15676  
EH&S Supervisor  
XTO Energy Inc.  
Western Division



CC: Brandon Powell, NMOCD Aztec Office



July 15, 2013

Mr. Brad Jones  
Oil Conservation Division  
1220 South St. Francis Street  
Santa Fe, New Mexico 87505


Email: brad.a.jones@state.nm.us  
Phone (505) 476-3487

**RE: CENTRALIZED EVAPORATION POND #2  
OCD PERMIT #NM-02-0001**

Dear Mr. Jones:

Please find attached the *Reclamation Photos: Third Quarter 2013* for the Centralized Evaporation Pond #2 located in Section 26, Township 32N, Range 9W, San Juan County, New Mexico. Per our approved closure plan, we are required to monitor the reclamation at this facility for three (3) years, through 2015.

Respectfully Submitted,

  
James McDaniel, CHMM #15676  
EH&S Supervisor  
XTO Energy Inc.  
Western Division



CC: Brandon Powell, NMOCD Aztec Office

XTO Energy, Inc.  
Evaporation Pond #2  
Section 26, Township 32N, Range 9W  
Third Quarter Monitoring – July 2013



Photo 1: Reclaimed Area (View 1)



Photo 2: Reclaimed Area (View 2)

XTO Energy, Inc.  
Evaporation Pond #2  
Section 26, Township 32N, Range 9W  
Third Quarter Monitoring – July 2013



Photo 3: Reclaimed Area (View 3)



Photo 4: Reclaimed Area (View 4)



May 1, 2013

Mr. Brad Jones  
Oil Conservation Division  
1220 South St. Francis Street  
Santa Fe, New Mexico 87505

Email: [brad.a.jones@state.nm.us](mailto:brad.a.jones@state.nm.us)  
Phone (505) 476-3487

**RE: CENTRALIZED EVAPORATION POND #1  
OCD PERMIT #NM-02-0008**

Dear Mr. Jones:

Please find attached the *Reclamation Photos: Second Quarter 2013* for the Centralized Evaporation Pond #1 located in Section 31, Township 32N, Range 8W, San Juan County, New Mexico. Per our approved closure plan, we are required to monitor the reclamation at this facility for three (3) years, through 2015.

Respectfully Submitted,

  
James McDaniel, CHMM #15676  
EH&S Supervisor  
XTO Energy Inc.  
Western Division



CC: Brandon Powell, NMOCD Aztec Office

RECEIVED OCD  
2013 MAY -5 P 2:45

XTO Energy, Inc.  
Evaporation Pond #1  
Section 31, Township 32N, Range 8W  
Second Quarter Monitoring – April 2013



Photo 1: Reclaimed Area (View 1)



Photo 2: Reclaimed Area (View 2)

XTO Energy, Inc.  
Evaporation Pond #1  
Section 31, Township 32N, Range 8W  
Second Quarter Monitoring – April 2013



Photo 3: Reclaimed Area (View 3)



Photo 4: Reclaimed Area (View 4)



RECEIVED OCD

2011 AUG 18 P 10:15

August 15, 2011

Mr. Brad Jones  
Oil Conservation Division  
1220 South St. Francis Street  
Santa Fe, New Mexico 87505

Email: [brad.a.jones@state.nm.us](mailto:brad.a.jones@state.nm.us)  
Phone (505) 476-3487

**RE: CENTRALIZED EVAPORATION POND #2 CLOSURE REPORT  
OCD PERMIT #NM-02-0001**

Dear Mr. Jones:

Please accept the attached *Closure Report* and supporting information for the Centralized Evaporation Pond #2 located in Section 26, Township 32N, Range 9W, San Juan County, New Mexico.

Respectfully Submitted,

A handwritten signature in black ink that reads 'Kim Champlin' in a cursive script.

Kim Champlin  
EH&S Administrative Supervisor  
XTO Energy, Inc.  
San Juan Division

CC: Brandon Powell, NMOCD Aztec Office

**SITE NAME:**

**CENTRALIZED EVAPORATION POND #2  
SECTION 26, TOWNSHIP 32N, RANGE 9W  
SAN JUAN COUNTY, NEW MEXICO  
OCD PERMIT NO. NM-02-0001**

**SUBMITTED TO:**

**MR. BRAD JONES  
NEW MEXICO OIL CONSERVATION DIVISION  
1220 SOUTH ST. FRANCIS DRIVE  
SANTA FE, NEW MEXICO 87505  
(505) 476-3487**

**SUBMITTED BY:**

**XTO ENERGY, INC.  
SAN JUAN DIVISION  
382 ROAD 3100  
AZTEC, NEW MEXICO 87410  
(505) 333-3100**

**AUGUST 15, 2011**

**TABLE OF CONTENTS**

**INTRODUCTION.....1**

**SCOPE OF CLOSURE ACTIVITIES.....1**

Figures:       Figure 1 Vicinity Map

Attachments: Attachment #1 December 13, 2010 Letter from NMOCD  
Attachment #2 Reclamation Plan  
Attachment #3 Photo Documentation  
Attachment #4 LT Environmental Sampling Report

## INTRODUCTION

The Centralized Evaporation Pond #2 (Pond #2) was originally permitted by the New Mexico Oil Conservation Division (OCD) for Koch Exploration in July of 1998, OCD Permit No. NM-02-0001. The pond lease and permit was acquired by XTO Energy, Inc. (XTO) in 2009 from El Paso Exploration and Production Company, and approval to transfer the permit was issued in March of 2009. The evaporation pond was used to dispose of produced water from the Blancett Com C #1, Gardner C #1, Gardner C #5 and Gardner C #7 well sites by previous operators. These wells are now owned and operated by XTO, however Pond #2 has not been used by XTO. XTO notified OCD in April 2009 of plans for removing fluids from the pond in order to clean and inspect the liner as part of our routine operations and maintenance program. During inspection and maintenance, obsolete, damaged and non-operational equipment was removed from the location. Based on completion of this process XTO decided to close Pond #2. A closure plan for this evaporation pond was submitted to your office and approved on December 13, 2010.

## SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure report is to provide details of the closure activities performed by XTO for Evaporation Pond #2 located in Section 26, Township 32N, Range 9W. XTO is proposing that Evaporation Pond #2 be closed as a Centralized Waste Facility, but allowed to remain open for potential future use. XTO will re-vegetate the area as it stands, and allow the structure to remain for potential future use.

- 1) *XTO notified the division's environmental bureau on April 28, 2009 of the cessation of operations at Pond #2 as part of our plans for evaporating the fluid in the pond in order to clean and inspect the liner. This closure plan and proposed schedule has been submitted to the division for adequacy in accordance with Paragraph 1 of Subsection A of NMAC 19.15.36.18.*

**This closure plan was approved by the OCD on December 13, 2010.**

- 2) *XTO is requesting an exception to Paragraph 2 of Subsection A of NMAC 19.15.36.18, the division's 60 days for notification of modifications of the closure plan and proposed schedule, based on the time of year and expected weather impediments. Winter precipitation, snow melt and Federal area closures will hinder closure operations.*

**Closure activities occurred at this site from April 4, 2011 through May 23, 2011**

- 3) *However, if the division does not notify XTO of additional closure requirements within 60 days as provided, the operator may proceed with closure in accordance with the approved closure plan; provided that the director, for good cause, extend the time for the division's response for an additional period not to exceed 60 days by written notice to XTO in accordance with Paragraph 3 of Subsection A of NMAC 19.15.36.18.*

**XTO is in receipt of the additional closure requirements outlined in the December 13, 2010 letter from the NMOCD. This letter is enclosed as Attachment #1.**

- 4) *XTO shall be entitled to a hearing concerning a modification or additional requirement the division seeks to impose if it files an application for a hearing within 10 days after receipt of written notice of the proposed modifications or additional requirements in accordance with Paragraph 4 of Subsection A of NMAC 19.15.36.18.*

**A hearing was not requested by XTO Energy, Inc.**

- 5) *Closure shall proceed in accordance with the approved closure plan and schedule and modifications or additional requirements the division imposes. During closure operations XTO shall maintain the surface waste management facility to protect fresh water, public health, safety and the environment in accordance with Paragraph 5 of Subsection A of NMAC 19.15.36.18.*

**Closure activities were performed in accordance with the approved closure plan.**

- 6) *Upon completion of closure, XTO shall re-vegetate the site in accordance with the included Reclamation Plan. The surface owner of this site is the Bureau of Land Management (BLM) and the included Reclamation Plan conforms to BLM requirements and is in accordance with Paragraph 6 of Subsection A of NMAC 19.15.36.18.*

**XTO will reclaim the pond in accordance with the BLM standards once it has been determined that the facility is no longer useful, Attachment #2.**

- 7) *All water and sediment in the pond has been removed and disposed of at an OCD permitted disposal facility in order to inspect the liner as per our agreement with OCD dated April 2009 and in accordance with Paragraph 1 Subsection E of NMAC 19.15.36.18.*

**All water in Evaporation Pond #2 was removed and disposed of at Agua Moss' OCD permitted injection facility, OCD permit number NMOCD-07-162. Approximately 615 yards of sediments were disposed of at CRI's OCD permitted landfill, OCD permit number NM-01-006**

- 8) *All liners and bedding material will be inspected for re-use in other Oil and Gas operations (with OCD approval). Portions of the liner and bedding material that are deemed unusable will be properly cleaned and disposed of per 19.15.9.712 NMAC at the Bondad Landfill, located in La Plata County, Colorado (due to location) or the San Juan County Landfill, located in San Juan County, New Mexico. Concrete used to make up the leak detection system footer will be broken up and screened for Naturally Occurring Radioactive Material before being hauled to the Bondad Landfill for disposal.*

**All liner and bedding material was removed and disposed of at the Bondad Landfill. Upon removal of the sump area, it was discovered that there was no concrete in the leak detection area. The leak detection was made up of an 8" PVC connected to the 1" leak detection piping running beneath the pond liner. Please see the photographs presented in Attachment #3.**

- 9) *The soil beneath the evaporation pond liner, pond sidewalls, liquids receiving and treatment area, leak detection area, and area outside the berm will be sampled, by a third party contractor, into 4-ounce glass jars, capped headspace free, and analyzed for BTEX via USEPA Method 8021B, and for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, total chlorides, and 3103 Subsection A and Subsection B constituents in accordance with NMAC 20.6.2.3103AB. Samples will also be collected from the natural background (for comparative purposes), to be analyzed for metals, and other inorganics listed in Subsections A and B of NMAC 20.6.2.3103. Standard metals will be analyzed via USEPA Method 6010B, Mercury will be analyzed via USEPA Method 7470 and cyanide will be analyzed via USEPA Method 9012B. Fluoride, Nitrate, Sulfate and Chlorides will be analyzed via USEPA Method 9056. Polychlorinated Biphenyls (PCB) will be analyzed via USEPA Method 8082, Volatile Organic Compounds (VOCs) will be analyzed via USEPA Method 8260B, Poly Aromatic Hydrocarbons (PAH) will be analyzed via USEPA Method 8310, Ethylene Dibromide (EDB) will be analyzed via USEPA Method 8011, Phenols will be analyzed via USEPA Method 9066, Total Dissolved Solids (TDS) will be analyzed via USEPA Method 2540C, Uranium will be analyzed via USEPA Method 200.8, and Radium 226/228 will be analyzed via USEPA Method 7500.*

*Individual grab samples will be obtained from any areas (beneath the evaporation pond liner, pond sidewalls, liquids receiving and treatment area, leak detection area, and area outside the berm) with visually obvious staining or moist soil. If the liner is obviously damaged, or there is any indication of a release, a subsurface investigation will be conducted.*

**Please see attached closure sampling report from LT Environmental (LTE) as Attachment #4.**

- 10) *Samples will be collected in accordance with the USEPA SW-846 protocols. Four (4) soil samples will be collected from beneath the pond and along the pond sidewalls, one in each quadrant of a grid pattern. Each sample will be a 10 point composite as shown on Figure 3. Each grid will measure approximately 160' x 160'. The evaporation pond is approximately 315' x 315'. One additional composite sample will be collected beneath the concrete footer of the leak detection system as well. One background sample of virgin, undisturbed soil will be analyzed for comparative purposes. The sample results will be submitted to the OCD Santa Fe office in accordance with Paragraphs 4-5 of Subsection E of NMAC 19.15.36.18.*

**A sample grid map is included in the LTE Sampling Report, Attachment #4, as Figure #2.**

- 11) *Considerations: This site has an OCD Hazard Ranking of 30 based on depth to groundwater of less than 50 feet, distance to a water well of over 1,000 feet, and horizontal distance to surface water of over 200 feet; see **Figure 1, Vicinity Map**. Sample results above 100 mg/kg TPH, 10 mg/kg benzene and 50 mg/kg BTEX standards will be excavated and a new sample collected as per OCD Guidelines for the*

*Remediation of Leaks, Spills and Releases. Should all closure samples return results below the closure standards determined for this site, no excavation will be required. Soil samples will be collected and analyzed for a chloride standard of 250 mg/kg or background to determine if a release has occurred.*

**Each of the Pond closure samples were found in the laboratory to be below the closure standards outlined in the OCD Guidelines for the Remediation of Leaks, Spills and Releases.**

*12) Once laboratory analysis indicates closure standards have been achieved for the site, the evaporation pond will be backfilled using non-waste containing soil, and re-contoured and re-vegetated pursuant to the attached **Grading Plan** and **Reclamation Plan**. These plans conform to NMAC 19.15.36.18 and BLM requirements.*

**Upon the determination that this facility has no potential future use, the area will be reclaimed in accordance with BLM standards.**

*13) The post-closure care period for the evaporation pond closure shall be three years if XTO has achieved clean closure. During that period XTO or another responsible entity shall regularly inspect and maintain the required re-vegetation. If there has been a release to the vadose zone or to groundwater, then XTO shall comply with applicable requirements of 19.15.29 and 19.15.30 NMAC in accordance with Subsection F on NMAC 19.15.36.18.*

**No release has been confirmed in the Vadose Zone**

*14) Once all closure activities have been completed, a report detailing on-site activities and sampling results will be prepared and submitted to OCD environmental bureau in Santa Fe.*


**This report is intended to be the above mentioned closure report.**

XTO Energy, Inc. has completed closure activities at Evaporation Pond #2 located in Section 26, Township 32N, Range 9W, San Juan County, New Mexico. Pending approval of this closure plan, Evaporation Pond #2 will no longer be permitted as a Centralized Waste Facility regulated by the OCD.



Kim Champlin  
EH&S Administrative Supervisor  
XTO Energy, Inc.

# FIGURE 1



Data use subject to license.

© DeLorme. DeLorme Topo USA® 7.0.

www.delorme.com



Data Zoom 14-4


# ATTACHMENT 1



# New Mexico Energy, Minerals and Natural Resources Department

**Bill Richardson**

Governor

Jim Noel  
Cabinet SecretaryKaren W. Garcia  
Deputy Cabinet SecretaryMark Fesmire  
Division Director  
Oil Conservation Division

December 13, 2010

Ms. Kim Champlin  
XTO Energy, Inc.  
San Juan Division  
382 Road 3100  
Aztec, New Mexico 87410

**RE: Facility Closure Plan Review  
XTO Energy, Inc. - Centralized Surface Waste Management Facility  
Centralized Evaporation Pond #2: Permit NM-2-001  
Location: Section 26, Township 32 North, Range 9 West, NMPM  
San Juan County, New Mexico**

Dear Ms. Champlin:

The Oil Conservation Division (OCD) has reviewed XTO Energy, Inc.'s (XTO) revised closure plan, dated December 8, 2010, for the centralized surface waste management facility, Centralized Evaporation Pond #2 Permit NM-2-001. Based on the information provided, the facility closure plan is hereby approved with the following understandings and conditions:

1. XTO shall comply with all applicable requirements of the Surface Waste Management Rule (19.15.36 NMAC), the Oil and Gas Act (Chapter 70, Article 2 NMSA 1978), and all conditions specified in this approval.
2. XTO shall ensure that the closure activities identified in the December 8, 2010 revised submittal are completed as proposed in the closure plan.
3. XTO shall ensure that any backfilling and contouring at the facility shall be completed in a manner to prevent erosion and ponding of water.
4. XTO shall remove all above and below grade equipment and materials from the permitted footprint of the facility. This shall include any items not associated with the permitted activities.

Oil Conservation Division  
1220 South St. Francis Drive • Santa Fe, New Mexico 87505  
Phone (505) 476-3440 • Fax (505) 476-3462 • [www.emnrd.state.nm.us/OCD](http://www.emnrd.state.nm.us/OCD)




Ms. Champlin  
XTO Energy, Inc.  
Permit NM-2-001  
December 13, 2010  
Page 2 of 2

5. XTO shall excavate and removal any visual contamination within the permitted facility footprint. The contaminated soils shall be disposed at an OCD approved facility.
6. XTO shall submit a closure report at the completion of the closure activities that summarized the closure activities, including but not limited to, a final closure facility contour map; identification of material disposal facilities; sampling results; backfilling and contouring activities; re-vegetation seeding mixture and application rates; and photo documentation.

Please be advised that approval of this request does not relieve XTO of liability if its operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve XTO of its responsibility to comply with any other applicable governmental authority's rules and regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or [brad.a.jones@state.nm.us](mailto:brad.a.jones@state.nm.us).

Sincerely,



Brad A. Jones  
Environmental Engineer

BAJ/baj

cc: OCD District III Office, Aztec

# ATTACHMENT 2

## RECLAMATION PLAN

The purpose of this reclamation plan is to provide a step-by-step list of the reclamation activities proposed by XTO Energy, Inc. for the Centralized Evaporation Pond #2 located in Section 26, Township 32N, Range 9W.

- 1) Once closure activities for the Centralized Evaporation Pond #2 have been completed pursuant to NMAC 19.15.36.18, the former pond location will be backfilled using on-site material used to build the pond's structure upon its completion. During the ponds completion, native material was excavated to create the pond, and the native material was used to build the external structure of the evaporation pond. XTO Energy, Inc. (XTO) proposes to use the existing, native soil to backfill the former pond location, supplementing with outside sources of material should enough native material not be available on site. All supplemental soil will be added to the top portion of the backfilled location, and will match the native soil type.
- 2) The site will be graded according to the attached **Grading Plan** prepared by Geomat, Inc. (Geomat). The grading plan was completed using survey points in and around the former location of the Centralized Evaporation Pond #2 in order to match the natural grade of the surrounding area. This will be done in such a way as to minimize sheet and rill erosion as well as to prevent surface ponding in the reclamation area.
- 3) The site will be seeded using the approved seed mixture of the Farmington Field Office (FFO) of the Bureau of Land Management (BLM) for the area in which the pond is located. Seeding will be re-completed after the second growing season if satisfactory cover is not achieved. XTO will provide signs and surface roughening in order to protect seed and seedling establishment.
- 4) XTO will monitor the site quarterly, except during winter months due to poor road conditions, in order to monitor the progress of the reclamation area. Excessive weeds will be removed during quarterly monitoring, and progress photos will be collected. An annual report will be submitted to the BLM regarding the progress of the reclamation area for the first three (3) years, or until acceptable coverage has been obtained, whichever comes later. Acceptable coverage is considered 70 percent of the native coverage.

# ATTACHMENT 3

XTO Energy, Inc.  
Evaporation Pond #2  
Section 26, Township 32N, Range 9W



Photo 1: Evaporation Pond #2 before closure activities



Photo 2: Removing the Liner

XTO Energy, Inc.  
Evaporation Pond #2  
Section 26, Township 32N, Range 9W



Photo 3: Removing the Liner




Photo 4: Removing the Leak Detection System

XTO Energy, Inc.  
Evaporation Pond #2  
Section 26, Township 32N, Range 9W



Photo 5: Bottom of Leak Detection System, No Concrete Found



Photo 6: Pond after Liner and Leak Detection Removed

XTO Energy, Inc.  
Evaporation Pond #2  
Section 26, Township 32N, Range 9W



Photo 7: Pond after Liner and Leak Detection Removed



Photo 8: Outside of Pond near entrance

# ATTACHMENT 4



June 28, 2011

Mr. James McDaniel  
XTO Energy  
382 CR 3100  
Aztec, NM 87410

**RE: Soil Investigation Results  
XTO Energy, Inc.  
Centralized Evaporation Pond #2 Permit NM-02-0008  
San Juan County, New Mexico**

Dear Mr. McDaniel:

LT Environmental, Inc. (LTE) is pleased to provide XTO Energy, Inc. (XTO) with this letter summarizing the results of soil sampling activities at the Centralized Evaporation Pond #2, permit number NM-02-0008 (Site). The Site is located in the southeast  $\frac{1}{4}$  of the northwest  $\frac{1}{4}$  of Section 26 in Township 32 North, Range 9 West, San Juan County, New Mexico (Figure 1). LTE collected soil samples for closure of the evaporation pond, which was used by previous operators to dispose of produced water generated at nearby natural gas wells.

### **SOIL SAMPLING**

XTO removed all water and sediment from the pond, the pond liner, and any other facility equipment prior to sampling. On May 16 and May 23, 2011, LTE collected ten composite soil samples and one background soil sample from locations specified in the January 13, 2011 closure plan submitted by XTO to the New Mexico Oil Conservation Division (NMOCD) and approved by the NMOCD on February 17, 2011. LTE conducted a visual investigation of the Site and did not observe any stained or moist soil from which to collect additional samples.

Composite soil sample locations are shown in Figure 2. Four ten-point composite samples were collected from beneath the former pond liner including the bottom and side walls of the pond (Samples A, B, C, and D). Five-point composite samples were collected beneath the former leak detection sump (Sample E), beneath the former liquids receiving and treatment area (Sample F), and from four areas outside of the former berm (Samples G, H, I, and J). A discrete background sample was collected from the ground surface outside of the facility perimeter in the estimated up-gradient direction (west). For each composite soil sample, LTE deposited the appropriate number of aliquots of soil into plastic bags, thoroughly mixed the contents and sampled into 4-ounce glass jars. The soil samples were stored on ice and shipped in a cooler to Environmental Science Corporation in Mt. Juliet, Tennessee, and Hall Environmental Analysis Laboratory in Albuquerque, New Mexico following strict chain of custody procedures. The soil samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes by United States Environmental Protection Agency (USEPA) Method 8021B and total petroleum hydrocarbons by USEPA Method 418.1. Additionally, the following constituents listed in Subsections A and B of



20.6.2.3103 of the New Mexico Administrative Code were analyzed based on knowledge of process: arsenic, barium, cadmium, chromium, cyanide, fluoride, lead, total mercury, nitrate, selenium, silver, uranium, combined radioactivity, copper, iron, manganese, chloride, sulfate, total dissolved solids, zinc, and pH.

## RESULTS

Table 1 lists the soil analytical results determined in the background sample and composite closure samples. The complete laboratory analytical report is attached as Appendix A.

LTE appreciates the opportunity to provide environmental services to XTO. If you have any questions regarding this report, please contact us at (970) 385-1096.

Sincerely,

LT ENVIRONMENTAL, INC.

Handwritten signature of Ashley L. Ager in black ink.

Ashley L. Ager, M.S.  
Senior Geologist/Office Manager

Handwritten signature of Brooke Herb in black ink.

Brooke Herb  
Staff Geologist

### Attachments (4)

Figure 1 – Site Location Map

Figure 2 – Soil Sampling Location Map

Table 1 – Soil Analytical Results

Appendix A – Laboratory Analytical Reports

**FIGURES**






IMAGE COURTESY OF USGS/MRCS, VARIOUS DATES


**LEGEND**

 SITE LOCATION



**FIGURE 1**  
**SITE LOCATION MAP**  
**CENTRALIZED EVAPORATION POND #2**  
**SENW SEC 26 T32N R9W**  
**SAN JUAN COUNTY, NEW MEXICO**  
**XTO ENERGY, INC.**





**LEGEND**

- x ALIQUOT SAMPLE LOCATION
- BACKGROUND SAMPLE LOCATION
- A-J COMPOSITE SAMPLE IDENTIFICATION
- SAMPLE GRID
- - - FENCE
- - - FORMER BERM
- FORMER FACILITY EQUIPMENT



**FIGURE 2**  
**SOIL SAMPLING LOCATIONS**  
**CENTRALIZED EVAPORATION POND #2**  
**NENW SEC 31 T32N R8W**  
**SAN JUAN COUNTY, NEW MEXICO**  
**XTO ENERGY, INC.**



**TABLE**



**TABLE 1**  
**SOIL SAMPLE RESULTS**  
**CENTRALIZED EVAPORATION POND #2**  
**XTO ENERGY, INC.**

| Sample ID                    | Background | A         | B         | C         | D         | E         | F         | G         | H         | I         | J         |         |
|------------------------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|
| Sample Date                  | 5/23/2011  | 5/23/2011 | 5/23/2011 | 5/23/2011 | 5/23/2011 | 5/16/2011 | 5/23/2011 | 5/23/2011 | 5/23/2011 | 5/23/2011 | 5/23/2011 |         |
| Analyte                      | Units      |           |           |           |           |           |           |           |           |           |           |         |
| Benzene                      | mg/kg      | <0.0028   | <0.0028   | <0.0029   | <0.0028   | <0.0028   | <0.0029   | <0.0029   | <0.0029   | <0.0028   | <0.0029   | <0.0029 |
| Toluene                      | mg/kg      | <0.028    | <0.028    | <0.029    | <0.028    | <0.028    | <0.029    | <0.029    | <0.029    | <0.028    | <0.029    | <0.029  |
| Ethylbenzene                 | mg/kg      | <0.0028   | <0.0028   | <0.0029   | <0.0028   | <0.0028   | <0.0029   | <0.0029   | <0.0029   | <0.0028   | <0.0029   | <0.0029 |
| Total Xylene                 | mg/kg      | <0.0084   | <0.0085   | <0.0086   | <0.0085   | <0.0086   | <0.0086   | <0.0086   | <0.0086   | <0.0085   | <0.0087   | <0.0088 |
| Total Petroleum Hydrocarbons | mg/kg      | <20       | <20       | <20       | <20       | <20       | <20       | 43        | <20       | <20       | <20       | <20     |
| pH                           | S.U.       | 8.1       | 8.3       | 8.2       | 9.3       | 8.7       | 7.6       | 8.7       | 9.3       | 10.0      | 8.7       | 9.6     |
| Total Dissolved Solids       | %          | 89        | 88        | 87        | 88        | 88        | 87        | 87        | 87        | 88        | 87        | 86      |
| Sulfate                      | mg/kg      | <56       | 190       | 360       | 190       | 110       | 370       | <57       | 560       | 400       | 490       | 500     |
| Nitrate                      | mg/kg      | 6.4       | <1.1      | 1.6       | 1.8       | <1.1      | 2.9       | 5.6       | 7.7       | 3.7       | 11.0      | 7.9     |
| Chloride                     | mg/kg      | 58        | 69        | 68        | 120       | 68        | 140       | 150       | 620       | 560       | 370       | 680     |
| Uranium                      | mg/kg      | <25       | <25       | <25       | <25       | <25       | <25       | <25       | <25       | <25       | <50       | <25     |
| Arsenic                      | mg/kg      | 2.1       | 1.9       | 1.6       | <1.1      | <1.1      | 2.4       | 3.3       | 1.4       | <1.1      | 1.2       | <1.2    |
| Barium                       | mg/kg      | 780       | 160       | 640       | 220       | 220       | 200       | 250       | 300       | 1,000     | 270       | 470     |
| Cadmium                      | mg/kg      | <0.28     | <0.28     | <0.29     | <0.28     | <0.28     | 0.48      | <0.29     | <0.29     | <0.28     | <0.29     | <0.29   |
| Chromium                     | mg/kg      | 9.7       | 10.0      | 11.0      | 10.0      | 11.0      | 12.0      | 13.0      | 13.0      | 11.0      | 10.0      | 12.0    |
| Cyanide                      | mg/kg      | <0.28     | <0.28     | <0.29     | <0.28     | <0.28     | <0.29     | <0.29     | <0.29     | <0.28     | <0.29     | <0.29   |
| Fluoride                     | mg/kg      | 3.3       | 17.0      | 16.0      | 17.0      | 12.0      | 7.2       | 6.2       | 14.0      | 26.0      | 28.0      | 17.0    |
| Lead                         | mg/kg      | 11.0      | 9.3       | 10.0      | 9.5       | 10.0      | 8.7       | 12.0      | 11.0      | 10.0      | 9.8       | 10.0    |
| Mercury                      | mg/kg      | <0.022    | <0.023    | <0.023    | <0.023    | <0.023    | <0.023    | <0.023    | <0.023    | <0.023    | <0.023    | <0.023  |
| Selenium                     | mg/kg      | <1.1      | 4.6       | <1.1      | 1.6       | 1.8       | 11.0      | <1.1      | 1.2       | <1.1      | <1.2      | <1.2    |
| Silver                       | mg/kg      | <0.56     | <0.57     | 0.64      | <0.57     | 0.80      | <0.58     | 0.63      | 0.60      | 0.72      | <0.58     | 0.64    |
| Copper                       | mg/kg      | 9.1       | 10.0      | 10.0      | 13.0      | 10.0      | 13.0      | 8.9       | 11.0      | 12.0      | 12.0      | 11.0    |
| Iron                         | mg/kg      | 14,000    | 13,000    | 16,000    | 16,000    | 18,000    | 14,000    | 15,000    | 18,000    | 17,000    | 16,000    | 18,000  |
| Manganese                    | mg/kg      | 380       | 140       | 250       | 200       | 190       | 310       | 370       | 230       | 170       | 170       | 190     |
| Zinc                         | mg/kg      | 38        | 34        | 50        | 47        | 47        | 31        | 41        | 53        | 50        | 52        | 51      |
| Radium-226                   | pCi/g      | 0.700     | 0.963     | 1.050     | 1.050     | 1.040     | 1.010     | 1.050     | 0.906     | 1.220     | 1.050     | 0.906   |
| Radium -228                  | pCi/g      | 1.300     | 1.480     | 1.340     | 1.450     | 1.280     | 1.830     | 1.160     | 1.440     | 1.460     | 1.280     | 1.210   |
| Combined Radioactivity       | pCi/g      | 2.000     | 2.443     | 2.390     | 2.500     | 2.320     | 2.840     | 2.210     | 2.346     | 2.680     | 2.330     | 2.116   |

**Notes:**

% - percent  
mg/kg - milligram per kilogram  
pCi/g - PicoCurries per gram  
S.U. - Standard unit



**APPENDIX A**  
**LABORATORY ANALYTICAL REPORTS**





YOUR LAB OF CHOICE

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

### Report Summary

Friday June 03, 2011

Report Number: L517393

Samples Received: 05/24/11

Client Project:

Description: Coronado Pond 2

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

#### Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487  
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140  
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233  
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,  
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
 Description : Coronado Pond 2  
 Sample ID : A  
 Collected By :  
 Collection Date : 05/23/11 12:00

ESC Sample # : L517393-01  
 Site ID : CORONADO POND 2  
 Project # :

| Parameter                    | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|------------------------------|------------|------------|--------|--------|----------|------|
| Chloride                     | 69.        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride                     | 17.        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate                      | BDL        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate                      | 190        | 57.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide                      | BDL        | 0.28       | mg/kg  | 9012B  | 06/02/11 | 1    |
| pH                           | 8.3        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids                 | 88.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury                      | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic                      | 1.9        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Barium                       | 160        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Cadmium                      | BDL        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Chromium                     | 10.        | 0.57       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Copper                       | 10.        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Iron                         | 13000      | 5.7        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Lead                         | 9.3        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Manganese                    | 140        | 0.57       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Selenium                     | 4.6        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Silver                       | BDL        | 0.57       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Zinc                         | 34.        | 1.7        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Benzene                      | BDL        | 0.0028     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Toluene                      | BDL        | 0.028      | mg/kg  | 8021B  | 05/25/11 | 5    |
| Ethylbenzene                 | BDL        | 0.0028     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Total Xylene                 | BDL        | 0.0085     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Surrogate Recovery(%)        |            |            |        |        |          |      |
| a,a,a-Trifluorotoluene (PID) | 99.0       |            | % Rec. | 8021B  | 05/25/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-01 (PH) - 8.3@21.0c



**YOUR LAB OF CHOICE**

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
 Description : Coronado Pond 2  
 Sample ID : B  
 Collected By :  
 Collection Date : 05/23/11 12:06

ESC Sample # : L517393-02

Site ID : CORONADO POND 2

Project # :

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 68.        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride  | 16.        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate   | 1.6        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate   | 360        | 57.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide   | BDL        | 0.29       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH  | 8.2        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids  | 87.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury   | BDL        | 0.023      | mg/kg  | 7471   | 05/25/11 | 1    |
| Arsenic   | 1.6        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Barium  | 640        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Cadmium   | BDL        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Chromium  | 11.        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Copper  | 10.        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Iron  | 16000      | 5.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Lead  | 10.        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Manganese   | 250        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Selenium  | BDL        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Silver  | 0.64       | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Zinc  | 50.        | 1.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Benzene   | BDL        | 0.0029     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Toluene   | BDL        | 0.029      | mg/kg  | 8021B  | 05/26/11 | 5    |
| Ethylbenzene  | BDL        | 0.0029     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Total Xylene  | BDL        | 0.0086     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 104.       |            | % Rec. | 8021B  | 05/26/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-02 (PH) - 8.2@21.0c



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 03, 2011

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

ESC Sample # : L517393-03

Date Received : May 24, 2011  
 Description : Coronado Pond 2

Site ID : CORONADO POND 2

Sample ID : C

Project # :

Collected By :  
 Collection Date : 05/23/11 12:12

| Parameter  | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|--|------------|------------|--------|--------|----------|------|
| Chloride   | 120        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride   | 17.        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate  | 1.8        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate  | 190        | 57.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide  | BDL        | 0.28       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH   | 9.3        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids   | 88.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury  | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic  | BDL        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Barium   | 220        | 0.28       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Cadmium  | BDL        | 0.28       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Chromium   | 10.        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Copper   | 13.        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Iron   | 16000      | 5.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Lead   | 9.5        | 0.28       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Manganese  | 200        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Selenium   | 1.6        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Silver   | BDL        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Zinc   | 47.        | 1.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Benzene  | BDL        | 0.0028     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Toluene  | BDL        | 0.028      | mg/kg  | 8021B  | 05/26/11 | 5    |
| Ethylbenzene   | BDL        | 0.0028     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Total Xylene   | BDL        | 0.0085     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Surrogate Recovery (%)<br>a,a,a-Trifluorotoluene (PID) | 105.       |            | % Rec. | 8021B  | 05/26/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-03 (PH) - 9.3@21.3c



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 03, 2011

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

ESC Sample # : L517393-04

Date Received : May 24, 2011  
 Description : Coronado Pond 2

Site ID : CORONADO POND 2

Sample ID : D

Project # :

Collected By :  
 Collection Date : 05/23/11 12:17

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 68.        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride  | 12.        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate   | BDL        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate   | 110        | 57.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide   | BDL        | 0.28       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH  | 8.7        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids  | 88.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury   | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic   | BDL        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Barium  | 220        | 0.28       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Cadmium   | BDL        | 0.28       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Chromium  | 11.        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Copper  | 10.        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Iron  | 18000      | 5.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Lead  | 10.        | 0.28       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Manganese   | 190        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Selenium  | 1.8        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Silver  | 0.80       | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Zinc  | 47.        | 1.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Benzene   | BDL        | 0.0028     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Toluene   | BDL        | 0.028      | mg/kg  | 8021B  | 05/26/11 | 5    |
| Ethylbenzene  | BDL        | 0.0028     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Total Xylene  | BDL        | 0.0086     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 106.       |            | % Rec. | 8021B  | 05/26/11 | 5    |

Results listed are dry weight basis.  
 BDL - Below Detection Limit  
 Det. Limit - Practical Quantitation Limit (PQL)

Note:  
 This report shall not be reproduced, except in full, without the written approval from ESC.  
 The reported analytical results relate only to the sample submitted  
 Reported: 06/03/11 14:07 Printed: 06/03/11 14:30  
 L517393-04 (PH) - 8.7@21.1c



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
Description : Coronado Pond 2  
Sample ID : F  
Collected By :  
Collection Date : 05/23/11 12:22

ESC Sample # : L517393-05  
Site ID : CORONADO POND 2  
Project # :

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 150        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride  | 6.2        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate   | 5.6        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate   | BDL        | 57.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide   | BDL        | 0.29       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH  | 8.7        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids  | 87.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury   | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic   | 3.3        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Barium  | 250        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Cadmium   | BDL        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Chromium  | 13.        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Copper  | 8.9        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Iron  | 15000      | 5.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Lead  | 12.        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Manganese   | 370        | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Selenium  | BDL        | 1.1        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Silver  | 0.63       | 0.57       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Zinc  | 41.        | 1.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Benzene   | BDL        | 0.0029     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Toluene   | BDL        | 0.029      | mg/kg  | 8021B  | 05/26/11 | 5    |
| Ethylbenzene  | BDL        | 0.0029     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Total Xylene  | BDL        | 0.0086     | mg/kg  | 8021B  | 05/26/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 105.       |            | % Rec. | 8021B  | 05/26/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-05 (PH) - 8.7@21.0c



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
Description : Coronado Pond 2  
Sample ID : G  
Collected By :  
Collection Date : 05/23/11 12:27

ESC Sample # : L517393-06  
Site ID : CORONADO POND 2  
Project # :

| Parameter  | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|--|------------|------------|--------|--------|----------|------|
| Chloride   | 620        | 12.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride   | 14.        | 1.2        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate  | 7.7        | 1.2        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate  | 560        | 58.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide  | BDL        | 0.29       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH   | 9.3        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids   | 87.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury  | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic  | 1.4        | 1.2        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Barium   | 300        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Cadmium  | BDL        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Chromium   | 13.        | 0.58       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Copper   | 11.        | 1.2        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Iron   | 18000      | 5.8        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Lead   | 11.        | 0.29       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Manganese  | 230        | 0.58       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Selenium   | 1.2        | 1.2        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Silver   | 0.60       | 0.58       | mg/kg  | 6010B  | 05/25/11 | 1    |
| Zinc   | 53.        | 1.7        | mg/kg  | 6010B  | 05/25/11 | 1    |
| Benzene  | BDL        | 0.0029     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Toluene  | BDL        | 0.029      | mg/kg  | 8021B  | 05/25/11 | 5    |
| Ethylbenzene   | BDL        | 0.0029     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Total Xylene   | BDL        | 0.0086     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene(PID) | 101.       |            | % Rec. | 8021B  | 05/25/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-06 (PH) - 9.3@21.0c



12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 03, 2011

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

ESC Sample # : L517393-07

Date Received : May 24, 2011  
 Description : Coronado Pond 2

Site ID : CORONADO POND 2

Sample ID : H

Project # :

Collected By :  
 Collection Date : 05/23/11 12:39

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 560        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride  | 26.        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate   | 3.7        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate   | 400        | 57.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide   | BDL        | 0.28       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH  | 10.        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids  | 88.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury   | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic   | BDL        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Barium  | 1000       | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Cadmium   | BDL        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Chromium  | 11.        | 0.57       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Copper  | 12.        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Iron  | 17000      | 5.7        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Lead  | 10.        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Manganese   | 170        | 0.57       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Selenium  | BDL        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Silver  | 0.72       | 0.57       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Zinc  | 50.        | 1.7        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Benzene   | BDL        | 0.0028     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Toluene   | BDL        | 0.028      | mg/kg  | 8021B  | 05/25/11 | 5    |
| Ethylbenzene  | BDL        | 0.0028     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Total Xylene  | BDL        | 0.0085     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 102.       |            | % Rec. | 8021B  | 05/25/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-07 (PH) - 10.3@20.7c



12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289  
 Est. 1970

REPORT OF ANALYSIS

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
 Description : Coronado Pond 2  
 Sample ID : I  
 Collected By :  
 Collection Date : 05/23/11 12:43

ESC Sample # : L517393-08

Site ID : CORONADO POND 2

Project # :

| Parameter                    | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|------------------------------|------------|------------|--------|--------|----------|------|
| Chloride                     | 370        | 12.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride                     | 28.        | 1.2        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate                      | 11.        | 1.2        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate                      | 490        | 58.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide                      | BDL        | 0.29       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH                           | 8.7        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids                 | 87.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury                      | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic                      | 1.2        | 1.2        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Barium                       | 270        | 0.29       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Cadmium                      | BDL        | 0.29       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Chromium                     | 10.        | 0.58       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Copper                       | 12.        | 1.2        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Iron                         | 16000      | 5.8        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Lead                         | 9.8        | 0.29       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Manganese                    | 170        | 0.58       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Selenium                     | BDL        | 1.2        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Silver                       | BDL        | 0.58       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Zinc                         | 52.        | 1.7        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Benzene                      | BDL        | 0.0029     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Toluene                      | BDL        | 0.029      | mg/kg  | 8021B  | 05/25/11 | 5    |
| Ethylbenzene                 | BDL        | 0.0029     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Total Xylene                 | BDL        | 0.0087     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Surrogate Recovery (%)       |            |            |        |        |          |      |
| a,a,a-Trifluorotoluene (PID) | 106.       |            | % Rec. | 8021B  | 05/25/11 | 5    |

Results listed are dry weight basis.  
 BDL - Below Detection Limit  
 Det. Limit - Practical Quantitation Limit (PQL)  
 Note:

This report shall not be reproduced, except in full, without the written approval from ESC.  
 The reported analytical results relate only to the sample submitted  
 Reported: 06/03/11 14:07 Printed: 06/03/11 14:30  
 L517393-08 (PH) - 8.7@20.9c



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
 Description : Coronado Pond 2  
 Sample ID : J  
 Collected By :  
 Collection Date : 05/23/11 12:30

ESC Sample # : L517393-09  
 Site ID : CORONADO POND 2  
 Project # :

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 680        | 12.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride  | 17.        | 1.2        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate   | 7.9        | 1.2        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate   | 500        | 58.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide   | BDL        | 0.29       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH  | 9.6        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids  | 86.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury   | BDL        | 0.023      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic   | BDL        | 1.2        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Barium  | 470        | 0.29       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Cadmium   | BDL        | 0.29       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Chromium  | 12.        | 0.58       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Copper  | 11.        | 1.2        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Iron  | 18000      | 5.8        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Lead  | 10.        | 0.29       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Manganese   | 190        | 0.58       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Selenium  | BDL        | 1.2        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Silver  | 0.64       | 0.58       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Zinc  | 51.        | 1.8        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Benzene   | BDL        | 0.0029     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Toluene   | BDL        | 0.029      | mg/kg  | 8021B  | 05/25/11 | 5    |
| Ethylbenzene  | BDL        | 0.0029     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Total Xylene  | BDL        | 0.0088     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 106.       |            | % Rec. | 8021B  | 05/25/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-09 (PH) - 9.6@20.6c



12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

June 03, 2011

Date Received : May 24, 2011  
 Description : Coronado Pond 2  
 Sample ID : BACKGROUND  
 Collected By :  
 Collection Date : 05/23/11 12:35

ESC Sample # : L517393-10

Site ID : CORONADO POND 2

Project # :

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 58.        | 11.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Fluoride  | 3.3        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Nitrate   | 6.4        | 1.1        | mg/kg  | 9056   | 05/25/11 | 1    |
| Sulfate   | BDL        | 56.        | mg/kg  | 9056   | 05/25/11 | 1    |
| Cyanide   | BDL        | 0.28       | mg/kg  | 9012B  | 05/26/11 | 1    |
| pH  | 8.1        |            | su     | 9045D  | 05/27/11 | 1    |
| Total Solids  | 89.        |            | %      | 2540G  | 06/01/11 | 1    |
| Mercury   | BDL        | 0.022      | mg/kg  | 7471   | 05/26/11 | 1    |
| Arsenic   | 2.1        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Barium  | 780        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Cadmium   | BDL        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Chromium  | 9.7        | 0.56       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Copper  | 9.1        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Iron  | 14000      | 5.6        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Lead  | 11.        | 0.28       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Manganese   | 380        | 0.56       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Selenium  | BDL        | 1.1        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Silver  | BDL        | 0.56       | mg/kg  | 6010B  | 05/26/11 | 1    |
| Zinc  | 38.        | 1.7        | mg/kg  | 6010B  | 05/26/11 | 1    |
| Benzene   | BDL        | 0.0028     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Toluene   | BDL        | 0.028      | mg/kg  | 8021B  | 05/25/11 | 5    |
| Ethylbenzene  | BDL        | 0.0028     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Total Xylene  | BDL        | 0.0084     | mg/kg  | 8021B  | 05/25/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 107.       |            | % Rec. | 8021B  | 05/25/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 06/03/11 14:07 Printed: 06/03/11 14:30

L517393-10 (PH) - 8.1@20.8c

Attachment A  
List of Analytes with QC Qualifiers

| Sample Number | Work Group | Sample Type | Analyte   | Run ID   | Qualifier |
|---------------|------------|-------------|-----------|----------|-----------|
| L517393-05    | WG537164   | SAMP        | Barium    | R1700509 | V         |
|               | WG537164   | SAMP        | Iron      | R1700509 | V         |
|               | WG537164   | SAMP        | Manganese | R1700509 | V         |
|               | WG537164   | SAMP        | Selenium  | R1700509 | P1        |

Attachment B  
Explanation of QC Qualifier Codes

| Qualifier | Meaning   |
|-----------|---|
| P1        | RPD value not applicable for sample concentrations less than 5 times the reporting limit.               |
| V         | (ESC) - Additional QC Info: The sample concentration is too high to evaluate accurate spike recoveries. |

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy** - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision** - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate** - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC** - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.



YOUR LAB OF CHOICE

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L517393

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

| Analyte                        | Result  | Laboratory Blank |       | Limit  | Batch    | Date Analyzed  |
|--------------------------------|---------|------------------|-------|--------|----------|----------------|
|                                |         | Units            | % Rec |        |          |                |
| Benzene                        | < .0005 | mg/kg            |       |        | WG537267 | 05/25/11 09:33 |
| Ethylbenzene                   | < .0005 | mg/kg            |       |        | WG537267 | 05/25/11 09:33 |
| Toluene                        | < .005  | mg/kg            |       |        | WG537267 | 05/25/11 09:33 |
| Total Xylene                   | < .0015 | mg/kg            |       |        | WG537267 | 05/25/11 09:33 |
| a, a, a-Trifluorotoluene (PID) |         | % Rec.           | 107.2 | 54-144 | WG537267 | 05/25/11 09:33 |
| Arsenic                        | < 1     | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Barium                         | < .25   | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Cadmium                        | < .25   | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Chromium                       | < .5    | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Copper                         | < 1     | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Iron                           | < 5     | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Lead                           | < .25   | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Manganese                      | < .5    | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Selenium                       | < 1     | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Silver                         | < .5    | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Zinc                           | < 1.5   | mg/kg            |       |        | WG537164 | 05/25/11 11:05 |
| Chloride                       | < 10    | mg/kg            |       |        | WG537268 | 05/25/11 10:44 |
| Fluoride                       | < 1     | mg/kg            |       |        | WG537268 | 05/25/11 10:44 |
| Nitrate                        | < 1     | mg/kg            |       |        | WG537268 | 05/25/11 10:44 |
| Sulfate                        | < 50    | mg/kg            |       |        | WG537268 | 05/25/11 10:44 |
| Mercury                        | < .02   | mg/kg            |       |        | WG537172 | 05/25/11 14:35 |
| Benzene                        | < .0005 | mg/kg            |       |        | WG537316 | 05/25/11 17:28 |
| Ethylbenzene                   | < .0005 | mg/kg            |       |        | WG537316 | 05/25/11 17:28 |
| Toluene                        | < .005  | mg/kg            |       |        | WG537316 | 05/25/11 17:28 |
| Total Xylene                   | < .0015 | mg/kg            |       |        | WG537316 | 05/25/11 17:28 |
| a, a, a-Trifluorotoluene (PID) |         | % Rec.           | 102.6 | 54-144 | WG537316 | 05/25/11 17:28 |
| Benzene                        | < .0005 | mg/kg            |       |        | WG537173 | 05/26/11 01:58 |
| Ethylbenzene                   | < .0005 | mg/kg            |       |        | WG537173 | 05/26/11 01:58 |
| Toluene                        | < .005  | mg/kg            |       |        | WG537173 | 05/26/11 01:58 |
| Total Xylene                   | < .0015 | mg/kg            |       |        | WG537173 | 05/26/11 01:58 |
| a, a, a-Trifluorotoluene (PID) |         | % Rec.           | 104.4 | 54-144 | WG537173 | 05/26/11 01:58 |
| Arsenic                        | < 1     | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Barium                         | < .25   | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Cadmium                        | < .25   | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Chromium                       | < .5    | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Copper                         | < 1     | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Iron                           | < 5     | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Lead                           | < .25   | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Manganese                      | < .5    | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Selenium                       | < 1     | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Silver                         | < .5    | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Zinc                           | < 1.5   | mg/kg            |       |        | WG537166 | 05/26/11 12:16 |
| Mercury                        | < .02   | mg/kg            |       |        | WG537237 | 05/26/11 10:49 |

\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L517393

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

| Analyte      | Result | Laboratory Blank |       | Limit | Batch    | Date Analyzed  |
|--------------|--------|------------------|-------|-------|----------|----------------|
|              |        | Units            | % Rec |       |          |                |
| Cyanide      | < .25  | mg/kg            |       |       | WG537202 | 05/26/11 13:59 |
| Arsenic      | < 1    | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Barium       | < .25  | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Cadmium      | < .25  | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Chromium     | < .5   | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Copper       | < 1    | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Iron         | < 5    | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Lead         | < .25  | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Manganese    | < .5   | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Selenium     | < 1    | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Silver       | < .5   | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| Zinc         | < 1.5  | mg/kg            |       |       | WG537330 | 05/26/11 17:21 |
| pH           | 3.70   | su               |       |       | WG537706 | 05/27/11 11:15 |
| Total Solids | < .1   | %                |       |       | WG538160 | 06/01/11 11:20 |
| Total Solids | < .1   | %                |       |       | WG538159 | 06/01/11 11:36 |
| Cyanide      | < .25  | mg/kg            |       |       | WG538237 | 06/02/11 12:15 |

| Analyte   | Units | Duplicate |           | RPD   | Limit | Ref Samp   | Batch    |
|-----------|-------|-----------|-----------|-------|-------|------------|----------|
|           |       | Result    | Duplicate |       |       |            |          |
| Arsenic   | mg/kg | 2.80      | 2.80      | 1.42  | 20    | L517393-05 | WG537164 |
| Barium    | mg/kg | 190.      | 220.      | 13.1  | 20    | L517393-05 | WG537164 |
| Cadmium   | mg/kg | 0         | 0         | 0     | 20    | L517393-05 | WG537164 |
| Chromium  | mg/kg | 11.0      | 11.0      | 1.80  | 20    | L517393-05 | WG537164 |
| Copper    | mg/kg | 7.40      | 7.80      | 5.26  | 20    | L517393-05 | WG537164 |
| Iron      | mg/kg | 14000     | 13000     | 3.77  | 20    | L517393-05 | WG537164 |
| Lead      | mg/kg | 9.80      | 10.0      | 1.61  | 20    | L517393-05 | WG537164 |
| Manganese | mg/kg | 300.      | 320.      | 5.79  | 20    | L517393-05 | WG537164 |
| Selenium  | mg/kg | 2.30      | 0         | NA    | 20    | L517393-05 | WG537164 |
| Silver    | mg/kg | 0.660     | 0.550     | 18.9  | 20    | L517393-05 | WG537164 |
| Zinc      | mg/kg | 35.0      | 36.0      | 2.25  | 20    | L517393-05 | WG537164 |
| Sulfate   | mg/kg | 0         | 15.5      | NA    | 20    | L516850-05 | WG537268 |
| Mercury   | mg/kg | 0.0240    | 0.0200    | 19.8  | 20    | L517313-01 | WG537172 |
| Arsenic   | mg/kg | 0.980     | 1.10      | 11.8  | 20    | L517397-04 | WG537166 |
| Barium    | mg/kg | 20.0      | 23.0      | 16.5  | 20    | L517397-04 | WG537166 |
| Cadmium   | mg/kg | 0         | 0         | 0     | 20    | L517397-04 | WG537166 |
| Chromium  | mg/kg | 5.00      | 5.30      | 6.03  | 20    | L517397-04 | WG537166 |
| Copper    | mg/kg | 2.90      | 3.32      | 12.5  | 20    | L517397-04 | WG537166 |
| Iron      | mg/kg | 5100      | 5610      | 8.94  | 20    | L517397-04 | WG537166 |
| Lead      | mg/kg | 2.10      | 2.30      | 7.21  | 20    | L517397-04 | WG537166 |
| Manganese | mg/kg | 140.      | 162.      | 12.5  | 20    | L517397-04 | WG537166 |
| Selenium  | mg/kg | 1.10      | 0         | NA    | 20    | L517397-04 | WG537166 |
| Silver    | mg/kg | 0.250     | 0.320     | 23.0* | 20    | L517397-04 | WG537166 |

\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L517393

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

| Analyte      | Units | Duplicate |           | RPD    | Limit | Ref Samp   | Batch    |
|--------------|-------|-----------|-----------|--------|-------|------------|----------|
|              |       | Result    | Duplicate |        |       |            |          |
| Zinc         | mg/kg | 11.0      | 11.7      | 5.26   | 20    | L517397-04 | WG537166 |
| Mercury      | mg/kg | 0         | 0         | 0      | 20    | L517393-01 | WG537237 |
| Cyanide      | mg/kg | 0         | 0         | 0      | 20    | L517393-08 | WG537202 |
| Cyanide      | mg/kg | 0         | 0         | 0      | 20    | L517237-03 | WG537202 |
| Barium       | mg/kg | 280.      | 260.      | 8.47   | 20    | L517500-02 | WG537330 |
| Cadmium      | mg/kg | 0.620     | 0.580     | 6.67   | 20    | L517500-02 | WG537330 |
| Chromium     | mg/kg | 18.0      | 22.0      | 20.0   | 20    | L517500-02 | WG537330 |
| Copper       | mg/kg | 24.0      | 25.0      | 6.19   | 20    | L517500-02 | WG537330 |
| Iron         | mg/kg | 13000     | 12600     | 5.41   | 20    | L517500-02 | WG537330 |
| Lead         | mg/kg | 14.0      | 13.0      | 6.69   | 20    | L517500-02 | WG537330 |
| Manganese    | mg/kg | 240.      | 248.      | 5.38   | 20    | L517500-02 | WG537330 |
| Selenium     | mg/kg | 1.70      | 1.70      | 2.38   | 20    | L517500-02 | WG537330 |
| Silver       | mg/kg | 0         | 0         | 0      | 20    | L517500-02 | WG537330 |
| Zinc         | mg/kg | 43.0      | 43.0      | 0.700  | 20    | L517500-02 | WG537330 |
| Arsenic      | mg/kg | 15.0      | 14.0      | 5.56   | 20    | L517500-02 | WG537330 |
| pH           | su    | 7.30      | 7.30      | 0      | 1     | L517347-02 | WG537706 |
| pH           | su    | 8.30      | 8.30      | 0      | 1     | L517500-02 | WG537706 |
| Total Solids | %     | 63.0      | 65.1      | 2.56   | 5     | L517414-02 | WG538160 |
| Total Solids | %     | 87.0      | 87.0      | 0.0934 | 5     | L517313-22 | WG538159 |
| Cyanide      | mg/kg | 0         | 0         | 0      | 20    | L517496-01 | WG538237 |

| Analyte                      | Units | Laboratory Control Sample |        | % Rec | Limit      | Batch    |
|------------------------------|-------|---------------------------|--------|-------|------------|----------|
|                              |       | Known Val                 | Result |       |            |          |
| Benzene                      | mg/kg | .05                       | 0.0501 | 100.  | 76-113     | WG537267 |
| Ethylbenzene                 | mg/kg | .05                       | 0.0501 | 100.  | 78-115     | WG537267 |
| Toluene                      | mg/kg | .05                       | 0.0487 | 97.4  | 76-114     | WG537267 |
| Total Xylene                 | mg/kg | .15                       | 0.149  | 99.1  | 81-118     | WG537267 |
| a,a,a-Trifluorotoluene (PID) |       |                           |        | 105.3 | 54-144     | WG537267 |
| Arsenic                      | mg/kg | 192                       | 170.   | 88.5  | 78.6-120.8 | WG537164 |
| Barium                       | mg/kg | 420                       | 384.   | 91.4  | 78.8-121.4 | WG537164 |
| Cadmium                      | mg/kg | 70.1                      | 62.6   | 89.3  | 78.5-121.5 | WG537164 |
| Chromium                     | mg/kg | 168                       | 159.   | 94.6  | 80.4-120.2 | WG537164 |
| Copper                       | mg/kg | 122                       | 120.   | 98.4  | 81.6-119.7 | WG537164 |
| Iron                         | mg/kg | 18100                     | 16400  | 90.6  | 50.7-149.7 | WG537164 |
| Lead                         | mg/kg | 113                       | 103.   | 91.2  | 77.3-122.1 | WG537164 |
| Manganese                    | mg/kg | 441                       | 423.   | 95.9  | 78.9-120.9 | WG537164 |
| Selenium                     | mg/kg | 176                       | 161.   | 91.5  | 75.6-125.0 | WG537164 |
| Silver                       | mg/kg | 115                       | 111.   | 96.5  | 66-133.9   | WG537164 |
| Zinc                         | mg/kg | 437                       | 402.   | 92.0  | 78.5-121.7 | WG537164 |
| Chloride                     | mg/kg | 200                       | 204.   | 102.  | 85-115     | WG537268 |

\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L517393

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

| Analyte                        | Units | Laboratory Control Known Val | Sample Result | % Rec | Limit        | Batch    |
|--------------------------------|-------|------------------------------|---------------|-------|--------------|----------|
| Fluoride                       | mg/kg | 20                           | 20.1          | 101.  | 85-115       | WG537268 |
| Nitrate                        | mg/kg | 20                           | 20.0          | 100.  | 85-115       | WG537268 |
| Sulfate                        | mg/kg | 200                          | 206.          | 103.  | 85-115       | WG537268 |
| Mercury                        | mg/kg | 8.77                         | 7.72          | 88.0  | 71.6-127.7   | WG537172 |
| Benzene                        | mg/kg | .05                          | 0.0528        | 106.  | 76-113       | WG537316 |
| Ethylbenzene                   | mg/kg | .05                          | 0.0534        | 107.  | 78-115       | WG537316 |
| Toluene                        | mg/kg | .05                          | 0.0529        | 106.  | 76-114       | WG537316 |
| Total Xylene                   | mg/kg | .15                          | 0.161         | 107.  | 81-118       | WG537316 |
| a, a, a-Trifluorotoluene (PID) |       |                              |               | 102.6 | 54-144       | WG537316 |
| Benzene                        | mg/kg | .05                          | 0.0488        | 97.6  | 76-113       | WG537173 |
| Ethylbenzene                   | mg/kg | .05                          | 0.0463        | 92.6  | 78-115       | WG537173 |
| Toluene                        | mg/kg | .05                          | 0.0475        | 95.1  | 76-114       | WG537173 |
| Total Xylene                   | mg/kg | .15                          | 0.144         | 96.3  | 81-118       | WG537173 |
| a, a, a-Trifluorotoluene (PID) |       |                              |               | 105.4 | 54-144       | WG537173 |
| Arsenic                        | mg/kg | 192                          | 188.          | 97.9  | 78.6-120.8   | WG537166 |
| Barium                         | mg/kg | 420                          | 411.          | 97.9  | 78.8-121.4   | WG537166 |
| Cadmium                        | mg/kg | 70.1                         | 68.4          | 97.6  | 78.5-121.5   | WG537166 |
| Chromium                       | mg/kg | 168                          | 169.          | 101.  | 80.4-120.2   | WG537166 |
| Copper                         | mg/kg | 122                          | 123.          | 101.  | 81.6-119.7   | WG537166 |
| Iron                           | mg/kg | 18100                        | 18500         | 102.  | 50.7-149.7   | WG537166 |
| Lead                           | mg/kg | 113                          | 114.          | 101.  | 77.3-122.1   | WG537166 |
| Manganese                      | mg/kg | 441                          | 450.          | 102.  | 78.9-120.9   | WG537166 |
| Selenium                       | mg/kg | 176                          | 176.          | 100.  | 75.6-125.0   | WG537166 |
| Silver                         | mg/kg | 115                          | 115.          | 100.  | 66-133.9     | WG537166 |
| Zinc                           | mg/kg | 437                          | 433.          | 99.1  | 78.5-121.7   | WG537166 |
| Mercury                        | mg/kg | 8.77                         | 9.78          | 112.  | 71.6-127.7   | WG537237 |
| Cyanide                        | mg/kg | 28.1                         | 25.8          | 91.8  | 50-150       | WG537202 |
| Arsenic                        | mg/kg | 192                          | 176.          | 91.7  | 78.6-120.8   | WG537330 |
| Barium                         | mg/kg | 420                          | 395.          | 94.0  | 78.8-121.4   | WG537330 |
| Cadmium                        | mg/kg | 70.1                         | 63.8          | 91.0  | 78.5-121.5   | WG537330 |
| Chromium                       | mg/kg | 168                          | 162.          | 96.4  | 80.4-120.2   | WG537330 |
| Copper                         | mg/kg | 122                          | 120.          | 98.4  | 81.6-119.7   | WG537330 |
| Iron                           | mg/kg | 18100                        | 16600         | 91.7  | 50.7-149.7   | WG537330 |
| Lead                           | mg/kg | 113                          | 105.          | 92.9  | 77.3-122.1   | WG537330 |
| Manganese                      | mg/kg | 441                          | 410.          | 93.0  | 78.9-120.9   | WG537330 |
| Selenium                       | mg/kg | 176                          | 170.          | 96.6  | 75.6-125.0   | WG537330 |
| Silver                         | mg/kg | 115                          | 107.          | 93.0  | 66-133.9     | WG537330 |
| Zinc                           | mg/kg | 437                          | 397.          | 90.8  | 78.5-121.7   | WG537330 |
| pH                             | su    | 6.3                          | 6.20          | 98.4  | 97.98-102.02 | WG537706 |
| Total Solids                   | %     | 50                           | 50.0          | 100.  | 85-155       | WG538160 |

\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L517393

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

| Analyte      | Units | Laboratory Control Known Val | Sample Result | % Rec | Limit  | Batch    |
|--------------|-------|------------------------------|---------------|-------|--------|----------|
| Total Solids | %     | 50                           | 50.0          | 100.  | 85-155 | WG538159 |
| Cyanide      | mg/kg | 28.1                         | 26.6          | 94.7  | 50-150 | WG538237 |

| Analyte                      | Units | Laboratory Control Result | Sample Ref | Duplicate %Rec | Limit        | RPD    | Limit | Batch    |
|------------------------------|-------|---------------------------|------------|----------------|--------------|--------|-------|----------|
| Benzene                      | mg/kg | 0.0494                    | 0.0501     | 99.0           | 76-113       | 1.47   | 20    | WG537267 |
| Ethylbenzene                 | mg/kg | 0.0494                    | 0.0501     | 99.0           | 78-115       | 1.39   | 20    | WG537267 |
| Toluene                      | mg/kg | 0.0479                    | 0.0487     | 96.0           | 76-114       | 1.59   | 20    | WG537267 |
| Total Xylene                 | mg/kg | 0.147                     | 0.149      | 98.0           | 81-118       | 1.43   | 20    | WG537267 |
| a,a,a-Trifluorotoluene (PID) |       |                           |            | 105.9          | 54-144       |        |       | WG537267 |
| Chloride                     | mg/kg | 198.                      | 204.       | 99.0           | 85-115       | 2.99   | 20    | WG537268 |
| Fluoride                     | mg/kg | 19.7                      | 20.1       | 98.0           | 85-115       | 2.01   | 20    | WG537268 |
| Nitrate                      | mg/kg | 19.6                      | 20.0       | 98.0           | 85-115       | 2.02   | 20    | WG537268 |
| Sulfate                      | mg/kg | 202.                      | 206.       | 101.           | 85-115       | 1.96   | 20    | WG537268 |
| Benzene                      | mg/kg | 0.0487                    | 0.0528     | 97.0           | 76-113       | 8.24   | 20    | WG537316 |
| Ethylbenzene                 | mg/kg | 0.0503                    | 0.0534     | 101.           | 78-115       | 5.89   | 20    | WG537316 |
| Toluene                      | mg/kg | 0.0490                    | 0.0529     | 98.0           | 76-114       | 7.70   | 20    | WG537316 |
| Total Xylene                 | mg/kg | 0.152                     | 0.161      | 102.           | 81-118       | 5.58   | 20    | WG537316 |
| a,a,a-Trifluorotoluene (PID) |       |                           |            | 104.5          | 54-144       |        |       | WG537316 |
| Benzene                      | mg/kg | 0.0494                    | 0.0488     | 99.0           | 76-113       | 1.32   | 20    | WG537173 |
| Ethylbenzene                 | mg/kg | 0.0469                    | 0.0463     | 94.0           | 78-115       | 1.41   | 20    | WG537173 |
| Toluene                      | mg/kg | 0.0476                    | 0.0475     | 95.0           | 76-114       | 0.0800 | 20    | WG537173 |
| Total Xylene                 | mg/kg | 0.147                     | 0.144      | 98.0           | 81-118       | 1.51   | 20    | WG537173 |
| a,a,a-Trifluorotoluene (PID) |       |                           |            | 105.9          | 54-144       |        |       | WG537173 |
| Cyanide                      | mg/kg | 28.6                      | 25.8       | 102.           | 50-150       | 10.3   | 20    | WG537202 |
| pH                           | su    | 6.20                      | 6.20       | 98.0           | 97.98-102.02 | 0      | 20    | WG537706 |
| Cyanide                      | mg/kg | 25.5                      | 26.6       | 91.0           | 50-150       | 4.22   | 20    | WG538237 |

| Analyte                      | Units | MS Res | Ref Res | TV  | % Rec | Limit  | Ref Samp   | Batch    |
|------------------------------|-------|--------|---------|-----|-------|--------|------------|----------|
| Benzene                      | mg/kg | 0.261  | 0       | .05 | 104.  | 32-137 | L517288-01 | WG537267 |
| Ethylbenzene                 | mg/kg | 0.235  | 0       | .05 | 94.1  | 10-150 | L517288-01 | WG537267 |
| Toluene                      | mg/kg | 0.236  | 0       | .05 | 94.5  | 20-142 | L517288-01 | WG537267 |
| Total Xylene                 | mg/kg | 0.700  | 0       | .15 | 93.3  | 16-141 | L517288-01 | WG537267 |
| a,a,a-Trifluorotoluene (PID) |       |        |         |     | 103.3 | 54-144 |            | WG537267 |
| Arsenic                      | mg/kg | 49.9   | 2.80    | 50  | 94.2  | 75-125 | L517393-05 | WG537164 |
| Barium                       | mg/kg | 257.   | 220.    | 50  | 74.0* | 75-125 | L517393-05 | WG537164 |
| Cadmium                      | mg/kg | 48.1   | 0       | 50  | 96.2  | 75-125 | L517393-05 | WG537164 |
| Chromium                     | mg/kg | 60.6   | 11.0    | 50  | 99.2  | 75-125 | L517393-05 | WG537164 |
| Copper                       | mg/kg | 59.6   | 7.80    | 50  | 104.  | 75-125 | L517393-05 | WG537164 |

\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division  
 James McDaniel  
 382 Road 3100  
 Aztec, NM 87410

Quality Assurance Report  
 Level II  
 L517393

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

| Analyte                     | Units | Matrix Spike |         |      | % Rec | Limit  | Ref Samp   | Batch    |
|-----------------------------|-------|--------------|---------|------|-------|--------|------------|----------|
|                             |       | MS Res       | Ref Res | TV   |       |        |            |          |
| Iron                        | mg/kg | 13600        | 13000   | 50   | 1200* | 75-125 | L517393-05 | WG537164 |
| Lead                        | mg/kg | 59.2         | 10.0    | 50   | 98.4  | 75-125 | L517393-05 | WG537164 |
| Manganese                   | mg/kg | 377.         | 320.    | 50   | 114.  | 75-125 | L517393-05 | WG537164 |
| Selenium                    | mg/kg | 45.6         | 0       | 50   | 91.2  | 75-125 | L517393-05 | WG537164 |
| Silver                      | mg/kg | 50.4         | 0.550   | 50   | 99.7  | 75-125 | L517393-05 | WG537164 |
| Zinc                        | mg/kg | 84.5         | 36.0    | 50   | 97.0  | 75-125 | L517393-05 | WG537164 |
| Mercury                     | mg/kg | 0.275        | 0.0200  | .25  | 102.  | 70-130 | L517313-01 | WG537172 |
| Benzene                     | mg/kg | 0.214        | 0       | .05  | 85.4  | 32-137 | L517432-01 | WG537316 |
| Ethylbenzene                | mg/kg | 0.207        | 0       | .05  | 82.8  | 10-150 | L517432-01 | WG537316 |
| Toluene                     | mg/kg | 0.210        | 0       | .05  | 83.8  | 20-142 | L517432-01 | WG537316 |
| Total Xylene                | mg/kg | 0.627        | 0       | .15  | 83.6  | 16-141 | L517432-01 | WG537316 |
| a,a,a-Trifluorotoluene(PID) |       |              |         |      | 101.0 | 54-144 |            | WG537316 |
| Benzene                     | mg/kg | 0.227        | 0       | .05  | 90.8  | 32-137 | L517384-01 | WG537173 |
| Ethylbenzene                | mg/kg | 0.207        | 0       | .05  | 82.7  | 10-150 | L517384-01 | WG537173 |
| Toluene                     | mg/kg | 0.217        | 0       | .05  | 86.7  | 20-142 | L517384-01 | WG537173 |
| Total Xylene                | mg/kg | 0.644        | 0       | .15  | 85.8  | 16-141 | L517384-01 | WG537173 |
| a,a,a-Trifluorotoluene(PID) |       |              |         |      | 104.1 | 54-144 |            | WG537173 |
| Arsenic                     | mg/kg | 49.8         | 1.10    | 50   | 97.4  | 75-125 | L517397-04 | WG537166 |
| Barium                      | mg/kg | 69.2         | 23.0    | 50   | 92.4  | 75-125 | L517397-04 | WG537166 |
| Cadmium                     | mg/kg | 49.5         | 0       | 50   | 99.0  | 75-125 | L517397-04 | WG537166 |
| Chromium                    | mg/kg | 54.7         | 5.30    | 50   | 98.8  | 75-125 | L517397-04 | WG537166 |
| Copper                      | mg/kg | 52.3         | 3.32    | 50   | 98.0  | 75-125 | L517397-04 | WG537166 |
| Iron                        | mg/kg | 5400         | 5610    | 50   | 0*    | 75-125 | L517397-04 | WG537166 |
| Lead                        | mg/kg | 53.5         | 2.30    | 50   | 102.  | 75-125 | L517397-04 | WG537166 |
| Manganese                   | mg/kg | 204.         | 162.    | 50   | 84.0  | 75-125 | L517397-04 | WG537166 |
| Selenium                    | mg/kg | 48.4         | 0       | 50   | 96.8  | 75-125 | L517397-04 | WG537166 |
| Silver                      | mg/kg | 48.3         | 0.320   | 50   | 96.0  | 75-125 | L517397-04 | WG537166 |
| Zinc                        | mg/kg | 58.1         | 11.7    | 50   | 92.8  | 75-125 | L517397-04 | WG537166 |
| Mercury                     | mg/kg | 0.295        | 0       | .25  | 118.  | 70-130 | L517393-01 | WG537237 |
| Cyanide                     | mg/kg | 3.52         | 0       | 3.33 | 106.  | 80-120 | L517393-02 | WG537202 |
| Barium                      | mg/kg | 320.         | 260.    | 50   | 120.  | 75-125 | L517500-02 | WG537330 |
| Cadmium                     | mg/kg | 36.2         | 0.580   | 50   | 71.2* | 75-125 | L517500-02 | WG537330 |
| Chromium                    | mg/kg | 57.8         | 22.0    | 50   | 71.6* | 75-125 | L517500-02 | WG537330 |
| Copper                      | mg/kg | 68.6         | 25.0    | 50   | 87.2  | 75-125 | L517500-02 | WG537330 |
| Iron                        | mg/kg | 13200        | 12600   | 50   | 1200* | 75-125 | L517500-02 | WG537330 |
| Lead                        | mg/kg | 51.4         | 13.0    | 50   | 76.8  | 75-125 | L517500-02 | WG537330 |
| Manganese                   | mg/kg | 274.         | 248.    | 50   | 52.0* | 75-125 | L517500-02 | WG537330 |
| Selenium                    | mg/kg | 39.9         | 1.70    | 50   | 76.4  | 75-125 | L517500-02 | WG537330 |
| Silver                      | mg/kg | 42.2         | 0       | 50   | 84.4  | 75-125 | L517500-02 | WG537330 |
| Zinc                        | mg/kg | 83.4         | 43.0    | 50   | 80.8  | 75-125 | L517500-02 | WG537330 |
| Arsenic                     | mg/kg | 57.9         | 14.0    | 25   | 87.8  | 75-125 | L517500-02 | WG537330 |
| Cyanide                     | mg/kg | 3.76         | 0.290   | 3.33 | 104.  | 80-120 | L518000-01 | WG538237 |

\* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report  
Level II

L517393

June 03, 2011

| Analyte                      | Units | MSD   | Matrix Spike Duplicate |       | Limit  | RPD   | Limit | Ref Samp   | Batch    |
|------------------------------|-------|-------|------------------------|-------|--------|-------|-------|------------|----------|
|                              |       |       | Ref                    | %Rec  |        |       |       |            |          |
| Benzene                      | mg/kg | 0.267 | 0.261                  | 107.  | 32-137 | 2.19  | 39    | L517288-01 | WG537267 |
| Ethylbenzene                 | mg/kg | 0.252 | 0.235                  | 101.  | 10-150 | 6.78  | 44    | L517288-01 | WG537267 |
| Toluene                      | mg/kg | 0.246 | 0.236                  | 98.5  | 20-142 | 4.13  | 42    | L517288-01 | WG537267 |
| Total Xylene                 | mg/kg | 0.749 | 0.700                  | 99.8  | 16-141 | 6.81  | 46    | L517288-01 | WG537267 |
| a,a,a-Trifluorotoluene (PID) |       |       |                        | 105.0 | 54-144 |       |       |            | WG537267 |
| Arsenic                      | mg/kg | 48.3  | 49.9                   | 91.0  | 75-125 | 3.26  | 20    | L517393-05 | WG537164 |
| Barium                       | mg/kg | 266.  | 257.                   | 92.0  | 75-125 | 3.44  | 20    | L517393-05 | WG537164 |
| Cadmium                      | mg/kg | 44.9  | 48.1                   | 89.8  | 75-125 | 6.88  | 20    | L517393-05 | WG537164 |
| Chromium                     | mg/kg | 57.7  | 60.6                   | 93.4  | 75-125 | 4.90  | 20    | L517393-05 | WG537164 |
| Copper                       | mg/kg | 56.6  | 59.6                   | 97.6  | 75-125 | 5.16  | 20    | L517393-05 | WG537164 |
| Iron                         | mg/kg | 13000 | 13600                  | 0*    | 75-125 | 4.51  | 20    | L517393-05 | WG537164 |
| Lead                         | mg/kg | 57.0  | 59.2                   | 94.0  | 75-125 | 3.79  | 20    | L517393-05 | WG537164 |
| Manganese                    | mg/kg | 387.  | 377.                   | 134.* | 75-125 | 2.62  | 20    | L517393-05 | WG537164 |
| Selenium                     | mg/kg | 43.5  | 45.6                   | 87.0  | 75-125 | 4.71  | 20    | L517393-05 | WG537164 |
| Silver                       | mg/kg | 47.6  | 50.4                   | 94.1  | 75-125 | 5.71  | 20    | L517393-05 | WG537164 |
| Zinc                         | mg/kg | 80.6  | 84.5                   | 89.2  | 75-125 | 4.72  | 20    | L517393-05 | WG537164 |
| Mercury                      | mg/kg | 0.281 | 0.275                  | 104.  | 70-130 | 2.16  | 20    | L517313-01 | WG537172 |
| Benzene                      | mg/kg | 0.217 | 0.214                  | 87.0  | 32-137 | 1.83  | 39    | L517432-01 | WG537316 |
| Ethylbenzene                 | mg/kg | 0.221 | 0.207                  | 88.4  | 10-150 | 6.53  | 44    | L517432-01 | WG537316 |
| Toluene                      | mg/kg | 0.227 | 0.210                  | 90.9  | 20-142 | 8.05  | 42    | L517432-01 | WG537316 |
| Total Xylene                 | mg/kg | 0.673 | 0.627                  | 89.8  | 16-141 | 7.17  | 46    | L517432-01 | WG537316 |
| a,a,a-Trifluorotoluene (PID) |       |       |                        | 100.5 | 54-144 |       |       |            | WG537316 |
| Benzene                      | mg/kg | 0.236 | 0.227                  | 94.4  | 32-137 | 3.98  | 39    | L517384-01 | WG537173 |
| Ethylbenzene                 | mg/kg | 0.213 | 0.207                  | 85.4  | 10-150 | 3.13  | 44    | L517384-01 | WG537173 |
| Toluene                      | mg/kg | 0.224 | 0.217                  | 89.4  | 20-142 | 3.14  | 42    | L517384-01 | WG537173 |
| Total Xylene                 | mg/kg | 0.661 | 0.644                  | 88.2  | 16-141 | 2.74  | 46    | L517384-01 | WG537173 |
| a,a,a-Trifluorotoluene (PID) |       |       |                        | 103.9 | 54-144 |       |       |            | WG537173 |
| Arsenic                      | mg/kg | 51.0  | 49.8                   | 99.8  | 75-125 | 2.38  | 20    | L517397-04 | WG537166 |
| Barium                       | mg/kg | 85.5  | 69.2                   | 125.  | 75-125 | 21.1* | 20    | L517397-04 | WG537166 |
| Cadmium                      | mg/kg | 51.6  | 49.5                   | 103.  | 75-125 | 4.15  | 20    | L517397-04 | WG537166 |
| Chromium                     | mg/kg | 57.0  | 54.7                   | 103.  | 75-125 | 4.12  | 20    | L517397-04 | WG537166 |
| Copper                       | mg/kg | 55.7  | 52.3                   | 105.  | 75-125 | 6.30  | 20    | L517397-04 | WG537166 |
| Iron                         | mg/kg | 6320  | 5400                   | 1420* | 75-125 | 15.7  | 20    | L517397-04 | WG537166 |
| Lead                         | mg/kg | 55.1  | 53.5                   | 106.  | 75-125 | 2.95  | 20    | L517397-04 | WG537166 |
| Manganese                    | mg/kg | 239.  | 204.                   | 154.* | 75-125 | 15.8  | 20    | L517397-04 | WG537166 |
| Selenium                     | mg/kg | 48.7  | 48.4                   | 97.4  | 75-125 | 0.618 | 20    | L517397-04 | WG537166 |
| Silver                       | mg/kg | 50.4  | 48.3                   | 100.  | 75-125 | 4.26  | 20    | L517397-04 | WG537166 |
| Zinc                         | mg/kg | 62.2  | 58.1                   | 101.  | 75-125 | 6.82  | 20    | L517397-04 | WG537166 |
| Mercury                      | mg/kg | 0.262 | 0.295                  | 105.  | 70-130 | 11.8  | 20    | L517393-01 | WG537237 |
| Cyanide                      | mg/kg | 3.60  | 3.52                   | 108.  | 80-120 | 2.25  | 20    | L517393-02 | WG537202 |
| Barium                       | mg/kg | 363.  | 320.                   | 206.* | 75-125 | 12.6  | 20    | L517500-02 | WG537330 |
| Cadmium                      | mg/kg | 39.6  | 36.2                   | 78.0  | 75-125 | 8.97  | 20    | L517500-02 | WG537330 |
| Chromium                     | mg/kg | 62.6  | 57.8                   | 81.2  | 75-125 | 7.97  | 20    | L517500-02 | WG537330 |
| Copper                       | mg/kg | 73.9  | 68.6                   | 97.8  | 75-125 | 7.44  | 20    | L517500-02 | WG537330 |

\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report  
Level II

L517393

June 03, 2011

| Analyte   | Units | Matrix Spike Duplicate |       |       | Limit  | RPD   | Limit | Ref Samp   | Batch    |
|-----------|-------|------------------------|-------|-------|--------|-------|-------|------------|----------|
|           |       | MSD                    | Ref   | %Rec  |        |       |       |            |          |
| Iron      | mg/kg | 13300                  | 13200 | 1400* | 75-125 | 0.755 | 20    | L517500-02 | WG537330 |
| Lead      | mg/kg | 56.3                   | 51.4  | 86.6  | 75-125 | 9.10  | 20    | L517500-02 | WG537330 |
| Manganese | mg/kg | 280.                   | 274.  | 64.0* | 75-125 | 2.17  | 20    | L517500-02 | WG537330 |
| Selenium  | mg/kg | 43.8                   | 39.9  | 84.2  | 75-125 | 9.32  | 20    | L517500-02 | WG537330 |
| Silver    | mg/kg | 45.9                   | 42.2  | 91.8  | 75-125 | 8.40  | 20    | L517500-02 | WG537330 |
| Zinc      | mg/kg | 85.5                   | 83.4  | 85.0  | 75-125 | 2.49  | 20    | L517500-02 | WG537330 |
| Arsenic   | mg/kg | 67.1                   | 57.9  | 106.  | 75-125 | 14.7  | 20    | L517500-02 | WG537330 |
| Cyanide   | mg/kg | 3.74                   | 3.76  | 104.  | 80-120 | 0.533 | 20    | L518000-01 | WG538237 |

Batch number /Run number / Sample number cross reference

WG537267: R1700349: L517393-08 09 10  
 WG537164: R1700509: L517393-02 03 04 05 06  
 WG537268: R1700996: L517393-01 02 03 04 05 06 07 08 09 10  
 WG537172: R1701100: L517393-02  
 WG537316: R1701190: L517393-01 06 07  
 WG537173: R1701453: L517393-02 03 04 05  
 WG537166: R1701631: L517393-07 08 09 10  
 WG537237: R1701773: L517393-01 03 04 05 06 07 08 09 10  
 WG537202: R1701791: L517393-02 03 04 05 06 07 08 09 10  
 WG537330: R1702529: L517393-01  
 WG537706: R1703109: L517393-01 02 03 04 05 06 07 08 09 10  
 WG538160: R1706451: L517393-05 06 07 08 09 10  
 WG538159: R1706929: L517393-01 02 03 04  
 WG538237: R1708909: L517393-01

\* \* Calculations are performed prior to rounding of reported values.  
 \* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L517393

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 03, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address  
**XTO Energy, Inc.**  
**382 County Road 3100**  
**Aztec, NM 87410**

Alternate Billing  
 XTORN031810S  
 Report to: James McDaniel  
 E-mail to: james\_mcdaniel@xtoenergy.com

Analysis/Container/Preservativ  
 BTEX (8021)  
 As, Ba, Cd, Cr, CN-, F, Pb, Hg, Se  
 Ag, Cl, Cu, Fe, Mn, Zn  
 SO4, NO3, AS N  
 TDS, PH

E153  
 Chain of Custody  
 Page 1 of 2

Project Description: **CORONADO POND #2**  
 PHONE: 505-333-3701  
 FAX:

City/State Collected: **SAN JUAN CITY, NM**  
 Client Project No. **-**  
 Lab Project #

Collected by:  
 Collected by (signature):  
 Packed on Ice N    Y   



Site/Facility ID# **CORONADO POND #2**  
 Rush? (Lab MUST be Notified)  
 \_\_\_ Next Day.....100%  
 \_\_\_ Two Day.....50%  
 \_\_\_ Three Day.....25%

P.O.#  
 Date Results Needed  
 Email? \_\_\_ No \_\_\_ X \_\_\_ Yes  
 FAX? \_\_\_ No \_\_\_ Yes

Prepared by:  
 **ENVIRONMENTAL Science corp**  
 12065 Lebanon Road  
 Mt. Juliet TN 37122  
 Phone (615)758-5858  
 Phone (800) 767-5859  
 FAX (615)758-5859

| Sample ID    | Comp/Grab | Matrix | Depth | Date    | Time  | Cntrs | Remarks/contaminant | Sample # (lab only) |
|--------------|-----------|--------|-------|---------|-------|-------|---------------------|---------------------|
| A            | Comp      | S/S    | 0-2"  | 5/23/11 | 12:00 | 2     |                     | L 517393-01         |
| B            |           |        |       |         | 12:06 | 1     |                     | -02                 |
| C            |           |        |       |         | 12:12 | 1     |                     | -03                 |
| D            |           |        |       |         | 12:17 | 1     |                     | -04                 |
| <del>E</del> |           |        |       |         |       |       | NO Sample Collected | <del>5/23/11</del>  |
| F            |           |        |       |         | 12:22 | 1     |                     | -05                 |
| G            |           |        |       |         | 12:27 | 1     |                     | -06                 |
| H            |           |        |       |         | 12:39 | 1     |                     | -07                 |
| I            |           |        |       |         | 12:43 | 1     |                     | -08                 |

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT- Other \_\_\_\_\_ pH \_\_\_\_\_ Temp \_\_\_\_\_  
 Remarks: "ONLY 1 COC Per Site!!" Flow \_\_\_\_\_ Other \_\_\_\_\_

|   |            |               |   |  |                          |
|---|------------|---------------|---|--|--------------------------|
| Relinquisher by: (Signature)  | Date: 1500 | Time: 5/23/11 | Received by: (Signature)          | Samples returned via: FedEx_X UPS_Other_ | Condition (lab use only) |
| Relinquisher by: (Signature)  | Date:      | Time:         | Received by: (Signature)  | Temp: 35"                                | Bottles Received: 20-402 |
| Relinquisher by: (Signature)  | Date:      | Time:         | Received for lab by: (Signature)  | Date: 5/24/11                            | Time: 0900               |
|   |            |               |   |  | pH Checked: NCF: YES     |




| Company Name/Address<br><b>XTO Energy, Inc.</b><br>382 County Road 3100<br>Aztec, NM 87410 |  | Alternate Billing<br>XTORN031810S |       | Analysis/Container/Preservative   |              |                                     | Chain of Custody<br>Page <u>2</u> of <u>2</u>  |  |                                    |  |
|--|--|-----------------------------------|-------|---|--------------|-------------------------------------|--|--|------------------------------------|--|
| Project Description: <b>CORONADO POND #2</b>   |  | City/State Collected:             |       | As, Ba, Cd, Cr, CN <sup>-</sup> , F, Pb, Hg, Se<br>Ag, <del>Pb</del> , Cl, Cu, Fe, Mn, Zn<br>SO <sub>4</sub> , NO <sub>3</sub> as N<br>TDS, PH<br>BTEX (8021) |              |                                     | Prepared by:<br><br> <b>ENVIRONMENTAL Science corp</b><br>12065 Lebanon Road<br>Mt. Juliet TN 37122<br>Phone (615)758-5858<br>Phone (800) 767-5859<br>FAX (615)758-5859 |  |                                    |  |
| PHONE: 505-333-3701  | Client Project No. <b>-</b>  | Lab Project #                     |       |   |              |                                     | CoCode (lab use only)  |  | <b>XTORNM</b><br>Template/Prelogin |  |
| FAX:   | Site/Facility ID# <b>CORONADO POND #2</b>  | P.O.#                             |       |   |              |                                     | Shipped Via: Fed Ex  |  | Remarks/contaminant                |  |
| Collected by:  | Rush? (Lab MUST be Notified)<br><input type="checkbox"/> Next Day.....100%<br><input type="checkbox"/> Two Day.....50%<br><input type="checkbox"/> Three Day.....25% | Date Results Needed               |       |   |              |                                     | No of Cntrs  |  | Sample # (lab only)                |  |
| Collected by (signature):  | Email? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes<br>FAX? <input type="checkbox"/> No <input type="checkbox"/> Yes                          | Packed on Ice N ___ Y ___         |       |   |              |                                     |  |  |                                    |  |
| Sample ID  | Comp/Grab  | Matrix                            | Depth | Date  | Time         |                                     |  |  |                                    |  |
| <b>J</b>   | <b>Comp</b>  | <b>S/S</b>                        |       | <b>5/23/11</b>  | <b>12:30</b> | <input checked="" type="checkbox"/> | <b>L517393-09</b>  |  |                                    |  |
| <b>Background</b>  | <b>Grab</b>  | <b>↓</b>                          |       | <b>↓</b>  | <b>12:35</b> | <input checked="" type="checkbox"/> |  |  |                                    |  |

Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT- Other \_\_\_\_\_

pH \_\_\_\_\_ Temp \_\_\_\_\_

Remarks: "ONLY 1 COC Per Site!!"

Flow \_\_\_\_\_ Other \_\_\_\_\_

|  |                      |                   |   |  |                                 |
|--|----------------------|-------------------|---|--|---------------------------------|
| Relinquisher by: (Signature)<br> | Date: <b>5/23/11</b> | Time: <b>1500</b> | Received by: (Signature)<br>        | Samples returned via: FedEx_X UPS_Other_ | Condition (lab use only)        |
| Relinquisher by: (Signature)<br> | Date:                | Time:             | Received by: (Signature)  | Temp: <b>3.5°C</b>                       | Bottles Received: <b>20-402</b> |
| Relinquisher by: (Signature)   | Date:                | Time:             | Received for lab by: (Signature)<br> | Date: <b>5/24/11</b>                     | Time: <b>0900</b>               |
|  |                      |                   |   | pH Checked:                              | NCF: <b>YES</b>                 |



NON-CONFORMANCE FORM

Login No.: LS17393

Date: 05-24-11

Evaluated by: J. Fuller

Client: XTORNM

D

Non-Conformance (check applicable items)

- Parameter(s) past holding time
- Improper temperature
- Improper container type
- Improper preservation
- Container lid not intact
- Login Clarification Needed
- Chain of custody is incomplete
- Chain of Custody is missing (see below)
- Broken container(s) (See below)
- Broken container: sufficient sample volume remains for analysis requested (See below)

If no COC: Received by \_\_\_\_\_  
 Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Temp: \_\_\_\_\_ Cont. Rec \_\_\_\_\_ pH: \_\_\_\_\_  
 Fedex  UPS  SWA  Other \_\_\_\_\_  
 Tracking # \_\_\_\_\_

- Insufficient packing material around container
- Insufficient packing material inside cooler
- Improper handling by carrier (FedEx / UPS / Courier)
- Sample was frozen

Comments: Client asked for TDS. Samples are soil.

Login Instructions:

TSR Initials: DK

Client informed by call / JM (emai) / fax / voice mail date: 5/24 time: 13:45

Client contact: Notified client + TDS is water only



12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859  
Tax I.D. 62-0814289  
Est. 1970

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

**Report Summary**  
Tuesday May 24, 2011  
Report Number: L516379  
Samples Received: 05/17/11  
Client Project:  
Description: Coronado Pond 2

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By: Daphne R Richards  
Daphne Richards , ESC Representative

*Laboratory Certification Numbers*

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487  
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140  
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233  
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,  
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.  
Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
 XTO Energy - San Juan Division  
 382 Road 3100  
 Aztec, NM 87410

May 24, 2011

Date Received : May 17, 2011  
 Description : Coronado Pond 2  
 Sample ID : E  
 Collected By : Brooke Herb  
 Collection Date : 05/16/11 13:30

ESC Sample # : L516379-01  
 Site ID : CORONADO POND 2  
 Project # :

| Parameter   | Dry Result | Det. Limit | Units  | Method | Date     | Dil. |
|---|------------|------------|--------|--------|----------|------|
| Chloride  | 140        | 12.        | mg/kg  | 9056   | 05/18/11 | 1    |
| Fluoride  | 7.2        | 1.2        | mg/kg  | 9056   | 05/18/11 | 1    |
| Nitrate   | 2.9        | 1.2        | mg/kg  | 9056   | 05/18/11 | 1    |
| Sulfate   | 370        | 58.        | mg/kg  | 9056   | 05/18/11 | 1    |
| Cyanide   | BDL        | 0.29       | mg/kg  | 9012B  | 05/24/11 | 1    |
| pH  | 7.6        |            | su     | 9045D  | 05/20/11 | 1    |
| Total Solids  | 87.        |            | %      | 2540G  | 05/23/11 | 1    |
| Mercury   | BDL        | 0.023      | mg/kg  | 7471   | 05/18/11 | 1    |
| Arsenic   | 2.4        | 1.2        | mg/kg  | 6010B  | 05/19/11 | 1    |
| Barium  | 200        | 0.29       | mg/kg  | 6010B  | 05/19/11 | 1    |
| Cadmium   | 0.48       | 0.29       | mg/kg  | 6010B  | 05/19/11 | 1    |
| Chromium  | 12.        | 0.58       | mg/kg  | 6010B  | 05/19/11 | 1    |
| Copper  | 13.        | 1.2        | mg/kg  | 6010B  | 05/19/11 | 1    |
| Iron  | 14000      | 5.8        | mg/kg  | 6010B  | 05/19/11 | 1    |
| Lead  | 8.7        | 0.29       | mg/kg  | 6010B  | 05/19/11 | 1    |
| Manganese   | 310        | 0.58       | mg/kg  | 6010B  | 05/19/11 | 1    |
| Selenium  | 11.        | 1.2        | mg/kg  | 6010B  | 05/19/11 | 1    |
| Silver  | BDL        | 0.58       | mg/kg  | 6010B  | 05/20/11 | 1    |
| Zinc  | 31.        | 1.7        | mg/kg  | 6010B  | 05/19/11 | 1    |
| Benzene   | BDL        | 0.0029     | mg/kg  | 8021B  | 05/18/11 | 5    |
| Toluene   | BDL        | 0.029      | mg/kg  | 8021B  | 05/18/11 | 5    |
| Ethylbenzene  | BDL        | 0.0029     | mg/kg  | 8021B  | 05/18/11 | 5    |
| Total Xylene  | BDL        | 0.0086     | mg/kg  | 8021B  | 05/18/11 | 5    |
| Surrogate Recovery(%)<br>a,a,a-Trifluorotoluene (PID) | 79.9       |            | % Rec. | 8021B  | 05/18/11 | 5    |

Results listed are dry weight basis.

BDL - Below Detection Limit  
 Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/24/11 16:42 Printed: 05/24/11 16:43

L516379-01 (PH) - 7.6@20.7c

Attachment A  
List of Analytes with QC Qualifiers

| Sample Number | Work Group | Sample Type | Analyte | Run ID   | Qualifier |
|---------------|------------|-------------|---------|----------|-----------|
| L516379-01    | WG536757   | SAMP        | Cyanide | R1698973 | J3        |

Attachment B  
Explanation of QC Qualifier Codes

| Qualifier | Meaning  |
|-----------|--|
| J3        | The associated batch QC was outside the established quality control range for precision. |

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed  
05/24/11 at 16:43:21

TSR Signing Reports: 288  
R5 - Desired TAT

drywt

Sample: L516379-01 Account: XTORNM Received: 05/17/11 09:00 Due Date: 05/24/11 00:00 RPT Date: 05/24/11 16:42



YOUR LAB OF CHOICE

XTO Energy - San Juan Division  
 James McDaniel  
 382 Road 3100  
 Aztec, NM 87410

Quality Assurance Report  
 Level II  
 L516379

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

| Analyte                        | Result  | Laboratory Blank |       | Limit  | Batch    | Date Analyzed  |
|--------------------------------|---------|------------------|-------|--------|----------|----------------|
|                                |         | Units            | % Rec |        |          |                |
| Chloride                       | < 10    | mg/kg            |       |        | WG536120 | 05/18/11 10:38 |
| Fluoride                       | < 1     | mg/kg            |       |        | WG536120 | 05/18/11 10:38 |
| Nitrate                        | < 1     | mg/kg            |       |        | WG536120 | 05/18/11 10:38 |
| Sulfate                        | < 50    | mg/kg            |       |        | WG536120 | 05/18/11 10:38 |
| Mercury                        | < .02   | mg/kg            |       |        | WG536128 | 05/18/11 14:32 |
| Benzene                        | < .0005 | mg/kg            |       |        | WG536259 | 05/18/11 19:15 |
| Ethylbenzene                   | < .0005 | mg/kg            |       |        | WG536259 | 05/18/11 19:15 |
| Toluene                        | < .005  | mg/kg            |       |        | WG536259 | 05/18/11 19:15 |
| Total Xylene                   | < .0015 | mg/kg            |       |        | WG536259 | 05/18/11 19:15 |
| a, a, a-Trifluorotoluene (PID) |         | % Rec.           | 94.62 | 54-144 | WG536259 | 05/18/11 19:15 |
| Arsenic                        | < 1     | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Barium                         | < .25   | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Cadmium                        | < .25   | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Chromium                       | < .5    | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Copper                         | < 1     | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Iron                           | < 5     | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Lead                           | < .25   | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Manganese                      | < .5    | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Zinc                           | < 1.5   | mg/kg            |       |        | WG536127 | 05/19/11 12:12 |
| Selenium                       | < 1     | mg/kg            |       |        | WG536127 | 05/19/11 01:34 |
| pH                             | 4.30    | su               |       |        | WG536341 | 05/20/11 08:17 |
| Silver                         | < .5    | mg/kg            |       |        | WG536512 | 05/20/11 14:48 |
| Total Solids                   | < .1    | %                |       |        | WG536848 | 05/23/11 08:53 |
| Cyanide                        | < .25   | mg/kg            |       |        | WG536757 | 05/24/11 10:38 |

| Analyte   | Units | Duplicate |           |       | Limit | Ref Samp   | Batch    |
|-----------|-------|-----------|-----------|-------|-------|------------|----------|
|           |       | Result    | Duplicate | RPD   |       |            |          |
| Sulfate   | mg/kg | 0         | 6.50      | NA    | 20    | L516426-03 | WG536120 |
| Sulfate   | mg/kg | 0         | 5.30      | NA    | 20    | L516426-05 | WG536120 |
| Mercury   | mg/kg | 0.0420    | 0.0600    | 35.5* | 20    | L516382-13 | WG536128 |
| Arsenic   | mg/kg | 5.50      | 6.30      | 13.9  | 20    | L516426-03 | WG536127 |
| Barium    | mg/kg | 130.      | 160.      | 17.7  | 20    | L516426-03 | WG536127 |
| Cadmium   | mg/kg | 0.750     | 0.790     | 4.93  | 20    | L516426-03 | WG536127 |
| Chromium  | mg/kg | 16.0      | 18.0      | 8.70  | 20    | L516426-03 | WG536127 |
| Copper    | mg/kg | 12.0      | 0         | NA    | 20    | L516426-03 | WG536127 |
| Iron      | mg/kg | 15000     | 16000     | 5.79  | 20    | L516426-03 | WG536127 |
| Lead      | mg/kg | 23.0      | 25.0      | 8.77  | 20    | L516426-03 | WG536127 |
| Manganese | mg/kg | 380.      | 580.      | 42.9* | 20    | L516426-03 | WG536127 |
| Selenium  | mg/kg | 12.0      | 13.0      | 8.00  | 20    | L516426-03 | WG536127 |
| Zinc      | mg/kg | 100.      | 0         | NA    | 20    | L516426-03 | WG536127 |

\* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division  
 James McDaniel  
 382 Road 3100  
 Aztec, NM 87410

Quality Assurance Report  
 Level II

L516379

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

| Analyte      | Units | Duplicate |           | RPD   | Limit | Ref Samp   | Batch    |
|--------------|-------|-----------|-----------|-------|-------|------------|----------|
|              |       | Result    | Duplicate |       |       |            |          |
| pH           | su    | 7.10      | 7.10      | 0     | 1     | L516328-08 | WG536341 |
| pH           | su    | 9.20      | 9.20      | 0     | 1     | L516495-38 | WG536341 |
| Silver       | mg/kg | 0         | 0         | 0     | 20    | L516837-01 | WG536512 |
| Total Solids | %     | 72.0      | 73.8      | 2.60  | 5     | L516971-07 | WG536848 |
| Cyanide      | mg/kg | 0.670     | 0.660     | 1.20  | 20    | L516441-01 | WG536757 |
| Cyanide      | mg/kg | 2.90      | 0.780     | 115.* | 20    | L516355-06 | WG536757 |

| Analyte                      | Units | Laboratory Control Sample |        | % Rec | Limit        | Batch    |
|------------------------------|-------|---------------------------|--------|-------|--------------|----------|
|                              |       | Known Val                 | Result |       |              |          |
| Chloride                     | mg/kg | 200                       | 202.   | 101.  | 85-115       | WG536120 |
| Fluoride                     | mg/kg | 20                        | 19.7   | 98.5  | 85-115       | WG536120 |
| Nitrate                      | mg/kg | 20                        | 19.9   | 99.5  | 85-115       | WG536120 |
| Sulfate                      | mg/kg | 200                       | 202.   | 101.  | 85-115       | WG536120 |
| Mercury                      | mg/kg | 8.77                      | 7.92   | 90.3  | 71.6-127.7   | WG536128 |
| Benzene                      | mg/kg | .05                       | 0.0408 | 81.5  | 76-113       | WG536259 |
| Ethylbenzene                 | mg/kg | .05                       | 0.0437 | 87.4  | 78-115       | WG536259 |
| Toluene                      | mg/kg | .05                       | 0.0427 | 85.5  | 76-114       | WG536259 |
| Total Xylene                 | mg/kg | .15                       | 0.130  | 86.9  | 81-118       | WG536259 |
| a,a,a-Trifluorotoluene (PID) |       |                           |        | 92.75 | 54-144       | WG536259 |
| Arsenic                      | mg/kg | 192                       | 162.   | 84.4  | 78.6-120.8   | WG536127 |
| Barium                       | mg/kg | 420                       | 366.   | 87.1  | 78.8-121.4   | WG536127 |
| Cadmium                      | mg/kg | 70.1                      | 61.8   | 88.2  | 78.5-121.5   | WG536127 |
| Chromium                     | mg/kg | 168                       | 149.   | 88.7  | 80.4-120.2   | WG536127 |
| Copper                       | mg/kg | 122                       | 114.   | 93.4  | 81.6-119.7   | WG536127 |
| Iron                         | mg/kg | 18100                     | 15600  | 86.2  | 50.7-149.7   | WG536127 |
| Lead                         | mg/kg | 113                       | 98.1   | 86.8  | 77.3-122.1   | WG536127 |
| Manganese                    | mg/kg | 441                       | 384.   | 87.1  | 78.9-120.9   | WG536127 |
| Selenium                     | mg/kg | 176                       | 164.   | 93.2  | 75.6-125.0   | WG536127 |
| Zinc                         | mg/kg | 437                       | 382.   | 87.4  | 78.5-121.7   | WG536127 |
| pH                           | su    | 6.3                       | 6.30   | 100.  | 97.98-102.02 | WG536341 |
| Silver                       | mg/kg | 115                       | 100.   | 87.0  | 66-133.9     | WG536512 |
| Total Solids                 | %     | 50                        | 50.0   | 100.  | 85-155       | WG536848 |
| Cyanide                      | mg/kg | 28.1                      | 21.4   | 76.2  | 50-150       | WG536757 |

| Analyte  | Units | Laboratory Control Sample Duplicate |          | Limit | RPD    | Limit | Batch |          |
|----------|-------|-------------------------------------|----------|-------|--------|-------|-------|----------|
|          |       | Result                              | Ref %Rec |       |        |       |       |          |
| Chloride | mg/kg | 207.                                | 202.     | 104.  | 85-115 | 2.44  | 20    | WG536120 |

\* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
 James McDaniel  
 382 Road 3100  
 Aztec, NM 87410

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report  
 Level II

L516379

May 24, 2011

| Analyte                      | Units | Laboratory Control Sample Duplicate |        |       | Limit        | RPD   | Limit | Batch    |
|------------------------------|-------|-------------------------------------|--------|-------|--------------|-------|-------|----------|
|                              |       | Result                              | Ref    | %Rec  |              |       |       |          |
| Fluoride                     | mg/kg | 20.2                                | 19.7   | 101.  | 85-115       | 2.51  | 20    | WG536120 |
| Nitrate                      | mg/kg | 20.3                                | 19.9   | 102.  | 85-115       | 1.99  | 20    | WG536120 |
| Sulfate                      | mg/kg | 208.                                | 202.   | 104.  | 85-115       | 2.93  | 20    | WG536120 |
| Benzene                      | mg/kg | 0.0465                              | 0.0408 | 93.0  | 76-113       | 13.2  | 20    | WG536259 |
| Ethylbenzene                 | mg/kg | 0.0509                              | 0.0437 | 102.  | 78-115       | 15.2  | 20    | WG536259 |
| Toluene                      | mg/kg | 0.0483                              | 0.0427 | 97.0  | 76-114       | 12.3  | 20    | WG536259 |
| Total Xylene                 | mg/kg | 0.152                               | 0.130  | 102.  | 81-118       | 15.6  | 20    | WG536259 |
| a,a,a-Trifluorotoluene (PID) |       |                                     |        | 89.28 | 54-144       |       |       | WG536259 |
| pH                           | su    | 6.30                                | 6.30   | 100.  | 97.98-102.02 | 0     | 20    | WG536341 |
| Cyanide                      | mg/kg | 27.7                                | 21.4   | 98.0  | 50-150       | 25.7* | 20    | WG536757 |

| Analyte                      | Units | Matrix Spike |         |      |       | Limit  | Ref Samp   | Batch    |
|------------------------------|-------|--------------|---------|------|-------|--------|------------|----------|
|                              |       | MS Res       | Ref Res | TV   | % Rec |        |            |          |
| Sulfate                      | mg/kg | 532.         | 4.00    | 500  | 106.  | 80-120 | L516426-01 | WG536120 |
| Mercury                      | mg/kg | 0.340        | 0.0600  | .25  | 112.  | 70-130 | L516382-13 | WG536128 |
| Benzene                      | mg/kg | 0.180        | 0       | .05  | 72.0  | 32-137 | L516328-08 | WG536259 |
| Ethylbenzene                 | mg/kg | 0.185        | 0       | .05  | 74.0  | 10-150 | L516328-08 | WG536259 |
| Toluene                      | mg/kg | 0.187        | 0       | .05  | 74.7  | 20-142 | L516328-08 | WG536259 |
| Total Xylene                 | mg/kg | 0.561        | 0       | .15  | 74.8  | 16-141 | L516328-08 | WG536259 |
| a,a,a-Trifluorotoluene (PID) |       |              |         |      | 87.43 | 54-144 |            | WG536259 |
| Arsenic                      | mg/kg | 47.3         | 6.30    | 50   | 82.0  | 75-125 | L516426-03 | WG536127 |
| Barium                       | mg/kg | 203.         | 160.    | 50   | 86.0  | 75-125 | L516426-03 | WG536127 |
| Cadmium                      | mg/kg | 41.4         | 0.790   | 50   | 81.2  | 75-125 | L516426-03 | WG536127 |
| Chromium                     | mg/kg | 60.2         | 18.0    | 50   | 84.4  | 75-125 | L516426-03 | WG536127 |
| Copper                       | mg/kg | 59.9         | 0       | 50   | 120.  | 75-125 | L516426-03 | WG536127 |
| Iron                         | mg/kg | 15700        | 16000   | 50   | 0*    | 75-125 | L516426-03 | WG536127 |
| Lead                         | mg/kg | 66.7         | 25.0    | 50   | 83.4  | 75-125 | L516426-03 | WG536127 |
| Manganese                    | mg/kg | 637.         | 580.    | 50   | 114.  | 75-125 | L516426-03 | WG536127 |
| Selenium                     | mg/kg | 52.8         | 13.0    | 50   | 79.6  | 75-125 | L516426-03 | WG536127 |
| Zinc                         | mg/kg | 143.         | 0       | 50   | 286.* | 75-125 | L516426-03 | WG536127 |
| Silver                       | mg/kg | 47.8         | 0       | 50   | 95.6  | 75-125 | L516837-01 | WG536512 |
| Cyanide                      | mg/kg | 3.24         | 0       | 3.33 | 97.3  | 80-120 | L516355-13 | WG536757 |

| Analyte | Units | Matrix Spike Duplicate |       |      | Limit  | RPD   | Limit | Ref Samp   | Batch    |
|---------|-------|------------------------|-------|------|--------|-------|-------|------------|----------|
|         |       | MSD                    | Ref   | %Rec |        |       |       |            |          |
| Sulfate | mg/kg | 529.                   | 532.  | 105. | 80-120 | 0.566 | 20    | L516426-01 | WG536120 |
| Mercury | mg/kg | 0.359                  | 0.340 | 120. | 70-130 | 5.44  | 20    | L516382-13 | WG536128 |

\* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

XTO Energy - San Juan Division  
 James McDaniel  
 382 Road 3100  
 Aztec, NM 87410

Quality Assurance Report  
 Level II

L516379

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 24, 2011

| Analyte                      | Units | MSD   | Matrix Spike Duplicate |       | Limit  | RPD   | Limit | Ref Samp   | Batch    |
|------------------------------|-------|-------|------------------------|-------|--------|-------|-------|------------|----------|
|                              |       |       | Ref                    | %Rec  |        |       |       |            |          |
| Benzene                      | mg/kg | 0.185 | 0.180                  | 74.1  | 32-137 | 2.91  | 39    | L516328-08 | WG536259 |
| Ethylbenzene                 | mg/kg | 0.190 | 0.185                  | 75.8  | 10-150 | 2.38  | 44    | L516328-08 | WG536259 |
| Toluene                      | mg/kg | 0.189 | 0.187                  | 75.6  | 20-142 | 1.15  | 42    | L516328-08 | WG536259 |
| Total Xylene                 | mg/kg | 0.572 | 0.561                  | 76.2  | 16-141 | 1.95  | 46    | L516328-08 | WG536259 |
| a,a,a-Trifluorotoluene (PID) |       |       |                        | 89.45 | 54-144 |       |       |            | WG536259 |
| Arsenic                      | mg/kg | 47.1  | 47.3                   | 81.6  | 75-125 | 0.424 | 20    | L516426-03 | WG536127 |
| Barium                       | mg/kg | 197.  | 203.                   | 74.0* | 75-125 | 3.00  | 20    | L516426-03 | WG536127 |
| Cadmium                      | mg/kg | 42.1  | 41.4                   | 82.6  | 75-125 | 1.68  | 20    | L516426-03 | WG536127 |
| Chromium                     | mg/kg | 62.3  | 60.2                   | 88.6  | 75-125 | 3.43  | 20    | L516426-03 | WG536127 |
| Copper                       | mg/kg | 59.6  | 59.9                   | 119.  | 75-125 | 0.502 | 20    | L516426-03 | WG536127 |
| Iron                         | mg/kg | 16600 | 15700                  | 1200* | 75-125 | 5.57  | 20    | L516426-03 | WG536127 |
| Lead                         | mg/kg | 64.1  | 66.7                   | 78.2  | 75-125 | 3.98  | 20    | L516426-03 | WG536127 |
| Manganese                    | mg/kg | 421.  | 637.                   | 0*    | 75-125 | 40.8* | 20    | L516426-03 | WG536127 |
| Selenium                     | mg/kg | 54.4  | 52.8                   | 82.8  | 75-125 | 2.99  | 20    | L516426-03 | WG536127 |
| Zinc                         | mg/kg | 126.  | 143.                   | 252.* | 75-125 | 12.6  | 20    | L516426-03 | WG536127 |
| Silver                       | mg/kg | 44.3  | 47.8                   | 88.6  | 75-125 | 7.60  | 20    | L516837-01 | WG536512 |
| Cyanide                      | mg/kg | 3.44  | 3.24                   | 103.  | 80-120 | 5.99  | 20    | L516355-13 | WG536757 |

Batch number /Run number / Sample number cross reference

WG536120: R1692610: L516379-01  
 WG536128: R1692711: L516379-01  
 WG536259: R1692929: L516379-01  
 WG536127: R1693371: L516379-01  
 WG536341: R1694309: L516379-01  
 WG536512: R1695110: L516379-01  
 WG536848: R1697115: L516379-01  
 WG536757: R1698973: L516379-01

\* \* Calculations are performed prior to rounding of reported values.  
 \* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
James McDaniel  
382 Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L516379

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970


May 24, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



|  |  |   |  |   |              |          |  |                                 |  |  |  |  |
|--|--|---|--|---|--------------|----------|--|---------------------------------|--|--|--|--|
| Company Name/Address<br><b>XTO Energy, Inc.</b><br>382 County Road 3100<br>Aztec, NM 87410                 |  | Alternate Billing<br>XTORN031810S             |  | Analysis/Container/Preservative   |              |          |  | Chain of Custody<br>Page 1 of 1 |  |  |  |  |
| Project Description: <b>Coronado Pond #2</b>   |  | City/State Collected: <b>San Juan City NM</b> |  | <b>BTEX (8021)</b><br><b>As, Ba, Cd, Cr, CN-, F, Pb, Hg, Se</b><br><b>Ag, Cl, Cu, Fe, Mn, Zn</b><br><b>Sb, NO3 as N</b><br><b>TSS, PH</b> |              |          |  | B039                            |  |  |  |  |
| PHONE: 505-333-3701  | Client Project No. <b>-</b>  | Lab Project #                                 | Report to: James McDaniel  |   |              |          |  | Prepared by:                    |  |  <b>ENVIRONMENTAL Science corp</b><br>12065 Lebanon Road<br>Mt. Juliet TN 37122<br>Phone (615)758-5858<br>Phone (800) 767-5859<br>FAX (615)758-5859 |  |  |
| FAX:   |  |   | E-mail to: james_mcdaniel@xtoenergy.com                                    |   |              |          |  | CoCode (lab use only)           |  | <b>XTORNM</b><br>Template/Prelogin<br>Shipped Via: Fed Ex  |  |  |
| Collected by: <b>Brooke Herb</b>   | Site/Facility ID# <b>Coronado Pond #2</b>  | P.O.#   | Date Results Needed  |   | No           |          | Remarks/contaminant                      |                                 |  |  |  |  |
| Collected by (signature):  | <input checked="" type="checkbox"/> Rush? (Lab MUST be Notified)<br><input type="checkbox"/> Next Day.....100%<br><input type="checkbox"/> Two Day.....50%<br><input type="checkbox"/> Three Day.....25% |   | Email? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes |   | of           |          | Sample # (lab only)                      |                                 |  |  |  |  |
| Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/> X                           |  |   | FAX? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes   |   | Cntrs        |          | Sample # (lab only)<br><b>1516379-01</b> |                                 |  |  |  |  |
| Sample ID  | Comp/Grab  | Matrix  | Depth  | Date  | Time         | Cntrs    |  |                                 |  |  |  |  |
| <b>E</b>   | <b>Comp</b>  | <b>S/S</b>                                    |  | <b>5/10/11</b>  | <b>13:30</b> | <b>2</b> |  |                                 |  |  |  |  |

\*Matrix: SS-Soil/Solid GW-Groundwater WW-Wastewater DW-Drinking Water OT- Other \_\_\_\_\_

pH \_\_\_\_\_ Temp \_\_\_\_\_

Remarks: "ONLY 1 COC Per Site!!"

Flow \_\_\_\_\_ Other \_\_\_\_\_

|   |                      |                    |  |  |                                |
|---|----------------------|--------------------|--|--|--------------------------------|
| Relinquisher by (Signature):  | Date: <b>5/10/11</b> | Time: <b>14:30</b> | Received by (Signature):         | Samples returned via: FedEx <input checked="" type="checkbox"/> UPS <input type="checkbox"/> Other _____ | Condition (lab use only)       |
| Relinquisher by (Signature):  | Date:                | Time:              | Received by (Signature):   | Temp: <b>3.4</b>   | Bottles Received: <b>2-402</b> |
| Relinquisher by (Signature):  | Date:                | Time:              | Received for lab by (Signature):  | Date: <b>5/17/11</b>   | Time: <b>0900</b>              |
|   |                      |                    |  | pH Checked:  | NCF:                           |



NON-CONFORMANCE FORM

Login No.: LS14379  
Date: 05-17-11  
Evaluated by: J. Fuller  
Client: XTORNM

Non-Conformance (check applicable items)

- Parameter(s) past holding time
- Login Clarification Needed
- Improper temperature
- Chain of custody is incomplete
- Improper container type
- Chain of Custody is missing (see below)
- Improper preservation
- Broken container(s) (See below)
- Container lid not intact
- Broken container: sufficient sample volume remains for analysis requested (See below)

If no COC: Received by \_\_\_\_\_  Insufficient packing material around container  
Date: \_\_\_\_\_ Time: \_\_\_\_\_  Insufficient packing material inside cooler  
Temp: \_\_\_\_\_ Cont. Rec: \_\_\_\_\_ pH: \_\_\_\_\_  Improper handling by carrier (FedEx / UPS / Courier)  
 Fedex  UPS  SWA  Other \_\_\_\_\_  Sample was frozen  
Tracking # \_\_\_\_\_

Comments: We do not run TDS for soils.

Login Instructions:

TSR Initials: DK

Client informed by call / JM (email) / fax / voice mail date: 5/17 time: 14:00

Client contact: informed client

COVER LETTER

Monday, June 27, 2011

James McDaniel  
XTO Energy  
382 County Road 3100  
Aztec, NM 87410

TEL: (505) 787-0519  
FAX (505) 333-3280

RE: Coronado Pond #2

Order No.: 1105938

Dear James McDaniel:

Hall Environmental Analysis Laboratory, Inc. received 10 sample(s) on 5/24/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

  
Andy Freeman, Laboratory Manager

NM Lab # NM9425 NM0901  
AZ license # AZ0682



**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> A                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:00:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-01        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed                         |
|--------------------------------------|--------|-----|------|-------|----|---------------------------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    |                                       |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | Analyst: ELS<br>5/31/2011 11:02:36 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    |                                       |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | Analyst: JB<br>6/1/2011               |

**Qualifiers:**

- |  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> B                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:06:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-02        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    | Analyst: ELS          |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 11:04:39 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    | Analyst: JB           |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 6/1/2011              |

**Qualifiers:**

- |  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

# Hall Environmental Analysis Laboratory, Inc.

Date: 27-Jun-11  
Analytical Report

---

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> C                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:12:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-03        | <b>Matrix:</b> SOIL                           |

---

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    | Analyst: ELS          |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 11:06:35 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    | Analyst: JB           |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 6/1/2011              |

---

### Qualifiers:

|  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> D                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:17:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-04        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed                         |
|--------------------------------------|--------|-----|------|-------|----|---------------------------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    |                                       |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | Analyst: ELS<br>5/31/2011 11:08:26 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    |                                       |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | Analyst: JB<br>6/1/2011               |

**Qualifiers:**

- |  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> F                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:22:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-05        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed                         |
|--------------------------------------|--------|-----|------|-------|----|---------------------------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    |                                       |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | Analyst: ELS<br>5/31/2011 11:10:20 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    |                                       |
| Petroleum Hydrocarbons, TR           | 43     | 20  |      | mg/Kg | 1  | Analyst: JB<br>6/1/2011               |

**Qualifiers:**

- |  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

# Hall Environmental Analysis Laboratory, Inc.

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> G                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:27:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-06        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    | Analyst: ELS          |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 11:12:14 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    | Analyst: JB           |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 6/1/2011              |

**Qualifiers:**

- |  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

---

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> H                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:39:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-07        | <b>Matrix:</b> SOIL                           |

---

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    | Analyst: ELS          |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 11:21:16 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    | Analyst: JB           |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 6/1/2011              |

---

**Qualifiers:**

\* Value exceeds Maximum Contaminant Level  
E Estimated value  
J Analyte detected below quantitation limits  
NC Non-Chlorinated  
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
MCL Maximum Contaminant Level  
ND Not Detected at the Reporting Limit  
S Spike recovery outside accepted recovery limits

**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> I                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:43:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-08        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed                         |
|--------------------------------------|--------|-----|------|-------|----|---------------------------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    |                                       |
| Uranium                              | ND     | 50  |      | mg/Kg | 10 | Analyst: ELS<br>5/31/2011 11:23:12 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    |                                       |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | Analyst: JB<br>6/1/2011               |

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

**Hall Environmental Analysis Laboratory, Inc.**

**Date:** 27-Jun-11  
**Analytical Report**

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> J                    |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:30:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-09        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    |                       |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 11:26:41 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    |                       |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 6/1/2011              |

**Qualifiers:**

|  |  |
|--|--|
| * Value exceeds Maximum Contaminant Level    | B Analyte detected in the associated Method Blank    |
| E Estimated value                            | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | MCL Maximum Contaminant Level                        |
| NC Non-Chlorinated                           | ND Not Detected at the Reporting Limit               |
| PQL Practical Quantitation Limit             | S Spike recovery outside accepted recovery limits    |

**Hall Environmental Analysis Laboratory, Inc.**

Date: 27-Jun-11  
Analytical Report

|                                  |   |
|----------------------------------|---|
| <b>CLIENT:</b> XTO Energy        | <b>Client Sample ID:</b> Background           |
| <b>Lab Order:</b> 1105938        | <b>Collection Date:</b> 5/23/2011 12:35:00 PM |
| <b>Project:</b> Coronado Pond #2 | <b>Date Received:</b> 5/24/2011               |
| <b>Lab ID:</b> 1105938-10        | <b>Matrix:</b> SOIL                           |

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    | Analyst: ELS          |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 11:28:35 AM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    | Analyst: JB           |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 6/1/2011              |

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits



**ANALYTICAL RESULTS**

Project: 1105938  
 Pace Project No.: 3047433

Sample: 1105938-01B Lab ID: 3047433001 Collected: 05/23/11 12:00 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

| Parameters | Method     | Act ± Unc (MDC)       | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|-----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 0.983 ± 0.189 (0.179) | pCi/g | 06/22/11 09:52 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.48 ± 0.293 (0.268)  | pCi/g | 06/22/11 09:52 | 15262-20-1 |      |

Sample: 1105938-02B Lab ID: 3047433002 Collected: 05/23/11 12:06 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.05 ± 0.195 (0.184) | pCi/g | 06/22/11 10:57 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.34 ± 0.265 (0.281) | pCi/g | 06/22/11 10:57 | 15262-20-1 |      |

Sample: 1105938-03B Lab ID: 3047433003 Collected: 05/23/11 12:12 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.05 ± 0.206 (0.185) | pCi/g | 06/22/11 12:54 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.45 ± 0.321 (0.238) | pCi/g | 06/22/11 12:54 | 15262-20-1 |      |

Sample: 1105938-04B Lab ID: 3047433004 Collected: 05/23/11 12:17 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.04 ± 0.179 (0.153) | pCi/g | 06/22/11 14:00 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.28 ± 0.302 (0.262) | pCi/g | 06/22/11 14:00 | 15262-20-1 |      |

Sample: 1105938-05B Lab ID: 3047433005 Collected: 05/23/11 12:22 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.05 ± 0.201 (0.166) | pCi/g | 06/22/11 15:03 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.16 ± 0.273 (0.264) | pCi/g | 06/22/11 15:03 | 15262-20-1 |      |

Sample: 1105938-06B Lab ID: 3047433006 Collected: 05/23/11 12:27 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

Results reported on a "dry-weight" basis

| Parameters | Method     | Act ± Unc (MDC)       | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|-----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 0.906 ± 0.191 (0.181) | pCi/g | 06/22/11 16:30 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.44 ± 0.351 (0.291)  | pCi/g | 06/22/11 16:30 | 15262-20-1 |      |

Date: 06/24/2011 02:10 PM

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..





**ANALYTICAL RESULTS**

Project: 1105938  
 Pace Project No.: 3047433

Sample: 1105938-07B Lab ID: 3047433007 Collected: 05/23/11 12:39 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

*Results reported on a "dry-weight" basis*

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.22 ± 0.219 (0.172) | pCi/g | 06/23/11 08:57 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.46 ± 0.308 (0.258) | pCi/g | 06/23/11 08:57 | 15262-20-1 |      |

Sample: 1105938-08B Lab ID: 3047433008 Collected: 05/23/11 12:43 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

*Results reported on a "dry-weight" basis*

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.05 ± 0.195 (0.178) | pCi/g | 06/23/11 09:59 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.28 ± 0.276 (0.314) | pCi/g | 06/23/11 09:59 | 15262-20-1 |      |

Sample: 1105938-09B Lab ID: 3047433009 Collected: 05/23/11 12:30 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

*Results reported on a "dry-weight" basis*

| Parameters | Method     | Act ± Unc (MDC)       | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|-----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 0.906 ± 0.181 (0.170) | pCi/g | 06/23/11 11:03 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.21 ± 0.269 (0.287)  | pCi/g | 06/23/11 11:03 | 15262-20-1 |      |

Sample: 1105938-10B Lab ID: 3047433010 Collected: 05/23/11 12:35 Received: 05/27/11 10:30 Matrix: Solid  
 PWS: Site ID: Sample Type:

*Results reported on a "dry-weight" basis*

| Parameters | Method     | Act ± Unc (MDC)       | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|-----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 0.700 ± 0.168 (0.179) | pCi/g | 06/23/11 12:56 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.30 ± 0.316 (0.244)  | pCi/g | 06/23/11 12:56 | 15262-20-1 |      |

Date: 06/24/2011 02:10 PM

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.  
 1838 Roseytown Road - Suites 2,3,4  
 Greensburg, PA 15601  
 (724)850-5600

**QUALITY CONTROL DATA**

Project: 1105938  
 Pace Project No.: 3047433

QC Batch: RADC/8531 Analysis Method: EPA 901.1m  
 QC Batch Method: EPA 901.1m Analysis Description: 901.1 Gamma Spec  
 Associated Lab Samples: 3047433001, 3047433002, 3047433003, 3047433004, 3047433005, 3047433006, 3047433007, 3047433008, 3047433009, 3047433010

METHOD BLANK: 304756 Matrix: Solid  
 Associated Lab Samples: 3047433001, 3047433002, 3047433003, 3047433004, 3047433005, 3047433006, 3047433007, 3047433008, 3047433009, 3047433010

| Parameter  | Act ± Unc (MDC)         | Units | Analyzed       | Qualifiers |
|------------|-------------------------|-------|----------------|------------|
| Radium-226 | -0.027 ± 0.0290 (0.203) | pCi/g | 06/23/11 13:58 |            |
| Radium-228 | -0.078 ± 0.426 (0.295)  | pCi/g | 06/23/11 13:58 |            |

Date: 06/24/2011 02:10 PM

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, Inc..



QA/QC SUMMARY REPORT

Client: XTO Energy  
 Project: Coronado Pond #2

Work Order: 1105938

| Analyte                                      | Result | Units | PQL | SPK Va | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|--|--------|-------|-----|--------|---------|------|----------|-----------|------|----------|------|
| <b>Method: EPA Method 418.1: TPH</b>         |        |       |     |        |         |      |          |           |      |          |      |
| Sample ID: MB-27004                          |        | MBLK  |     |        |         |      |          |           |      |          |      |
| Petroleum Hydrocarbons, TR                   | ND     | mg/Kg | 20  |        |         |      |          |           |      |          |      |
| Sample ID: LCS-27004                         |        | LCS   |     |        |         |      |          |           |      |          |      |
| Petroleum Hydrocarbons, TR                   | 102.0  | mg/Kg | 20  | 100    | 0       | 102  | 81.4     | 118       |      |          |      |
| Sample ID: LCSD-27004                        |        | LCSD  |     |        |         |      |          |           |      |          |      |
| Petroleum Hydrocarbons, TR                   | 104.6  | mg/Kg | 20  | 100    | 0       | 105  | 81.4     | 118       | 2.54 | 8.58     |      |
| <b>Method: EPA Method 6010B: Soil Metals</b> |        |       |     |        |         |      |          |           |      |          |      |
| Sample ID: MB-26981                          |        | MBLK  |     |        |         |      |          |           |      |          |      |
| Uranium                                      | ND     | mg/Kg | 5.0 |        |         |      |          |           |      |          |      |
| Sample ID: LCS-26981                         |        | LCS   |     |        |         |      |          |           |      |          |      |
| Uranium                                      | 25.48  | mg/Kg | 5.0 | 25     | 0       | 102  | 80       | 120       |      |          |      |

Qualifiers:

- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- H Holding times for preparation or analysis exceeded
- NC Non-Chlorinated
- R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name XTO ENERGY

Date Received:

5/24/2011

Work Order Number 1105938

Received by: AMG

Checklist completed by:

Signature: [Handwritten Signature] Date: 5/24/11

Sample ID labels checked by:

Initials: [Handwritten Initials]

Matrix:

Carrier name: Greyhound

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present  Not Shipped
- Custody seals intact on sample bottles? Yes  No  N/A
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - Preservation labels on bottle and cap match? Yes  No  N/A
- Water - pH acceptable upon receipt? Yes  No  N/A

Number of preserved bottles checked for pH:

<2 >12 unless noted below.

Container/Temp Blank temperature?

<6° C Acceptable  
If given sufficient time to cool.

COMMENTS:


Client contacted \_\_\_\_\_ Date contacted: \_\_\_\_\_ Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments: \_\_\_\_\_

Corrective Action \_\_\_\_\_

# Chain-of-Custody Record



**HALL ENVIRONMENTAL ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

-228)

Client: James McDaniel  
XTO Energy  
 Mailing Address: 382 CR 3100  
Aztec, NM  
 Phone #: 505-757-0519  
 email or Fax#: \_\_\_\_\_  
 QA/QC Package:  
 Standard  Level 4 (Full Validation)  
 Accreditation  
 NELAP  Other \_\_\_\_\_  
 EDD (Type) \_\_\_\_\_

Turn-Around Time:  
 Standard  Rush \_\_\_\_\_  
 Project Name:  
Coronado Pond #2  
 Project #:  
 Project Manager:  
James McDaniel  
 Sampler: Brooke Herb  
 On Ice:  Yes  No  
 Sample Temperature: \_\_\_\_\_

**Analysis Request**

| Date    | Time  | Matrix | Sample Request ID | Container Type and # | Preservative Type | HEAL No. | BTEX + MTBE + TMB's (8021) | BTEX + MTBE + TPH (Gas only) | TPH Method 8015B (Gas/Diesel) | TPH (Method 418.1) | EDB (Method 504.1) | 8310 (PNA or PAH) | RCRA 8 Metals | Anions (F, Cl, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub> ) | 8081 Pesticides / 8082 PCB's | 8260B (VOA) | 8270 (Semi-VOA) | Uranium | Radiactivity<br>(Combined Radium 226) | Air Bubbles (Y or N) |
|---------|-------|--------|-------------------|----------------------|-------------------|----------|----------------------------|------------------------------|-------------------------------|--------------------|--------------------|-------------------|---------------|--|------------------------------|-------------|-----------------|---------|---------------------------------------|----------------------|
| 5/23/11 | 12:00 | Soil   | A                 | 4oz/2                | NONE              | 1105958  |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:06 |        | B                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:12 |        | C                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:17 |        | D                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:22 |        | F                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:27 |        | G                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:39 |        | H                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:43 |        | I                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
|         | 12:30 |        | J                 |                      |                   |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |
| ✓       | 12:35 | ↓      | Background        | ↓                    | ↓                 |          |                            |                              |                               | ✓                  |                    |                   |               |  |                              |             |                 | ✓       | ✓                                     |                      |

Date: 5/23/11 Time: 1523 Relinquished by: [Signature] Received by: Christine Walter Date: 5/23/11 Time: 1523 Remarks: \_\_\_\_\_  
 Date: 5/23/11 Time: 11047 Relinquished by: Christine Walter Received by: [Signature] Date: 5/24/11 Time: 913

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

COVER LETTER

Thursday, June 16, 2011

James McDaniel  
XTO Energy  
382 County Road 3100  
Aztec, NM 87410

TEL: (505) 787-0519

FAX (505) 333-3280

RE: Coronado Pond #2

Order No.: 1105696

Dear James McDaniel:

Hall Environmental Analysis Laboratory, Inc. received 1 sample(s) on 5/17/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

  
Andy Freeman, Laboratory Manager

NM Lab # NM9425 NM0901  
AZ license # AZ0682



**Hall Environmental Analysis Laboratory, Inc.**

Date: 16-Jun-11  
Analytical Report

CLIENT: XTO Energy Client Sample ID: E  
Lab Order: 1105696 Collection Date: 5/16/2011 1:30:00 PM  
Project: Coronado Pond #2 Date Received: 5/17/2011  
Lab ID: 1105696-01 Matrix: SOIL

| Analyses                             | Result | PQL | Qual | Units | DF | Date Analyzed         |
|--------------------------------------|--------|-----|------|-------|----|-----------------------|
| <b>EPA METHOD 6010B: SOIL METALS</b> |        |     |      |       |    | Analyst: ELS          |
| Uranium                              | ND     | 25  |      | mg/Kg | 5  | 5/31/2011 12:49:26 PM |
| <b>EPA METHOD 418.1: TPH</b>         |        |     |      |       |    | Analyst: LRW          |
| Petroleum Hydrocarbons, TR           | ND     | 20  |      | mg/Kg | 1  | 5/20/2011             |

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits



Pace Analytical Services, Inc.  
1638 Roseytown Road - Suites 2,3,4  
Greensburg, PA 15601  
(724)850-5600

### ANALYTICAL RESULTS

Project: 1105696  
Pace Project No.: 3047004

Sample: 1105696-01B Lab ID: 3047004001 Collected: 05/16/11 13:30 Received: 05/20/11 10:00 Matrix: Solid  
PWS: Site ID: Sample Type:

*Results reported on a "dry-weight" basis*

| Parameters | Method     | Act ± Unc (MDC)      | Units | Analyzed       | CAS No.    | Qual |
|------------|------------|----------------------|-------|----------------|------------|------|
| Radium-226 | EPA 901.1m | 1.01 ± 0.248 (0.209) | pCi/g | 06/16/11 08:18 | 13982-63-3 |      |
| Radium-228 | EPA 901.1m | 1.83 ± 0.427 (0.184) | pCi/g | 06/16/11 08:18 | 15262-20-1 |      |

Date: 06/16/2011 02:33 PM

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.  
1638 Roseytown Road - Suites 2,3,4  
Greensburg, PA 15601  
(724)860-5600

### QUALITY CONTROL DATA

Project: 1105696  
Pace Project No.: 3047004

---

QC Batch: RADC/8455                      Analysis Method: EPA 901.1m  
QC Batch Method: EPA 901.1m            Analysis Description: 901.1 Gamma Spec  
Associated Lab Samples: 3047004001

---

METHOD BLANK: 302759                      Matrix: Solid  
Associated Lab Samples: 3047004001

| Parameter  | Act ± Unc (MDC)        | Units | Analyzed       | Qualifiers |
|------------|------------------------|-------|----------------|------------|
| Radium-226 | 0.0710 ± 0.140 (0.244) | pCi/g | 06/16/11 08:50 |            |
| Radium-228 | -0.041 ± 1.06 (0.407)  | pCi/g | 06/16/11 08:50 |            |

Date: 06/16/2011 02:33 PM

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



**QA/QC SUMMARY REPORT**

**Client:** XTO Energy  
**Project:** Coronado Pond #2

**Work Order:** 1105696

| Analyte                              | Result | Units       | PQL | SPK Va | SPK ref | %Rec | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
|--------------------------------------|--------|-------------|-----|--------|---------|------|----------|-----------|------|----------|------|
| <b>Method: EPA Method 418.1: TPH</b> |        |             |     |        |         |      |          |           |      |          |      |
| <b>Sample ID: MB-26897</b>           |        | <i>MBLK</i> |     |        |         |      |          |           |      |          |      |
| Petroleum Hydrocarbons, TR           | ND     | mg/Kg       | 20  |        |         |      |          |           |      |          |      |
| <b>Sample ID: LCS-26897</b>          |        | <i>LCS</i>  |     |        |         |      |          |           |      |          |      |
| Petroleum Hydrocarbons, TR           | 96.86  | mg/Kg       | 20  | 100    | 0       | 96.9 | 81.4     | 118       |      |          |      |
| <b>Sample ID: LCSD-26897</b>         |        | <i>LCSD</i> |     |        |         |      |          |           |      |          |      |
| Petroleum Hydrocarbons, TR           | 98.20  | mg/Kg       | 20  | 100    | 0       | 98.2 | 81.4     | 118       | 1.37 | 8.58     |      |

|  |       |             |     |    |        |      |    |     |  |  |  |
|--|-------|-------------|-----|----|--------|------|----|-----|--|--|--|
| <b>Method: EPA Method 6010B: Soil Metals</b> |       |             |     |    |        |      |    |     |  |  |  |
| <b>Sample ID: MB-26997</b>                   |       | <i>MBLK</i> |     |    |        |      |    |     |  |  |  |
| Uranium                                      | ND    | mg/Kg       | 5.0 |    |        |      |    |     |  |  |  |
| <b>Sample ID: LCS-26997</b>                  |       | <i>LCS</i>  |     |    |        |      |    |     |  |  |  |
| Uranium                                      | 25.49 | mg/Kg       | 5.0 | 25 | 0.6564 | 99.3 | 80 | 120 |  |  |  |

**Qualifiers:**

- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- H Holding times for preparation or analysis exceeded
- NC Non-Chlorinated
- R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name XTO ENERGY

Date Received:

5/17/2011

Work Order Number 1105696

Received by: MMG

Checklist completed by: Michelle Gou 5/17/11  
Signature Date

Sample ID labels checked by: AK  
Initials

Matrix:

Carrier name: Greyhound

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present  Not Shipped
- Custody seals intact on sample bottles? Yes  No  N/A
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - Preservation labels on bottle and cap match? Yes  No  N/A
- Water - pH acceptable upon receipt? Yes  No  N/A

Number of preserved bottles checked for pH:

<2 >12 unless noted below.

Container/Temp Blank temperature? 1.0° <6° C Acceptable  
If given sufficient time to cool.

COMMENTS:

-----

Client contacted \_\_\_\_\_ Date contacted: \_\_\_\_\_ Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments: \_\_\_\_\_

Corrective Action \_\_\_\_\_

