## SWD

## Initial

# Application

Received: 09/12/19

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete

PO No: R6NNL-190912-C-1080

1 O 110. ROTTLE 170712	C 1000				
RECEIVED: 09/12/19	REVIEWER:	TYPE:	SWD	APP NO:	pLEL1925949686

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

#### **NEW MEXICO OIL CONSERVATION DIVISION**

- Geological & Engineering Bureau – 1220 South St. Francis Drive, Santa Fe, NM 87505



#### ADMINISTRATIVE APPLICATION CHECKLIST this checklist is mandatory for all administrative applications for exceptions to division rules and REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE Applicant: AWR Disposal LLC OGRID Number: 328805 Well Name: Posto SWD #1 API: Pool: Proposed: SWD, Devonian, Fusselman, Montoya Pool Code: SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED BELOW 1) **TYPE OF APPLICATION**: Check those which apply for [A] A. Location - Spacing Unit - Simultaneous Dedication NSP(PROJECT AREA) NSP(PROPATION UNIT) $\Box$ SD $\square$ NSL B. Check one only for [1] or [1] [1] Commingling - Storage - Measurement □ств □PLC PC [II] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery ☐ WFX ☐ PMX ■SWD | IPI □ EOR $\square$ PPR **FOR OCD ONLY** 2) **NOTIFICATION REQUIRED TO:** Check those which apply. Notice Complete A. Offset operators or lease holders B. Royalty, overriding royalty owners, revenue owners **Application** C. Application requires published notice Content D. Notification and/or concurrent approval by SLO Complete E. Notification and/or concurrent approval by BLM F. Surface owner G. For all of the above, proof of notification or publication is attached, and/or, H. \rightarrow No notice required 3) **CERTIFICATION**: I hereby certify that the information submitted with this application for administrative approval is accurate and complete to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division. Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

	09/12/2019	
Randy Hicks (agent)	Date	
Print or Type Name	505 238 9515	
$\circ$		
Kandyd H	Phone Number	
	r@rthicksconsult.com	
ignature	e-mail Address	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

<sup>1</sup>API Number

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

FORM C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

<sup>3</sup>Pool Name

ľ	X/	L	ויז	Г	T		T	1	n	1		A	١,	T	ľ	1	1	N	J	٨	ď	N	I	7		٨	(	7	Q	1	7	٨			I	7	1	1	k	וי	n	I	(	٦.	٨	7	ľ	1	ገ	1	J	P	1		٨	T	٦
•	′₩	•	<b>u</b> .			1		1		м	١,	$^{\mu}$	١.				,	1	1	μ	١.	١,٦	1	,	- 1	٦.	ı	!	ľ	N I	Ŀ.	$^{\prime\prime}$	w	ı		١,		,	п	7	u	ч	L	. I	٦.				. ,	Π.	٧.			1.	↤		


<sup>2</sup>Pool Code

<sup>4</sup> Property C	ode		•		<sup>5</sup> Property 1	Name			<sup>6</sup> Well Number				
POSTO SWD									1				
<sup>7</sup> OGRID N	lo.				<sup>8</sup> Operator 1	Name			<sup>9</sup> Elevation				
32880	AWR DISPOSAL, LLC 3405'							3405'					
					<sup>10</sup> Surface L	ocation		-					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	Ea	st/West line	County			
Н	6	23-S	35-E	_	1366'	NORTH	1300'	EAS	ST	LEA			
			11	Bottom Ho	le Location If I	Different From Su	rface						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	Ea	st/West line	County			
<sup>12</sup> Dedicated Acres	<sup>13</sup> Joint or l	Infill <sup>14</sup> C	onsolidation Co	ode <sup>15</sup> Ord	er No.			•	•				

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

X=824888.92 Y=488967.53	X=827514.89 Y=488995.34	X=830154.19 Y=489022.02	17OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
	SURFACE LOCATION	1300'	Signature Date
/X=824911.96 (Y=486328.34	NEW MEXICO EAST  NAD 1983  X=828866  Y=487643  LAT.: N 32.3371667  LONG.: W 103.4023812	X=830176,71 Y=486379.49	Printed Name  E-mail Address
			18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.
			Date of Survey Signature and Sail of Professional Surveyor
			THE COLUMN STATE OF THE STATE O
X=824950.04 /Y=483685.76	X=827574.58 Y=483711.31	X=830199.12 Y=483736.85	Certificate Number

#### LOCATION & ELEVATION VERIFICATION MAP




#### AWR DISPOSAL, LLC

 LEASE NAME & WELL NO.:
 POSTO SWD 1

 SECTION \_\_6 \_ TWP \_\_23-S \_\_ RGE \_\_35-E \_\_ SURVEY \_\_N.M.P.M.
 SURVEY \_\_N.M.P.M.

 COUNTY \_\_\_\_ LEA \_\_ STATE \_\_ NM \_\_ ELEVATION \_\_3405'
 DESCRIPTION \_\_\_\_\_ 1366' FNL & 1300' FEL

 LATITUDE \_\_\_ N 32.3371667 \_\_\_ LONGITUDE \_\_\_\_ W 103.4023812




THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AWR DISPOSAL, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET.



#### EXHIBIT 2 VICINITY MAP



#### AWR DISPOSAL, LLC


LEASE NAM	1E & W	ELL NO.		POSTO SWD 1								
SECTION _	6	_ TWP_	23-S	_ RGE_	35-E	SURVEY .	N.M.P.M.					
COUNTY _		LE	Α		STATE_	N	M					
DESCRIPTION	NC			1366' F	NL & 130	0' FEL						

#### **DISTANCE & DIRECTION**

FROM INT. OF NM-128 & DELAWARE BASIN RD., GO NORTH ON DELAWARE BASIN RD. ±16.9 MILES, THENCE GO NORTH (LEFT) ON LEASE RD. ROAD ±1.1 MILES, THENCE GO WEST (LEFT) ON LEASE RD. ±1.9 MILES TO A POINT ±1390 FEET NORTH OF THE LOCATION.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AWR DISPOSAL, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET.






1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140

TELEPHONE: (817) 744-7512 • FAX (817) 744-7554

2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705


TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743


WWW.TOPOGRAPHIC.COM



#### EXHIBIT 2B AWR DISPOSAL, LLC

SECTION 6, TOWNSHIP 23-S, RANGE 35-E, N.M.P.M. LEA COUNTY, NEW MEXICO





ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET

THIS PROPOSED PAD SITE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AWED ISPOSAL, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140

TELEPHONE: (817) 744-7512 • FAX (817) 744-7554

2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705

TELEPHONE: (432) 682-1635 OR (800) 767-1653 • FAX (432) 682-1743

WWW.TOPOGRAPHIC.COM

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

#### Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

#### **APPLICATION FOR AUTHORIZATION TO INJECT**

I.	PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? X Yes No
II.	OPERATOR:AWR Disposal, LLC
	ADDRESS:3300 N. A Street, Ste 220, Midland, Texas 79705
	CONTACT PARTY:Randall Hicks (agent)PHONE:505 238 9515
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.  Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesXNo  If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	<ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol>
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME:Randall HicksTITLE:Agent
	NAME: Randall Hicks TITLE: Agent  SIGNATURE: DATE:09/12/2019  E-MAIL ADDRESS: r@rthicksconsult.com
*	If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted.  Please show the date and circumstances of the earlier submittal:

#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - (3) A description of the tubing to be used including its size, lining material, and setting depth.
  - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
  - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

#### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

#### INJECTION WELL DATA SHEET

OPERATOR:	AWR Disposal, LLC				
WELL NAME & NUM	MBER: _Posto SWD #1				
WELL LOCATION: _	1,366' FNL & 1,300' FEL FOOTAGE LOCATION		6_ SECTION	23S Township	
<u>WELL</u>	BORE SCHEMATIC	ONII LETTER	WELL CO	ONSTRUCTION DA	
		Hole Size:See a	attachments	Casing Size:	
		Cemented with:	SX.	or	ft
		Top of Cement:		Method Determin	ned:
			<u>Intermedi</u>	ate Casing	
		Hole Size:		Casing Size:	
		Cemented with:	SX.	or	ft
		Top of Cement:		Method Determin	ned:
			Production	on Casing	
		Hole Size:		Casing Size:	
		Cemented with:	SX.	or	ft
		Top of Cement:		Method Determin	ned:
		Total Depth:			
			Injection	<u>ı Interval</u>	
			fe	et to	

(Perforated or Open Hole; indicate which)

#### INJECTION WELL DATA SHEET

Tub	ing Size:	See attachments	Lining Material:					
Тур	oe of Packer:							
Pac	ker Setting D	epth:						
Oth	er Type of Tu	ubing/Casing Seal (if appli	cable):					
			Additional Data					
1.	Is this a new	well drilled for injection?	XNo					
	If no, for wh	nat purpose was the well or	iginally drilled?					
2.	Name of the	EInjection Formation:						
3.	Name of Fie	eld or Pool (if applicable):	Proposed: SWD, Devonian, Fusselman, Montoya					
4.		<u> </u>	ny other zone(s)? List all such perforated sacks of cement or plug(s) used. No					
	mici vais and	a give plugging detail, i.e.	sacks of cement of plug(s) used110					
5.	Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area:See attachments							

#### **Attachments to C-108**

Copy of well bore diagram


Section III-XII Written descriptions to supplement C-108

Plates referenced in written descriptions

Tables referenced in written descriptions

OSE well logs referenced in written descriptions

Section XIII Proof of Notice



#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include
- 1. Lease name; Well No.; Location by Section, Township and Range; and footage location within the section

Lease Name: Posto SWD #1

Unit Letter H, Section 6, T23S R35E, 1,366' FNL, 1,300' FEL

The State of New Mexico owns the surface upon which the SWD is located.

### 2. Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined

The attached Wellbore Data Sheet provides all of the design specifics required and a tabulation of these data are shown on the diagram.

The formation tops for the Posto SWD #1 were established by Geologist Herb Wacker TBPG license #4517.

For the deepest formations, we used the log from the Devon Mad Dog 15 Fed #1 (30-25-36778) that has a total depth of 14,832 feet in the Silurian Formation. The distance from Posto SWD #1 location to this well about 3.5 miles to the southeast.

For picking tops of more shallow formations, we used the log from the Amerada Hess Bell Lake North Fed #3 (30-025-33077) with a total depth of 17,540 feet in the Ellenberger Formation. The distance from Posto SWD #1 location is 6.5 miles to the west.

### 3. A description of the tubing to be used including its size, lining material, and setting depth

5-1/2" (20#) internal plastic coated tubing swaged down to 5" (18#) with setting depth of 15,270'.

AWR 205 Posto Sec6 Twp 23S Rge 35E									
	GL	3450							
Geologist	KB	3490							
H. Wacker	MD	SS							
Dockum	487	3003							
Santa Rosa	990	2500							
Dewey Lake	1413	2077							
Rustler	1863	1627							
Salt	2202	1288							
Capitan Reef	4348	-858							
Delaware	5548	-2058							
Bell Canyon	5637	-2147							
Cherry Canyon	6232	-2742							
Brushy Canyon	7479	-3989							
Bone Spring	8771	-5281							
Avalon	9178	-5688							
1st Bone Spring	9790	-6300							
2nd Bone Spring	10217	-6727							
3rd Bone Spring	11343	-7853							
Wolfcamp	11651	-8161							
Strawn	12250	-8760							
Atoka	12563	-9073							
Morrow	13260	-9770							
Barnett	14360	-10870							
Miss Limestone	14779	-11289							
Woodford	15140	-11650							
Devonian	15340	-11850							
Fusselman	16514	-13024							
Montoya	17024	-13534							
Simpson	17444	-13954							
Top of Interval	15370'	Devonian +30'							
Bottom of Interval	17414'								
TD	17414'	Caripson -00							
		2044'							
Thickness of Injection Interval = 2044'									

4. The name, model, and setting depth of the packer used or a description of any other seal system or assembly used

Tryton Tools, 7" Arrow Set 1-X Nickel Plated Injection Packer will be set at 15,270'.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name

The proposed injection intervals include the Devonian, Fusselman and Montoya in an open-hole interval.

(2) The injection interval and whether it is perforated or open-hole.

The depth interval of the open-hole injection interval is 15,370-17,414 (2,044 feet).

(3) State if the well was drilled for injection or, if not, the original purpose of the well.

The well will be drilled for disposal.

(4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations

There are no perforated intervals, only the open-hole completion described above.

(5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

Overlying Oil & Gas Zone (Using GL of 3,450'):

9020
9025
9836
10178
10880
12015
12351
14030
14265
14901

<b>Underlying</b>	Oil &	Gas	<b>Zones:</b>
-------------------	-------	-----	---------------

Devonian	17124

#### IV. Is this an expansion of an existing project $N_0$

V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review

Plate 1a identifies all OCD listed wells and API numbers and shows circles with radii of 0.5, 1.0, and 2.0 miles. Note that where numerous wells are closely spaced, the API number may not be labeled for clarity. New wells, active wells, plugged wells, and canceled wells have color-coded symbols. Plate 1b shows only new and active wells and circles with radii of 0.5 and 1.0 miles.

Plate 2 identifies the leases within 2-miles of the proposed SWD as well as leases within the 1-mile area of review.

- Plate 2a presents the lease numbers for the SLO and BLM oil and gas leases. Also shown is mineral rights owned by the U.S. that are unleased at this time.
- Plate 2b presents land ownership for the same area and identifies the oil and gas mineral rights ownership.

Table 1 and Table 2 identify all affected persons within the 1 mile area of review

- Table 1 lists all of the Oil and Gas Well Operators shown on Plate 1a within the circle having a 1.0 mile radius.
- Table 2 lists all leasees, leassors/mineral interests and surface owners (affected persons) within the 1-mile AOR presented on Plate 2a.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail

Table 1 shows that there are no wells that penetrate the proposed injection zone within the 1- mile AOR.

#### VII. Attach data on the proposed operation, including:

1. Proposed average and maximum daily rate and volume of fluids to be injected

Proposed Maximum Injection Rate: 40,000 bbl/day Proposed Average Injection Rate: 30,000 bbl/day

#### 2. Whether the system is open or closed

This is will be an open system. All AWR Disposal, LLC SWDs may receive produced water from recycling storage facilities, such as in-ground containments or above-ground steel-walled containments, which are registered or permitted under Rule 34.

#### 3. Proposed average and maximum injection pressure

Proposed Maximum Injection Pressure: 3,000 psi Proposed Average Injection Rate: 2,000 psi

### 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water

The attached Table 3 "Produced Water Chemistry of Nearby Wells" provides the requisite analyses. The Delaware and Bone Spring Formations are the subjects of the analyses. These formations and the Wolfcamp will provide most of the produced water to the proposed SWD. At the time of writing, we are unaware of any problems associated with disposal of produced water derived from any Formations into the Devonian, Fusselman and Montoya injection zone.

5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).

Table 4 presents formational water quality data from the Go-Tech site for Devonian-Fusselman-Montoya producing wells. As stated above, we are unaware of any problems associated with disposal of produced water derived from the Delaware, Avalon, Bone Spring, and Wolfcamp Formations into the Devonian, Fusselman and Montoya injection zone.

### \*VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth.

The proposed injection intervals include the Devonian, Fusselman and Montoya in an open-hole interval. The proposed injection intervals in the Pre-Mississippian Carbonates are well cemented and will provide the necessary open hole integrity while allowing salt water to be injected. Because of the competency of the rock, the open hole section has very little chance of collapsing.

As indicated in Section III.A.2, the approximate depths to the top of the Devonian and the base of the Montoya are 15,340 and 17,444 respectively. The depth interval of the injection interval is 15,370 - 17,414 (2,044 feet), within the Devonian, Fusselman and Montoya Formations.

Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with

## total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.

The Rustler Formation and the Chinle Formation yield water to supply wells in southeastern Eddy County and southwestern Lea County. In the immediate area of the Posto SWD, the closest water well, the Wood Well (MISC-34), is associated with a stock tank, about 0.75 miles to the southwest (Plate 3a). In November of 1977, a depth to water of 141-feet was measured. Hicks Consultants measured a depth to groundwater of 137.0 feet on March 6, 2019.

Two USGS wells are mapped about 0.35 miles south of the Wood Well location and just south of a corral complex on the south side of Delaware Basin Road (CR 21). The wells are USGS 15285 and USGS-15275. They had measured depths to water of 137-feet (Nov. 1953) and 135-feet (Mar. 1986) respectively. Our 2019 field inspection did not identify these wells. It is possible that these measurements were from the Wood Well. No other wells are reported within 2-miles of the Posto SWD location.

In southwestern Lea County and southeastern Eddy County, the Chinle yields water to wells from 100-200 feet below the ground surface (bgs) to a depth of about 600 feet and the upper portion of the Rustler Formation is a potential source of fresh water at depths of about 1300 to 1400 feet. However, about 1.5 miles southwest of the Posto SWD location, the axis of the San Simon Swale runs from northwest to southeast. The far southwestern edge of this feature is about another 1.5 miles to the southwest of the axis. This basin feature lowers the bottom of the Santa Rosa Formation as much as 1,800 feet compared to the area southwest of the San Simon Swale. As such, the top of the Rustler Formation is found about 1,800 feet below ground surface in the Posto location.

Based upon the depths to water in the wells (<150-feet) nearest the Posto location and that the surface is mapped as older alluvium, the ground water is most probably within reworked Ogallala basin fill material on top of the Dockum Formation.

The OSE database contains no well information (e.g. driller's logs) for nearby wells.

The locations of all water supply wells listed in public databases are shown in Plate 3b.

The location of nearby mapped surface water bodies are shown in Plate 4. These consist of lake/ponds more than 1.5 miles to the northeast. No mapped surface water exists within one mile of the Posto SWD location.

#### IX. Describe the proposed stimulation program, if any

A cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

### \*X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)

Logs will be submitted to OCD upon completion of the well.

#### \*XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken

No active water supply wells with water chemistry data were identified within one mile of the proposed SWD. Data from various sources permit a conclusion that groundwater within the Chinle Formation is potable. In this area, groundwater in the underlying Rustler formation may be relatively brackish.

# XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water

Randall T. Hicks, a Professional Geologist with decades of experience in hydrogeology, affirms, on behalf of AWR Disposal, LLC, that


- The USGS has mapped quaternary faults in New Mexico and no such faults are mapped in the area of the proposed Posto SWD #1¹
- The Texas Bureau of Economic Geology has mapped older faults (e.g. basement and Woodford) in New Mexico and the closest mapped fault is 5 miles to the southwest<sup>2</sup>
- With respect to migration of produced water from the injection zone to underground sources of drinking water via faults or other natural conduits, the following conditions were considered
  - The lowest underground source of drinking water is the middle and upper Rustler Formation.
  - More than 10,000 feet of sedimentary rock separates the bottom of the Rustler Formation and the top of the injection zone. Many of the formations that lie between the injection zone and the lowermost aquifer are permeable and contain oil, gas or water at various pressures. Any excursion of injected fluids from the Devonian disposal zone would undoubtedly enter these permeable formations prior to moving into the Rustler Formation.
  - There is no evidence that the pressure regime in the oil and gas reservoirs is sufficient to cause the upward migration of formation water through the bedded salt and into the Rustler or Chinle aquifers.
- There is no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water


 $<sup>{}^{1}\</sup>underline{\text{https://usgs.maps.arcgis.com/apps/webappviewer/index.html?id=5a6038b3a1684561a9b0aadf88412fcf}}$ 


<sup>&</sup>lt;sup>2</sup> Bureau of Economic Geology (Accessed April 2019). University of Texas at Austin. Basement Faults (Ewing 1990, Tectonic Map of Texas); Precambrian Faults (Frenzel et al. 1988, Figure 6); Woodord Faults (Comer 1991, plate 1). <a href="http://www.beg.utexas.edu/resprog/permianbasin/gis.htm">http://www.beg.utexas.edu/resprog/permianbasin/gis.htm</a>


#### **Plates**


Plates 1	OCD wells within the area of review
Plate 1a	Oil and Gas Wells within 2 Miles
Plate 1b	Oil and Gas Wells within 1 mile (active and new only)
<b>Plates 2</b>	Mineral leases within the area of review
Plate 2a	Oil and Gas Leases with Mineral Ownership within 2 miles
Plate 2b	Surface and Mineral Ownership within 2 Miles
Plates 3	Water supply wells within the area of review
Plate 3a	Water Wells with Potentiometric and Geology
Plate 3b	Nearby OSE Water Wells
Plate 4	Surface water within the area of review











#### **Tables**

Table 1	Oil&Gas Well Operators (Affected Persons) within 1-mile
Table 2	Oil&Gas Mineral Interests & Affected Persons within 1-mile
Table 3	Produced Water Chemistry of Nearby Wells
Table 4	Formational water quality data

API	OGRID	OGRID Name	Well Type	Status	Well Name	District	UL-S-T-R	Total Depth	Pool ID
30-025-30190	214263	PRE-ONGARD WELL OPERATOR	0	Р	PRE-ONGARD WELL #001	1	3-06-23S-35E	14205	
30-025-41270	249099	CAZA OPERATING, LLC	0	Α	LENNOX 32 STATE #004H	1	M-32-22S-35E	11218	[52766] ROCK LAKE, BONE SPRING
30-025-42725	6137	DEVON ENERGY PRODUCTION COMPANY, LP	0	С	ROCK LAKE 5 6 FEDERAL COM #001C	1	3-05-23S-35E	0	[97663] ROCK LAKE, DELAWARE
30-025-42749	7377	EOG RESOURCES INC	0	Α	TRIGG 5 FEDERAL #001	1	3-05-23S-35E	13100	[97663] ROCK LAKE, DELAWARE
30-025-43657	7377	EOG RESOURCES INC	0	Р	RIGHTEOUS 6 STATE COM #601	1	I-06-23S-35E	1877	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-43781	7377	EOG RESOURCES INC	0	Α	RIGHTEOUS 6 STATE COM #601Y	1	I-06-23S-35E	11428	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-43919	7377	EOG RESOURCES INC	0	Α	RIGHTEOUS 6 STATE COM #301H	1	I-06-23S-35E	9795	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-44963	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	С	DUCK HUNT 1 STATE COM #601C	1	I-01-23S-34E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-44964	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	С	DUCK HUNT 1 STATE COM #602C	1	I-01-23S-34E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45264	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	С	DUCK HUNT 1 STATE COM #301C	1	I-01-23S-34E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45265	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	Α	DUCK HUNT 1 STATE COM #501H	1	I-01-23S-34E	10622	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45266	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	С	DUCK HUNT 1 STATE COM #601C	1	I-01-23S-34E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45562	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	Α	DUCK HUNT 1 STATE COM #301H	1	I-01-23S-34E	9859	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45566	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	Α	DUCK HUNT 1 STATE COM #601H	1	I-01-23S-34E	11496	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45678	372165	CENTENNIAL RESOURCE PRODUCTION, LLC	0	N	DONKEY KONG 1 FEDERAL COM #501H	1	J-01-23S-34E	0	[97293] OJO CHISO, BONE SPRING, SOUTH
30-025-45948	7377	EOG RESOURCES INC	0	N	TRIGG 5 FEDERAL #602H	1	4-05-23S-35E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45949	7377	EOG RESOURCES INC	0	N	TRIGG 5 FEDERAL #603H	1	3-05-23S-35E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45950	7377	EOG RESOURCES INC	0	N	TRIGG 5 FEDERAL #604H	1	3-05-23S-35E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45951	7377	EOG RESOURCES INC	0	N	TRIGG 5 FEDERAL #605H	1	2-05-23S-35E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-45952	7377	EOG RESOURCES INC	0	N	TRIGG 5 FEDERAL #606H	1	2-05-23S-35E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH
30-025-46083	7377	EOG RESOURCES INC	0	N	TRIGG 5 FEDERAL #601H	1	4-05-23S-35E	0	[2205] ANTELOPE RIDGE, BONE SPRING, NORTH

Township	Range	Section	Unit Letter	Lease Number	Leasee	Leassor	Surface Owner	UPC
22S	34E	36	1	VB19700001	(O & G Minerals) CENTENNIAL RESOURCE PRODUCTION, LLC	(O & G Minerals) State	STATE OF NEW MEXICO	4203131267529
22S	34E	36	P	VB19700001 VB19700001	CENTENNIAL RESOURCE PRODUCTION, LLC	State	STATE OF NEW MEXICO	4203131267529
22S	35E	31	E	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	F	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	G	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	Н	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	1	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
228	35E	31	J	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
228	35E	31	K	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
228	35E	31	I	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
228	35E	31	M	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	N	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	0	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	31	P	NMNM 128836	COG OPERATING LLC	BLM	Bureau of Land Management	4204132264266
22S	35E	32	E.	V079690002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	F	V079690002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	J	V079700002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	K	V079700002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	ı	V079700002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	M	V079700002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	N	V079700002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
22S	35E	32	0	V079700002	CAZA PETROLEUM, LLC.	State	STATE OF NEW MEXICO	4206130537943
23S	34E	01	A	NMNM 127446	CENTENNIAL RESOURCES PRODUCTION LLC (a)	BLM	STATE OF NEW MEXICO	4203133266265
23S	34E	01	В	NMNM 127446	CENTENNIAL RESOURCES PRODUCTION LLC (a)	BLM	STATE OF NEW MEXICO	4203133266265
23S	34E	01	G	NMNM 127446	CENTENNIAL RESOURCES PRODUCTION LLC (a)	BLM	STATE OF NEW MEXICO	4203133266265
23\$	34E	01	Н	NMNM 127446	CENTENNIAL RESOURCES PRODUCTION LLC (a)	BLM	STATE OF NEW MEXICO	4203133266265
23S	34E	01		E019320001	CONOCOPHILLIPS COMPANY	State	STATE OF NEW MEXICO	4203133266265
23S	34E	01	Р	E019320001	CONOCOPHILLIPS COMPANY	State	STATE OF NEW MEXICO	4203133266265
23S	35E	05	Α	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	В	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	С	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	D	NMNM 114993	EOG RESOURCES INC	BLM	LIMESTONE BASIN PROP RANCH LLC	4205133181352
23S	35E	05	E	NMNM 114993	EOG RESOURCES INC	BLM	LIMESTONE BASIN PROP RANCH LLC	4205133181352
23S	35E	05	F	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	G	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	Н	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	J	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	K	NMNM 114993	EOG RESOURCES INC	BLM	STATE OF NEW MEXICO	4205133331200
23S	35E	05	L	NMNM 114993	EOG RESOURCES INC	BLM	LIMESTONE BASIN PROP RANCH LLC	4205133181352
23S	35E	05	M	NMNM 114993	EOG RESOURCES INC	BLM	LIMESTONE BASIN PROP RANCH LLC	4205133181352
23S	35E	05	N	NMNM 114993	EOG RESOURCES INC	BLM	LIMESTONE BASIN PROP RANCH LLC	4205133181352
23S	35E	05	0	NMNM 114993	EOG RESOURCES INC	BLM	LIMESTONE BASIN PROP RANCH LLC	4205133181352
23S	35E	06	Α	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	В	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	С	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	D	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	E	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	F	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	G	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134

Township	Range	Section	Unit Letter	Lease Number	Leasee (O & G Minerals)	Leassor (O & G Minerals)	Surface Owner	UPC
23S	35E	06	Н	NMNM 114994	DEVON ENERGY PROD CO LP	BLM	STATE OF NEW MEXICO	4204133264134
23S	35E	06	1	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	J	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	K	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	L	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	M	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	N	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	0	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	06	Р	VB20760002	CENTENNIAL RESOURCE PRODUCTION, LLC	State	LIMESTONE BASIN PROP RANCH LLC	4204133265398
23S	35E	07	Α	B010400016	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4204134264266
23S	35E	07	В	B010400016	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4204134264266
23\$	35E	07	С	NMNM 115425	EOG Y RESOURCES INC 40%. EOG A RESOURCES INC. 20%. OXY Y-1 COMPANY 20%. EOG M RESOURCES INC. 10%	BLM	LIMESTONE BASIN PROP RANCH LLC	4204134264266
23S	35E	07	D	NMNM 128370	CENTENNIAL RESOURCES PRODUCTION LLC 80% (b) EOG Y RESOURCES INC. 20%	BLM	LIMESTONE BASIN PROP RANCH LLC	4204134264266
23S	35E	07	G	B010400016	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4204134264266
23S	35E	07	Н	B010400016	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4204134264266
23S	35E	08	С	NMNM 114993	EOG RESOURCES INC	BLM	Bureau of Land Management	4205134267266
23S	35E	08	D	NMNM 114993	EOG RESOURCES INC	BLM	Bureau of Land Management	4205134267266
Notes		_			2000/33/Pub-CR-Serial-Register-Page NMNM 127446 2000/33/Pub-CR-Serial-Register-Page NMNM 128370			

R.T. Hicks Consultants, Ltd.

AWR Disposal, LLC Posto SWD #1

wellname	api	latitude	longitude	section	township	range	unit	tgns ft	tgew	county	state	sampledate	ph tds_mgL	resistivity_ohm_cm	sodium_mgL	calcium_mgL	iron_mgL	magnesium_mgL	manganese_mgL	chloride_mgL	bicarbonate_mgL	sulfate_mgL	co2_mgL
RED BULL 31 STATE #002	3002537069	322.565.650.997	-1.034.023.438	31	235	35E	Ρ :	9835 12	298E	LEA	NM	10/15/2015 12:00:00 AM	6.9 258268.6	0.025	73826.2	19030	31.6	4042	3.31	159864	73.2	490	300
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G 1	650N 18	887E	LEA	NM	10/15/2015 12:00:00 AM	8.5 67516.1	0.095	23558.7	2923.2	0.1	401	0.03	39091.2	732	740	200
NORTH CUSTER MOUNTAI #001	3002521601	322.810.210.996	-103.374.641.401	28	235	35E	C (	60N 19	980W	LEA	NM		39074							23980	488	465	
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G 1	650N 18	887E	LEA	NM	41709	5.5		57782	18114	29	2755	3.3	130601	122	920	300
RED BULL 31 STATE #001	3002536798	322.574.463.004	-1.034.067.612	31	235	35E	N 1	.300S 26	510W	LEA	NM	2/13/2006 12:00:00 AM	5.69 280094		78620	21967	62	4035		173149	87	385	
RED BULL 31 STATE #002	3002537069	322.565.650.997	-1.034.023.438	31	235	35E	Ρ :	9835 12	298E	LEA	NM	06/12/2006 0:00	5.52 271366.2		85907.7	14750	39	2346	4	166106	24	778	280
KELLER 4 STATE #001	3002536643	323.318.176.002	-1.033.762.283	4	235	35E	K 1	.980S 14	475W	LEA	NM	8/27/2007 12:00:00 AM	6.9 182379.5		68450.6	846	54	104	1	100659	292.8	10609	
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G 1	650N 18	887E	LEA	NM	11/21/2014 12:00:00 AM	5.5		53792	19065	78	2983	4.34	126850	122	690	220
RED BULL 29 FEDERAL #001H	3002540628	322.818.451.002	-1.033.969.345	29	235	35E	D :	375N 3	75W	LEA	NM	42217	6.3		71207	35626	28	5417	6.2	190774	61	90	120
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G 1	650N 18	887E	LEA	NM	42217	6		75025	29081	22	4416	4.9	178278	37	380	520
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G 1	650N 18	887E	LEA	NM	5/13/2015 12:00:00 AM	5.8		65779	26380	23	5455	5.6	164000	49	269	269

wellname	api	section	township	range	unit	county	state	field	formation	depth	samplesource	sampledate	ph	specificgravity	specificgravity_temp_F	tds_mgL	resistivity_ohm_cm	resistivity_ohm_cm_temp_F	conductivity	conductivity_temp_F	sodium_mgL	calcium_mgL	magnesium_mgL	chloride_mgL	bicarbonate_mgL	sulfate_mgL
MCKITTRICK FED #1	3001500135	25	225	25E	G	EDDY	NIM		DEVONIAN		DST					16200								8762	290	1175
MCKITTRICK FED #1	3001500135		225	25E	G	EDDY			DEVONIAN		DST					17510								9389	664	982
CARNERO PEAK UT #001	3001510053		225	25E	A	_	NM		DEVONIAN		DST					14601								7236	515	1487
CARNERO PEAK UT #001	3001510053		225	25E	A	_	NM		DEVONIAN		DST					15780								8126	336	1467
CARNERO PEAK UT #001	3001510053		225	25E	Α	EDDY			DEVONIAN		DST					15580								7853	487	1488
BANDANA POINT UT #001	3001500044	13	235	23E	0	EDDY	NM	BANDANA POINT	DEVONIAN		DST					15500								8020	500	1190
TORTOISE ASB COM #001	3001510490	29	235	24E	G	EDDY			DEVONIAN		DST					17861								7760	490	3100
TORTOISE ASB COM #001	3001510490	29	235	24E	G	EDDY	NM		DEVONIAN		DST					15601								7780	476	1600
REMUDA BASIN UNIT #001	3001503691	24	235	29E	J	EDDY	NM	REMUDA	DEVONIAN		SWAB					64582								37500	610	1700
REMUDA BASIN UNIT #001	3001503691	24	235	29E	J	EDDY	NM	REMUDA	DEVONIAN		SWAB					56922								29000	1740	4980
BELL LAKE UNIT #006	3002508483	6	235	34E	0	LEA	NM	BELL LAKE NORTH	DEVONIAN		HEATER TREATER		7			71078								42200	500	1000
ANTELOPE RIDGE UNIT #003	3002521082	34	235	34E	K	LEA	NM	ANTELOPE RIDGE	DEVONIAN		UNKNOWN	14/11/1967 0:00	6,9			80187								47900	476	900
ANTELOPE RIDGE UNIT #003	3002521082	34	235	34E	K	LEA	NM	ANTELOPE RIDGE	DEVONIAN		UNKNOWN	14/11/1967 0:00	6,9			80187								47900	476	900
CLINE FEDERAL #001	3002510717		235	37E	K	LEA		CLINE	DEVONIAN		PRODUCTION TEST					118979								71280	462	2593
E C HILL B FEDERAL #001	3002510945		235	37E	Α	LEA	NM	TEAGUE	DEVONIAN		UNKNOWN					112959								67390	288	2765
E C HILL D FEDERAL #001	3002510947		235	37E	Н	LEA	NM	TEAGUE	DEVONIAN		UNKNOWN					35639										
E C HILL D FEDERAL #004	3002510950		235	37E	Α	LEA	NM	TEAGUE	DEVONIAN		UNKNOWN					236252								147000	129	781
HUAPACHE #003	3001500020		24S	22E	F		NM		DEVONIAN		DST					3110								48	246	2020
JURNEGAN POINT #001	3001510280		245	25E	М	_	NM	WILDCAT	DEVONIAN		DST	14/12/1964 0:00	7			229706								136964	198	2511
JURNEGAN POINT #001	3001510280		245	25E	М		NM	WILDCAT	DEVONIAN		DST	14/12/1964 0:00	7			203100								121100	175	2220
WHITE CITY PENN GAS COM UNIT 1 #001	3001500408		245	26E	Α		NM		DEVONIAN		DST	01/03/1960 0:00	7	1,012	60		0,36	75	25596	64	6072	1002	132	10120	653	1336
STATE B COM #001	3002509716		245	36E	C	LEA		CUSTER	DEVONIAN		UNKNOWN					176234								107400	128	1004
ELLIOTT H FEDERAL #001	3002512272		245	38E	Н	LEA		DOLLARHIDE	DEVONIAN		WELLHEAD					58687										
ELLIOTT H FEDERAL #001	3002512272		245	38E	H	LEA		DOLLARHIDE	DEVONIAN		WELLHEAD					57018								20200	400	
WEST DOLLARHIDE DEVONIAN UNIT #104	3002512297		245	38E	-	LEA		DOLLARHIDE	DEVONIAN		WELLHEAD	47/05/4054 0 00				50858								30200	183	980
WESTATES FEDERAL #004	3002511389		255	37E	E	LEA		JUSTIS NORTH	FUSSELMAN		DST	17/06/1961 0:00	ь			80880						-	_	46200	340	
WESTATES FEDERAL #004 WESTATES FEDERAL #004	3002511389		25S 25S	37E	E .	LEA LEA	NM NM	JUSTIS NORTH	FUSSELMAN		DST					84900 72200								48600 41000	840 370	2650 2960
	3002511389 3002511389		25S 25S	37E 37E	E	LEA		JUSTIS NORTH	FUSSELMAN		DST					80900								41000	340	3050
WESTATES FEDERAL #004					E	_	NM	JUSTIS NORTH	FUSSELMAN		DST					77600								44000	550	3050
WESTATES FEDERAL #004 WESTATES FEDERAL #004	3002511389 3002511389		25S 25S	37E 37E	E	LEA LEA	NM	JUSTIS NORTH JUSTIS NORTH	FUSSELMAN FUSSELMAN	-	DST					135000								77000	650	5810
WESTATES FEDERAL #004 WESTATES FEDERAL #004	3002511389		25S 25S	37E	E	LEA		JUSTIS NORTH	FUSSELMAN		DST					114000								65000	280	5110
WESTATES FEDERAL #004 WESTATES FEDERAL #004	3002511389		255	37E	E	LEA		JUSTIS NORTH	FUSSELMAN	<del>                                     </del>	DST					135000							_	77000	500	5320
WESTATES FEDERAL #004 WESTATES FEDERAL #008	3002511389		255	37E	F	LEA	NM	JUSTIS NORTH	FUSSELMAN		UNKNOWN					91058								51020	376	4783
WESTATES FEDERAL #008	3002511393		255	37E	F	LEA	NM	JUSTIS NORTH	FUSSELMAN		UNKNOWN					86847								50450	363	2544
STATE NJ A #001	3002511398		255	37E	A	LEA		JUSTIS NORTH	DEVONIAN		DST					105350								59300	660	4950
NEW MEXICO BM STATE #002	3002511407		255	37E	1	LEA	NM	JUSTIS NORTH	MONTOYA		UNKNOWN					77770								45500	1800	2400
HALE STATE #003	3002512581		255	37E	Н	LEA	NM	JUSTIS NORTH	MONTOYA		WELLHEAD					64916								37000	813	2500
SOUTH JUSTIS UNIT #016F	3002511556		255	37E	F	LEA		JUSTIS	FUSSELMAN		UNKNOWN					57675								34030	595	1211
LEARCY MCBUFFINGTON #008	3002511569		255	37E	N	LEA		203MNTY, 259FSLM	FUSSELMAN	7052	-	02/01/1900 0:00	7,6	1,037	78	67909			81429	67		2603	684	38887	742	2489
LEARCY MCBUFFINGTON #008	3002511569		255	37E	N	LEA		JUSTIS	MONTOYA		UNKNOWN					67898								38880	742	2489
A B COATES C FEDERAL #014	3002511736		25S	37E	G	LEA		JUSTIS	MONTOYA		UNKNOWN					39261								22840	871	1030
SOUTH JUSTIS UNIT #023C	3002511760	25	255	37E	С	LEA	NM	JUSTIS	FUSSELMAN		SEPARATOR					63817								35870	360	3442
CARLSON A #002	3002511764	25	25S	37E	I	LEA	NM	JUSTIS	FUSSELMAN		DST					208280								124000	510	3400
STATE Y #009	3002511777	25	25S	37E	Α	LEA	NM	JUSTIS	FUSSELMAN		DST	17/03/1961 0:00	7,3			219570								129000	960	4630
STATE Y #009	3002511777		25S	37E	Α	LEA		JUSTIS	FUSSELMAN	_	DST	18/03/1961 0:00	6,8			163430								96000	290	3780
CARLSON B 25 #004	3002511784		255	37E	Р	LEA	NM	JUSTIS	FUSSELMAN		SEPARATOR					184030								112900	68	1806
COPPER #001	3002511818		255	37E	J	LEA	NM	CROSBY	DEVONIAN		UNKNOWN					27506								15270	1089	1079
ARNOTT RAMSAY NCT-B #003	3002511863		255	37E	Α	LEA	NM	CROSBY	DEVONIAN	8797		02/01/1900 0:00		1,142	70							17244	5345	100382	476	]
ARNOTT RAMSAY NCT-B #003	3002511863		25S	37E	Α	LEA	NM	CROSBY	DEVONIAN		UNKNOWN					158761										$\Box$
WEST DOLLARHIDE DEVONIAN UNIT #110	3002512386		255	38E	В	LEA	NM	DOLLARHIDE	DEVONIAN		UNKNOWN					56776										
FARNSWORTH FEDERAL #006	3002511950	4	26S	37E	Α	LEA	NM	CROSBY	DEVONIAN	1	UNKNOWN					31931								20450	302	591

#### OSE Well Logs – NO WATER SUPPLY WELLS

XIII.Applicants must complete the "Proof of Notice" section on the reverse side of this form.

#### R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996 Artesia ▲ Carlsbad ▲ Durango ▲ Midland

September 05, 2019

Hobbs News Sun 201 N. Thorp P.O. Box 850 Hobbs, N.M. 88240

#### LEGAL NOTICE

AWR Disposal LLC, 3300 N. A Street, Ste. 220, Midland, TX 79705 filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the Posto SWD #1 will be located 1,366 feet from the North line and 1,300 feet from the East line, Section 6, Township 23 South, Range 35 East, Lea County, New Mexico.

Produced water from area production will be commercially disposed into the Devonian, Fusselman and Montoya Formations at a depth of 15,370 feet to 17,414 feet at a maximum surface pressure of 3,000 psi and an average injection rate of 30,000 barrels per day. The proposed SWD well is located approximately 21 miles southwest of Eunice, New Mexico.

Interested parties wishing to object to the proposed application must file with the New Mexico Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, NM 87505 (505) 476-3460 within 15 days of the date of this notice.

Additional information can be obtained by contacting Mr. Randall Hicks, agent for Accelerated Water Resources, LP, at 505-238-9515.

Sincerely,

R.T. Hicks Consultants

Randall Hicks

**Principal** 

#### **Affidavit of Publication**

STATE OF NEW MEXICO COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> September 05, 2019 and ending with the issue dated September 05, 2019.


Publisher

Sworn and subscribed to before me this 5th day of September 2019.

Circulation Clerk

My commission expires October 29, 2022

(Seal)



This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

#### **LEGALS**

LEGAL NOTICE SEPTEMBER 5, 2019

AWR Disposal LLC, 3300 N. A Street, Ste. 220, Midland, TX 79705 filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the Posto SWD #1 will be located 1.366 feet from the North line and 1,300 feet from the East line, Section 6, Township 23 South, Range 35 East, Lea County, New Mexico.

Produced water from area production will be commercially disposed into the Devonian, Fusselman and Montoya Formations at a depth of 15,370 feet to 17,414 feet at a maximum surface pressure of 3,000 psi and an average injection rate of 30,000 barrels per day. The proposed SWD well is located approximately 21 miles southwest of Eunice, New Mexico.

Interested parties wishing to object to the proposed application must file with the New Mexico Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, NM 87505 (505) 476-3460 within 15 days of the date of this notice.

Additional information can be obtained by contacting Mr. Randall Hicks, agent for Accelerated Water Resources, LP, at 505-238-9515.

Sincerely, R.T. Hicks Consultants Randall Hicks Principal #34667

67115764

00233029

RANDALL HICKS R.T. HICKS CONSULTANTS, LTD 901 RIO GRANDE BLVD NM SUITE F-142 ALBUQUERQUE, NM 87104

#### R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996 Artesia ▲ Carlsbad ▲ Durango ▲ Midland

September 04, 2019

NOTIFICATION TO INTERESTED PARTIES Via U.S. Certified Mail – Return Receipt Requested

To Whom It May Concern:

AWR Disposal, LLC, Midland, Texas, has made application to the New Mexico Oil Conservation Division to drill and complete, for salt water disposal, the **Posto SWD #1.** The proposed commercial operation will be for produced water disposal from area operators. As indicated in the notice below, the well is in Section 6, Township 23 South, Range 35 East, Lea County, New Mexico.

The published notice states that the interval will be from 15,370 feet to 17,414 feet into the Devonian, Fusselman and Montoya Formations.

#### LEGAL NOTICE

AWR Disposal LLC, 3300 N. A Street, Ste. 220, Midland, TX 79705 filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the Posto SWD #1 will be located 1,366 feet from the North line and 1,300 feet from the East line, Section 6, Township 23 South, Range 35 East, Lea County, New Mexico.

Produced water from area production will be commercially disposed into the Devonian, Fusselman and Montoya Formations at a depth of 15,370 feet to 17,414 feet at a maximum surface pressure of 3,000 psi and an average injection rate of 30,000 barrels per day. The proposed SWD well is located approximately 21 miles southwest of Eunice, New Mexico.

Interested parties wishing to object to the proposed application must file with the New Mexico Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, NM 87505 (505) 476-3460 within 15 days of the date of this notice.

You have been identified as a party who may be interested as an offset lessee or operator. IF YOU WOULD LIKE AN ELECTRONIC COPY OF THE ENTIRE PERMIT PACKAGE, PLEASE SEND YOUR REQUEST TO r@rthicksconsult.com (request a read receipt to avoid your email becoming stuck in spam).

Thank you for your attention in this matter.

Sincerely,

R.T. Hicks Consultants

Randall Hicks Principal

#### OPERATORS, LEASEHOLDERS AND SURFACE OWNERS WITHIN 1 MILE -RADIUS

Bureau of Land Management	CAZA OPERATING, LLC	CAZA PETROLEUM, LLC.
Posto SWD #1	Posto SWD #1	Posto SWD #1
620 E. Greene Street	200 N LORAINE	4 GREENSPOINT PLACE
Carlsbad, NM 88220-6292	STE 1550	16945 NORTHCHASE DR
	MIDLAND, TX 79701	HOUSTON, TX 77060
CENTENNIAL RESOURCE PRODUCTION, LLC	COG OPERATING LLC	ConocoPhillips
Posto SWD #1	Posto SWD #1	Posto SWD #1
1001 17th Street	600 W Illinois Ave	Attn: Lakeiva Noel
Suite 1800	Midland, TX 79701	PO Box 2197
Denver, CO 80202		Houston, TX 77252
DEVON ENERGY PRODUCTION COMPANY,	EOG A RESOURCES, INC.	EOG M RESOURCES, INC.
LP	Posto SWD #1	Posto SWD #1
Posto SWD #1	105 S 4th Street	PO BOX 840
333 West Sheridan Ave.	Artesia, NM 88210	ARTESIA, NM 88211
Oklahoma City, OK 73102		
EOG RESOURCES INC	EOG Y RESOURCES, INC.	LIMESTONE BASIN PROP RANCH LLC
Posto SWD #1	Posto SWD #1	Posto SWD #1
P.O. Box 2267	104 S 4TH ST	18 DESTA DRIVE
Midland, TX 79702	ARTESIA, NM 88210	MIDLAND, TX 79705
New Mexico State Land Office	OXY Y-1 COMPANY	
Posto SWD #1	Posto SWD #1	
310 Old Santa Fe Trail	PO BOX 27570	
		1 1








For delivery inter	mation Wait ave	website at www.usps.co	-
For delivery infor	mation, visit our	website at www.usps.co	m%.
Contilled Mail Free		AL US	Lines .
Certified Mail Fee			
Extra Services & Fees (c	heck box, add fee as son	propriete) DISE	
☐ Return Receipt (hardco)	y) \$	A S	3/
Return Receipt (electron Certified Mail Restricted		Postmark	1
Adult Signature Require		SEP - 4 ZUT9	
Adult Signature Restrict		SEP - 4 2013	
Postage			12/
S CEN	ITENNIAL RES	OURCE PRODUCTION	211
Total Postage and Fee			N, LI
Sent To		sto SWD #1	
2-102/28/1	100000000	l 17th Street	
Street and Apt. No., or I	O Box No. S	uite 1800	
City, State, ZIP+4*	Denv	er, CO-80202	

	tic Mail Only		
For deliv	ery information	n, visit our webs	ite at www.usps.com <sup>®</sup> .
. (		CIA	
Certified Ma	Fee		
\$	0.5		RADISE
	es & Fees (check bo) ceipt (hardoopy)	<ul> <li>edd fee as appropriat</li> </ul>	0 (8)
	peipt (electronic)	\$	Postmark
Certified N	fali Restricted Delivery ature Required	\$	SEP - 4 2019
T Artuit Sign	ature Restricted Delive	ery \$	. 2013
Postage \$ Total Postage			V / 20
\$		EOG PESO	OURCES INC
	e and rees		SWD #1
s C Sent To		5	
			ox 2267
Street and A	pt. No., or PO Box	No. Midland	, TX 79702

1777	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only
2	For delivery information, visit our website at www.usps.com®.
	OFFICIAL USE
3760	Certifled Mail Fee \$
2000	Extra Services & Fees (check box, add fee as appropriate)    Return Receipt (inardcopy) \$     Return Receipt (electronic) \$     Certified Mail Restricted Delivery \$     Adult Signature Required \$     Adult Signature Restricted Delivery \$     Postage
1,1,20	S Total Postage and Fees CAZA OPERATING, LLC
7019	Sent To Posto SWD #1  Sent To 200 N LORAINE
2	Street and Apt. No., or PO Box No. STE 1550
	City, State, ZIP+4 MIDLAND, TX 79701
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions













U.S. Postal Service<sup>™</sup> CERTIFIED MAIL® RECEIPT 9454 Domestic Mail Only For delivery information, visit our website at www.usps.com® 3760 Certified Mail Fee \$ Extra Services & Fees (check box, add fee as appropri 2000 Return Receipt (hardcopy) \$

Return Receipt (hardcopy) \$

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$ SEP PARADIS 1,120 Postager S Total Postage and Fees LIMESTONE BASIN PROP RANCH LLC Posto \$WD #1 7019 18 DESTA DRIVE Street and Apt. No., or PO Box No. MIDLAND, TX 79705 City, State, ZIP+4® PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

33	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT  Domestic Mail Only
12	For delivery information, visit our website at www.usps.com®.
	OFFICIAL USE
3760	Certified Mali Fee
2000	Extra Services & Fees (check box, add fee as appropriate)  Return Receipt (hardcopy)  Return Receipt (electronic)  Certified Mail Restricted Delivery \$  Adult Signature Required  Adult Signature Restricted Delivery \$
1,1,20	Postage
H	Total Postage and Fees EOG M RESOURCES, INC.
_	\$ 6.85 Posto SWD #1
7019	PO BOX 840
7	Street and Apt. No., or PO Box No ARTESIA, NM 88211
	City, State, ZIP+4®

18

#### R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996 Artesia ▲ Carlsbad ▲ Durango ▲ Midland

September 04, 2019

Mr. Phillip Goetze, P.G. New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

RE: AWR Disposal, LLC; Posto SWD #1
Unit Letter H, Section 6, T23S R35E, Lea County

Dear Mr. Goetze:

On behalf of AWR Disposal LLC, R.T. Hicks Consultants is providing data and an opinion regarding the probability that injection of wastewater in the above referenced well at the proposed rates will cause seismic events of sufficient magnitude to create damage. It is our understanding that OCD is interested in such an opinion as part of the SWD approval process. We elected to provide this opinion as a separate submission as the C-108 does not specifically require such an opinion.

We relied upon the following data to develop our opinion

- State of stress in the Permian Basin, Texas and New Mexico: Implications for induced seismicity, Jens-Erik Lund Snee and Mark D. Zoback, The Leading Edge, February 2018<sup>1</sup>
- Plate 5, which is reproduced from the Snee and Zoback publication, which uses the following references
  - Crone, A. J., and R. L. Wheeler, 2000, Data for Quaternary faults, liquefaction features, and possible tectonic features in the Central and Eastern United States, east of the Rocky Mountain front; U.S. Geological Survey Open-File Report.
  - Ewing, T. E., R. T. Budnik, J. T. Ames, and D. M. Ridner, 1990, Tectonic map of Texas: Bureau of Economic Geology, University of Texas at Austin.
  - o Green, G. N., and G. E. Jones, 1997, e digital geologic map of New Mexico in ARC/INFO format: U.S. Geological Survey Open-File Report.
  - Ruppel, S. C., R. H. Jones, C. L. Breton, and J. A. Kane, 2005, Preparation of maps depicting geothermal gradient and Precambrian structure in the Permian Basin: USGS Order no. 04CRSA0834 and Requisition no. 04CRPR01474.
  - o NMOCD database of oil and gas wells
- Plate 5, which shows the distribution of active and new SWD wells in the area of the proposed AWR Disposal SWD well
- Stratigraphic and lithologic information from two deep wells in the Delaware Basin
- Data on the thickness and lithology of the Simpson Group from the Texas Bureau of Economic Geology<sup>2</sup>

<sup>&</sup>lt;sup>1</sup> https://scits.stanford.edu/sites/default/files/3702\_tss\_lundsnee\_v2.pdf

<sup>&</sup>lt;sup>2</sup> http://www.beg.utexas.edu/resprog/permianbasin/PBGSP members/writ synth/Simpson.pdf

Plate 5 reproduces Figure 3 of the 2018 publication of Snee and Zoback and shows

- 1. Fault traces based upon the references provided above for which Dr. Snee and Dr. Zoback provide a value of the fault slip potential (FSP)
- 2. Areas of documented seismic activity, and a magnitude 2.0-2.9 earthquake that occurred between 1970-2004 about 14.5 miles southwest of the proposed Posto SWD #1. A slightly larger magnitude and more recent seismic event is reported about 26.5 miles west of the Posto SWD #1 well location.
- 3. Although Plate 5 does not show faults that may be identified in confidential seismic data owned by oil and gas operators, the closest mapped basement fault that was re-activated during Woodford time is about 5 miles southwest, exhibits a low FSP (less than 5%) based upon the modeling and analysis of Snee and Zoback referenced above
- 4. Other mapped faults in southern Lea County shown on Plate 5 also show a low FSP, except for part of southwest-northeast trending fault about 12 miles north of the Posto SWD #1 well that has a FSP of about 25 33% in the central portion of this fault trace.

Plate 6 reproduces the major elements of Plate 5 in the inset map and also shows that within an 6-mile radius around the proposed Posto SWD #1, the OCD database shows about 3 active and 2 new Devonian SWDs, which translates into an average density of about one SWD for every 22 square miles.


Figure 4 from the referenced Bureau of Economic Geology (The Middle-Upper Ordovician Simpson Group of the Permian Basin: Deposition, Diagenesis, And Reservoir Development) is

attached to this letter and the portion of that figure for the Delaware Basin is shown to the right. In southern Lea County the mapped thickness appears to be 500-1500 feet thick (note one contour line appears to be missing on the map). This unit, which is clay-rich carbonate interbedded with shale and sandstone, provides an excellent permeability/pressure barrier between the injection zone and the basement faults that were re-activated during Woodford time.

Data from the Amoco Federal CW Com 1 (3002528119) show that the thickness of the Simpson in the Antelope Ridge area of Lea County (Section 3 24S 34E) is about 450 feet thick with. This is consistent with Figure 4 of the BEG paper (probably because this well was used to produce the isopach map).

We contend that the data permit conclusion that unmapped faults (which may be located by

confidential seismic data that AWR Disposal does not possess) near the Posto SWD #1 would be dominantly north-south normal faults, as is common in Lea County. The data on Plate 6 permit a



conclusion that faults near the Posto SWD #1 are also most likely to exhibit a low FSP, like the mapped faults shown on Plate 5.

Given the density of Devonian SWDs (planned/new and active) near the proposed Posto SWD #1 well and the high likelihood that any unmapped faults in the area would exhibit a low FSP, the probability that injection into the Posto SWD #1 would cause an increase in pore pressure to trigger a seismic event of sufficient magnitude to cause damage is very low.


The users of this letter should recognize the uncertainties of using seismic maps of the Permian Basin to determine probability that injection of wastewater into a single SWD well could cause seismic events of sufficient magnitude to cause damage. However, on a regional basis injection by numerous wells into the Devonian/Fusselman/Montoya interval will raise the hydrostatic pressure. If pressure increases sufficiently, fluid could migrate from the injection zone along fault planes, up and down. Downward fluid migration will be intercepted first by the sandstone units of the Simpson Group. After fluid pressure increases in these sandstones, fluid would migrate downward into the Ellenberger Formation, which lies beneath the Simpson Group. This downward migration will next enter the permeable units of the Ellenberger and, over time, increase the fluid pressure. After fluid pressure in the Ellenberger is sufficiently large to cause downward migration along fault planes or other conduits, the migrating fluid will, in some areas, enter a thinner horizon of granite wash. Downward migrating fluids from the injection zone could then enter basement fault planes if the pressure in the granite wash horizon is sufficient, and reduce the frictional resistance (lubricate the faults). Reduction in the frictional force in faults due to fluid invasion can and has caused seismic events. In my opinion, the probability that injection into the Posto SWD #1 will measurably contribute to the events described above and will cause a seismic event resulting in damage is so low as to be nil.

Sincerely,

R.T. Hicks Consultants

Randall T. Hicks Principal

Copy: AWR Disposal LLC



△ SWD

Oil and Gas (NMOCD)

Salt Water Injection, New Loving, Tx Oil and Gas Wells


▲ Injection/Disposal Well

Fault slip potential (%):

Folds Database (Crone and Wheeler, 2000).

Seismicity:

O Mw 4.0+



09/02/2019

Seismic and Fault Slip Potential-Ewing et al. (1990), Green and Jones (1997), Ruppel et al. (2005), and the USGS Quaternary Faults and Folds Database (Crone and Wheeler, 2000).