# Initial

# Application

# Part I

Received: <u>11/26/2019</u>

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete



November 26, 2019

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Subject: Vista Disposal Solutions, LLC – Jim Federal SWD #1

Application for Authorization to Inject

To Whom It May Concern,

On behalf of Vista Disposal Solutions, LLC (Vista), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Jim Federal SWD #1, a proposed salt water disposal well, in Lea County, NM.

Should you have any questions regarding the enclosed application, please contact Dan Arthur at (918) 382-7581 or darthur@all-llc.com.

Sincerely,

**ALL Consulting** 

Dan Arthur

President/Chief Engineer

#### YVYPI-191126-C-1080

Revised March 23, 2017

RECEIVED:

Signature

REVIEWER:

BLL

APP NO:

**Phone Number** 

e-mail Address

pBL1933150059

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

#### **NEW MEXICO OIL CONSERVATION DIVISION**

- Geological & Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505



#### ADMINISTRATIVE APPLICATION CHECKLIST THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE Applicant: OGRID Number: Well Name: API: Pool: Pool Code: SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED BELOW 1) TYPE OF APPLICATION: Check those which apply for [A] A. Location - Spacing Unit - Simultaneous Dedication NSP(PRORATION UNIT) □ NSP(PROJECT AREA) $\Box$ SD □NSI SWD-2336 B. Check one only for [I] or [II] [1] Commingling - Storage - Measurement □ств □PLC DHC $\square$ PC [ II ] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery ☐ WFX ☐ PMX □SWD □IPI □ EOR ☐ PPR FOR OCD ONLY 2) **NOTIFICATION REQUIRED TO:** Check those which apply. **Notice Complete** A. Offset operators or lease holders B. Royalty, overriding royalty owners, revenue owners **Application** C. Application requires published notice Content D. Notification and/or concurrent approval by SLO Complete E. Notification and/or concurrent approval by BLM F. ☐ Surface owner G. For all of the above, proof of notification or publication is attached, and/or, H. ☐ No notice required 3) **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is accurate and complete to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division. Note: Statement must be completed by an individual with managerial and/or supervisory capacity. Date Print or Type Name

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

#### Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

#### **APPLICATION FOR AUTHORIZATION TO INJECT**

I.	PURPOSE:Secondary RecoveryPressure MaintenanceXDisposalStorage Application qualifies for administrative approval?X YesNo
II.	OPERATOR: _Vista Disposal Solutions, LLC
	ADDRESS: _12444 NM 10th St., Building G, Suite 202-512, Yukon, OK 73099
	CONTACT PARTY Nate Alleman PHONE: 918-382-7581
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.  Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesYes
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	<ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol>
*VII	I. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
III.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
III.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.  NAME: Dan Arthur, P.E., SPEC  SIGNATURE: DATE: 11/26/2019  darthur@all-llc.com
XV.	E-MAIL ADDRESS: darthur@all-llc.com  If the information required under Sections VI, V  Please show the date and circumstances of the earlier submittal:

Side 2

#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - (3) A description of the tubing to be used including its size, lining material, and setting depth.
  - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
  - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

#### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject Well Name: Jim Federal SWD #1

#### III - Well Data (The Wellbore Diagram is included as Attachment 1)

Α.

#### (1) General Well Information:

Operator: Vista Disposal Solutions, LLC (OGRID No. 329051)

Lease Name & Well Number: Jim Federal SWD #1 Location Footage Calls: 1,932' FSL & 258' FWL Legal Location: Unit Letter L, S22 T26S R34E

Ground Elevation: 3,262'

Proposed Injection Interval: 18,540' – 20,000'

County: Lea

#### (2) Casing Information:

Туре	Hole Size	Casing Size	Casing Weight	Setting Depth	Sacks of Cement	Estimated TOC	Method Determined
Surface	24"	20"	133.0 lb/ft	825'	840	Surface	Circulation
Intermediate 1	14-3/4"	13-3/8"	68.0 lb/ft	5,370'	1,200	Surface	Circulation
Intermediate 2	12-1/4"	9-5/8"	53.5 lb/ft	14,395'	4,780	Surface	Circulation
Liner	8-1/2"	7-5/8"	39.0 lb/ft	18,540'	355	14,195'	CBL

Note: A DV Tool will be set at 5,000'.

#### (3) Tubing Information:

4.5" (composite weight string) of fiberglass-coated tubing with setting depth of 18,520'

(4) Packer Information: Baker SC-2 or equivalent packer set at 18,520'

В.

(1) Injection Formation Name: Devonian and Silurian formations

Pool Name: SWD; DEVONIAN - SILURIAN

**Pool Code: 97869** 

- (2) Injection Interval: Open-hole injection between 18,540' 20,000'
- (3) Drilling Purpose: New Drill for Salt Water Disposal
- (4) Other Perforated Intervals: No other perforated intervals exist.
- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
  - Permian Delaware Mountain Group (5,370')
  - Bone Springs (9,505')
  - Wolfcamp (12,555')
  - Atoka (15,125')
  - Morrow (16,490')

**Underlying Oil and Gas Zones:** No underlying oil and gas zones exist.

#### V - Well and Lease Maps

The following maps are included in Attachment 2:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Owernship Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

#### VI – AOR Well List

There are no wells within the 1-mile AOR that penetrate the proposed injection zone.

A list of the wells within the 1-mile AOR is included in **Attachment 2**.

#### **VII – Proposed Operation**

- (1) Proposed Maximum Injection Rate: 40,000 bpd Proposed Average Injection Rate: 20,000 bpd
- (2) A closed system will be used.
- (3) Proposed Maximum Injection Pressure: 3,708 psi (based on 0.2 psi per foot) Proposed Average Injection Pressure: approximately 1,500 2,000 psi
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Wolfcamp and Bone Springs formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the Devonian and Silurian formations which is a non-productive zone known to be compatible with formation water from the Wolfcamp and Bone Springs formations. Water analyses from the Devonian-Silurian formation in the area are included in *Attachment 4*.

#### **VIII – Geologic Description**

The proposed injection interval includes the Devonian and Silurian formations from 18,540 – 20,000 feet. These formations consist of carbonates including light colored dolomite and chert intervals interspersed with some tight limestone intervals. Several thick sections of porous dolomite capable of taking water are present within the subject formations in the area.

The base of the deepest Underground Source of Drinking Water (USDW) is at a depth of approximately 800 feet. Surface casing will be set at a depth of 825 feet, which is 25 feet below the top of the Rustler formation, which isolates the USDW. Geophysical log assessment was conducted to accurately determine the top of the Rustler formation, and the top and the base of the Salado formation in this area. Water well depths in the area range from approximately 50 - 230 feet below ground surface.

#### IX - Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

#### X – Logging and Test Data

Geophysical logs will be submitted to the Division upon completion of the well.

#### XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, there are no groundwater well located within 1-mile of the proposed SWD location; therefore, no groundwater samples were collected in association with this application.

A water well map of the area is included in Attachment 5.

#### XII - No Hydrologic Connection Statement

ALL Consulting has examined available geologic and engineering data, and has found no evidence of faulting present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing and cementing program has been designed to further ensure there will be no hydrologic connection between the injection interval and overlying USDWs. A letter from a knowledgeable and qualified expert stating that there is a low risk of seismic activity from the proposed injection activities is included in *Attachment 6*.

#### XIII – Proof of Notice

A Public Notice was filed with the Hobbs News - Sun newspaper and an affidavit is included in **Attachment 7**.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in *Attachment 7*.

# **Attachments**

#### Attachment 1:

- C-102
- Wellbore Diagram

#### Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

**Attachment 3:** Source Water Analyses

**Attachment 4:** Injection Formation Water Analyses

Attachment 5: Water Well Map and Well Data

**Attachment 6:** Induced Seismicity Assessment Letter

**Attachment 7:** Public Notice Affidavit and Notice of Application Confirmations

#### Attachment 1

- C-102
- Wellbore Diagram

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 DISTRICT III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462


#### State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□ AMENDED REPORT


			WELL	LOCA	l'ION AND .	ACREAGE D	EDICATION	PLAT			
	<sup>1</sup> API Numbe	er		<sup>2</sup> Poo 97869	ol Code	<sup>3</sup> Pool Name SWD; Devonian — Silurian					
<sup>4</sup> Proper	ty Code	J:	im Fede	eral S		perty Name	<sup>6</sup> Well Number 1				
70gri 32905		V:	ista Dispo	osal Sol	utions, LLC	rator Name			<sup>9</sup> Elevation 3262'		
	<sup>10</sup> Surface Location										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
L	22	26-S	34-E		1932'	South	258'	West	Lea		
			<sup>11</sup> Bott	om Ho	le Location	If Different F	rom Surface				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
<sup>12</sup> Dedicated Acre	s <sup>13</sup> Joint o	or Infill 14	*Consolidation C	Code 150	rder No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



<u>17.0</u> Miles W-SW of \_\_\_\_\_ Jal \_\_\_\_\_, New Mexico.

A-12935 File No.



SC-2 Packer Effective Date: 11 Apr 2019

#### 1 Introduction

The SC-2™ packer is Baker Hughes, a GE company (BHGE)' primary packer for cased hole gravel pack and frac pack applications where a high performance retrievable packer is required.

#### 2 Description

The SC-2 packer is a fully retrievable, highperformance retainer production packer. Although the packer was originally designed for premium gravel pack applications, it may also be used as a standard completion packer in wells where a premium retrievable production packer is required.

The SC-2 packer is fully compatible with standard BHGE sealing accessories, including retrievable and expendable plugs.

Refer to the specifications guide in the Packer Size/Model Availability Guide, Specification Guide, and Packer/Accessory Guide for SC™ and HP™ Packers (Product Family H48861), Unit 5750 under Sand Control Tools for packer/accessory size and packer size/model availability.

#### 3 Application

The SC-2 packer is primarily used in gravel pack or frac pack applications where a higher differential pressure production rating, treating pressure rating and temperature are required. The SC-2 may also be used as a production packer.




#### Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

Received by OCD: 11/26/2019 3:37:33 PM Page 14 of 43



Miles


# Legend


- Proposed SWD
- Gas, Active (1)
- Gas, New (7)
- Gas, Plugged (1)
- Oil, Active (39)
- Oil, New (71)
- Oil, Plugged (13)
- Salt Water Injection, Active (1)
- Salt Water Injection, Plugged (1)


Source Info: NMOCD O&G Wells updated 7/30/2019 (http://www.emnrd.state.nm.us/OCD/ocdgis.html)





Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community












	AOR Tabulation for Jim Federal SWD #1 (Top of Injection Interval: 18,540')											
Well Name	API#	Well Type	Operator	Spud Date	Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?					
MEAN GREEN 27 FEDERAL #002H	30-025-42415	0	DEVON ENERGY PRODUCTION COMPANY, LP	6/24/2015	P-22-26S-34E	12511	No					
RATTLESNAKE FEDERAL UNIT #005	30-025-37298	G	DEVON ENERGY PRODUCTION COMPANY, LP	Not Drilled	A-27-26S-34E	Proposed (16600)	No					
MEAN GREEN 27 FEDERAL #001	30-025-41433	0	DEVON ENERGY PRODUCTION COMPANY, LP	1/27/2014	P-22-26S-34E	9484	No					
COBBER 21 FEDERAL #001H	30-025-42311	0	DEVON ENERGY PRODUCTION COMPANY, LP	4/23/2015	P-21-26S-34E	9788	No					
MEAN GREEN 22 FEDERAL #001H	30-025-41434	0	DEVON ENERGY PRODUCTION COMPANY, LP	10/18/2014	P-22-26S-34E	9233	No					
NAUTILUS 16 FEDERAL COM #707H	30-025-44245	0	EOG RESOURCES INC	Not Drilled	O-16-26S-34E	Proposed (12772)	No					
NAUTILUS 16 FEDERAL COM #705H	30-025-44243	0	EOG RESOURCES INC	Not Drilled	N-16-26S-34E	Proposed (12772)	No					
NAUTILUS 16 FEDERAL COM #708H	30-025-44246	0	EOG RESOURCES INC	Not Drilled	O-16-26S-34E	Proposed (12772)	No					
NAUTILUS 16 FEDERAL COM #706H	30-025-44244	0	EOG RESOURCES INC	Not Drilled	N-16-26S-34E	Proposed (12772)	No					
NAUTILUS 16 FEDERAL COM #701H	30-025-44170	0	EOG RESOURCES INC	Not Drilled	P-16-26S-34E	Proposed (12772)	No					
NAUTILUS 16 FEDERAL COM #709H	30-025-44076	0	EOG RESOURCES INC	Not Drilled	P-16-26S-34E	Proposed (12772)	No					
NAUTILUS 16 FEDERAL COM #702H	30-025-44171	0	EOG RESOURCES INC	Not Drilled	P-16-26S-34E	Proposed (12772)	No					
PRE-ONGARD WELL #001	30-025-27376	Plugged	PRE-ONGARD WELL OPERATOR (Amaco Production Company)	8/20/1981	B-22-26S-34E	Plugged (5500)	No					

**Notes:** No wells within the 1-mile AOR penetrate the injection interval.



Miles

# Legend

★ Proposed SWD

Ore Type - Measured
Ore Type - Indicated

KPLA

SOPA

**Drill Islands** 

Status

Nominated

Potash Leases Area of Review

Jim Federal SWD #1
Lea County, New Mexico

Proj Mgr: Dan Arthur

November 25, 2019

Mapped by: Ben Bockelmann





#### Attachment 3

Source Water Analyses



# **Water Analysis**

Date: 23-Aug-11

2708 West County Road, Hobbs NM 88240
Phone (575) 392-5556 Fax (575) 392-7307

Phone (575) 392-5556 1			4	· .				
Analyzed For	1	Brashy	Draw 1+	*/				
Company		Nell Name		County	State			
		BD		Fca.	1.172 Absent 66,520 3,413 1,024 9 110,922 213 108 12,799 182,209			
Sample Source	Swab Sa	mple	Sample #	day	1-265-29			
Formation			Depth					
Specific Gravity	1.170		SG @	9 60 °F	1.172			
ρН	6.30		Absent					
Temperature (*F)	70		Reducing I	Sulfides A Reducing Agents				
Cations								
Sodium (Calc)	anne en en en gan de de de de administrativo para en en	in Mg/L	77,962	in PPM	66,520			
Calcium		in Mg/L	4,000	in PPM	3,413			
Magnesium		in Mg/L	1,200	in PPM	1,024			
Soluable Iron (FE2)		in Mg/L	10.0	in PPM	9			
Anions								
Chlorides		in Mg/L	130,000	in PPM	110,922			
Suttates		in Mg/L	250	in PPM	213			
Bicarbonates		in Mg/L	127	in PPM	108			
Total Hardness (as CaCO	3)	in Mg/L	15,000	in PPM	12,799			
Total Dissolved Solids (Ca	ic)	in Mg/L	213,549	in PPM	182,209			
Equivalent NaCl Concentr	ation	in Mg/L	182,868	in PPM	156,031			
Scaling Tendencies								
Calcium Carbonate Index Below 500,000	Remote / 500,	000 - 1,000,000	Possible / Above 1	,000,000 Probabl	507,520			
Calcium Sulfate (Gyp) Ind	θX				1,000,000			
Below 500,000	Remote / 500,0	000 - 10,000,00	Possible / Above 1	0,000,000 Probab	le			
This Calculation is only an appi restnant.	oximation and	i is only vaild l	before treatment o	f a well or savera	l weeks after			

Report #

Remarks

3188

RW=.048@70F

Sample Point:

WELLHEAD

Sec 22, T25,5, R28E

Bone Spring

North Permian Basin Region P.O. Box 740 Sundown, TX 79372-0740 (806) 229-8121 Lab Team Leader - Shella Hernandez (432) 495-7240

### Water Analysis Report by Baker Petrolite

33514.1 Sales RDT: Company: Account Manager: TONY HERNANDEZ (575) 910-7135 **PERMIAN BASIN** Region: 534665 ARTESIA, NM Sample #: Area: PINOCHLE 'BPN' STATE COM 106795 Lease/Platform: Analysis ID #: \$90.00 Analysis Cost: Entity (or well #): Formation: UNKNOWN

Summary		А	nalysis of Sa	mple 534665 @ 75	F	
Sampling Date: 03/10/11	Anions	mg/l	meq/I	Cations	mg/l	ñpem
Analysis Date: 03/18/11	Citionius.	109618.0	3091.92	Sodium:	70275.7	3056.82
Analyst: SANDRA GOMEZ	Bicarbonate:	2135.0	34.99	Megnesium:	195.0	18.04
TDS (ma/t or a/m3): 184911.1	Carbonate:	C.0	0.	Calcium:	844.0	42.12
the state of the s	Sulfate:	747.0	15.55	Strontium:	220.0	5.02
Density (g/cm3, tonne/m3): 1.113	Phosphale:			Barium:	0.8	0.01
Anion/Cation Ratio: 1	Borate:			Iron:	6.5	0.23
	Silicate:			Polassium:	889.0	22.22
				Aluminum:		
Carbon Dioxide: 0 50 PPM	Hydrogen Sulfide:		0 PPM	Chromlum:		
Oxygen:			_	Соррег:		
Comments:	pH at time of sampling	g:	/	Lead:		
Constitution.	pH at time of analysis	:		Manganese:	0.100	0.
	pH used in Calculati	on:	7	Nickel:		
	I					

Cond	tions		Values C	alculated	at the Give	n Conditi	ons - Amo	unts of Sc	ale in lb/10	1dd 00		
	Gauge Press.					Ba Ba	CO <sub>2</sub> Press					
Ŧ	psi	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount	psi
80	0	1.08	188.52	-1.20	0.00	-1.18	0.00	-0.11	0.00	0.58	0.29	1.72
100	0	1.10	206.05	-1.29	0.00	-1.20	0.00	-0.15	0.00	0.35	0.29	2.35
120	0	1.12	224.17	-1.36	0.00	-1.19	0.00	-0.17	0.00	0.16	0.00	3,17
140	0	1.13	243.17	-1.42	0.00	-1.18	0.00	-0.18	0.00	0.00	0.00	4.21

Note 1: When assessing the severity of the scale problem, both the saturation index (SI) and amount of scale must be considered.

Note 2: Precipitation of each scale is considered separately. Total scale will be less than the sum of the amounts of the five scales.

Note 3: The reported CO2 pressure is actually the calculated CO2 fugacity. It is usually nearly the same as the CO2 partial pressure.

#### Attachment 4


Injection Formation Water Analyses

Page 25 of 43

	Injection Formation Water Analysis																
					Vista D	isposal So	lutions, LLC	- Devonia	n and Siluri	an-Fusselm	an Formatio	ons					
Wellname	API	Latitude	Longitude	Section Township	Range	Unit	Ftgns	Ftgew	County	State	Company	Field	Formation	Tds_mgL	Chloride_mgL	Bicarbonate_mgL	Sulfate_mgL
STATE B COM #001	3002509716	32.179405	-103.2212524	36 <b>24</b> S	36E	С	600N	1880W	LEA	NM		CUSTER	DEVONIAN	176234	107400	128	1004
FARNSWORTH FEDERAL #006	3002511950	32.077725	-103.162468	4 26S	37E	А	660N	990E	LEA	NM		CROSBY	DEVONIAN	31931	20450	302	591
ARNOTT RAMSAY NCT-B #003	3002511863	32.092228	-103.1784439	32 <b>25</b> S	37E	А	660N	660E	LEA	NM		CROSBY	DEVONIAN		100382	476	5
ARNOTT RAMSAY NCT-B #003	3002511863	32.092228	-103.1784439	32 <b>25</b> S	37E	А	660N	660E	LEA	NM		CROSBY	DEVONIAN	158761			
COPPER #001	3002511818	32.099484	-103.1656723	28 25S	37E	J	1980S	1981E	LEA	NM		CROSBY	DEVONIAN	27506	15270	1089	1079
STATE NJ A #001	3002511398	32.164749	-103.1273346	2 25S	37E	А	663N	660E	LEA	NM		JUSTIS NORTH	DEVONIAN	105350	59300	660	4950
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	80880	46200	340	3050
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	84900	48600	840	2650
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	72200	41000	370	2960
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	80900	46200	340	3050
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	77600	44000	550	3240
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	135000	77000	650	5810
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	114000	65000	280	5110
WESTATES FEDERAL #004	3002511389	32.161129	-103.1241226	1 25S	37E	E	1980N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	135000	77000	500	5320
WESTATES FEDERAL #008	3002511393	32.162121	-103.1241226	1 258	37E	Е	1620N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	91058	51020	376	
WESTATES FEDERAL #008	3002511393	32.162121	-103.1241226	1 25S	37E	E	1620N	330W	LEA	NM		JUSTIS NORTH	FUSSELMAN	86847	50450	363	2544
STATE Y #009	3002511777	32.10582	-103.1113434	25 <b>25</b> S	37E	А	990N	990E	LEA	NM		JUSTIS	FUSSELMAN	219570	129000	960	4630
STATE Y #009	3002511777	32.10582	-103.1113434	25 <b>25</b> S	37E	А	990N	990E	LEA	NM		JUSTIS	FUSSELMAN	163430	96000	290	3780
SOUTH JUSTIS UNIT #023C	3002511760	32.106728	-103.1184616	25 <b>25</b> S	37E	С	660N	2080W	LEA	NM		JUSTIS	FUSSELMAN	63817	35870	360	3442
CARLSON A #002	3002511764	32.100384	-103.1113434	25 <b>25</b> S	37E	I	2310S	990E	LEA	NM		JUSTIS	FUSSELMAN	208280	124000	510	3400
CARLSON B 25 #004	3002511784	32.096756	-103.1113434	25 <b>25</b> S	37E	P	990S	990E	LEA	NM		JUSTIS	FUSSELMAN	184030	112900	68	1806

#### Attachment 5

Water Well Map and Well Data



■ Miles

# Legend

★ Proposed SWD

## **NMOSE PODs**

#### **Status**

- Active (0)
- Pending (0)
- O Change Location of Well (0)
- O Capped (0)
- Plugged (0)
- Incomplete (0)
- Unknown (0)



	Water Well Sampling Rationale										
	Vista Disposal Solutions, LLC - Jim Federal SWD #1										
SWD	Water Wells	Owner	Available Contact Information	Use	Sampling Required	Notes					
Note: No water wells	are present withir	n 1 mile of the proposed SV	VD location.								

#### Attachment 6

Induced Seismicity Assessment Letter



November 26, 2019

Mr. Phillip Goetze, P.G. NM EMNRD – Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

Subject: Induced Seismicity Potential Statement for the Jim Federal SWD #1

Dear Mr. Goetze,

This letter provides information regarding the seismic potential associated with injection operations associated with Vista Disposal Solutions, LLC (Vista), proposed Jim Federal SWD #1, hereinafter referred to as the "Subject Well."

As outlined herein, based on my experience as an expert on the issue of induced seismicity, it is my opinion that the potential for the proposed injection well to cause injection-induced seismicity is expected to be minimal, at best. This conclusion is based on (1) the lack of historic seismic activity and faulting in the area, (2) the low fault slip potential (FSP) of Precambrian faults in the area, (3) the presence of confining layers, and (4) the overall vertical distance between the proposed injection zone and basement rock.

The Subject Well, is located 1,932' FSL & 258' FWL of Section 22, in T26-S and R34-E of Lea County, New Mexico. Historically, the Eddy and Lea Counties area has experienced very limited recorded seismic activity (per the U.S. Geological Survey [USGS] earthquake catalog database). There has been one known seismic event located within a 25-mile radius of the proposed Subject Well. The closest recorded seismic event was a M2.9 that occurred on December 4<sup>th</sup>, 1984 and was located approximately 17.3 miles northwest of the Subject Well (See Exhibit 1). The closest Class IID well injecting into the same formations (Devonian-Silurian) of the Subject Well is approximately 1.6 miles to the northwest (See Exhibit 1).

Vista does not own either 2D or 3D seismic reflection data in the area of the Subject Well. Publicly available fault data from USGS indicates that the closest known fault is approximately 7.0 miles northeast of the Subject Well (See Exhibit 1).

In a recent paper written by Snee and Zoback (2018) entitled "State of Stress in the Permian Basin, Texas and New Mexico: Implications for Induced Seismicity,", the authors found that large groups of mostly north-south striking Precambrian basement faults, predominantly located along the Central Basin Platform, the western Delaware Basin, and large parts of the Northwest Shelf (which includes Eddy and Lea counties, New Mexico) have low FSP at the modeled fluid-pressure

perturbation. The map in Exhibit 2 depicts the low probability risk of FSP for the Delaware Basin and Northwest Shelf areas (Snee and Zoback 2018).

Geologic analysis indicates that the proposed Devonian-Silurian injection zone is overlain by approximately 200 to 400 feet of Woodford Shale, which is the upper confining zone and will serve as a barrier for upward injection fluid migration. Additionally, the Simpson Group that lies directly below the Montoya Formation will act as a lower confining zone to prohibit fluids from migrating downward into the underlying Ellenberger Formation and Precambrian basement rock. See the stratigraphic column for the Delaware Basin included in Exhibit 3.

In the Eddy and Lea Counties area of New Mexico, the Simpson Group is comprised of a series of Middle to Upper Ordovician carbonates, several sandstones, and sandy shales that range from approximately 350 to 650 feet thick (Jones 2008). This group of rocks is capped by the limestones of the Bromide Formation, which is approximately 200 feet thick in this area (Jones 2008). The closest deep well drilled into the Precambrian basement was completed by the Skelly Oil Company in 1975. This well is located in Section 17, Range 36E, Township 25S of Lea County (API No.30-025-25046) and encountered 602 feet of Ellenburger Formation before reaching the top of the Precambrian granite at a depth of 18,920 feet. Based on the estimated thickness of the Simpson Group and Ellenburger Formation in this area, the Precambrian basement should be approximately 1,000 to 1,200 feet below the bottom of the proposed injection zones in the Subject Well.

#### Conclusion

As an expert on the issue of induced seismicity, it is my opinion that the potential for the proposed injection well to cause injection-induced seismicity is expected to be minimal, at best. This conclusion is based on (1) the lack of historic seismic activity and faulting in the area, (2) the low FSP of Precambrian faults in the area, (3) the presence of confining layers, and (4) the overall vertical distance between the proposed injection zone and basement rock.

Sincerely, ALL Consulting

J. Daniel Arthur, P.E., SPEC President and Chief Engineer

Enclosures References Exhibits

# References

Ball, Mahlon M. 1995. "Permian Basin Province (044)." In *National Assessment of United States Oil and Gas Resources—Results, Methodology, and Supporting Data*. U.S. Geological Survey. <a href="https://certmapper.cr.usgs.gov/data/noga95/prov44/text/prov44.pdf">https://certmapper.cr.usgs.gov/data/noga95/prov44/text/prov44.pdf</a> (accessed June 18, 2018).

Green, G.N., and G.E. Jones. 1997. "The Digital Geologic Map of New Mexico in ARC/INFO Format." U.S. Geological Survey Open-File Report 97-0052. https://mrdata.usgs.gov/geology/state/state.php?state=NM (accessed June 14, 2018).

Jones, Rebecca H. 2008. "The Middle-Upper Ordovician Simpson Group of the Permian Basin: Deposition, Diagenesis, and Reservoir Development." <a href="http://www.beg.utexas.edu/resprog/permianbasin/PBGSP\_members/writ\_synth/Simpson.pdf">http://www.beg.utexas.edu/resprog/permianbasin/PBGSP\_members/writ\_synth/Simpson.pdf</a> (accessed June 19, 2018).

Snee, Jens-Erik Lund, and Mark D. Zoback. 2018. "State of Stress in the Permian Basin, Texas and New Mexico: Implications for Induced Seismicity." *The Leading Edge* 37, no. 2 (February 2018): 127-34.

U.S. Geological Survey (USGS). No date. Earthquakes Hazard Program: Earthquake Catalog. <a href="https://earthquake.usgs.gov/earthquakes/search/">https://earthquake.usgs.gov/earthquakes/search/</a> (accessed June 14, 2018).

# **Exhibits**




Exhibit 1. Map Showing the Distances from Known and Inferred Faults, Seismic Event, and Closest Deep Injection Well




Exhibit 2. Results of the Snee and Zoback (2018) Probabilistic FSP Analysis Across the Permian Basin




Exhibit 3. Delaware Basin Stratigraphic Chart (Ball 1995)

#### Attachment 7

Public Notice Affidavit and Notice of Application Confirmations

#### **APPLICATION FOR AUTHORIZATION TO INJECT**

NOTICE IS HEREBY GIVEN: That Vista Disposal Solutions, LLC, 12444 NW 10<sup>th</sup> St., Building G, Suite 202-512, Yukon, OK 73099, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Jim Federal SWD #1

NW ¼ SW ¼, Section 22, Township 26S, Range 34E

1,932' FSL & 258' FWL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: Devonian – Silurian (18,540' – 20,000')

EXPECTED MAXIMUM INJECTION RATE: 40,000 Bbls/day

EXPECTED MAXIMUM INJECTION PRESSURE: 3,708 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581.

## Affidavit of Publication

STATE OF NEW MEXICO COUNTY OF LEA

I, Todd Bailey, Editor of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated November 15, 2019 and ending with the issue dated November 15, 2019.

Sworn and subscribed to before me this 15th day of November 2019.

**Business Manager** 

My commission expires January 29, 2023

(Seal)

OFFICIAL SEAL GUSSIE BLACK Notary Public State of New Mexico My Commission Expires 1-29

This newspaper is duly qualified to publish meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL NOTICE **NOVEMBER 15, 2019** 

#### APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Vista Disposal Solutions, LLC, 12444 NW 10th St., Building G, Suite 202-512, Yukon, OK 73099, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Jim Federal SWD #1 NW ¼ SW ¼, Section 22. Township 26S, Range 34E 1,932' FSL & 258' FWL Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: Devonian - Silurian (18,540' - 20,000') EXPECTED MAXIMUM INJECTION RATE: 40,000 Bbls/day EXPECTED MAXIMUM INJECTION PRESSURE:

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581. #34858

67115320

00236086

DANIEL ARTHUR ALL CONSULTING 1718 S. CHEYENNE AVE. TULSA, OK 74119

Jim Federal SWD #1 - Notice of Application Recipients										
Entity	Address	City	State	Zip Code						
Landowner & Mineral Owner										
New Mexico BLM	620 E Greene St.	Carlsbad	NM	88220						
	OCD District									
NMOCD District 1	1625 N. French Drive	Hobbs	NM	88240						
	Leasehold Operators									
Chevron USA Inc. (Chevron USA INC)	6301 Deauville Blvd	Midland	TX	79706						
Commision of Public Lands - State Land Office	310 Old Santa Fe Trail	Santa Fe	NM	87501						
Devon Energy Production Company, LP (DEVON ENERGY PROD CO LP)	333 W. Sheridan Ave.	Oklahoma City	OK	73102						
EOG Resources, Inc. (EOG RES INC) (EOG RESOURCES INC)	104 S. 4th Street	Artesia	NM	88210						

**Notes:** The table above shows the Entities who were identified as parties of interest requiring notification on either the 1-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2). The names listed above in parenthesis, are the abbreviated entity names used on either the 1-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2).

#### **Certified Mail® Labels**

Top of the page

Print postage using Stamps.com Template SDC-3610

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

\$5.600 US POSTAGE FIRST-CLASS FROM 74119 NOV 26 2019 stamps

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

\$5.600 US POSTAGE FROM 74119 NOV 26 2019 stamps

Place label at top of the center of the envelope and fold at dotted line.

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL® **CERTIFIED MAIL®** 



CERTIFIED MAIL®

CERTIFIED MAIL®



**New Mexico BLM** 620 E Greene St. Carlsbad NM 88220-6292

NMOCD District 1 1625 N. French Drive Hobbs NM 88240-9273

Place label at top of the center of the envelope and fold at dotted line.

> CERTIFIED MAIL® **CERTIFIED MAIL®**

Place label at top of the center of the envelope and fold at dotted line.

> CERTIFIED MAIL® **CERTIFIED MAIL®**

#### Certified Mail® Labels

Tulsa, OK 74119

**ALL Consulting** 1718 S. Cheyenne Ave.

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 ₽ US POSTAGE FIRST-CLASS FROM 74119 NOV 26 2019 Stamps Stamps

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Top of the page

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 US POSTAGE **FIRST-CLASS** FROM 74119 NOV 26 2019 stamps

Print postage using Stamps.com Template SDC-3610

CERTIFIED MAIL® CERTIFIED MAIL®



CERTIFIED MAIL®

CERTIFIED MAIL®



Chevron USA Inc. 6301 Deauville

Midland TX 79706-2964

State Land Office Commission of Public Lands 310 Old Santa Fe Trail Santa Fe NM 87501-2708

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 POSTAGE ST-CLASS ROM 74119 OV 26 2019 US POSTAGE FIRST-CLASS FROM 74119 NOV 26 2019 stamps

**ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 POSTAGE ST-CLASS ROM 74119 DV 26 2019 **US POSTAGE FIRST-CLASS** NOV 26 2019 stamps

CERTIFIED MAIL® CERTIFIED MAIL®





Devon Energy Production Company, LP 333 W. Sheridan Ave. Oklahoma City OK 73102-5010



EOG Resources, Inc. 104 S. 4th Street Artesia NM 88210-2123