

From: [Mowery, Kathleen S](#)
To: [McClure, Dean, EMNRD](#)
Cc: [Messer, Emily J](#)
Subject: [EXT] RE: Dual Pools - Commingle Permit ?
Date: Wednesday, February 24, 2021 11:29:11 AM
Attachments: [image001.jpg](#)
[Platinum CTB - Update Pools - C-103-signed.pdf](#)
[PlatinumMDP1_34-3FedCom174H.pdf](#)
[PlatinumMDP1_34-3FedCom175H.pdf](#)
[PlatinumMDP1_34-3FedCom176H.pdf](#)
[PlatinumMDP1_34-3FedCom177H.pdf](#)
[PlatinumMDP1_34-3FedCom171H.pdf](#)
[Sterling Silv CTB - Update Pools - C-103-PLC627A-signed.pdf](#)
[Sterling Silver CTB - Update Pools - C-103 - PLC616B-signed.pdf](#)
[SterlingSilverMDP1_33-4FedCom177H.pdf](#)
[SterlingSilverMDP1_33-4FedCom8H.pdf](#)
[SterlingSilverMDP1_33-4FedCom171H.pdf](#)
[SterlingSilverMDP1_33-4FedCom172H.pdf](#)
[SterlingSilverMDP1_33-4FedCom175H.pdf](#)

Hi Dean,

As discussed, please see the attached C103s along with the approved C102s.

- PLC-602-A – Platinum CTB
- PLC-616A – Sterling Silver Train # 2
- PLC-627A – Sterling Silver Train # 1

Thanks,
Kathleen

From: Mowery, Kathleen S
Sent: Thursday, November 19, 2020 2:43 PM
To: McClure, Dean, EMNRD <Dean.McClure@state.nm.us>
Cc: Musallam, Sandra C <Sandra_Musallam@oxy.com>; Schenkel, Beth V <Beth_Schenkel@oxy.com>; Messer, Emily J <Emily_Messer@oxy.com>
Subject: RE: Dual Pools - Commingle Permit ?

Thanks Dean. I'll wait until we have the approved C102s to submit then.

From: McClure, Dean, EMNRD <Dean.McClure@state.nm.us>
Sent: Thursday, November 19, 2020 11:34 AM
To: Mowery, Kathleen S <Kathleen_Mowery@oxy.com>
Cc: Musallam, Sandra C <Sandra_Musallam@oxy.com>; Schenkel, Beth V <Beth_Schenkel@oxy.com>; Messer, Emily J <Emily_Messer@oxy.com>
Subject: [EXTERNAL] RE: Dual Pools - Commingle Permit ?

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

Hello Kathleen,

Your proposed method will be sufficient. However, please note that for each order we will need the approved C-102s for each well which needs updated prior to issuing an amendment. It is in your discretion whether you wish to file the C-103s now and submit the C-102s when available or wait and submit everything together.

For these submittals, please send them direct to me via email. However, please also include the C-102s with your C-104 packets per normal or however the reviewer who contacted you prior has requested them be submitted.

Dean McClure
Petroleum Engineer, Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
(505) 469-8211

From: Mowery, Kathleen S <Kathleen_Mowery@oxy.com>
Sent: Thursday, November 19, 2020 9:25 AM
To: McClure, Dean, EMNRD <Dean.McClure@state.nm.us>
Cc: Musallam, Sandra C <Sandra_Musallam@oxy.com>; Schenkel, Beth V <Beth_Schenkel@oxy.com>; Messer, Emily J <Emily_Messer@oxy.com>
Subject: [EXT] Dual Pools - Commingle Permit ?

Good Morning Dean,

After submitting our final C104s, the Artesia/Santa Fe offices noted that the following wells traverse two Wolfcamp pools (Purple Sage Wolfcamp and WC-015 G-08 S233135D; Wolfcamp) and required separate Completion Reports and C104 filings per pool. Our surface commingle permits only include the Purple Sage Wolfcamp pool as shown on our submitted C102s. The ownership is the same so we wouldn't need to notify owners. Will a C103 with the subsequent C102s suffice or would you like this handled differently?



Note, T23S 31E Sec 33 and 34 are WC-015 G-08 S233135D; Wolfcamp and T24S 31E Sec 3 and 4 are Purple Sage Wolfcamp. See attached maps for clarity.

Thanks,

Kathleen Mowery

Regulatory Engineer

713-366-5109 (office) | 281-961-9955 (cell)