

AP - 64

ANNUAL MONITORING REPORT

YEAR(S):
2010

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Fax: 505.266-0745

March 14, 2011

Edward J. Hansen
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

RE: 2010 Annual Ground Water Monitoring Report
Hobbs F-29 SWD, Sec 29, T18S, R38E, Unit "F"
NMOCD Case #: AP-64

Mr. Hansen,

R.T. Hicks Consultants, Ltd. is pleased to submit this 2010 Annual Ground Water Monitoring Report for the F-29 SWD site located in the Hobbs Salt Water Disposal System (SWD). This report contains:

1. A table presenting all laboratory results and depth to ground water for each well at the site.
2. Graphs showing the concentration of chloride and TDS in ground water over time.
3. A Plate presenting the well locations and most recent ground water sampling results.
4. The laboratory analytical results for the most recent sampling event.

Quarterly ground water sampling will continue in 2011.

ROC is the service provider (agent) for the Hobbs Salt Water Disposal System and has no ownership of any portion of pipeline, well or facility. A consortium of oil producers who own the Hobbs Salt Water Disposal System (System Parties) provide all operating capital on a percentage ownership/usage basis. Major projects require System Parties' authorization for expenditures (AFE); approval and work begins as funds are received.

Thank you for your consideration. If you have any questions, please contact us at 505-266-5004, or Hack Conder at Rice Operating Company, 575-393-9174.

Sincerely,
R.T. Hicks Consultants



Katie Lee
Project Scientist

Copy: Hack Conder, Rice Operating Company

RECEIVED OGD
2011 MAR 16
A-H: 24

ROC Hobbs F-29 SWD NMOC Case #: AP-64

MW #	Depth to Water (ft)	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
2	XXX	3/21/2000	2564	6660	XXX	XXX	XXX	XXX	XXX
2	49	7/10/2000	1829	3470	<0.002	<0.002	<0.002	<0.006	XXX
2	49.26	9/27/2000	1748	3032	<0.002	<0.002	<0.002	<0.006	XXX
2	49.61	12/12/2000	1027	2586	<0.002	<0.002	<0.002	<0.006	XXX
2	XXX	1/4/2001	308	1114	XXX	XXX	XXX	XXX	XXX
2	XXX	3/16/2001	396	1373	XXX	XXX	XXX	XXX	XXX
2	XXX	3/23/2001	368	1312	XXX	XXX	XXX	XXX	XXX
2	XXX	5/7/2001	365	1272	XXX	XXX	XXX	XXX	XXX
2	XXX	6/8/2001	513	1796	XXX	XXX	XXX	XXX	XXX
2	XXX	8/14/2001	340	1385	XXX	XXX	XXX	XXX	XXX
2	51.13	12/29/2001	XXX	XXX	XXX	XXX	XXX	XXX	XXX
2	51.16	1/4/2002	308	1114	XXX	XXX	XXX	XXX	XXX
2	XXX	6/6/2002	221	XXX	<0.001	<0.001	<0.001	<0.001	135
2	52.07	8/14/2002	186	806	<0.001	<0.001	<0.001	<0.001	144
2	52.58	12/11/2002	172	738	<0.002	<0.002	<0.002	<0.006	106
2	52.94	3/21/2003	230	XXX	<0.001	<0.001	<0.001	<0.001	140
2	53.15	5/28/2003	257	804	<0.001	<0.001	<0.001	<0.001	138
2	53.71	9/22/2003	151	700	<0.001	<0.001	<0.001	<0.001	173
2	54.1	12/18/2003	208	815	<0.002	0.003	<0.002	0.014	71
2	54.33	3/15/2004	186	607	<0.001	<0.001	<0.001	<0.001	103
2	XXX	5/27/2004	213	830	<0.001	<0.001	<0.001	<0.001	138
2	54.6	9/8/2004	248	946	0.00464	0.00412	0.000979	0.001199	129
2	54.2	11/23/2004	139	888	0.00448	<0.001	<0.001	0.000714	125
2	53.39	3/22/2005	214	914	<0.001	<0.001	<0.001	<0.001	196
2	53.35	5/18/2005	223	930	<0.001	<0.001	<0.001	<0.001	131
2	53.55	8/8/2005	210	799	<0.001	<0.001	<0.001	<0.001	130
2	53.81	10/31/2005	185	762	<0.001	<0.001	<0.001	<0.001	100
2	53.89	1/30/2006	198	904	<0.001	<0.001	<0.001	<0.001	89.4
2	53.91	5/1/2006	212	904	<0.001	<0.001	<0.001	<0.001	91.3
2	54.13	10/16/2006	258	1040	<0.001	j[0.000790]	j[0.000356]	j[0.000940]	116

XXX: Not Recorded or Not Analyzed
j: Result below detection limit

MW #	Depth to Water (ft)	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
2	54.08	2/5/2007	299	908	<0.001	<0.001	<0.001	<0.001	112
2	54.17	5/16/2007	236	898	<0.001	<0.001	<0.001	<0.001	102
2	54.37	7/31/2007	272	1040	<0.001	<0.001	<0.001	0.0033	41.9
2	54.43	10/18/2007	292	1047	<0.001	<0.001	<0.001	<0.003	113
2	54.19	2/18/2008	300	1040	<0.002	<0.002	<0.002	<0.006	132
2	54.53	4/25/2008	320	1070	<0.002	<0.002	<0.002	<0.006	185
2	54.69	7/24/2008	172	773	<0.001	<0.001	<0.001	<0.003	104
2	54.89	11/12/2008	296	1130	<0.001	<0.001	<0.001	<0.003	131
2	54.97	2/3/2009	248	1100	XXX	XXX	XXX	XXX	109
2	55.05	5/4/2009	344	1330	XXX	XXX	XXX	XXX	120
2	55.21	8/28/2009	280	1220	XXX	XXX	XXX	XXX	102
2	55.33	10/27/2009	240	1000	XXX	XXX	XXX	XXX	105
2	55.53	3/12/2010	312	1290	XXX	XXX	XXX	XXX	132
2	55.52	6/10/2010	260	1100	XXX	XXX	XXX	XXX	111
2	55.55	8/31/2010	288	1080	XXX	XXX	XXX	XXX	115
2	55.68	12/6/2010	240	1010	XXX	XXX	XXX	XXX	104

MW #	Depth to Water (ft)	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
3	XXX	1/4/2001	136	1013	XXX	XXX	XXX	XXX	XXX
3	51.2	12/29/2001	XXX	XXX	XXX	XXX	XXX	XXX	XXX
3	51.24	1/4/2002	136	1013	XXX	XXX	XXX	XXX	XXX
3	XXX	5/24/2002	137	917	<0.001	<0.001	<0.001	<0.001	158
3	52.12	8/14/2002	151	998	<0.001	<0.001	<0.001	<0.001	284
3	52.64	12/11/2002	136	1069	0.005	<0.002	<0.002	<0.006	201
3	52.98	3/21/2003	133	XXX	<0.001	<0.001	<0.001	<0.001	266
3	53.7	5/28/2003	301	1120	<0.001	<0.001	<0.001	<0.001	240
3	53.74	9/22/2003	120	881	<0.001	<0.001	<0.001	<0.001	238
3	54.35	3/15/2004	115	1140	<0.001	<0.001	<0.001	<0.001	248
3	XXX	5/27/2004	111	810	<0.001	<0.001	<0.001	<0.001	171
3	54.6	9/8/2004	230	937	<0.001	<0.001	<0.001	<0.001	186
3	54.4	11/23/2004	115	925	<0.001	<0.001	<0.001	<0.001	183
3	54.59	12/18/2004	124	852	<0.002	<0.002	<0.002	<0.006	73
3	53.4	3/22/2005	162	796	<0.001	<0.001	<0.001	<0.001	126
3	53.38	5/18/2005	272	1050	<0.001	<0.001	<0.001	<0.001	92
3	53.9	8/8/2005	203	945	<0.001	<0.001	<0.001	<0.001	122

XXX: Not Recorded or Not Analyzed
j: Result below detection limit

MW #	Depth to Water (ft)	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
3	53.57	10/31/2005	113	732	<0.001	<0.001	<0.001	<0.001	116
3	53.92	1/30/2006	97.3	650	<0.001	<0.001	<0.001	j[0.000562]	120
3	53.98	5/1/2006	85.3	704	<0.001	<0.001	<0.001	<0.001	111
3	54.18	10/16/2006	88.9	616	<0.001	j[0.000950]	j[0.000404]	0.00105	135
3	54.1	2/5/2007	98.3	572	<0.001	<0.001	<0.001	<0.001	128
3	54.2	5/16/2007	90.6	542	<0.001	<0.001	<0.001	<0.001	111
3	54.23	7/31/2007	105	590	<0.001	<0.001	<0.001	<0.002	76.5
3	54.48	10/18/2007	100	611	<0.001	<0.001	<0.001	<0.003	120
3	54.23	2/18/2008	104	607	<0.002	<0.002	<0.002	<0.006	144
3	54.55	4/25/2008	244	918	<0.002	<0.002	<0.002	<0.006	172
3	54.86	7/24/2008	80	584	<0.001	<0.001	<0.001	<0.003	104
3	54.93	11/12/2008	104	708	<0.001	<0.001	<0.001	<0.003	143
3	54.99	2/3/2009	104	744	XXX	XXX	XXX	XXX	127
3	55.08	5/4/2009	108	705	XXX	XXX	XXX	XXX	135
3	55.24	8/28/2009	108	703	XXX	XXX	XXX	XXX	120
3	55.3	10/27/2009	108	623	XXX	XXX	XXX	XXX	118
3	55.57	3/12/2010	112	653	XXX	XXX	XXX	XXX	140
3	55.54	6/10/2010	112	718	XXX	XXX	XXX	XXX	133
3	55.58	8/31/2010	112	657	XXX	XXX	XXX	XXX	115
3	55.69	12/6/2010	116	687	XXX	XXX	XXX	XXX	130

MW #	Depth to Water (ft)	Sample Date	Cl	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
4	XXX	1/4/2001	464	1781	XXX	XXX	XXX	XXX	XXX
4	51.51	12/29/2001	XXX	XXX	XXX	XXX	XXX	XXX	XXX
4	51.56	1/4/2002	464	1781	XXX	XXX	XXX	XXX	XXX
4	XXX	5/24/2002	461	1520	<0.001	<0.001	<0.001	<0.001	286
4	52.5	8/14/2002	416	1660	<0.001	<0.001	<0.001	<0.001	303
4	53	12/11/2002	336	1302	0.003	<0.002	<0.002	<0.006	170
4	53.41	3/21/2003	346	XXX	<0.001	<0.001	<0.001	<0.001	289
4	53.25	5/28/2003	124	742	<0.001	<0.001	<0.001	<0.001	269
4	54.21	9/22/2003	425	1640	<0.001	<0.001	<0.001	<0.001	271
4	54.12	12/18/2003	660	1902	<0.002	<0.002	<0.002	<0.006	123
4	54.84	3/15/2004	452	1510	<0.001	<0.001	<0.001	<0.001	290
4	XXX	5/27/2004	461	1600	<0.001	<0.001	<0.001	<0.001	174
4	54.8	9/8/2004	372	1300	<0.001	<0.001	<0.001	<0.001	260

XXX: Not Recorded or Not Analyzed
j: Result below detection limit

MW #	Depth to Water (ft)	Sample Date	CI	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
4	54.4	11/23/2004	401	1550	<0.001	<0.001	<0.001	<0.001	217
4	53.76	3/22/2005	392	1220	<0.001	<0.001	<0.001	<0.001	196
4	53.78	5/18/2005	336	1230	<0.001	<0.001	<0.001	<0.001	169
4	53.98	8/8/2005	370	1230	<0.001	<0.001	<0.001	<0.001	171
4	53.82	10/31/2005	411	1560	<0.001	J[0.000774]	J[0.000385]	J[0.000842]	156
4	54.31	1/30/2006	523	1780	<0.001	<0.001	J[0.000332]	J[0.001064]	182
4	54.36	5/1/2006	501	1800	<0.001	<0.001	<0.001	<0.001	144
4	54.53	10/16/2006	683	2570	<0.001	<0.001	<0.001	<0.001	284
4	54.52	2/5/2007	653	1750	<0.001	<0.001	<0.001	<0.001	289
4	54.68	6/1/2007	668	2060	<0.001	<0.001	<0.001	<0.001	254
4	54.83	7/31/2007	548	2380	<0.001	<0.001	<0.001	<0.002	248
4	54.9	10/18/2007	440	1394	<0.001	<0.001	<0.001	<0.003	211
4	54.71	2/18/2008	508	1680	<0.002	<0.002	<0.002	<0.002	186
4R	57.57	4/25/2008	670	1960	<0.002	<0.002	<0.002	<0.006	304
4R	57.88	7/24/2008	590	1950	<0.001	<0.001	<0.001	<0.003	350
4R	58.11	11/12/2008	476	1570	<0.001	<0.001	<0.001	<0.003	289
4R	58.25	2/3/2009	610	2110	XXX	XXX	XXX	XXX	283
4R	58.31	5/4/2009	640	2060	XXX	XXX	XXX	XXX	280
4R	58.46	8/28/2009	780	2500	XXX	XXX	XXX	XXX	276
4R	58.56	10/27/2009	800	2530	XXX	XXX	XXX	XXX	318
4R	58.76	3/12/2010	580	1680	XXX	XXX	XXX	XXX	240
4R	58.77	6/10/2010	470	1440	XXX	XXX	XXX	XXX	160
4R	58.78	8/31/2010	840	2350	XXX	XXX	XXX	XXX	310
4R	58.91	12/6/2010	730	2280	XXX	XXX	XXX	XXX	317

MW #	Depth to Water (ft)	Sample Date	CI	TDS	Benzene	Toluene	Ethyl Benzene (mg/L)	Total Xylenes	Sulfate
5	57.02	10/18/2007	268	983	<0.001	<0.001	<0.001	<0.003	138
5	56.54	2/18/2008	316	1110	<0.002	<0.002	<0.002	<0.006	168
5	56.9	4/25/2008	484	1530	<0.002	<0.002	<0.002	<0.006	262
5	57.28	7/24/2008	356	1250	<0.001	<0.001	<0.001	<0.003	172
5	57.46	11/12/2008	324	1190	<0.001	<0.001	<0.001	<0.003	186
5	57.53	2/3/2009	312	1080	XXX	XXX	XXX	XXX	164
5	57.61	5/4/2009	328	1180	XXX	XXX	XXX	XXX	172
5	57.79	8/28/2009	308	1080	XXX	XXX	XXX	XXX	138
5	57.91	10/27/2009	320	1040	XXX	XXX	XXX	XXX	160
5	58.06	3/12/2010	328	1040	XXX	XXX	XXX	XXX	180
5	58.09	6/10/2010	332	1090	XXX	XXX	XXX	XXX	168
5	58.11	8/31/2010	272	1070	XXX	XXX	XXX	XXX	172
5	58.21	12/6/2010	296	944	XXX	XXX	XXX	XXX	179

XXX: Not Recorded or Not Analyzed
j: Result below detection limit






Plate 1

Ground Water Monitoring Data

Rice Operating Company
Hobbs F-29 SWD
T-18-S, R-38-E, Sec. 29 (F)
Lea County, New Mexico





December 09, 2010

Hack Conder

Rice Operating Company

112 W. Taylor

Hobbs, NM 88240

RE: HOBBS F-29 SWD

Enclosed are the results of analyses for samples received by the laboratory on 12/07/10 11:50.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 Rice Operating Company
 Hack Conder
 112 W. Taylor
 Hobbs NM, 88240
 Fax To: (575) 397-1471

 Received: 12/07/2010
 Reported: 12/09/2010
 Project Name: HOBBS F-29 SWD
 Project Number: NONE GIVEN
 Project Location: T18S-R38E-SEC29 F-LEA CTY., NM

 Sampling Date: 12/06/2010
 Sampling Type: Water
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: MONITOR WELL #2 (H021465-01)

Chloride, SM4500Cl-B		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	4.00	12/09/2010	ND	112	112	100	3.64	
Sulfate 375.4		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Sulfate	104	10.0	12/09/2010	ND	43.2	108	40.0	0.922	
TDS 160.1		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS	1010	5.00	12/08/2010	ND				2.86	

Sample ID: MONITOR WELL #3 (H021465-02)

Chloride, SM4500Cl-B		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	116	4.00	12/09/2010	ND	112	112	100	3.64	
Sulfate 375.4		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Sulfate	130	10.0	12/09/2010	ND	43.2	108	40.0	0.922	
TDS 160.1		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS	687	5.00	12/08/2010	ND				2.86	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Rice Operating Company
 Hack Conder
 112 W. Taylor
 Hobbs NM, 88240
 Fax To: (575) 397-1471

 Received: 12/07/2010
 Reported: 12/09/2010
 Project Name: HOBBS F-29 SWD
 Project Number: NONE GIVEN
 Project Location: T18S-R38E-SEC29 F-LEA CTY., NM

 Sampling Date: 12/06/2010
 Sampling Type: Water
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: MONITOR WELL #4R (H021465-03)

Chloride, SM4500Cl-B		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	730	4.00	12/09/2010	ND	112	112	100	3.64	
Sulfate 375.4		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Sulfate	317	10.0	12/09/2010	ND	43.2	108	40.0	0.922	
TDS 160.1		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS	2280	5.00	12/08/2010	ND				2.86	


Sample ID: MONITOR WELL #5 (H021465-04)

Chloride, SM4500Cl-B		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	296	4.00	12/09/2010	ND	112	112	100	3.64	
Sulfate 375.4		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Sulfate	179	10.0	12/09/2010	ND	43.2	108	40.0	0.922	
TDS 160.1		mg/L	Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
TDS	944	5.00	12/08/2010	ND				2.86	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Cardinal Laboratories, Inc.

101 East Marland - Hobbs, New
Mexico 88240
Tel (575) 393-2326
Fax (575) 393-2476

Company Name: RICE Operating Company	BILL TO Company: RICE Operating Company	PO#:
Project Manager: Hack Conder	Address: 122 W Taylor Street ~ Hobbs, New Mexico 88240	(Street, City, Zip)
Address: 122 W Taylor Street ~ Hobbs, New Mexico 88240	Phone#: (575) 393-9174	Phone#: (575) 397-1471
Phone #: (575) 393-9174	Phone #: (575) 397-1471	
Project #: Hobbs F-29 SWD	Project Name: Hobbs F-29 SWD	

Project Location: T18S-R38E-Sec29 F ~ Lea County - New Mexico

[illegible]

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	12-7-2010	11:50	<i>[Signature]</i>	12/7/10	11:50
Rozanne Johnson					
Relinquished by:	Date:	Time:	Received By: (Laboratory Staff)	Date:	Time:

Delivered By: (Circle One)	Sample Condition Cool Intact <table border="1"> <tr> <td>Yes</td> <td>☒</td> <td>☐</td> </tr> <tr> <td>No</td> <td>☐</td> <td>☐</td> </tr> </table>	Yes	☒	☐	No	☐	☐	CHECKED BY: (Initials)
Yes	☒	☐						
No	☐	☐						
Sampled - <u>UPS</u> - Bus - Other:								

974

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

LAB Order ID #:

ANALYSIS REQUEST

(Circle or Specify Method No.):

Phone Results		Yes	No	Additional Fax Number:	
Fax Results		Yes	No		
MTBE 8024B/602					
BTEX 8021B/602					
TPH 418.1/TX1005 /TX1005 Extended (C35)					
PAH 8270C					
Total Metals Ag As Ba Cd Cr Pb Se Hg 6010B/200.7					
TCLP Metals Ag As Ba Cd Cr Pb Se Hg					
TCLP Volatiles					
TCLP Semi Volatiles					
TCLP Pesticides					
RCI					
GC/MS Vol. 8260B/624					
GC/MS Semi. Vol. 8270C/625					
PCBs 8082/608					
Pesticides 8081A/608					
BOD, TSS, pH					
Moisture Content					
Cations (Ca, Mg, Na, K)					
Anions (Cl, SO4, CO3, HCO3)					
Sulfates	X				
Total Dissolved Solids	X				
Chlorides	X				
Turn Around Time ~ 24 Hours					

REMARKS:

Email Results to: hconder@riceswd.com

twain@insider@rice.edu.com

xionos@rice.edu.com

rozanne@valornet.com