						гал						
	Dr., Hobbs, NM 88240				f New N					Form C-141		
<u>District II</u> 301 W. Grand .	Avenue, Artesia, NM 8	3210	F	inergy Mineral	s and Na	itura	Resources		Revised October 10, 2003			
<u>District III</u>					nservation Division				Submit 2 Copies to appropriate District Office in accordance			
					th St. Francis Dr.					with Rule 116 on back side of form		
220 S. St. Fram	CIS Dr., Salia Fe, NM 6				Fe, NM							
		Rel	ease	e Notificatio	on and	Ca	rrective A	ction				
MLB 121	1657104			OPER.	ATOR			$\boxtimes$	Initial	l Report 🛛 🛛 Final Repor		
Name of Company OGRID Number					Contact							
Yates Petrol Address	eum Corporation	<u></u>				Robert Asher         Telephone No.       575-748-1471         Facility Type       575-748-1471						
105 S. 4 <sup>TH</sup> S	Street											
Facility Nar	ne											
Waldrip JY	#1 Battery		30	-015-22755	Battery							
Surface Own	ner			Mineral Owner						Lease No.		
Fee										· · · · · · · · · · · · · · · · · · ·		
				LOCATIO	N OF I	REI	LEASE					
Unit Letter	Section Townsh		Fee	t from the Nort	h/South Li	ine	Feet from the	East/We	st Line	County		
L	34 18S	26E		1						Eddy		
								L				
			Lat	titude <u>32.7032</u>	/ Longi	itude	104.37686					
				NATURI	E OF R	ELI	EASE					
Type of Relea										me Recovered		
Produced Wa Source of Rel					19 B/PW Date and Hour of Occurrence				19 B/PW Date and Hour of Discovery			
Produced Wa	ter Tank				4/13/2	2012;	AM			12; AM		
Was Immedia	ate Notice Given?	Πvec Γ	ן אז ר	🛛 Not Require	If YE: 1   N/A	S, To	Whom?					
Pre Whom?					Date a	and W				RECEIVED		
By Whom?					N/A							
N/A	Was a Watercourse Reached?				If YES, Volume Impacting the Watercourse.				APR 1 6 2012			
	course Reached?		7 v 1			u, •t	nume impleting	the water		AFRICLUIL		
Was a Watero		Yes Xes			N/A							
Was a Watero If a Watercou N/A	urse was Impacted, D	escribe Fully.	*									
Was a Watero If a Watercou N/A Describe Cau	urse was Impacted, D ase of Problem and R	escribe Fully. emedial Actio	* n Tak		<u>  N/A</u>					NMOCD ARTES		
Was a Watercou If a Watercou N/A Describe Cau Fuse on water Describe Are	use was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean	escribe Fully. emedial Actio pump from to up Action Tal	* n Tak uming ken.*	on at the appropr	N/A	This	caused the water	tank to rur	ı over. V	NMOCD ARTES		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approximi	use was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25'	escribe Fully. emedial Actio pump from to up Action Tal (inside berme	* m Tak urning ken.* :d and	on at the appropriation of the second s	iate level.	This	caused the water	tank to rur	over. V	Acuum truck called.		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Water RANKING J	use was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all wa	escribe Fully. emedial Action pump from to up Action Tal (inside berme tion 34, T185 ater being rec	* uming ken.* d and -R26 covere	on at the appropriation of the second	iate level.	This produ	caused the water accd water recover on Area: No, Dis troleum Corpor	tank to run zed, fuse r stance to S ration requ	eplaced is aurface vests close	Acuum truck called. in water pump. Depth to Water Body: > 1000', SITE sure.		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Water RANKING I I hereby certi	use was Impacted, D se of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the informatic	escribe Fully. emedial Action pump from to up Action Tal (inside bernet tion 34, T185 ater being reco m given above	* uning ken.* cd and <b>-R26</b> covere e is th	on at the appropriation of the second strength of the second strengt	iate level.	This produ itections of my	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u	tank to rur red, fuse r stance to S ation requ	eplaced i burface ' tests closent	Acuum truck called. in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Water RANKING I I hereby certi- regulations al	use was Impacted, D se of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the informatic ll operators are require	escribe Fully. emedial Action pump from to up Action Tal (inside berned tion 34, T185 ater being reco m given above ed to report a	* uming ken.* d and <b>-R26</b> covere e is trand/or	t on at the appropriation of the second seco	N/A iate level. ' released p lhead Pro ined, Yate the best o notification	This produ itections of my ons an	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u	tank to run acd, fuse r stance to S ation requ understand ctive action	eplaced is surface vests close that pursues for rel	Acuum truck called. in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and eases which may endanger		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their of	irse was Impacted, D ise of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the information and the information of the environment.	escribe Fully. emedial Action pump from to up Action Tal (inside berned tion 34, T185 ater being rec m given above ed to report a The acceptan I to adequately	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	iate level.	This produ- itections of my ons and CD m- ninati	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correc arked as "Final R on that pose a thr	tank to rur ared, fuse r stance to S ation requ understand ctive actior report" doe reat to grou	eplaced i urface v tests clor that pur- is for rel s not rel und wate	Acuum truck called. acuum truck called. in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and eases which may endanger ieve the operator of liability r, surface water, human health		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the environ	urse was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the information and the information or the environment. operations have failed ament. In addition, N	escribe Fully. emedial Action pump from to up Action Tal (inside berme tion 34, T185 inter being rec m given above ed to report a The acceptan to adequately MOCD accep	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	iate level.	This produ- itections of my ons and CD m- ninati	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correc arked as "Final R on that pose a thr	tank to rur ared, fuse r stance to S ation requ understand ctive actior report" doe reat to grou	eplaced i urface v tests clor that pur- is for rel s not rel und wate	Acuum truck called. in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and cases which may endanger ieve the operator of liability		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the environ	irse was Impacted, D ise of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the information and the information of the environment.	escribe Fully. emedial Action pump from to up Action Tal (inside berme tion 34, T185 inter being rec m given above ed to report a The acceptan to adequately MOCD accep	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	iate level.	This produ- itections of my ons and CD m- ninati	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correct arked as "Final R on that pose a thus e the operator of	tank to rur stance to S ation requ understand ctive actior teport" doe reat to grou responsibi	eplaced i urface V tests clou that pur- tas for rel s not rel und wate lity for c	Account truck called, in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and eases which may endanger ieve the operator of liability r, surface water, human health compliance with any other		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the environ federal, state,	urse was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the information and the information or the environment. operations have failed ament. In addition, N	escribe Fully. emedial Action pump from to up Action Tal (inside berme tion 34, T185 inter being rec m given above ed to report a The acceptan to adequately MOCD accep	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	iate level.	This produ- itections of my ons and CD m- ninati	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correct arked as "Final R on that pose a thus e the operator of	tank to rur stance to S ation requ understand ctive actior teport" doe reat to grou responsibi	eplaced i urface V tests clou that pur- tas for rel s not rel und wate lity for c	Acuum truck called. in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and eases which may endanger ieve the operator of liability r, surface water, human health		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the environ federal, state,	urse was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the information and the information or the environment. operations have failed ament. In addition, N	escribe Fully. emedial Action pump from to up Action Tal (inside berme tion 34, T185 inter being rec m given above ed to report a The acceptan to adequately MOCD accep	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	N/A iate level. ' released p ined, Yata the best o notificatio the NMOC ate contar does not r	This produ itections on s and CD m minati reliev	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correct arked as "Final R on that pose a thus the operator of <u>OIL CON</u> Signed H	tank to run red, fuse r stance to S ation required anderstand ctive action report" doe reat to grou responsibi SERVA	eplaced i urface V tests clou that pur- tas for rel s not rel und wate lity for c	Account truck called, in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and eases which may endanger ieve the operator of liability r, surface water, human health compliance with any other		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the environ federal, state, Signature:	urse was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the information and the information or the environment. operations have failed ament. In addition, N	escribe Fully. emedial Action pump from to up Action Tal (inside berme tion 34, T185 inter being rec m given above ed to report a The acceptan to adequately MOCD accep	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	N/A iate level. ' released p ined, Yata the best o notificatio the NMOC ate contar does not r	This produ itectives ons an CD m minati reliev	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correc arked as "Final R on that pose a thu e the operator of <u>OIL CON</u> Signed I District Supervis	tank to run ared, fuse r stance to S ation requ anderstand ctive action teport" doe reat to grou responsibi SERVA By MM	eplaced i urface V tests clou that pur- tas for rel s not rel und wate lity for c	Account truck called, in water pump. Depth to Water Body: > 1000', SITE sure. suant to NMOCD rules and eases which may endanger ieve the operator of liability r, surface water, human health compliance with any other		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the enviror federal, state, Signature: Printed Name	arse was Impacted, D lise of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the informatic Il operators are requir or the environment. operations have failed ament. In addition, N or local laws and/or cr local laws and/or cr Robert Asher	escribe Fully. emedial Action pump from the up Action Tal (inside bermed tion 34, T185 inter being rec m given above ed to report at The acceptant to adequately IMOCD accept regulations.	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	N/A iate level. released p ined, Yato the best o notificatio the NMOC ate contan does not r	This produ otectile es Pe f my cons an CD m ninati reliev	caused the water accd water recover on Area: No, Dist troleum Corpor knowledge and u ad perform correct arked as "Final R on that pose a thr e the operator of <u>OIL CON</u> Signed I District Supervise APR 2 5 2	tank to run ared, fuse r stance to S ation requ understand ctive action responsibil SERVA By M D12	a over. V eplaced i urface V that pur- is for rel is not rel ind wate lity for c	Account truck called.		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the enviror federal, state, Signature: Printed Name Title: Senior	urse was Impacted, D use of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the informatic Il operators are requir or the environment. operations have failed ament. In addition, N or local laws and/or	escribe Fully. emedial Action pump from the up Action Tal (inside bermention 34, T185 inter being recommended to report at The acceptant to adequately IMOCD accept regulations.	* uming ken.* d and <b>-R26</b> covere e is tra ad/or ce of a v inve	t on at the appropri- lined battery). All E, NMOSE), Wel and battery is j is and complete to file certain release a C-141 report by stigate and remedi	N/A iate level. ' released p ined, Yate the best o notification the NMOC ate contant does not p Approve	This produ itections ons an CD m minati reliev ed by	caused the water accd water recover on Area: No, Dist troleum Corpor knowledge and u ad perform correct arked as "Final R on that pose a thr e the operator of <u>OIL CON</u> Signed I District Supervise APR 2 5 2	tank to run ared, fuse r stance to S ation required anderstand ctive action responsibil SERVA By MA or: 012	a over. V eplaced i urface V that pur- is for rel is not rel ind wate lity for c	A state of the sta		
Was a Watero If a Watercou N/A Describe Cau Fuse on water Describe Are An approxim Ground Wat RANKING I I hereby certi regulations al public health should their co or the enviror federal, state, Signature: Printed Name Title: Senior E-mail Addre	Inse was Impacted, D lise of Problem and R r pump blew keeping a Affected and Clean ate area of 15' X 25' ter: >100' (168', Sec (S 0. Based on all way fy that the informatic ll operators are requir or the environment. or local laws and/or cr local laws and/or cr local laws and/or cr Robert Asher Environmental Regu	escribe Fully. emedial Action pump from the up Action Tal (inside bermention 34, T185 inter being recommended to report at The acceptant to adequately IMOCD accept regulations.	* n Tak uming ken.* d and -R26 overf e is th nd/or cc of i v inve	t on at the appropriation of a C-141 report	N/A iate level. ' released p ined, Yate the best o notification the NMOC ate contant does not p Approve	This produ itections ons an CD m minati reliev ed by	caused the water accd water recover on Area: No, Dis troleum Corpor knowledge and u ad perform correct arked as "Final R on that pose a thr e the operator of <u>OIL CON</u> Signed I District Supervis APR 2 5 2	tank to run ared, fuse r stance to S ation required anderstand ctive action responsibil SERVA By MA or: 012	a over. V eplaced i urface V that pur- is for rel is not rel ind wate lity for c	Account truck called.		



## New Mexico Office of the State Engineer Point of Diversion Summary

		•••	ters are 1: Inters are s			•	(NAD83 UTM in meters)		
P		Q16 Q4			-	X	Ŷ		
R/	A 02804 POD2	3	1 3	34	18\$	26E	558425	3618324	
Driller License:	SOUTHEAST D	RILLING							
Driller Name:	RK (LD)								
Drill Start Date:	12/16/2011	Drill Fini	ill Finish Date: 12/22/201				Plug		
Log File Date: 12/28/2011 PC			v Date:			Sour	Source:		
Pump Type:	Pipe Dis	e Discharge Size:					Estimated Yield: 10		
Casing Size:	6.25	Depth W	/eíl:	200 feet			Dept	h Water:	168 feet
Wate	er Bearing Stratifi	ications:	Тор	Bottom Descrip		tion			
	Casing Perforatio				181	Sandsto	ne/Gravel/Conglomerate		
					om				
			140		200				

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.