




New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Township: 18S Range: 31E

Site: N-35-18s-31E



The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD		Q Q Q			Depth		Depth	Water			
POD Number	Code	Subbasin	County	64 16 4 Sec	Tws	Rng	X	Y	Well	Water	Column

CP 00641 EXPL ED 4 1 36 19S 31E 610247 3609634* 300 130 170

CP 00642 EXPL ED 2 2 25 19S 31E 611025 3611657* 250

CP 00829 LE 2 4 16 19S 31E 606165 3614009* 120

Average Depth to Water: 130 feet

Minimum Depth: 130 feet

Maximum Depth: 130 feet

Record Count: 3

PLSS Search:

Township: 19S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed) (quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 00566			LE	4	4	1	04	18S	32E	614960	3627280*	133	65	68
CP 00672			LE	4	4	07	18S	32E	612475	3624947*	524	430	94	
CP 00672 CLW475398	O		LE	4	4	07	18S	32E	612475	3624947*	540	460	80	
CP 00677			LE	1	1	26	18S	32E	617750	3621373*	700			

Average Depth to Water: **318 feet**

Minimum Depth: **65 feet**

Maximum Depth: **460 feet**

Record Count: 4

PLSS Search:

Township: 18S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 00073			LE	2	4	34	19S	32E	617502	3609301*		575			
CP 00075			LE	2	4	34	19S	32E	617502	3609301*		575			
CP 00639 EXPL			LE	3	1	20	19S	32E	613029	3612880*		350	345		5
CP 00640 EXPL			LE	2	2	19	19S	32E	612621	3613280*		260	102		158

Average Depth to Water: **223 feet**

Minimum Depth: **102 feet**

Maximum Depth: **345 feet**

Record Count: 4

PLSS Search:

Township: 19S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.