

Bratcher, Mike, EMNRD

From: David Adkins [dadkins@talonlpe.com]
Sent: Monday, April 09, 2012 4:54 PM
To: Bratcher, Mike, EMNRD
Cc: Kimberly M. Wilson
Subject: FW: KODIAK TRUCKING
Attachments: H200701 TALON.pdf

Hi Mike,

Attached please find the lab data for the stockpiled material we would like to use as backfill for the Kodiak Trucking project. Data looks pretty good. Let me know what you think. Thanks.

Respectfully,

David J. Adkins
District Manager
Talon/LPE
408 West Texas Avenue
Artesia, New Mexico 88210
(575) 746.8768 phone
(575) 746.8905 fax
(575) 441.4835 cell
Email: dadkins@talonlpe.com
Web: www.talonlpe.com

*Note: This material was
not used for backfill
mcb*



Better Business Bureau Torch Award for Marketplace Ethics: 2010 Winner, 2009 Finalist
Staples Foundation for Learning Hall of Fame Recipient: 2010
ICIC and Business Week- Top 100. 2010, 2009, 2008, 2007, 2006
Inc. 500/5000: 2011, 2010, 2009, 2008, 2007

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

From: Celey Keene [mailto:celey.keene@cardinallabsnm.com]
Sent: Monday, April 09, 2012 4:43 PM
To: David Adkins; Michael Stubblefield; Kimberly M. Wilson
Subject: KODIAK TRUCKING

THANK YOU,

Celey Keene
Lab Director
Cardinal Laboratories
101 East Marland
Hobbs, NM 88240

T: (575) 393-2326
F: (575) 393-2476
e-mail: celey.keene@cardinallabsnm.com

The information contained in this message is confidential and is only intended for the use of the individual/firm named above. If the reader of this message is not the intended recipient or the employee/agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail or telephone in order to return the message.



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

April 09, 2012

MIKE STUBBLEFIELD

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: KODIAK TRUCKING

Enclosed are the results of analyses for samples received by the laboratory on 03/22/12 13:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TALON LPE
MIKE STUBBLEFIELD
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 03/22/2012
Reported: 04/09/2012
Project Name: KODIAK TRUCKING
Project Number: 701508.001.01
Project Location: CARLSBAD, NEW MEXICO

Sampling Date: 03/20/2012
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-1 STOCKPILE NO. 1 (H200701-01)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/28/2012	ND	1.82	90.9	2.00	4.13	
Toluene*	<0.050	0.050	03/28/2012	ND	1.93	96.5	2.00	4.20	
Ethylbenzene*	<0.050	0.050	03/28/2012	ND	1.96	98.2	2.00	3.86	
Total Xylenes*	<0.150	0.150	03/28/2012	ND	6.10	102	6.00	4.11	

Surrogate 4-Bromofluorobenzene (PIL) 102 % 64 4-134

TCLP Arsenic		mg/L		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Arsenic	<0.100	0.100	04/05/2012	ND	3.910	97.8	4.00	2.59	GAL

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	03/23/2012	ND	177	88.4	200	2.64	
DRO >C10-C28	12.3	10.0	03/23/2012	ND	177	88.5	200	2.46	

Surrogate 1-Chlorooctane 118 % 55 5-154

Surrogate 1-Chlorooctadecane 117 % 57 6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
MIKE STUBBLEFIELD
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	03/22/2012	Sampling Date:	03/20/2012
Reported:	04/09/2012	Sampling Type:	Soil
Project Name:	KODIAK TRUCKING	Sampling Condition:	Cool & Intact
Project Number:	701508.001.01	Sample Received By:	Jodi Henson
Project Location:	CARLSBAD, NEW MEXICO		

Sample ID: S-2 STOCKPILE NO. 2 (H200701-02)

BTX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/28/2012	ND	1.82	90.9	2.00	4.13		
Toluene*	<0.050	0.050	03/28/2012	ND	1.93	96.5	2.00	4.20		
Ethylbenzene*	<0.050	0.050	03/28/2012	ND	1.96	98.2	2.00	3.86		
Total Xylenes*	<0.150	0.150	03/28/2012	ND	6.10	102	6.00	4.11		

Surrogate 4-Bromofluorobenzene (PIL) 103 % 64.4-134

TCLP Arsenic		mg/L		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Arsenic	0.106	0.100	04/05/2012	ND	3.910	97.8	4.00	2.59	GAL

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	03/23/2012	ND	177	88.4	200	2.64		
DRO >C10-C28	13.5	10.0	03/23/2012	ND	177	88.5	200	2.46		


Surrogate 1-Chlorooctane 118 % 55.5-154

Surrogate 1-Chlorooctadecane 115 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

GAL	Analysis subcontracted to Green Analytical Laboratories, a subsidiary of Cardinal Laboratories.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



Page 5 of 5

Company Name: Talon/LPE		P.O. #:		ANALYSIS REQUEST	
Project Manager: Mike Stubblefield		Company: Talon/LPE			
Address: 402 West Texas Ave.		Attn:			
City: Arclia State: N.M. Zip: 88210		Address:			
Phone #: 505-441-7254 Fax #:		City:			
Project #: 7015-08.001.01 Project Owner: Ocp Midstream		State:			
Project Name: Arteria Plant Stockpile material Kodiak Truck		Zip:			
Project Location: Ocp Midstream Arteria Plant		Phone #:			
Sampler Name: Mike Stubblefield		Fax #:			
FOR LAB USE ONLY		MATRIX		PRESERV	
Lab I.D.		Sample I.D.		DATE	
H200701		S-1 Stockpile No. 1		3/20/2012 11:37A	
		S-2 Stockpile No. 2		3/20/2012 11:44A	

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <i>Michael Stupp</i>		Date: <i>3/22/12</i>	Received By: <i>Kimberly M. Wilson</i>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Time: <i>9:00A</i>				Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By: <i>Kimberly M. Wilson</i>		Date: <i>3/22/12</i>	Received By: <i>Debbie Henson</i>	REMARKS: <i>* As per David 4/9/12.</i>	
Time: <i>1:30</i>					
Delivered By: (Circle One)		Sample Condition	CHECKED BY: <i>[Signature]</i>		
Sampler - UPS - Bus - Other:		Cool <input type="checkbox"/> Intact <input type="checkbox"/>			
		<input type="checkbox"/> Yes <input type="checkbox"/> No			
		<input type="checkbox"/> Yes <input type="checkbox"/> No			

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476.

393,2476
#76