

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

REC
OCT 02 2012
NMOCD ARTESIA

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

TMW 1229053290



Name of Company		COG OPERATING LLC <i>217955</i>		Contact		Pat Ellis	
Address		550 W. Texas, Suite 100, Midland, TX 79701		Telephone No.		432-230-0077	
Facility Name		Sidewinder #1H		Facility Type		Tank Battery	
Surface Owner		State		Mineral Owner		Lease No. (API#) 30-015-38500	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
E	32	26S	29E					Eddy

Latitude 32.0014 Longitude 104.0137

NATURE OF RELEASE

Type of Release	Produced water	Volume of Release	70bbbls	Volume Recovered	68bbbls
Source of Release	1" plug on filter pot off of the water transfer pump	Date and Hour of Occurrence	09/21/2012	Date and Hour of Discovery	09/21/2012 9:00 a.m.
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Mike Bratcher-OCD		
By Whom?	Michelle Mullins	Date and Hour	09/25/2012 7:30 p.m.		
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			
If a Watercourse was Impacted, Describe Fully.*					
Describe Cause of Problem and Remedial Action Taken.*					
A 1" plug failed on the filter pot off of the water transfer pump inside the facility. We have replaced the nipple and valve with stainless steel					
Describe Area Affected and Cleanup Action Taken.*					
Initially 70bbbls of produced water were released and we were able to recover 68bbbls with a vacuum truck. This release was completely contained inside the lined facility walls. All free fluids have been recovered and we have removed contaminated gravel as needed. We have also added fresh gravel to the facility as necessary. This locations has been returned to its prior condition.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Signature: 		OIL CONSERVATION DIVISION			
Printed Name: Josh Russo		Approved by District Supervisor Signed By 			
Title: HSE Coordinator		Approval Date: OCT 16 2012		Expiration Date:	
E-mail Address: jrusso@conchoresources.com		Conditions of Approval:		Attached <input type="checkbox"/>	
Date: 10/02/2012 Phone: 432-212-2399					

* Attach Additional Sheets If Necessary

Remediation per OCD Rules &
Guidelines. **SUBMIT REMEDIATION
PROPOSAL NOT LATER THAN:**
Nov. 16, 2012

2RP-1326

Bratcher, Mike, EMNRD

From: Joshua Russo <jrusso@concho.com>
Sent: Tuesday, October 02, 2012 12:46 PM
To: Bratcher, Mike, EMNRD
Subject: C-141 Initial Report - Sidewinder
Attachments: SIDEWINDER #1H TANK BATTERY -- DATE OF REELASE -- 09-21-2012.pdf

Mr. Bratcher,

Please see attached the C-141 Initial/Final Report for a release that occurred on 09-21-2012 at our Sidewinder #1H Tank Battery. This is a lined facility.

Thank you,

Joshua Russo

HSE Coordinator

432.683.7443 (main)

432.685.4381 (direct)

432.212.2399 (cell)

jrusso@concho.com

Mailing Address:

One Concho Center

600 W. Illinios Avenue

Midland, Texas 79701



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

Bratcher, Mike, EMNRD

From: Michelle Mullins <MMullins@concho.com>
Sent: Tuesday, September 25, 2012 6:30 PM
To: Bratcher, Mike, EMNRD
Cc: Joshua Russo
Subject: Sidewinder State #1H-Immediate Notification

Mr. Bratcher:

On 09/21/2012 at approximately 9:00 am, a produced water release was discovered at the above-referenced battery. An estimated 70 bbls of produced water was released with approximately 68 bbls recovered by vacuum truck. All of the fluid was contained inside a 40 mil lined dike. The cause of the release was a failure at the 1" plug on the filter pot off the water transfer pump. We will get more details and follow up with a C-141 Report.

GPS coordinates, legal description, and driving directions below.

N 32 00.083 W 104 00.834

Sidewinder #1H
Unit E
Sec. 32 T26S R29E
Eddy County, NM
API 30-015-38500

From US 285 travel south to Catfish road (state line), turn east. Travel approximately .9 miles. Turn north into location.

Michelle Mullins
HSE Field Tech
2407 Pecos Avenue
P.O. Box 1630
Artesia, NM 88211-1630
Phone: (575)746-2010
Cell: (432) 934-1052
mmullins@conchoresources.com



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.