						JUM	fer is w/BLN
		9/2/11 @	3:31 pm	- iok	e to Jenn	der whore	Form C-141 Form C-141 Revised August 8, 2011 The District Office in 1th 19.15.29 NMAC. H = 7ich Office
District 1 625 N. French Dr., Hobbs, NM 88240	te of l	New Mexi	ico + told	Kei fa	ux was p	agles ,	Form C-141
District II Energy Min 11 S. First St., Artesia, NM 88210	nerals a	and Natura	Resources	Copy	naving of	track R	Revised August 8, 2011
District III Oil Co	onserv	vation Div	vision	S	ubmit 1 Cop	y to appropri	ate District Office in
1000 Rto Brazos Road, Aztec, NM 874101220 SDistrict IV1220 S	South	St. Franc	is Dr. 🟒	1,	a Run u	coordance wi	1 Jul Offic
220 S. St. Francis Dr , Santa Fe, NM 87505 Sar	nta Fe	, NM 875	05	. 10	FX_11- (uris vaa	4/30 OUT
Release Notifica	ation	and Co	orrective	Actio	on		
JMW1229750010		OPERA	FOR		XX Init	ial Report	Final Repor
Name of Company Parallel Petroleum LLC 230387		Contact Jol					
Address 1004 N. Big Spring, Ste 400, Midland, TX 79701			No. 432-254				
Facility Name Pandora's Box 1921 1-8 Federal		Facility Typ	e Natural G	as well			······
Surface Owner Mineral Owr		er API No.				. 30-015-35166	
LOCA	TION	N OF REI	LEASE				
		South Line	Feet from the	e Eas	st/West Line	County	
P 8 19 21E 300	SC	DUTH	700		EAST	EDDY	
		T 14 1				.l	
Latitude		_ Longitud	le				
		OF RELI		<u>.</u>			
Type of Release: Fire # Koduced Water Source of Release: Act of nature/Lightening	<u>**</u>		Release: 3 b lour of Occur			Recovered: Hour of Dis	· · · · · · · · · · · · · · · · · · ·
		8/7/11 @ U				otified about	
Was Immediate Notice Given? Yes XX No Not Required	a	If YES, To	Whom? egion Brumle		Carlshad Fi	ald Office on	9/9/11
By Whom? John Pennell	u						
By whom? John Pennell							
Was a Watercourse Reached?		Date and H		ng the W	atercourse.		
			olume Impact	ng the W	atercourse.	Dr	
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.*				ng the W	atercourse.	RE	CEIVED
Was a Watercourse Reached?				ng the W	/atercourse.		
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.*				ng the W	/atercourse.	00	CT 2 2 2012
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA				ng the W	/atercourse.	00	CT 2 2 2012
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.*	n a mine	If YES, Vo	olume Impact			00 NMO	CT 2 2 2012 CD ARTESIA
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.*		If YES, Vo	olume Impact			00 NMO	CT 2 2 2012 CD ARTESIA
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting ir		If YES, Vo	olume Impact			00 NMO	CT 2 2 2012 CD ARTESIA
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting ir		If YES, Vo	olume Impact			00 NMO	CT 2 2 2012 CD ARTESIA
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting ir SB to pull chat and haul off tank. All remedial work was complete		If YES, Vo	olume Impact			00 NMO	CT 2 2 2012 CD ARTESIA
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b	e on 8/8	If YES, Vo or spill at the /11. er the fire. Lo	water facility	. Called	Basic Energ	0 (NMO y to haul off d in plastic li	CT 2 2 2012 CD ARTESIA water from tank & ned containment and
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b a vac truck was called and sucked up the burm. Basic made two tri	e on 8/8 bbls afte ips, 1 st p	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb	water facility st water from ls water, 2 nd t	. Called the fire vone rest of	Basic Energ	0 (NMO y to haul off d in plastic lin om the tank.	CT 2 2 2012 CD ARTESIA water from tank & ned containment and The burnt tank was
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting ir SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b a vac truck was called and sucked up the burm. Basic made two tri removed and replaced with a frac tank pending arrival of a new tank	e on 8/8 bbls afte ips, 1 st p	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb	water facility st water from ls water, 2 nd t	. Called the fire vone rest of	Basic Energ	0 (NMO y to haul off d in plastic lin om the tank.	CT 2 2 2012 CD ARTESIA water from tank & ned containment and The burnt tank was
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b a vac truck was called and sucked up the burm. Basic made two tri	e on 8/8 bbls afte ips, 1 st p	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb	water facility st water from ls water, 2 nd t	. Called the fire vone rest of	Basic Energ	0 (NMO y to haul off d in plastic lin om the tank.	CT 2 2 2012 CD ARTESIA water from tank & ned containment and The burnt tank was
Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 ba vac truck was called and sucked up the burm. Basic made two tri removed and replaced with a frac tank pending arrival of a new tan complete.	bbls afte ips, 1 st p hk. The	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has	st water facility	the fire vone rest of and disp	Basic Energ was contained the water fro osal of tank a	O(NMO y to haul off d in plastic lin om the tank. and contamin	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b a vac truck was called and sucked up the burm. Basic made two tri removed and replaced with a frac tank pending arrival of a new tan complete. I hereby certify that the information given above is true and complete regulations all operators are required to report and/or file certain re	e on 8/8 bbls afte ips, 1 st p hk. The lete to th	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications a	st water facility st water facility ls water, 2 nd t been cleaned knowledge a	the fire where rest of and dispondent	Basic Energ was contained the water fro osal of tank a stand that pu actions for re	O(NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which	CT 2 2 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger
Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 bbls avac truck was called and sucked up the burm. Basic made two tripremoved and replaced with a frac tank pending arrival of a new tan complete. I hereby certify that the information given above is true and complete public health or the environment. The acceptance of a C-141 report	e on 8/8 bbls afte ips, 1 st p hk. The lete to th elease no rt by the	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m	st water facility st water facility ls water, 2 nd t been cleaned knowledge a nd perform co arked as "Fin	the fire where rest of and disport of and disport of and and enderson of an and an	Basic Energ was contained the water fro osal of tank a stand that pu actions for re " does not re	O(NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which lieve the ope	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability
Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting ir SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 bbls avac truck was called and sucked up the burm. Basic made two tripremoved and replaced with a frac tank pending arrival of a new tan complete. I hereby certify that the information given above is true and complete gulations all operators are required to report and/or file certain republic health or the environment. The acceptance of a C-141 reportshould their operations have failed to adequately investigate and re or the environment. In addition, NMOCD acceptance of a C-141 reportshould their operations have failed to adequately investigate and re	e on 8/8 bbls afte ips, 1 st p hk. The lete to th elease no rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati	st water facility water facility st water, 2 nd t been cleaned knowledge a nd perform co arked as "Fin on that pose a	the fire where rest of and disport of and disport of and disport of a la Report of a threat to	Basic Energ was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate	O(NMO y to haul off y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which lieve the ope er, surface wa	CT 2 2 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health
Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 bbls avac truck was called and sucked up the burm. Basic made two tripremoved and replaced with a frac tank pending arrival of a new tan complete. I hereby certify that the information given above is true and complete public health or the environment. The acceptance of a C-141 reportshould their operations have failed to adequately investigate and replaced with a fract and public health or the environment.	e on 8/8 bbls afte ips, 1 st p hk. The lete to th elease no rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati	st water facility water facility st water, 2 nd t been cleaned knowledge a nd perform co arked as "Fin on that pose a e the operato	the fire where rest of and disportective a al Report threat to respond the respondent to respond the respondent to respond to re	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for	O(NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM leases which lieve the ope er, surface wa compliance v	CT 22 2012 CD ARTESIA water from tank & med containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other
Was a Watercourse Reached?	e on 8/8 bbls afte ips, 1 st p hk. The lete to th elease no rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati	st water facility water facility st water, 2 nd t been cleaned knowledge a nd perform co arked as "Fin on that pose a e the operato	the fire where rest of and disportective a al Report threat to respond the respondent to respond the respondent to respond to re	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for	O(NMO y to haul off y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which lieve the ope er, surface wa	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b a vac truck was called and sucked up the burm. Basic made two tri removed and replaced with a frac tank pending arrival of a new tan complete. I hereby certify that the information given above is true and comple regulations all operators are required to report and/or file certain re public health or the environment. The acceptance of a C-141 repor should their operations have failed to adequately investigate and re or the environment. In addition, NMOCD acceptance of a C-141 reports NA	bbls afte ips, 1 st p hk. The lete to th elease no rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati oes not reliev	st water facility water facility st water from ls water, 2 nd t been cleaned knowledge a nd perform cc arked as "Fin on that pose a the operato	the fire vone rest of and disportective a al Report a threat to rof respo	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for <u>RVATION</u>	O(NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which cleases which cleases which cleases which compliance which compliance which compliance which	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other
Was a Watercourse Reached?	bbls afte ips, 1 st p nk. The lete to the elease ne rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati oes not reliev	water facility water facility st water from ls water, 2 nd t been cleaned knowledge a nd perform cc arked as "Fin on that pose a e the operato <u>OIL CC</u> Environment	the fire vone rest of and disport of respondent to respond to respond to respond threat to rof respondent to rof respondent threat to rof respondent to rof	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for <u>RVATION</u>	O(NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which cleases which cleases which cleases which compliance which compliance which compliance which	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other
Was a Watercourse Reached? If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting ir SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 b a vac truck was called and sucked up the burm. Basic made two tri removed and replaced with a frac tank pending arrival of a new tan complete. I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and complete I hereby certify that the information given above is true and c	bbls afte ips, 1 st p nk. The lete to the elease ne rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati oes not reliev	water facility water facility st water from ls water, 2 nd t been cleaned knowledge a nd perform cc arked as "Fin on that pose a e the operato <u>OIL CC</u> Environment	the fire vone rest of and disport of respondent to respond to respond to respond threat to rof respondent to rof respondent threat to rof respondent to rof	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for <u>RVATION</u>	O(NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM cleases which cleases which cleases which cleases which compliance which compliance which compliance which	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other
Was a Watercourse Reached? Yes XX No If a Watercourse was Impacted, Describe Fully.* NA Describe Cause of Problem and Remedial Action Taken.* Lightening caused a fire and burned the top of the tank, resulting in SB to pull chat and haul off tank. All remedial work was complete Describe Area Affected and Cleanup Action Taken.* Water tank contained 177 bbls per gauges before the fire and 174 bf a vac truck was called and sucked up the burm. Basic made two tripremoved and replaced with a frac tank pending arrival of a new tancomplete. I hereby certify that the information given above is true and completed thereby certify that the information given above is true and completed I hereby certify that the information given above of a C-141 report should their operations have failed to adequately investigate and re or the environment. In addition, NMOCD acceptance of a C-141 re federal, state, or local laws and/or regulations.	bbls afte ips, 1 st p nk. The lete to the elease ne rt by the emediate	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati oes not reliev	st water facility water facility st water from ls water, 2 nd t been cleaned knowledge a nd perform cc arked as "Fin on that pose a the operato	the fire vone rest of and disport of respondent to respond to respond to respond threat to rof respondent to rof respondent threat to rof respondent to rof	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for <u>RVATION</u>	U NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM contained rsuant to NM contained rsuant to NM contained the tank. and contained the	CT 22 2012 CD ARTESIA water from tank & ned containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other
Was a Watercourse Reached?	bbls afte ips, 1 st p nk. The lete to the emediate report de	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has location has e NMOCD m e contaminati oes not reliev Approved by Approval Da	water facility st water facility st water facility st water, 2 nd t been cleaned knowledge a nd perform cc arked as "Fin on that pose a e the operato <u>OIL CC</u> Environment OCT 23	the fire vone rest of and disport of respondent to respond to respond to respond threat to rof respondent to rof respondent threat to rof respondent to rof	Basic Energy was contained the water fro osal of tank a stand that pu actions for re " does not re o ground wate onsibility for <u>EVATION</u>	U NMO y to haul off d in plastic lin om the tank. and contamin rsuant to NM leases which lieve the ope er, surface was compliance was NDIVISIC MI4	CT 22 2012 CD ARTESIA water from tank & med containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other DN Summer
Was a Watercourse Reached?	bbls afte ips, 1 st p nk. The lete to th elease na rt by the emediate report de	If YES, Vo or spill at the /11. er the fire. Lo pulled 122 bb location has he best of my otifications at e NMOCD m e contaminati oes not reliev Approved by Approval Da Conditions of Remediat	water facility st water facility st water facility st water, 2 nd t been cleaned knowledge a nd perform cc arked as "Fin on that pose a e the operato <u>OIL CC</u> Environment OCT 23	. Called the fire where rest of and dispu- prective a al Report a threat to r of respo DNSER al Specia 2012 D Rules	Basic Energy was contained the water fro osal of tank a stand that pu actions for re or does not re o ground wate onsibility for EVATION Signed By Expiration	0 (NMO y to haul off d in plastic lin om the tank. and contamin resuant to NM cleases which lieve the ope er, surface wa compliance wa NDIVISIO Miles Attached	CT 22 2012 CD ARTESIA water from tank & med containment and The burnt tank was ated chat is IOCD rules and may endanger rator of liability ater, human health with any other DN Summer

⊗ PARALLEL



PARALLEL PETROLEUM LLC

1004 N. Big Spring Street Suite 400, Midland TX 79701 P.O Box 10587, Midland, TX 79702 432.685.6563 phone/fax

1

October 17, 2012

Energy Minerals and Natural Resources Oil Conservation Division 811 S. First St. Artesia, NM 88210

Attn: Mike Bratcher

RE: Pandora's Box 1921 1-8 Federal API # 30-015-35166 Form C-141

Dear Mr. Bratcher,

Per our telephone conversation on this date, please find the attached Form C-141 for the above referenced lease.

Please feel free to call me at the number listed above or via email @ mmartinez@plll.com should you need further information.

Sincerely,

Mary Ann Martinez

Regulatory Analyst

Enclosure

14-25