

**December 30, 2008** 

Mr. Gerry Guye NMOCD District II 1301 W. Grand Avenue Artesia, New Mexico 88210

Re: Unit Petroleum Company, Gourley Federal 003Q Pit Closure Procedures

Dear Mr. Guye;

Below are procedures to finish the pit closure at the above location per the original C-144 Form as approved April 23, 2007. Some of the work has previously been completed per the original closure plan.

I have included a new C-144 Form with applicable information from the previous form per your instructions in our telephone conversation of December 30, 2008.

## Work previously completed:

Sweatt Construction has completed the trench burial of the pit contents and pit liner in a 12 mil plastic lined trench. The trench has been capped with a 20 mil plastic liner.

The pit bottom has been delineated (soil sample analysis attached).

## Work to be completed:

- Backfill the pit area.
- 2. Cap the pit area with a 20 mil plastic liner.
- 3. Cover the trench and pit backfill area with 3 feet of native soil capable of supporting native plant growth.
- 4. The pit area will be contoured to prevent erosion or ponding of rainwater at the site.

For additional information, please contact me via any method below.

Respectfully submitted,

Skip L. Wedel, CSP

Manager - Safety, Health and Environment

Unit Corporation

7130 S LEWIS AVE STE 1000

TULSA OK 74136-5465

918.477.4574 Office

918.688.6048 Cell

918.493.7711 Fax

skip.wedel@unitcorp.com

Encl.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

District Office.

Pit, Closed-	Loop System, Below-	Grade Tank, or
Proposed Alternative	e Method Permit or C	losure Plan Application

	<u>Propo</u>	sed Alternative M	ethod Permi	nit or Closure Plan Application	
	Type of action:	☐ Closure of a pit, clos ☐ Modification to an e ☐ Closure plan only su	sed-loop system, xisting permit bmitted for an ex	below-grade tank, or proposed alternative method below-grade tank, or proposed alternative method existing permitted or non-permitted pit, closed-loop system,	
	· ·	k, or proposed alternative			
Inst	ructions: Please submit	t one application (Form C-1	44) per inaiviauai	al pit, closed-loop system, below-grade tank or alternative request	Į.
				nould operations result in pollution of surface water, ground water or the any other applicable governmental authority's rules, regulations or order.	
1.					
Operator:	Unit Petroleum Compa	any	OGRID #:	115970	
Address:	7130 S. Lewis Ave. S	te. 1000			

Operator: Unit Address: 7130 Facility or well name: Gourley Federal 003Q API Number: 30-015-34152 OCD Permit Number: NA Township 22S Range 28E County: Eddy U/L or Qtr/Qtr H Section Center of Proposed Design: Latitude 32° 22'| 0.48" N Longitude 104° 5' 12.91" W NAD: ⊠1927 ☐ 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment Pit closure per original approved C-144 dated 04-23-07 on file in the Artesia office. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: 
☐ Drilling ☐ Workover Permanent Emergency Cavitation P&A ☑ Lined ☐ Unlined Liner type: Thickness 12 mil ☐ LLDPE ☑ HDPE ☐ PVC ☐ Other String-Reinforced
 String-Reinforced Liner Seams: Welded Factory Other \_ Volume: \_30,000 \_ bbl Dimensions: L \_ 150 x W \_ 130 \_ x D \_ 10 \_ \_ Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Below-grade tank: Subsection I of 19.15.17.11 NMAC bbl Type of fluid: Volume: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other mil HDPE PVC Other Liner type: Thickness Alternative Method:


Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify		
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC		
9.  Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are		
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number: or Permit Number:	_	
12.		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	C	
Previously Approved Design (attach copy of design)  API Number:		
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use		
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
<ul> <li>Quality Control/Quality Assurance Construction and Installation Plan</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> </ul>		
Gerating and Maintenance Fian - based upon the appropriate requirements of 19.13.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan		
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
☐ Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method: Waste Excavation and Removal		
<ul> <li>☐ Waste Removal (Closed-loop systems only)</li> <li>☑ On-site Closure Method (Only for temporary pits and closed-loop systems)</li> </ul>		
☐ In-place Burial ☐ On-site Trench Burial		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15.		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	į	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
<ul> <li>☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>☑ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.I Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if I	
facilities are required.  Disposed Facility Newsy.	
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC  Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

19.	
Operator Application Certification:	
I hereby certify that the information submitted with this app	lication is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Skip L. Wedel, CSP	Title: Manager SH&E
Signature:	Date:
e-mail address: skip.wedel@unitcorp.com	Telephone: 918-477-4574
OCD Approval: Permit Application (including closure	plan)
OCD Representative Signature:	Approval Date:
Title:	OCD Permit Number:
	d closure plan prior to implementing any closure activities and submitting the closure report. n within 60 days of the completion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal On-Site Closure N If different from approved plan, please explain.	Method
23. Closure Report Regarding Waste Removal Closure For (	Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
	here the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than
two facilities were utilized.	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activ  Yes (If yes, please demonstrate compliance to the item	vities performed on or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for futur	, —
Site Reclamation (Photo Documentation)	e service and operations.
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technic	que
	ch of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
☐ Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applical	
☐ Waste Material Sampling Analytical Results (required ☐ Disposal Facility Name and Permit Number	1 for on-site closure)
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technic	que
Site Reclamation (Photo Documentation)	·
On-site Closure Location: Latitude	Longitude NAD: \[ \square 1927 \square 1983
25. Operator Closure Certification:	
I hereby certify that the information and attachments submitt	ted with this closure report is true, accurate and complete to the best of my knowledge and cable closure requirements and conditions specified in the approved closure plan.
Name (Print):	
Signature:	
e-mail address:	Telephone:



100 .1