




Electronic Correspondence

January 17, 2013

Mr. Mike Bratcher  
State of New Mexico  
Oil Conservation Division  
811 S. 1st Street  
Artesia, NM 88210  
[mike.bratcher@state.nm.us](mailto:mike.bratcher@state.nm.us)



U.S.  
MAIL

Re: Corrective Action Plan  
LINN Energy, HE West B 2 Battery  
API No.: 30-015-28537  
Legal: Unit D, Sec 9, T17S, R31E, 1309 FNL, 1310 FWL, Eddy Co., NM  
GPS: N32.85466, W103.87986

Dear Mike:

Etech Environmental & Safety Solutions, Inc. (Etech) is pleased to submit the following corrective action plan on the aforementioned site for your review and approval.

### Scope of Work

The scope of this project is for the remediation of a produced water/hydrocarbon impact. Completion of remediation will involve the following actions:

1. Placement of a one-call for utility location.
2. Excavation of impacted soils as far as practicable or until the chloride levels are less than 1,000 mg/kg and/or hydrocarbon levels of less than 5,000 mg/kg are reached. Preliminary assessment data indicated the chlorides exceeded regulatory threshold levels to a depth of 10 feet where refusal was encountered. A copy of the assessment map and the screening data are attached. Please note: The delineation data was collected from the lowest point in the impacted area where it was evident liquids had pooled. The assessment map includes the delineation data and the sampling points (SP's) that will be used to determine that the excavation has reached remediation objectives.
3. During the course of excavation soil samples will be screened on site to determine the progress of the remediation. Screening is achieved using a YSI chloride meter with a tolerance of +/- 6% which is the same tolerance as laboratory titration methods.
4. Once the screening determines the remediation objectives have been reached, confirmation samples will be collected from the bottom of the excavation to confirm that remediation goals have been reached. If the excavation depth is greater than 2 feet vertical, side wall samples will be collected as well.
5. If the results of analysis determine that the chloride levels are above regulatory threshold levels, additional excavation will be performed until the remediation objectives are met.

It should be noted that due to the depth of the impact from the delineation, there may be circumstance that arise where additional excavation is not practical. This includes reaching the limits of excavation with chlorides that are close to objective levels, safety issues such as the close proximity of equipment, or other site specific issues. In this event, it will be likely to install a liner or a layer of gypsum at the bottom of the excavation before backfilling.

6. Backfilling of the excavated area(s) will be achieved by placing clean fill similar to the existing material from the site to within 2 foot of the surface. The last two feet will be backfilled with top soil of similar configuration to the surrounding area and contoured to match the existing grade.
7. Where pad areas or interior areas of tank batteries are excavated, they will be backfilled to within 6 inches of surface then backfilled to grade with compacted caliche. Any firewalls or containment berms removed during remediation will be reinstalled.
8. The site will be seeded with a 50/50 mixture of BLM #2 and #4 seed. Seeding will take place when the seasonal conditions are conducive to maximizing the potential for seed germination. Actual seeding will be accomplished by broadcast or drilling; whichever is the most practical for the site.

#### **Notifications and Special Conditions**

1. The OCD and BLM will be notified prior to the commencement of on-site operations.
2. The OCD and BLM will be notified prior to each sampling event to allow the opportunity to witness the sampling events. Splits will be made available if requested.
3. The OCD and BLM (if applicable) will be notified when the site is closed for final inspection prior to seeding.
4. A final report documenting the closure of the site will be submitted along with a final C-141.


Thank you for your assistance on this matter. Should you have any questions, require additional information, or have any additional stipulations for this site, please contact Mr. Gary Wink at (575) 738-1739 (Office) or via email at [gawink@lennenergy.com](mailto:gawink@lennenergy.com) or myself at (432) 563-2200 (office) or via email at [kit@etechnv.com](mailto:kit@etechnv.com).

Respectfully:




Kit Prichard  
Environmental Professional

cc: Terry Gregston, BLM Carlsbad District Office



Scale 1:700



LINN Energy  
HE West B 2 Battery  
Sample Point Excavation Map



Data use subject to license.

© DeLorme. XMap® 7.

www.delorme.com



December 13, 2012

FRED HOLMES

ETECH Environmental & Safety Solutions, Inc.

P. O. BOX 8469

MIDLAND, TX 79708

RE: H. E. WEST B #2

Enclosed are the results of analyses for samples received by the laboratory on 12/06/12 15:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

 ETECH Environmental & Safety Solutions, Inc.  
 FRED HOLMES  
 P. O. BOX 8469  
 MIDLAND TX, 79708  
 Fax To: (432) 563-2213

 Received: 12/06/2012  
 Reported: 12/13/2012  
 Project Name: H. E. WEST B #2  
 Project Number: 253-3186-000  
 Project Location: EDDY COUNTY, NM

 Sampling Date: 12/06/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: SURFACE (H202937-01)**

BTEX 8021B		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/11/2012	ND	1.72	85.8	2.00	14.1		
Toluene*	<b>0.062</b>	0.050	12/11/2012	ND	1.88	93.9	2.00	13.8		
Ethylbenzene*	<b>0.533</b>	0.050	12/11/2012	ND	1.82	90.8	2.00	13.4		
Total Xylenes*	<b>1.32</b>	0.150	12/11/2012	ND	5.52	91.9	6.00	12.7		
<b>Total BTEX</b>	<b>1.92</b>	0.300	12/11/2012	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 198 % 89.4-126

Chloride, SM4500CI-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<b>3560</b>	16.0	12/11/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS				S-06		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<200	200	12/09/2012	ND	188	93.9	200	7.91		
<b>DRO &gt;C10-C28</b>	<b>31900</b>	200	12/09/2012	ND	203	102	200	9.34		

Surrogate: 1-Chlorooctane 114 % 65.2-140

Surrogate: 1-Chlorooctadecane 1350 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celest D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 ETECH Environmental & Safety Solutions, Inc.  
 FRED HOLMES  
 P. O. BOX 8469  
 MIDLAND TX, 79708  
 Fax To: (432) 563-2213

 Received: 12/06/2012  
 Reported: 12/13/2012  
 Project Name: H. E. WEST B #2  
 Project Number: 253-3186-000  
 Project Location: EDDY COUNTY, NM

 Sampling Date: 12/06/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: HA 2 - 3' (H202937-02)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/11/2012	ND	1.72	85.8	2.00	14.1		
Toluene*	<0.050	0.050	12/11/2012	ND	1.88	93.9	2.00	13.8		
Ethylbenzene*	<0.050	0.050	12/11/2012	ND	1.82	90.8	2.00	13.4		
Total Xylenes*	<0.150	0.150	12/11/2012	ND	5.52	91.9	6.00	12.7		
Total BTEX	<0.300	0.300	12/11/2012	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1880	16.0	12/11/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<50.0	50.0	12/09/2012	ND	188	93.9	200	7.91		
DRO >C10-C28	614	50.0	12/09/2012	ND	203	102	200	9.34		


Surrogate: 1-Chlorooctane 83.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 ETECH Environmental & Safety Solutions, Inc.  
 FRED HOLMES  
 P. O. BOX 8469  
 MIDLAND TX, 79708  
 Fax To: (432) 563-2213

 Received: 12/06/2012  
 Reported: 12/13/2012  
 Project Name: H. E. WEST B #2  
 Project Number: 253-3186-000  
 Project Location: EDDY COUNTY, NM

 Sampling Date: 12/06/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: HA 4 - 5' (H202937-03)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/11/2012	ND	1.72	85.8	2.00	14.1		
Toluene*	<0.050	0.050	12/11/2012	ND	1.88	93.9	2.00	13.8		
Ethylbenzene*	<0.050	0.050	12/11/2012	ND	1.82	90.8	2.00	13.4		
Total Xylenes*	<0.150	0.150	12/11/2012	ND	5.52	91.9	6.00	12.7		
Total BTEX	<0.300	0.300	12/11/2012	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 118 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2200	16.0	12/11/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	12/09/2012	ND	188	93.9	200	7.91		
DRO >C10-C28	13.3	10.0	12/09/2012	ND	203	102	200	9.34		


Surrogate: 1-Chlorooctane 88.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 ETECH Environmental & Safety Solutions, Inc.  
 FRED HOLMES  
 P. O. BOX 8469  
 MIDLAND TX, 79708  
 Fax To: (432) 563-2213

 Received: 12/06/2012  
 Reported: 12/13/2012  
 Project Name: H. E. WEST B #2  
 Project Number: 253-3186-000  
 Project Location: EDDY COUNTY, NM

 Sampling Date: 12/06/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: HA 6 - 7' (H202937-04)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/11/2012	ND	1.72	85.8	2.00	14.1		
Toluene*	<0.050	0.050	12/11/2012	ND	1.88	93.9	2.00	13.8		
Ethylbenzene*	<0.050	0.050	12/11/2012	ND	1.82	90.8	2.00	13.4		
Total Xylenes*	<0.150	0.150	12/11/2012	ND	5.52	91.9	6.00	12.7		
Total BTEX	<0.300	0.300	12/11/2012	ND						

Surrogate: 4-Bromofluorobenzene (PIC) 114 % 89.4-126

Chloride, SM4500CI-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3680	16.0	12/11/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	12/10/2012	ND	183	91.4	200	3.20		
DRO >C10-C28	<10.0	10.0	12/10/2012	ND	199	99.3	200	5.48		


Surrogate: 1-Chlorooctane 87.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 99.4 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 ETECH Environmental & Safety Solutions, Inc.  
 FRED HOLMES  
 P. O. BOX 8469  
 MIDLAND TX, 79708  
 Fax To: (432) 563-2213

 Received: 12/06/2012  
 Reported: 12/13/2012  
 Project Name: H. E. WEST B #2  
 Project Number: 253-3186-000  
 Project Location: EDDY COUNTY, NM

 Sampling Date: 12/06/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: HA 8 - 9' (H202937-05)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/11/2012	ND	1.72	85.8	2.00	14.1		
Toluene*	<0.050	0.050	12/11/2012	ND	1.88	93.9	2.00	13.8		
Ethylbenzene*	<0.050	0.050	12/11/2012	ND	1.82	90.8	2.00	13.4		
Total Xylenes*	<0.150	0.150	12/11/2012	ND	5.52	91.9	6.00	12.7		
Total BTEX	<0.300	0.300	12/11/2012	ND						

Surrogate: 4-Bromofluorobenzene (PII) 112 % 89.4-126

Chloride, SM4500CI-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	7000	16.0	12/11/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	12/10/2012	ND	183	91.4	200	3.20		
DRO >C10-C28	10.8	10.0	12/10/2012	ND	199	99.3	200	5.48		

Surrogate: 1-Chlorooctane 79.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 86.8 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 ETECH Environmental & Safety Solutions, Inc.  
 FRED HOLMES  
 P. O. BOX 8469  
 MIDLAND TX, 79708  
 Fax To: (432) 563-2213

 Received: 12/06/2012  
 Reported: 12/13/2012  
 Project Name: H. E. WEST B #2  
 Project Number: 253-3186-000  
 Project Location: EDDY COUNTY, NM

 Sampling Date: 12/06/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: HA 9 - 10' (H202937-06)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/11/2012	ND	1.72	85.8	2.00	14.1		
Toluene*	<0.050	0.050	12/11/2012	ND	1.88	93.9	2.00	13.8		
Ethylbenzene*	<0.050	0.050	12/11/2012	ND	1.82	90.8	2.00	13.4		
Total Xylenes*	<0.150	0.150	12/11/2012	ND	5.52	91.9	6.00	12.7		
Total BTEX	<0.300	0.300	12/11/2012	ND						

Surrogate: 4-Bromofluorobenzene (PIC) 114 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	10100	16.0	12/11/2012	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	12/10/2012	ND	183	91.4	200	3.20		
DRO >C10-C28	28.3	10.0	12/10/2012	ND	199	99.3	200	5.48		


Surrogate: 1-Chlorooctane 80.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 90.4 % 63.6-154

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Notes and Definitions**


- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager



