

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

HOBBS OCD

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

RECEIVED

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company Devon Energy	Contact Kenny Kidd
Address PO Box 250 Artesia, NM 88211	Telephone No. 575- 513-8545
Facility Name Rio Blanco 4 Fed 3 SWD	Facility Type SWD

Surface Owner: Federal	Mineral Owner	API No. 30-025-36425
-------------------------------	---------------	-----------------------------

LOCATION OF RELEASE

Unit Letter J	Section 4	Township 23S	Range 34E	Feet from the 1650	North/South Line SOUTH	Feet from the 1650	East/West Line EAST	County LEA
-------------------------	---------------------	------------------------	---------------------	------------------------------	----------------------------------	------------------------------	-------------------------------	----------------------

Latitude: _____ Longitude: _____

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 65bbbls	Volume Recovered 65bbbls
Source of Release Charge pump pipe	Date and Hour of Occurrence 5/30/14	Date and Hour of Discovery 5/30/14 11:30 AM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Kenny Kidd-Foreman/ Garry Michael-Assistant Foreman/ Scott Poe-EHS/Jerry Mathews-Superintendent/Hobbs OCD-Geoffery Leking/BLM-Jeff Robertson	
By Whom? Matt Nettles	Date and Hour 5/30/14 11:30 AM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* The needle valve came out of the pipe which is connected to the charge pump. This caused 65 barrels of produced water to be released. 60 barrels in the containment and 5 bbls outside of the containment. The well was shut off. A vacuum truck was immediately called for vacuum services. 65 barrels of produced water was recovered. The pump was repaired. The area affected was within the berm approximately 30 feet wide by 60 feet long. The affected area outside the containment was approximately 5 feet wide by 75 feet long. Talon LPE was immediately contacted for the correction of this release.

Describe Area Affected and Cleanup Action Taken.* 5/30/14 at 2:02 pm an emergency OneCall - ticket # 2014-22-3070, which cleared the same day by email and telephone conversation with Sheldon Hitchcock and in person on location. Sheldon Hitchcock met Devon representatives Kenny Kidd, Matt Nettles, and Brian, Devon's line locator. On 6/2/14 Talon personnel and roustabouts began hand excavating around all lines. The impacted area was hand excavated to the depth of 1.5-feet deep. Confirmation soil sampling was completed on 6/4/2014 and delivered to Cardinal Labs. The lab results are attached along with a site map and groundwater data for the area. The soil testing results are under the Recommended Remedial Action Levels (RRAL) after initial excavation. The excavated area was backfilled back to grade using new material transported from a local borrow pit. No further actions are required.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.


Signature: <i>Shammy Ingram</i>	OIL CONSERVATION DIVISION	
Printed Name: Shammy Ingram	Approved by Environmental Specialist:	
Title: Field Admin Support	Approval Date: 7-28-14	Expiration Date: _____
E-mail Address: Shammy.Ingram@dm.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: July 25, 2014 Phone: 575-748-0174		1RB-3118

* Attach Additional Sheets If Necessary

JUL 29 2014

170 1417832391

170 141812903



Date: 06/26/2014

Scale: NTS

Drawn By: TJS

Rio Blanco SWD #4 Fed 3

Devon Energy Corporation

Lea County, New Mexico

Figure 1 - Site Plan



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed).

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q Q Q	4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
E 07616 POD1			TO						646466	3576970	2616	500	300	200
CP 00872			LE	1	1	1	08	23S 34E	641225	3577504*	2847	500	305	195
CP 00556			LE	4	4	3	08	23S 34E	641762	3576206	2863	497	255	242

Average Depth to Water: 286 feet

Minimum Depth: 255 feet

Maximum Depth: 305 feet

Record Count: 3

UTMNAD83 Radius Search (in meters):

Easting (X): 644038

Northing (Y): 3577944

Radius: 3000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

June 16, 2014

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: RIO BLANCO 4 FED #3

Enclosed are the results of analyses for samples received by the laboratory on 06/06/14 14:30:

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 06/06/2014
Reported: 06/16/2014
Project Name: RIO BLANCO 4 FED #3
Project Number: 700794.112.01
Project Location: J-4-23-34

Sampling Date: 06/04/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Kathy Perez

Sample ID: S-1 1' (H401732-01)

BTEX 8260B		mg/kg	Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2014	ND	2.31	115	2.00	1.63	
Toluene*	<0.050	0.050	06/10/2014	ND	1.86	93.1	2.00	14.0	
Ethylbenzene*	<0.050	0.050	06/10/2014	ND	2.10	105	2.00	0.396	
Total Xylenes*	<0.150	0.150	06/10/2014	ND	6.37	106	6.00	0.661	
Total BTEX	<0.300	0.300	06/10/2014	ND					

Surrogate: Dibromofluoromethane 89.6 % 61.3-142

Surrogate: Toluene-d8 99.5 % 71.3-129

Surrogate: 4-Bromofluorobenzene 96.4 % 65.7-141

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	06/12/2014	ND	400	100	400	3.92	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/13/2014	ND	192	96.0	200	4.69	
DRO >C10-C28	<10.0	10.0	06/13/2014	ND	187	93.7	200	2.60	


Surrogate: 1-Chlorooctane 71.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 83.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 06/06/2014
Reported: 06/16/2014
Project Name: RIO BLANCO 4 FED #3
Project Number: 700794.112.01
Project Location: J-4-23-34

Sampling Date: 06/04/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Kathy Perez

Sample ID: S-1 3' (H401732-02)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AP

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/12/2014	ND	400	100	400	3.92	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	06/06/2014	Sampling Date:	06/04/2014
Reported:	06/16/2014	Sampling Type:	Soil
Project Name:	RIO BLANCO 4 FED #3	Sampling Condition:	Cool & Intact
Project Number:	700794.112.01	Sample Received By:	Kathy Perez
Project Location:	J-4-23-34		

Sample ID: S-2 2' (H401732-03)

BTEX 8260B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2014	ND	2.31	115	2.00	1.63	
Toluene*	<0.050	0.050	06/10/2014	ND	1.86	93.1	2.00	14.0	
Ethylbenzene*	<0.050	0.050	06/10/2014	ND	2.10	105	2.00	0.396	
Total Xylenes*	<0.150	0.150	06/10/2014	ND	6.37	106	6.00	0.661	
Total BTEX	<0.300	0.300	06/10/2014	ND					

Surrogate: Dibromofluoromethane 103 % 61.3-142

Surrogate: Toluene-d8 108 % 71.3-129

Surrogate: 4-Bromofluorobenzene 112 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	06/12/2014	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/12/2014	ND	192	96.0	200	4.69	
DRO >C10-C28	<10.0	10.0	06/12/2014	ND	187	93.7	200	2.60	

Surrogate: 1-Chlorooctane 66.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 75.2 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE,
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 06/06/2014
Reported: 06/16/2014
Project Name: RIO BLANCO 4 FED #3
Project Number: 700794.112.01
Project Location: J-4-23-34

Sampling Date: 06/04/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Kathy Perez

Sample ID: S-2 3' (H401732-04)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AP

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/12/2014	ND	400	100	400	3.92	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 06/06/2014
Reported: 06/16/2014
Project Name: RIO BLANCO 4 FED #3
Project Number: 700794.112.01
Project Location: J-4-23-34

Sampling Date: 06/04/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Kathy Perez

Sample ID: S-3 1' (H401732-05)

BTEX 8260B		mg/kg	Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/10/2014	ND	2.31	115	2.00	1.63	
Toluene*	<0.050	0.050	06/10/2014	ND	1.86	93.1	2.00	14.0	
Ethylbenzene*	<0.050	0.050	06/10/2014	ND	2.10	105	2.00	0.396	
Total Xylenes*	<0.150	0.150	06/10/2014	ND	6.37	106	6.00	0.661	
Total BTEX	<0.300	0.300	06/10/2014	ND					
Surrogate: Dibromofluoromethane	108 %	61.3-142							
Surrogate: Toluene-d8	105 %	71.3-129							
Surrogate: 4-Bromofluorobenzene	97.0 %	65.7-141							
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	06/12/2014	ND	400	100	400	3.92	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/12/2014	ND	192	96.0	200	4.69	
DRO >C10-C28	<10.0	10.0	06/12/2014	ND	187	93.7	200	2.60	
Surrogate: 1-Chlorooctane	77.4 %	65.2-140							
Surrogate: 1-Chlorooctadecane	81.9 %	63.6-154							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 06/06/2014
Reported: 06/16/2014
Project Name: RIO BLANCO 4 FED #3
Project Number: 700794.112.01
Project Location: J-4-23-34

Sampling Date: 06/04/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Kathy Perez

Sample ID: BG 0' (H401732-06)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AP

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	06/12/2014	ND	400	100	400	3.92	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Page 9 of 9

Company Name: Talon/LPE		BILL TO		ANALYSIS REQUEST																								
Project Manager: Kimberly M. Wilson		P.O. #:		<div>Chloride BTX TPH</div>																								
Address: 408 W. Texas Ave.		Company: Talon/LPE																										
City: Artesia State: NM Zip: 88210		Attn:																										
Phone #: 575-746-8768 Fax #: 575-746-8905		Address:																										
Project #: 700794.112.01 Project Owner: Delton		City:																										
Project Name: Rio Blanco 4 3rd #3		State: Zip:																										
Project Location: J-4-23-34		Phone #:																										
Sampler Name: Ken Swift		Fax #:																										
FOR LAB USE ONLY	Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.		SAMPLING																
					GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME													
	H401732																											
	1	S-1 1'	G				/					/		6-4-14	9:35	1	1	1										
	2	S-1 3'	G				/					/		6-4-14	10:45	1	1	1										
	3	S-2 2'	G				/					/		6-4-14	11:31	1	1	1										
	4	S-2 3'	G				/					/		6-4-14	11:10	1	1	1										
	5	S-3 1'	G				/					/		6-4-14	10:50	1	1	1										
	6	BB- 0'	G				/					/		6-4-14	1:36	1	1	1										

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors, either out of or unrelated to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <i>Ken Swift</i>	Date: 6/6/14 Time: 2:30	Received By: <i>John S. [Signature]</i>	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No (Add'l Phone #:
Relinquished By: <i>John S. [Signature]</i>	Date: 6/6/14 Time: 2:30	Received By: <i>John S. [Signature]</i>	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No (Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 4.0°C			REMARKS:
Sample Condition: Cool: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			CHECKED BY: (Initials) <i>KP</i>

* Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2476