




272A-1649

April 22, 2013



Mr. Mike Bratcher
NMOCD District 2
811 S. 1st Street
Artesia, NM 88210

AMARILLO
921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

ARTESIA
408 West Texas Ave.
Artesia, New Mexico 88210
Phone 575.746.8768
Fax 575.746.8905

AUSTIN
911 West Anderson Lane
Suite 202
Austin, Texas 78757
Phone 512.989.3428
Fax 512.989.3487

HOBBS
318 East Taylor Street
Hobbs, New Mexico 88240
Phone 575.393.4261
Fax 575.393.4658

MIDLAND
2901 State Hwy 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

SAN ANTONIO
11 Commercial Place
Schertz, Texas 78154
Phone 210.265.8025
Fax 210.568.2191

TULSA
525 South Main Street
Suite 535
Tulsa, Oklahoma 74103
Phone 918.742.0871
Fax 918.382.0232

Subject: **Soil Assessment and Remediation Work Plan**
Oxy Permian, LTD
North Burton Flats Battery

Dear Mr. Bratcher,

Oxy Permian (Oxy) has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced location. The results of our soil assessment and proposed remediation activities consist of the following:

Incident Date

The release was discovered by Oxy personnel on March 17, 2013 at 7:00 am

Background Information

The Oxy North Burton Flats Battery release is located approximately Seventeen (17) miles North of Carlsbad, New Mexico. The legal location for the site is Section 23, Township 20S, Range 28E in Eddy County, New Mexico. More Specifically the latitude and longitude for the release are 32.565881 North -104.155764 west.

According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of Gypsum land-Reeves complex with 0 to 3 percent slopes, eroded. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology is Holocene to middle Pleistocene in age and is comprised of eolian sands. Drainage courses in this area are normally dry. Ground water in the project vicinity is approximately 140-feet below ground surface, according to the New Mexico Office of the State Engineer.

The ranking for this site is 0 based on the following:

- Depth to ground water >100'
- Wellhead Protection Area >1000'
- Distance to surface water body >1000'

- ENVIRONMENTAL CONSULTING
- ENGINEERING
- DRILLING
- CONSTRUCTION
- SPILL MANAGEMENT
- GENERAL CONTRACTING

30-015-33283
Gov't AA Com #2

Incident Description

A flange leaked on the heater treater causing a release of 40 barrels of produced fluids. The heater treater was taken out of service, repaired and put back into service. A vacuum truck was able to recover 10 barrels of produced fluids. The fluids flowed in a north-easterly direction from the heater treater, across the location for approximately 200-feet.

Laboratory Results

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	0	34.7	1410	1190	17800
S-1	0.5	2.92	672	228	1860
S-2	0	828	3920	24600	44000
S-2	0.5	1400	704	38900	31400
S-2	1	86.7	2080	1690	5830
S-2	2	48.0	304	117	289
S-3	0	1180	1100	30700	45600
S-3	0.5	1210	448	32600	26500
S-3	1	1.46	112	ND	13.2
S-3	2	0.873	48.0	ND	ND
S-4	0	0.775	432	ND	25.7
S-4	0.5	ND	228	ND	ND
S-5	0	1200	1020	40800	64200
S-5	0.5	1360	96.0	28100	21300
S-5	1	289	32	3310	2490
S-5	2	ND	128	ND	49.0
S-6	0	0.833	80.0	20.7	1580
S-6	0.5	ND	32.0	23.4	35.3

Proposed Remedial Actions

- The impacted soil will be excavated to a depth of 1 to 2 feet below land surface. The excavated soil will be transported to an NMOCD approved solid waste disposal facility Lea Land, LLC.
- The excavated area will be backfilled using clean caliche, backhauled from Lea Land.
- A final report documenting all field activities and lab reports will be provided to the NMOCD Artesia Office including Form C-141.

Should you have any questions or if further information is required, please do not hesitate to contact our office at (575)-746-8768.



Respectfully submitted,

TALON/LPE

Sheldon Hitchcock
Sheldon Hitchcock
Environmental Scientist


David J. Adkins
District Manager

SITE MAP



Legend

◇ - Sample Location




Date: 04/19/2013
 Scale: 1" = 40'
 Drawn By: TJS

North Burton Flats Tank Battery
 Oxy - NM - North
 Eddy County, New Mexico
 Figure 1 - Site Plan

APPENDIX I
GROUNDWATER DATA
INITIAL C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised October 10, 2003
Submit Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company : Oxy Permian LTD (192463)	Contact : Chris Jones
Address : 1502 W. Commerce, Carlsbad, NM 88220	Telephone No. : 575-628-4121
Facility Name : North Burton Flats Battery	Facility Type: Central Tank Battery

Surface Owner : Federal	Mineral Owner	API#: Lease #: NM 18293
-------------------------	---------------	-------------------------

LOCATION OF RELEASE

30-015-33283

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County: Eddy
D	23	<u>28S</u>	28E					

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release : Produced Fluids	Volume of Release : 40 bbls	Volume Recovered: 10 bbls
Source of Release : Heater Treater	Date and Hour of Occurrence: 3/17/2013 7:00 am	Date and Hour of Discovery: 3/17/2013 7:00am
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? OCD/Mike Bratcher & BLM/Jim Amos	
By Whom: Jonathan Haver 575-706-9249	Date and Hour : 3/18/2013 2:00 pm	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

A flange leaked on the heater treater causing a release of 40 barrels of produced fluids. The heater treater was taken out of service, repaired and put back into production. A vac truck was immediately called to the location and recovered 10 barrels of produced fluids.

Describe Area Affected and Cleanup Action Taken.* The area impacted measured approximately 10'x60' around the heater treater. Talon/LPE has been contracted to complete site assessment and remediation activities.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:	OIL CONSERVATION DIVISION	
Printed Name: Chris Jones	Approved by District Supervisor:	
Title: HES Specialist	Approval Date:	Expiration Date:
E-mail Address: Christopher Jones@oxy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 3/18/2013 Phone: 575-628-4121		

* Attach Additional Sheets If Necessary



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q 6	Q 4	Q 1	Q 2	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
CP 00525			ED	3	2	1	14	20S	28E		579656	3604847*	1476	171	140	31
														Average Depth to Water:		140 feet
														Minimum Depth:		140 feet
														Maximum Depth:		140 feet

Record-Count: 1

UTMNAD83 Radius Search (in meters):

Easting (X): 579248

Northing (Y): 3603428

Radius: 2000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

APPENDIX II
LABORATORY RESULTS



March 25, 2013

DAVID ADKINS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: OXY N. BURTON FLATS BATTERY HEATER

Enclosed are the results of analyses for samples received by the laboratory on 03/20/13 8:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list on accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized initial 'C'.

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-1 0' (H300668-01)

BTEX 8021B		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.200	0.200	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	1.46	0.200	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	2.27	0.200	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	31.0	0.600	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	34.7	1.20	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 247 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW				S-06		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1410	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS				S-06		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	1190	50.0	03/22/2013	ND	201	100	200	7.32		
DRO >C10-C28	17800	50.0	03/22/2013	ND	199	99.4	200	11.1		

Surrogate: 1-Chlorooctane 197 % 65.2-140

Surrogate: 1-Chlorooctadecane 599 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-1 0.5' (H300668-02)

BTEX 8021B		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	0.074	0.050	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	0.155	0.050	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	2.70	0.150	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	2.92	0.300	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 146 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	672	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	228	10.0	03/22/2013	ND	201	100	200	7.32		
DRO >C10-C28	1860	10.0	03/22/2013	ND	199	99.4	200	11.1		

Surrogate: 1-Chlorooctane 121 % 65.2-140

Surrogate: 1-Chlorooctadecane 132 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-2 0' (H300668-03)

BTEX 8021B		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	24.9	1.00	03/25/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	247	1.00	03/25/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	44.2	1.00	03/25/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	512	3.00	03/25/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	828	6.00	03/25/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 174 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW				S-06		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	3920	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS				S-06		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	24600	50.0	03/21/2013	ND	201	100	200	7.32		
DRO >C10-C28	44000	50.0	03/21/2013	ND	199	99.4	200	11.1		


Surrogate: 1-Chlorooctane 519 % 65.2-140

Surrogate: 1-Chlorooctadecane 1270 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-2 0.5' (H300668-04)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	49.5	5.00	03/25/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	433	5.00	03/25/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	73.5	5.00	03/25/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	841	15.0	03/25/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	1400	30.0	03/25/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 118 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	704	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	38900	50.0	03/21/2013	ND	201	100	200	7.32			
DRO >C10-C28	31400	50.0	03/21/2013	ND	199	99.4	200	11.1			


Surrogate: 1-Chlorooctane 538 % 65.2-140

Surrogate: 1-Chlorooctadecane 712 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-3 0' (H300668-05)

BTEX 8021B	mg/kg	Analyzed By: AP				S-04				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	28.7	2.00	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	337	2.00	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	65.1	2.00	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	746	6.00	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	1180	12.0	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 178 % 89.4-126

Chloride, SM4500Cl-B	mg/kg	Analyzed By: DW				S-06				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1100	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M	mg/kg	Analyzed By: MS				S-06				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	30700	50.0	03/21/2013	ND	211	106	200	9.03		
DRO >C10-C28	45600	50.0	03/21/2013	ND	202	101	200	9.86		


Surrogate: 1-Chlorooctane 613 % 65.2-140

Surrogate: 1-Chlorooctadecane 1270 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-3 0.5' (H300668-06)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	71.8	5.00	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	381	5.00	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	59.3	5.00	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	700	15.0	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	1210	30.0	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 122 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	448	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	32600	50.0	03/21/2013	ND	211	106	200	9.03			
DRO >C10-C28	26500	50.0	03/21/2013	ND	202	101	200	9.86			

Surrogate: 1-Chlorooctane 477 % 65.2-140

Surrogate: 1-Chlorooctadecane 625 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-4 0' (H300668-07)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.084	0.050	03/23/2013	ND	1.88	93.8	2.00	8.50	
Toluene*	0.219	0.050	03/23/2013	ND	1.84	91.8	2.00	8.43	
Ethylbenzene*	<0.050	0.050	03/23/2013	ND	1.87	93.3	2.00	8.23	
Total Xylenes*	0.472	0.150	03/23/2013	ND	5.40	90.0	6.00	7.93	
Total BTEX	0.775	0.300	03/23/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	432	16.0	03/21/2013	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	03/21/2013	ND	211	106	200	9.03	
DRO >C10-C28	25.7	10.0	03/21/2013	ND	202	101	200	9.86	


Surrogate: 1-Chlorooctane 96.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 104 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-4 0.5' (H300668-08)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	<0.050	0.050	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	<0.050	0.050	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	<0.150	0.150	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	<0.300	0.300	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	03/21/2013	ND	211	106	200	9.03		
DRO >C10-C28	<10.0	10.0	03/21/2013	ND	202	101	200	9.86		


Surrogate: 1-Chlorooctane 97.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-5 0' (H300668-09)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	42.7	10.0	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	348	10.0	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	63.2	10.0	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	744	30.0	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	1200	60.0	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 116 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1020	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	40800	200	03/22/2013	ND	211	106	200	9.03			
DRO >C10-C28	64200	200	03/22/2013	ND	202	101	200	9.86			

Surrogate: 1-Chlorooctane 808 % 65.2-140

Surrogate: 1-Chlorooctadecane 1730 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-5 0.5' (H300668-10)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	97.7	5.00	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	451	5.00	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	64.5	5.00	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	750	15.0	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	1360	30.0	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	28100	50.0	03/22/2013	ND	211	106	200	9.03			
DRO >C10-C28	21300	50.0	03/22/2013	ND	202	101	200	9.86			


Surrogate: 1-Chlorooctane 394 % 65.2-140

Surrogate: 1-Chlorooctadecane 539 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-6 0' (H300668-11)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	0.135	0.050	03/25/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	0.289	0.050	03/25/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	<0.050	0.050	03/25/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	0.408	0.150	03/25/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	0.833	0.300	03/25/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 107 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	80.0	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	20.7	10.0	03/22/2013	ND	211	106	200	9.03		
DRO >C10-C28	1580	10.0	03/22/2013	ND	202	101	200	9.86		


Surrogate: 1-Chlorooctane 84.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 143 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/20/2013	Sampling Date:	03/18/2013
Reported:	03/25/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Daniel Wade
Project Location:	SEC.23 T20S R28E		

Sample ID: S-6 0.5' (H300668-12)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	03/23/2013	ND	1.88	93.8	2.00	8.50		
Toluene*	0.137	0.050	03/23/2013	ND	1.84	91.8	2.00	8.43		
Ethylbenzene*	<0.050	0.050	03/23/2013	ND	1.87	93.3	2.00	8.23		
Total Xylenes*	<0.150	0.150	03/23/2013	ND	5.40	90.0	6.00	7.93		
Total BTEX	<0.300	0.300	03/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIC) 104 % 89.4-126

Chloride, SM4500CI-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	03/21/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	23.4	10.0	03/21/2013	ND	211	106	200	9.03		
DRO >C10-C28	35.3	10.0	03/21/2013	ND	202	101	200	9.86		

Surrogate: 1-Chlorooctane 95.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 111 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: <u>Talon/LPE</u>		BILL TO		ANALYSIS REQUEST																			
Project Manager: <u>D. Adkins</u>		P.O. #:																					
Address: <u>408 W. Texas Ave.</u>		Company: <u>Talon/LPE</u>																					
City: <u>Artesia</u> State: <u>NM</u> Zip: <u>88210</u>		Attn:																					
Phone #: <u>575-746-8768</u> Fax #: <u>575-746-8905</u>		Address:																					
Project #: <u>700608.084.01</u> Project Owner: <u>OXY</u>		City:																					
Project Name: <u>OXY N. Burton Flats Battery Heater</u>		State: Zip:																					
Project Location: <u>Sec 23 T20S R28E</u>		Phone #:																					
Sampler Name: <u>Sheldon Hitchcock</u>		Fax #:																					
FOR LAB USE ONLY																							
Lab I.D.	Sample I.D.	(GRAB OR (C)OMP. # CONTAINERS	MATRIX											PRESERV	SAMPLING								
		GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME	TPH	BTEX	Chlorides								
<u>H300668</u>																							
	<u>11 5-6 0'</u>	<u>/</u>									<u>3-18-13</u>	<u>12:30p</u>	<u>/</u>	<u>/</u>	<u>/</u>								
	<u>12 5-6 0.5'</u>	<u>/</u>									<u>3-18-13</u>	<u>12:36p</u>	<u>/</u>	<u>/</u>	<u>/</u>								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: <u>3/20/13</u>	Received By:	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
<u>Sheldon Hitchcock</u>	Time: <u>8:00AM</u>	<u>[Signature]</u>	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:	
	Time:			
Delivered By: (Circle One)	Sample Condition	CHECKED BY:		
Sampler - UPS - Bus - Other:	Cool Intact	(Initials)		
<u>40</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>[Signature]</u>		
	<input type="checkbox"/> Yes <input type="checkbox"/> No			

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26



April 05, 2013

DAVID ADKINS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: OXY N. BURTON FLATS BATTERY HEATER

Enclosed are the results of analyses for samples received by the laboratory on 03/28/13 15:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/05/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Jodi Henson
Project Location:	SEC.23 T20S R28E		

Sample ID: S-2 1' (H300753-01)

BTEX 8021B		mg/kg		Analyzed By: AP					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	0.675	0.100	04/04/2013	ND	1.90	94.9	2.00	7.76		
Toluene*	16.7	0.100	04/04/2013	ND	2.09	105	2.00	8.11		
Ethylbenzene*	5.63	0.100	04/04/2013	ND	2.21	111	2.00	8.07		
Total Xylenes*	63.7	0.300	04/04/2013	ND	6.53	109	6.00	7.37		
Total BTEX	86.7	0.600	04/04/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 410 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2080	16.0	04/01/2013	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	1690	10.0	04/02/2013	ND	180	90.1	200	9.90		
DRO >C10-C28	5830	10.0	04/02/2013	ND	178	88.8	200	10.9		

Surrogate: 1-Chlorooctane 171 % 65.2-140

Surrogate: 1-Chlorooctadecane 230 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/05/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Jodi Henson
Project Location:	SEC.23 T20S R28E		

Sample ID: S-2 2' (H300753-02)

BTEX 8021B	mg/kg	Analyzed By: AP				S-04				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	0.532	0.100	04/04/2013	ND	1.90	94.9	2.00	7.76		
Toluene*	9.34	0.100	04/04/2013	ND	2.09	105	2.00	8.11		
Ethylbenzene*	2.72	0.100	04/04/2013	ND	2.21	111	2.00	8.07		
Total Xylenes*	35.4	0.300	04/04/2013	ND	6.53	109	6.00	7.37		
Total BTEX	48.0	0.600	04/04/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIC) 211 % 89.4-126

Chloride, SM4500Cl-B	mg/kg	Analyzed By: DW								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	04/01/2013	ND	448	112	400	0.00		

TPH 8015M	mg/kg	Analyzed By: MS								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	117	10.0	04/02/2013	ND	180	90.1	200	9.90		
DRO >C10-C28	289	10.0	04/02/2013	ND	178	88.8	200	10.9		

Surrogate: 1-Chlorooctane 83.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/05/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Jodi Henson
Project Location:	SEC.23 T20S R28E		

Sample ID: S-3 1' (H300753-03)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/04/2013	ND	1.90	94.9	2.00	7.76		
Toluene*	0.362	0.050	04/04/2013	ND	2.09	105	2.00	8.11		
Ethylbenzene*	0.090	0.050	04/04/2013	ND	2.21	111	2.00	8.07		
Total Xylenes*	1.00	0.150	04/04/2013	ND	6.53	109	6.00	7.37		
Total BTEX	1.46	0.300	04/04/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 113 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	04/01/2013	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90		
DRO >C10-C28	13.2	10.0	04/02/2013	ND	178	88.8	200	10.9		

Surrogate: 1-Chlorooctane 76.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 100 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/05/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Jodi Henson
Project Location:	SEC.23 T20S R28E		

Sample ID: S-3 2' (H300753-04)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76		
Toluene*	0.217	0.050	04/03/2013	ND	2.09	105	2.00	8.11		
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07		
Total Xylenes*	0.656	0.150	04/03/2013	ND	6.53	109	6.00	7.37		
Total BTEX	0.873	0.300	04/03/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	04/01/2013	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90		
DRO >C10-C28	<10.0	10.0	04/02/2013	ND	178	88.8	200	10.9		


Surrogate: 1-Chlorooctane 75.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 100 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/05/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Jodi Henson
Project Location:	SEC.23 T20S R28E		

Sample ID: S-5 1' (H300753-05)

BTEX 8021B		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	18.4	0.500	04/05/2013	ND	1.90	94.9	2.00	7.76		
Toluene*	102	0.500	04/05/2013	ND	2.09	105	2.00	8.11		
Ethylbenzene*	13.8	0.500	04/05/2013	ND	2.21	111	2.00	8.07		
Total Xylenes*	155	1.50	04/05/2013	ND	6.53	109	6.00	7.37		
Total BTEX	289	3.00	04/05/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIC) 131 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	04/01/2013	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	3310	10.0	04/02/2013	ND	180	90.1	200	9.90		
DRO >C10-C28	2490	10.0	04/02/2013	ND	178	88.8	200	10.9		

Surrogate: 1-Chlorooctane 160 % 65.2-140

Surrogate: 1-Chlorooctadecane 136 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/05/2013	Sampling Type:	Soil
Project Name:	OXY N. BURTON FLATS BATTERY HEATE	Sampling Condition:	Cool & Intact
Project Number:	700608.084.01	Sample Received By:	Jodi Henson
Project Location:	SEC.23 T20S R28E		

Sample ID: S-5 2' (H300753-06)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	04/05/2013	ND	1.90	94.9	2.00	7.76		
Toluene*	0.070	0.050	04/05/2013	ND	2.09	105	2.00	8.11		
Ethylbenzene*	<0.050	0.050	04/05/2013	ND	2.21	111	2.00	8.07		
Total Xylenes*	<0.150	0.150	04/05/2013	ND	6.53	109	6.00	7.37		
Total BTEX	<0.300	0.300	04/05/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	04/01/2013	ND	448	112	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90		
DRO >C10-C28	49.0	10.0	04/02/2013	ND	178	88.8	200	10.9		

Surrogate: 1-Chlorooctane 80.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 109 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

Company Name: Talon/LPE		BILL TO		ANALYSIS REQUEST																			
Project Manager: D. Atkins		P.O. #:																					
Address: 408 W. Texas Ave.		Company: Talon/LPE																					
City: Artesia State: NM Zip: 88210		Attn:																					
Phone #: 575-746-8768 Fax #: 575-746-8906		Address:																					
Project #: 700608.084.01 Project Owner: OXY		City:																					
Project Name: OXY N. Burton Flats		State: Zip:																					
Project Location: 523-T205-R28E		Phone #:																					
Sampler Name: Sheldon Hitchcock		Fax #:																					
FOR LAB USE ONLY																							
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS											MATRIX				PRESERV.			SAMPLING		TPH
		GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE/COOL	OTHER:	DATE	TIME											
H300153																							
1	S-2 1'	G	1			/					3-27-13	10:36											
2	S-2 2'	G	1			/						10:41											
3	S-3 1'	G	1			/						10:50											
4	S-3 2'	G	1			/						10:56											
5	S-5 1'	G	1			/						10:59											
6	S-5 2'	G	1			/						11:11											

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Sheldon Hitchcock	Date: 3/28/13 Time: 3:40	Received By: Jodi Newson	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 50		Sample Condition Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	CHECKED BY: JH	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26