DATE IN	9/98	SUSPENSE 29/98 ENGINEER DC LOGGED W TYPE DHC									
	ABOVE THIS LINE FOR DIVISION USE ONLY NEW MEXICO OIL CONSERVATION DIVISION - Engineering Bureau -										
	ADMINISTRATIVE APPLICATION COVERSHEET										
	THIS COVERSHI	EET IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS									
Application Acronyms: [NSP-Non-Standard Proration Unit] [NSL-Non-Standard Location] [DD-Directional Drilling] [SD-Simultaneous Dedication] [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling] [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement] [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion] [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase] [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]											
		PPLICATION - Check Those Which Apply for [A] D E E E V E D									
[1]	TYPE OF A [A]	<b>PPLICATION</b> - Check Those Which Apply for [A] ]         Location - Spacing Unit - Directional Drilling         NSL       NSP         DD       SD         JUN - 9 1998									
	Checl [B]	k One Only for [B] and [C] Commingling - Storage - Measurement DHC CTB PLC PC OLS OLM									
	[C]	Injection - Disposal - Pressure Increase - Enhanced Oil Recovery									
[2]	NOTIFICA [A]	<b>TION REQUIRED TO:</b> - Check Those Which Apply, or Does Not Apply Working, Royalty or Overriding Royalty Interest Owners									
	<b>[B]</b>	Offset Operators, Leaseholders or Surface Owner									
	[C]	Application is One Which Requires Published Legal Notice									
	[D]	VI-Notification and/or Concurrent Approval by BLM or SLO U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office									
	[E]	General of the above, Proof of Notification or Publication is Attached, and/or,									
	<b>[F]</b>	U Waivers are Attached									

# [3] INFORMATION / DATA SUBMITTED IS COMPLETE - Statement of Understanding

I hereby certify that I, or personnel under my supervision, have read and complied with all applicable Rules and Regulations of the Oil Conservation Division. Further, I assert that the attached application for administrative approval is accurate and complete to the best of my knowledge and where applicable, verify that all interest (WI, RI, ORRI) is common. I understand that any omission of data, information or notification is cause to have the application package returned with no action taken.

$\frown$	Note: Statement must be com	pleted by an individual with supervisory capacity.	
Pergy Bradfield	rafued	Regulatory/Compliance Administrator	6-8.98
Print or (Type Name	Signature	Title	Date

#### **DISTRICT I**

P.O. Box 1980, Hobbs, NM 88241-1980 DISTRICT II 811 South First St., Artesia, NM 88210-2835 **DISTRICT III** 

1000 Rio Brazos Rd, Aztec, NM 87410-1693

# **OIL CONSERVATION DIVISION**

# 2040 S. Pacheco Santa Fe, New Mexico 87505-6429

Form C-107-A New 3-12-96 **APPROVAL PROCESS :** \_X\_ Administrative \_\_\_\_Hearing **EXISTING WELLBORE** 

#### APPLICATION FOR DOWNHOLE COMMINGLING

<u>YES</u> x\_ NO

Burlington Resources Oil & Ga	s Company	PO Box 4289, Farmington, NM 87499				
Operator						
San Juan 28-5 Unit	77M	27-28N-05W	Rio Arriba			
Lease	Well No.	Unit Ltr Sec - Twp - Rge	County			

OGRID NO. 14538

Property Code

\_7460\_\_\_\_\_ API NO. 30-039-not assigned Federal \_\_x\_

Spacing Unit Lease Types: (check 1 or more) . State . (and/or) Fee

The following facts are submitted in support of downhole commingling:	Upper	Intermediate Zone	Lower Zone
1. Pool Name and Pool Code	Blanco Mesaverde - 72319		Basin Dakota - 71599
2. Top and Bottom of Pay Section (Perforations)	will be supplied upon completion		will be supplied upon completion
3. Type of production (Oil or Gas)	gas		gas
4. Method of Production (Flowing or Artificial Lift)	flowing		flowing
5. Bottomhole Pressure Oil Zones - Artificial Lift: Estimated Current	(Current) a. 690 psi (see attachment)	a.	a. 969 psi (see attachment)
Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated or Measured Original	(Original) b. 1293 psi (see attachment)	b.	b. 3244 psi (see attachment)
6. Oil Gravity (API) or Gas BTU Content	BTU 1184		BTU 1039
7. Producing or Shut-In?	shut in		shut in
Production Marginal? (yes or no)	no		yes
* If Shut-In and oil/gas/water rates of last production Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data	Date: n/a Rates:	Date: Rates:	Date: n/a Rates:
* If Producing, give data and oil/gas/water water of recent test (within 60 days)	Date: n/a Rates:	Dato: Rates:	Date: n/a Rates:
8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Oil:	Oil: Gas: %	Oil: Gas: % will be supplied upon completion

If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data. 9.

10. Are all working, overriding, and royalty interests identical in all commingled zones? If not, have all working, overriding, and royalty interests been notified by certified mail? Have all offset operators been given written notice of the proposed downhole commingling? \_\_\_Yes \_\_x\_No \_\_Yes \_\_x\_No \_x\_Yes \_\_\_No

Will cross-flow occur? \_x\_ Yes \_ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. \_x\_ Yes \_\_\_\_No (If No, attach explanation) 11. Will cross-flow occur?

12. Are all produced fluids from all commingled zones compatible with each other? \_\_x\_Yes \_\_\_ No

13. Will the value of production be decreased by commingling? \_\_\_\_Yes \_X\_No (If Yes, attach explanation)

14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. \_X\_Yes \_\_\_ No

15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). \_\_\_\_Reference Order \_ R-10695 attached

16. ATTACHMENTS:
\* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
\* Production curve for each zone for at least one year. (If not available, attach explanation.)
\* For zones with no production history, estimated production rates and supporting data.
\* Data to support allocation method or formula.
\* Notification list of all offset operators.
\* Notification list of working, overriding, and royalty interests for uncommon interest cases.
\* Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE_	Sean	Walierton	TITLE:	Reservoir Engineer	•	DATE: <u>06-08-98</u>	

TYPE OR PRINT NAME <u>Sean Woolverton</u>

**TELEPHONE NO. ( 505 ) 326-9700** 


State of New Mexico Energy, Minerals and Natural Resources Department

· ·											
District I PO Box 1980, Hobbs, N	M 88241-1980		Foet			IEW MEXICO			Beviser	1 Fohr	Form C-10 Wary 21, 199
District II PO Drawer DD. Artesia	NM 88211-07	19						Submit to	Ir Appropria	nstruc ete Do	tions on bac strict Offic
District III			OIL	_		ION DIVISIO 2088	DN		State Fee	e Leas e Leas	se - 4 Copie se - 3 Copie
1000 Rio Brazos Rd., /	Aztec. NM 8741	0	Sai			87504-2088	}				
District IV PO Box 2058, Santa Fe	2. NM 87504-20	88							<u> </u>	ENU	ED REPORT
	V	VELL	LOCAT		ר ∆ו	CREAGE DEDI		TON PL	ΔΤ		
API Numb			*Pool Co					'Pool Name	_		
30-039-		7231	<u>19/715</u>		B1	anco Mesav	erd	<u>e/ Basi</u>	in Dako		
Property Code 7460			9			Name 18-5 UNIT				-	11 Number 77M
'OGRID NO.				*Ope	rator	Name					levation
14538	E B	BURLIN		· · · · · · · · · · · · · · · · · · ·		OIL & GAS	_C0	MPANY			5774
U_ or lot no. Section	Township	Range	Lot Idn	10 SUN Fa		Location					County
F 27		5W		1730		NORTH		et from the 1850	East/West WES		RIO ARRIBA
	<sup>11</sup> Bo			_ocatio				om Surf			
UL on lot no. Section	Township	Range	Lot Ion	Feet from	the	North/South line	Fe	at from the	East/West	1106	County
<sup>12</sup> Dedicated Acres	_ <u></u>			Joint 13 Joint	or Infi	11 <sup>34</sup> Consolidation Code	· · · · · · · · · · · · · · · · · · ·	<sup>5</sup> Order No.			<u> </u>
MV-N/320, DK					- <u>.</u>						
NO ALLOWABLE N	VILL BE AS OR A N	SIGNED	N TO TH	IIS COMPL UNIT HA	LETIO S BE	ON UNTIL ALL EN APPROVED I	INTI BY T	ERESTS H THE DIVIS	AVE BEEN SION	N CON	SOLIDATED
16	1	52	91.88	•							FICATION
			1			1		I hereby cert true and comp	lify that the in lete to the Des	formation t of my i	contained herein t knowledge and belie
	. OE		ł								
	173					   1					
		NMSF	-07952	20							
						∔		Signatur	e		
1850.			,					Peggy Printed	Bradfi.	eld	
						, , {				<u>dm</u> in	istrate
								Title			
00		/	<b>ヽ</b> ヮ			I <u> </u>	_0	Date		- <u></u>	
280		_	<u> </u>	<u> </u>		1	280				FICATIO
۵ ا						1	ົດ	Was plotted for	ify that the we rom field notes upervision, and e best of my be	of actual that the	n shown on this : I surveys made by Same is true and
			1								
	ļ		I			1					4000


		FEBRUARY 1	1, 1998
 ·		 Date of Survey	
		Signature and Sear of ProfEst	MAR
		N Z SES	
5280	).00 <i>'</i>		
 <u> </u>		Provest	07.

\_

San Juan 28-5 Unit #77M Expected Production Curve Blanco Mesaverde



San Juan 28-5 Unit #77M Expected Production Curve Basin Dakota



# **SJ 28-5 Unit #77M** Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota
<u>MV-Current</u>	<u>DK-Current</u>
GAS GRAVITY       0.694         COND. OR MISC. (C/M)       C         %N2       0.22         %CO2       0.89         %H2S       0         DIAMETER (IN)       2         DEPTH (FT)       5900         SURFACE TEMPERATURE (DEG F)       60         BOTTOMHOLE TEMPERATURE (DEG F)       137         FLOWRATE (MCFPD)       0         SURFACE PRESSURE (PSIA)       592         BOTTOMHOLE PRESSURE (PSIA)       690.0	GAS GRAVITY0.621COND. OR MISC. (C/M)C%N20.11%CO22.34%H2S0DIAMETER (IN)2.375DEPTH (FT)8066SURFACE TEMPERATURE (DEG F)60BOTTOMHOLE TEMPERATURE (DEG F)198FLOWRATE (MCFPD)0SURFACE PRESSURE (PSIA)812BOTTOMHOLE PRESSURE (PSIA)969.1
<u>MV-Original</u>	<u>DK-Original</u>
GAS GRAVITY0.694COND. OR MISC. (C/M)C%N20.22%CO20.89%H2S0DIAMETER (IN)2DEPTH (FT)5900SURFACE TEMPERATURE (DEG F)60BOTTOMHOLE TEMPERATURE (DEG F)137FLOWRATE (MCFPD)0SURFACE PRESSURE (PSIA)1094BOTTOMHOLE PRESSURE (PSIA)1293.3	GAS GRAVITY0.621COND. OR MISC. (C/M)C%N20.11%CO22.34%H2S0DIAMETER (IN)2.375DEPTH (FT)8066SURFACE TEMPERATURE (DEG F)60BOTTOMHOLE TEMPERATURE (DEG F)198FLOWRATE (MCFPD)0SURFACE PRESSURE (PSIA)2683BOTTOMHOLE PRESSURE (PSIA)3243.8

Q:\AREA\IMVPUD\COMGLS\BHP.xls

• .

•

Print Propert Property	e No.: 1 Time: Thu Feb 12 14:39:55 199 Ty ID: 3952 Name: SAN JUAN 28-5 UNIT   40 Name: K:\ARIES\RR98PDP\TEST.D	52100A-1
DATE		San Juan 28-5 Unit #77m
05/24/60	1094.0-original	mesaverde offset
06/16/60 10/14/60	1093.0 685.0	
06/13/61	732.0	
12/04/62 07/16/63	713.0 777.0	
01/24/64	716.0	
11/11/65	731.0	
08/01/66 08/04/67	760.0 664.0	
05/10/68	687.0	
06/19/70 04/27/71	707.0 672.0	
05/15/72	672.0	
04/19/74	607.0	
06/25/76 08/02/78	677.0 710.0	
06/04/80	637.0	
05/31/82	581.0	
05/02/84 04/17/86	629.0 616.0	
09/20/89	606.0	
03/18/91	694.0 706.0	
09/10/91	706.0	

07/30/93 592.0-curvent

• .

Page No.: 1 Print Time: Thu Feb 12 14:38:03 1998 Property ID: 10062 Property Name: SAN JUAN 28-5 UNIT | 82 | 52291A-1 Table Name: K:\ARIES\RR98PDP\TEST.DBF

# San Juan 28-5 Unit #77M Dakota Offset

--DATE-- M SIWHP Psi

2683.0 - original 08/08/69 06/19/70 1237.0 08/17/71 970.0 05/15/72 1060.0 07/05/73 1334.0 08/13/75 1132.0 06/15/77 1229.0 07/02/79 1327.0 06/11/81 535.0 711.0 09/27/83 07/11/85 874.0 10/04/88 812.0-Current

# San Juan 28-5 Unit #77M Blanco Mesaverde / Basin Dakota 28N-05W-27


.

+ 30.66 <sup>1</sup> 3 30.72 <sup>1</sup> 2 30.76 <sup>1</sup> 1 30.63 NH2302A 69 <sup>12</sup> 7 12A 58 79	652 13 367412 30.68 1 30.61 4 39.81 ▲ 8 ⊕ <sup>7</sup> ▲ 8 ⊕ <sup>7</sup> ▲ 8 ⊕ <sup>7</sup>		4 30.57 <sup>1</sup> 3 30.56 <sup>1</sup> 2 30.44 <sup>1</sup> 1 30.37 HM 2301 10 <sup>⊥</sup> 68 <sup>3</sup> 94 10 <sup>⊥</sup> 68 <sup>3</sup> 96	985 ⊥ 11⊥ 184 ⊥ 102 183 18 18 18 18 18 18 18 18 18 18 18 18 18 18 1	4 2295 3 29.66 12 29.77 11 39.06 12 № 2005 12 № 2005 12 ± 12 ± 12 ± 12 ± 12 ± 12 ± ± 12 ± ±
<u>S.J. 28-5 Un.</u> NH 2301	<u>S.J. 28-5 Un.</u> NM 2301	<u>S.J. 29–5 Un</u> NOI 2301	S.J. 28-5 Un. NBI 2301	<u>S.J. 28-5 Un.</u> NM 2301	S.J. 28-5 Un. NM 2301 NM 2006 NM 2006
816 <sup>234</sup> <sup>23</sup> (8) 316 (8) 317 (8) 318	284 39 284 284 284 285 285 285 285 285 285 285 285	8 <sup>46</sup>	88 <sup>888</sup> 88 <sup>83</sup>	91E 28 88 97 14	
(MIPC) 34 34E (89 <sup>344</sup> ) (MIPC) 34 34E (89 <sup>344</sup> ) (MIPC) 34 34E (89 <sup>344</sup> )	MM 6639 MM 6639 M S.4 28-5 (In. MP (FC)) S.4 28-5 (In.	(800,405) 1/2 (800,405) 1/2 83 83 83 83 83 83 84 84 83 83 84 83 84 83 84 83 84 83 84 84 83 84 84 84 84 84 84 84 84 84 84 84 84 84		ейційскі) ны 406 91 Бад 2 5.4 22–5 Ил	25 25 25 25 25 25 25 25 25 25
S.J. 28-5 Un. (MICP) MM 6539		NN 2008 NN 4417	NDL 4418 1 NM 2008	NM 2006	(MA. ROMERO & MCELVAIN et al) 51.28
1000000000000000000000000000000000000	₩₩₩₩ ₩₩₩ ₩₩₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩ ₩	837 <sup>700</sup> <sup>FC</sup> 99 <sup>8</sup> ⊎ <sup>U−79</sup> 83776 —		REN 100 Martin	NM 4906 623 <sup>39</sup>
₩ 6638 750 350 83 83 83 5.4 28-5 (A.	20 54 @ <sup>17</sup>   83 <sup>638</sup>   838   @ <sup>17A</sup>  S <i>L 28–5 (h</i> .	(mec)		23 55 889 888 54 28−5 in	57557 607 D PA'96 F4 5229 S-4 28-5 Un. 1
NM 4853 NM 8615	NM 2008	HM 2008 (NMPC)	(M.A. ROMERO & MCELVAN et al)	NM 2007	NM 2007 1 32.34
	60 60 60 60 60 60 60 60 60 60 60 60 60 6		* 00 11M 807		<b>⊗</b> *• ⊢ <sub>2 52.30</sub> −
	29 88 88 88 9	28	27 8 <sup>444</sup>	26	78 (%) (%) (%) (%) (%) (%) (%) (%) (%) (%)
		25			245 · · ·
S.J. 28-5 Un	S.J. 29-5 Un	Sd 28-5 Un	S.J. 28-5 UA	SJ 28-5 Un.	S.J. 28-5 UN : 4 52.22
MH 2008 () () () () () () () () () ()	(M.A. ROMERO & MAELVAN et d) 41M KM 4908 KK 41	Nu 2307 & A 69 84 52 -	70M NM 8738 24 35 55 55 36 55 37 55 36 555	(MNIPC)   NAU 8738 724   231 73 238939 13 73 238939	NUN 8738 1 52.28 46u 695 283 88 45 1 52.40
31 <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	32 38 56 7 58 54 28-5 185 4 355 54 7 55 7 55 54 28-5 185 54 28-5 185 54 28-5 185 54 28-5 185 54 38-5 185 54 58-5 185 55 58-5	33 ₩ 8738 ₩ 7348 ₩ 7348	NH 2307 & A 34 15 237 70 15 3 46.38 55 (MMPC)	35 Nul 8738 210000072 4 48.561 3 48.76 <sup>1</sup> 2 50.92 <sup>1</sup> 52.10 103 730	
	4 39.65 3 39.67 2 39.89 1 39.71	4 40.07 S.J. 28-5 Un	SJ 29-5 (h. 4 44.52 ) 2 48.42 1 47.48	S.J. 28-5 Un. ;	S.J. 28-5 (Ja. 6 54.50 8 22.65

# BURLINGTON RESOURCES OIL AND GAS COMPANY

# San Juan 28-5 Unit #77M OFFSET OPERATOR \ OWNER PLAT

# Mesaverde / Dakota Formations Commingle Well



Township 28 North, Range 5 West

1) Burlington Resources

# STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

# IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11627 ORDER NO. R-10695

APPLICATION OF BURLINGTON RESOURCES OIL & GAS COMPANY FOR THE ESTABLISHMENT OF A DOWNHOLE COMMINGLING "REFERENCE CASE" FOR ITS SAN JUAN 28-5 UNIT PURSUANT TO DIVISION RULE 303.E. AND THE ADOPTION OF SPECIAL ADMINISTRATIVE RULES THEREFOR, SAN JUAN COUNTY, NEW MEXICO. THO ARRIGA

### ORDER OF THE DIVISION

#### **BY THE DIVISION:**

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

#### FINDS THAT:

(1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.

(2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-5 Unit, San Juan County, New Mexico.

(3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

(4) The applicant is the current operator of the San Juan 28-5 Unit which encompasses some 17,399 acres in Township 28 North, Range 5 West, NMPM, San Juan County, New Mexico.

(5) Within the San Juan 28-5 Unit, the applicant currently operates sixty-seven (67) Basin-Dakota Gas Pool wells, seventy-one (71) Blanco-Mesaverde Gas Pool wells, sixteen (16) Gobernador-Pictured Cliffs, Oso-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and nineteen (19) Basin-Fruitland Coal Gas Pool wells.

- (6) According to its evidence and testimony, Burlington seeks to:
- a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
- b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit;

- c) establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit; and,
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 28-5 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.

(7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 28-5 Unit:

- a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
- b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 1,258 MMCFG and 77 MMCFG, respectively;
- c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 276 MCFGD and 136 MCFGD, respectively; and.
- d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.

(8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 28-5 Unit should be properly classified as "marginal".

(9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 28-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3,149 psi and 1,143 psi, respectively; and,
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1.059 psi and 714 psi, respectively.

(10) There is sufficient pressure data available within the San Juan 28-5 Unit so as to except pressure criteria as proposed by the applicant.

(11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 28-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:

- a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
- b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.

(12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.

(13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 28-5 Unit the applicant presented evidence and testimony which indicates that:

- a) the interest ownership between two zones within a given wellbore in the San Juan 28-5 Unit is generally not common;
- b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 28-5 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;

- c) providing notice to each interest owner within the San Juan 28-5 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 28-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 28-5 Unit should not violate the correlative rights of any interest owner;
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.

(14) An administrative procedure should be established within the San Juan 28-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.

(15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 28-5 Unit, and will not violate correlative rights.

#### IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-5 Unit, San Juan County, New Mexico, is hereby approved. (2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 28-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.

(3) In order to obtain Division authorization to downhole commingle wells within the San Juan 28-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 28-5 Unit of such proposed commingling.

(4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION LeMAY Director

## SEAL