


N¹ Baisk Fied TB



May 24, 2013

Daniel Dominguez
Environmental Plus, Inc.
P.O. Box 1558
Eunice, NM 88231

RE: BAISH FEDERAL TANK BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 05/17/13 12:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.


Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene
Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

Received:	05/17/2013	Sampling Date:	05/16/2013
Reported:	05/24/2013	Sampling Type:	Soil
Project Name:	BAISH FEDERAL TANK BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	UL-B SEC. 9, T18S, R31E		

Sample ID: SP4 (SURFACE) (H301190-01)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/24/2013	ND	2.28	114	2.00	3.54		
Toluene*	<0.050	0.050	05/24/2013	ND	2.05	103	2.00	3.17		
Ethylbenzene*	<0.050	0.050	05/24/2013	ND	2.22	111	2.00	2.97		
Total Xylenes*	<0.150	0.150	05/24/2013	ND	6.42	107	6.00	2.81		
Total BTEX	<0.300	0.300	05/24/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 113 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	12800	16.0	05/22/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	<50.0	50.0	05/17/2013	ND	212	106	200	0.0761			
DRO >C10-C28	386	50.0	05/17/2013	ND	210	105	200	1.98			


Surrogate: 1-Chlorooctane 109 % 65.2-140

Surrogate: 1-Chlorooctadecane 167 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

Received:	05/17/2013	Sampling Date:	05/16/2013
Reported:	05/24/2013	Sampling Type:	Soil
Project Name:	BAISH FEDERAL TANK BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	UL-B SEC. 9, T18S, R31E		

Sample ID: SP4 (1') (H301190-02)

BTEX 80218		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/22/2013	ND	2.28	114	2.00	3.54		
Toluene*	0.092	0.050	05/22/2013	ND	2.05	103	2.00	3.17		
Ethylbenzene*	0.363	0.050	05/22/2013	ND	2.22	111	2.00	2.97		
Total Xylenes*	2.01	0.150	05/22/2013	ND	6.42	107	6.00	2.81		
Total BTEX	2.46	0.300	05/22/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 417 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	05/22/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS				S-06		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	85.7	50.0	05/17/2013	ND	212	106	200	0.0761		
DRO >C10-C28	2250	50.0	05/17/2013	ND	210	105	200	1.98		


Surrogate: 1-Chlorooctane 117 % 65.2-140

Surrogate: 1-Chlorooctadecane 157 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

Received:	05/17/2013	Sampling Date:	05/16/2013
Reported:	05/24/2013	Sampling Type:	Soil
Project Name:	BAISH FEDERAL TANK BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	UL-B SEC. 9, T18S, R31E		

Sample ID: SP4 (3') (H301190-03)

BTEX 8021B		mg/kg		Analyzed By: AP				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/23/2013	ND	2.28	114	2.00	3.54		
Toluene*	<0.050	0.050	05/23/2013	ND	2.05	103	2.00	3.17		
Ethylbenzene*	<0.050	0.050	05/23/2013	ND	2.22	111	2.00	2.97		
Total Xylenes*	<0.150	0.150	05/23/2013	ND	6.42	107	6.00	2.81		
Total BTEX	<0.300	0.300	05/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 127 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	05/22/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	05/17/2013	ND	212	106	200	0.0761		
DRO >C10-C28	11.0	10.0	05/17/2013	ND	210	105	200	1.98		

Surrogate: 1-Chlorooctane 108 % 65.2-140

Surrogate: 1-Chlorooctadecane 116 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

Received:	05/17/2013	Sampling Date:	05/16/2013
Reported:	05/24/2013	Sampling Type:	Soil
Project Name:	BAISH FEDERAL TANK BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	UL-B SEC. 9, T18S, R31E		

Sample ID: SP4 (4') (H301190-04)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/23/2013	ND	2.29	114	2.00	2.88		
Toluene*	<0.050	0.050	05/23/2013	ND	2.08	104	2.00	1.96		
Ethylbenzene*	<0.050	0.050	05/23/2013	ND	2.32	116	2.00	2.27		
Total Xylenes*	<0.150	0.150	05/23/2013	ND	6.70	112	6.00	2.65		
Total BTEX	<0.300	0.300	05/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 117 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	05/22/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	05/20/2013	ND	208	104	200	5.21		
DRO >C10-C28	<10.0	10.0	05/20/2013	ND	206	103	200	6.43		

Surrogate: 1-Chlorooctane 106 % 65.2-140
Surrogate: 1-Chlorooctadecane 115 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

Received:	05/17/2013	Sampling Date:	05/16/2013
Reported:	05/24/2013	Sampling Type:	Soil
Project Name:	BAISH FEDERAL TANK BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	UL-B SEC. 9, T18S, R31E		

Sample ID: SP4 (5') (H301190-05)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/23/2013	ND	2.29	114	2.00	2.88		
Toluene*	<0.050	0.050	05/23/2013	ND	2.08	104	2.00	1.96		
Ethylbenzene*	<0.050	0.050	05/23/2013	ND	2.32	116	2.00	2.27		
Total Xylenes*	<0.150	0.150	05/23/2013	ND	6.70	112	6.00	2.65		
Total BTEX	<0.300	0.300	05/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 118 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/22/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	05/20/2013	ND	208	104	200	5.21		
DRO >C10-C28	<10.0	10.0	05/20/2013	ND	206	103	200	6.43		


Surrogate: 1-Chlorooctane 106 % 65.2-140

Surrogate: 1-Chlorooctadecane 115 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

Received:	05/17/2013	Sampling Date:	05/16/2013
Reported:	05/24/2013	Sampling Type:	Soil
Project Name:	BAISH FEDERAL TANK BATTERY	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	UL-B SEC. 9, T18S, R31E		

Sample ID: SP4 (6') (H301190-06)

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/23/2013	ND	2.29	114	2.00	2.88		
Toluene*	<0.050	0.050	05/23/2013	ND	2.08	104	2.00	1.96		
Ethylbenzene*	<0.050	0.050	05/23/2013	ND	2.32	116	2.00	2.27		
Total Xylenes*	<0.150	0.150	05/23/2013	ND	6.70	112	6.00	2.65		
Total BTEX	<0.300	0.300	05/23/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 117 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	05/22/2013	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	05/20/2013	ND	208	104	200	5.21		
DRO >C10-C28	<10.0	10.0	05/20/2013	ND	206	103	200	6.43		


Surrogate: 1-Chlorooctane 107 % 65.2-140

Surrogate: 1-Chlorooctadecane 115 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Environmental Plus, Inc.


2100 Avenue O, Eunice, NM 88231
 (575) 394-3481 FAX: (575) 394-2601

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form

LAB Cardinal

Company Name Environmental Plus, Inc.
EPI Project Manager Daniel Dominguez
Mailing Address P.O. BOX 1558
City, State, Zip Eunice New Mexico 88231
EPI Phone# / Fax# 575-394-3481 / 575-394-2601
Client Company Chevron
Facility Name Baish Federal Tank Battery
Location UL-B Sec. 9, T18S, R31E
Project Reference
EPI Sampler Name David Robinson



Attn: Daniel Dominguez
 P.O. Box 1558
 Eunice, NM 88231

LAB I.D.	SAMPLE I.D.	MATRIX			PRESERV.			SAMPLING		BTEX 8021B	TFH 8015M	CHLORIDES (Cl)	SULFATES (SO ₄)	PH	TCLP	OTHER >>	PAH
		GROUND WATER	WASTEWATER	WATER	SOIL	CRUDE OIL	SLUDGE	OTHER:	ACID/BASE								
1	SP4 (Surface)				X						X	X					
2	SP4 (1')				X						X	X					
3	SP4 (3')				X						X	X					
4	SP4 (4')				X						X	X					
5	SP4 (5')				X						X	X					
6	SP4 (6')				X						X	X					
7																	
8																	
9																	
10																	

Sampler Relinquished: [Signature]
Relinquished by: [Signature]
Delivered by: [Signature]

Date: 5-16-13
 Time: 4:00 pm

Date: 5-17-13
 Time: 12:45 pm

Received By: [Signature]
 Received By: [Signature]

Sample Collected & Intact: Yes No

1.60

NOTES:
 E-mail results to: ddominguezepi@gmail.com & bradley.blevins@chevron.com

#54