

HBP - _____17_____

**GENERAL
CORRESPONDENCE**

**YEAR(S):
_____2016 - 2020_____**

Cash Remittance Report (CRR)

Energy, Minerals & Natural Resources Department CASH REMITTANCE REPORT (CRR)

Location Name ^① OCD - Environment Location Code ^② 0740

Today's Date: 05 / 31 / 2017
MONTH DAY YEAR

Collection Period: / / through / /
MM DD YYYY MM DD YYYY

Cost Center ^⑤	Revenue Code ^⑤	Receipt Amount ^⑦	Collected Amount ^⑧
0740		250.00	

Total
→
\$ 250.00 ^⑨
\$ ^⑩

Over/Short Amount \$ ^⑪

CRR Deposit Amount \$ ^⑫

Print Name: Lorraine De Vargas ^⑬ Signature: Lorraine De Vargas ^⑬

Print Name: _____ ^⑬ Signature: _____ ^⑬

Distribution: White and Yellow copy to Accounts Receivable-ASD,
Pink copy retained at CRR submitting location.

Official Use Only
 Completed by the Accounts Receivable

Notes: _____ ^②

State Treasurer Deposit Number: _____ ^④

Deposit Date: _____ ^⑤

Date Received: _____ ^①

Amount Received: _____ ^③

Verified by: _____ ^⑥

Kinder Morgan Inc. as Paying Agent

No. 320776

Check Date: 05/17/2017

WATER QUALITY MANAGEMENT FUND, C/O OIL CONSERVATION DIVISION, 1220 S SAINT FRANCIS DR, SANTA FE NM 87505 (100034470)

Description	Voucher #	Date	PO Number	Gross Amount	Discount Amount	Net Amount Paid
PMTREQANLTMPDISCHRG1 ****Send the Check to Amy Blythe so she can submit payment with renewal letter to NMOCD	13165294	05/16/17	2017 MAY 31	\$250.00	\$0.00	\$250.00
Totals				\$250.00	\$0.00	\$250.00

Detach at Perforation Before Depositing Check
100034470

KINDER MORGAN

Kinder Morgan Inc. as Paying Agent
1001 Louisiana Ste 1000
Houston, TX 77002

Wells Fargo Bank Ohio, N.A.
115 Hospital Drive
Van Wert, OH 45891
56-382/412

Check No. 320776

Check Date
05/17/2017


Check Amount
\$ *****250.00

PAY Two Hundred Fifty AND 00/100

TO THE
ORDER
OF
100034470

WATER QUALITY MANAGEMENT FUND
C/O OIL CONSERVATION DIVISION
1220 S SAINT FRANCIS DR
SANTA FE NM 87505

K. Dang





El Paso
Natural Gas Company
a Kinder Morgan company

RECEIVED

May 23, 2017

2017 MAY 31 AM 9:31

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: Request for EPNG's Annual Temporary Discharge Permit HBP-NM-017

Dear Mr. Jones

El Paso Natural Gas Company (EPNG) is submitting the following request to renew our Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. This application was completed using the OCD's Guidelines for Hydrostatic Test Dewatering, revised January 11, 2007. The current permit expires on June 26, 2017. A check for \$250.00, that covers the filing and permission fees, is enclosed within this submittal application.


In order to maintain coverage under the Annual Temporary Permit, EPNG will comply with the following conditions:

- 1) The volume will not exceed 25,000 gallons per hydrostatic test;
- 2) Water from a public/municipal water supply or other OCD-approved sources will be used for each test;
- 3) Written notification shall be provided to the OCD 72-hours prior to each hydrostatic discharge event;
- 4) The discharge will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
- 5) No discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED and OCD prior to discharge;
- 6) Best management practices shall be implemented to contain the discharge onsite, prevent impact to adjacent properties, and to control erosion;
- 7) The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations)
- 8) The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location shall be properly notified of the activities prior to each proposed hydrostatic event; and
- 9) An annual report, summarizing all tests of new pipe with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - (a) The location of hydrostatic test (Section/Township/Range or GPS coordinates)
 - (b) The date of each test;
 - (c) The volume of each discharge; and
 - (d) The source and quality of test water (laboratory analysis, if necessary).

Mr. Brad Jones – NMOCDE – Environmental Bureau
EPNG Renewal Annual Temporary Discharge Permit
Page 2

If you have any questions, please contact me at 719-520-4813.

Sincerely,

A handwritten signature in black ink, appearing to read "Amy Blythe". The signature is fluid and cursive, with the first name "Amy" written in a larger, more prominent script than the last name "Blythe".

Amy M. Blythe
Environmental Specialist II

Copy (with enclosure):

CC: Chris Janak – Environmental Project Permitting Manager

NEW MEXICO ENVIRONMENT DEPARTMENT - ALBUQUERQUE FIELD OFFICE DAILY CHECK RECEIPT LOG

DATE RECEIVED	WALK-IN	MAIL	NAME ON CHECK	DATE OF CHECK	CHECK/MONEY ORDER#	PROGRAM ACCOUNT CODE	AMOUNT OF CHECK	DATE DEPOSITED	DEPOSITED BY:
05/31/17		*	Kender Morgan	5/17/17	320776		250. ⁰⁰		
TOTAL							250. ⁰⁰		

REVENUE TRANSMITTAL SHEET

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER	34100	Z32900		2329029000	

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of Check No. 320776 dated 05/17/2017

or cash received on 05/31/2017 in the amount of \$ 250.⁰⁰

from Kinder Morgan

for Discharge permit HBP-NM-17

Submitted by: Brael Jones Date: 05/31/2017

Submitted to ASD by: Lorraine DeVargas Date: 05/31/2017

Received in ASD by: _____ Date: _____

Filing Fee _____ New Facility: _____ Renewal: _____

Modification _____ Other * Discharge permit

Organization Code 521.07 Applicable FY 117

To be deposited in the Water Quality Management Fund.

Full Payment * or Annual Increment _____

Jones, Brad A., EMNRD

From: Blythe, Amy M (Amy) <Amy_Blythe@kindermorgan.com>
Sent: Tuesday, May 23, 2017 11:44 AM
To: Jones, Brad A., EMNRD
Cc: Janak, Christopher
Subject: Renewal of EPNG's Annual Temporary Discharge Permit HBP-NM-017
Attachments: NM Hydrotest Discharge Permit No. HBP-017 Renewal Submittal & Fee Pmt (5-23-2017).pdf

Dear Brad,

Attached is a copy of the cover letter requesting renewal of EPNG's Annual Temporary Discharge Permit HBP-NM-017. The original cover letter along with the permit fee of \$250.00 is being mailed to your office today.

Let me know if you have any questions.

Thanks so much,
Amy

KINDER MORGAN

Amy Blythe
Environmental Specialist
Two North Nevada Ave
Colorado Springs, CO 80903
719.520.4813 or 575.644.3336
(Child Ambassador - www.worldvision.org)



El Paso
Natural Gas Company
a Kinder Morgan company

May 23, 2017

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: Request for EPNG's Annual Temporary Discharge Permit HBP-NM-017

Dear Mr. Jones

El Paso Natural Gas Company (EPNG) is submitting the following request to renew our Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. This application was completed using the OCD's Guidelines for Hydrostatic Test Dewatering, revised January 11, 2007. The current permit expires on June 26, 2017. A check for \$250.00, that covers the filing and permission fees, is enclosed within this submittal application.


In order to maintain coverage under the Annual Temporary Permit, EPNG will comply with the following conditions:

- 1) The volume will not exceed 25,000 gallons per hydrostatic test;
- 2) Water from a public/municipal water supply or other OCD-approved sources will be used for each test;
- 3) Written notification shall be provided to the OCD 72-hours prior to each hydrostatic discharge event;
- 4) The discharge will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
- 5) No discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED and OCD prior to discharge;
- 6) Best management practices shall be implemented to contain the discharge onsite, prevent impact to adjacent properties, and to control erosion;
- 7) The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations)
- 8) The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location shall be properly notified of the activities prior to each proposed hydrostatic event; and
- 9) An annual report, summarizing all tests of new pipe with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - (a) The location of hydrostatic test (Section/Township/Range or GPS coordinates)
 - (b) The date of each test;
 - (c) The volume of each discharge; and
 - (d) The source and quality of test water (laboratory analysis, if necessary).

Mr. Brad Jones – NMOCDE – Environmental Bureau
EPNG Renewal Annual Temporary Discharge Permit
Page 2

If you have any questions, please contact me at 719-520-4813.

Sincerely,

A handwritten signature in black ink, appearing to read "Amy Blythe". The signature is fluid and cursive, with the first name "Amy" and last name "Blythe" clearly distinguishable.

Amy M. Blythe
Environmental Specialist II

Copy (with enclosure):

CC: Chris Janak – Environmental Project Permitting Manager

Kinder Morgan Inc. as Paying Agent

No. 320776

Check Date: 05/17/2017

WATER QUALITY MANAGEMENT FUND, C/O OIL CONSERVATION DIVISION, 1220 S SAINT FRANCIS DR, SANTA FE NM 87505 (100034470)

Description	Voucher #	Date	PO Number	Gross Amount	Discount Amount	Net Amount Paid
PMTREQANLTMPDISCHRG1 ****Send the Check to Amy Blythe so she can submit payment with renewal letter to NMOCD	13165294	05/16/17		\$250.00	\$0.00	\$250.00
Totals				\$250.00	\$0.00	\$250.00

Detach at Perforation Before Depositing Check
100034470

KINDER MORGAN

Kinder Morgan Inc. as Paying Agent
1001 Louisiana Ste 1000
Houston, TX 77002

Wells Fargo Bank Ohio, N.A.
115 Hospital Drive
Van Wert, OH 45891
56-382/412

Check No. 320776

Check Date
05/17/2017

Check Amount
\$ *****250.00

PAY *Two Hundred Fifty AND 00/100*

TO THE
ORDER
OF
100034470

WATER QUALITY MANAGEMENT FUND
C/O OIL CONSERVATION DIVISION
1220 S SAINT FRANCIS DR
SANTA FE NM 87505

K. Daug

⑈0000320776⑈ ⑆041203824⑆9600049946⑈

Jones, Brad A., EMNRD

From: Blythe, Amy M (Amy) <Amy_Blythe@kindermorgan.com>
Sent: Thursday, August 11, 2016 9:39 AM
To: Jones, Brad A., EMNRD
Subject: FW: Supplemental Page - 2015 Annual Report for EPNG's Annual Permit HBP-NM-017
Attachments: Supplemental Page - NM Discharge Permit HBP-NM-017-2015 Annual Report.pdf

Okay, so let me try again.

Here's the attachment! ☺

Thanks a bunch, have a great rest of your day!

From: Blythe, Amy M (Amy)
Sent: Wednesday, August 10, 2016 3:58 PM
To: 'brad.a.jones@state.nm.us'
Subject: Supplemental Page - 2015 Annual Report for EPNG's Annual Permit HBP-NM-017

Hello Mister Brad,

Attached is the signed supplemental page reporting the additional discharge under our existing permit.

Shall I go ahead and mail you a hard copy as well, or will the electronic copy suffice?

Thanks again,

Amy

KINDER/MORGAN

Amy Blythe
Environmental Specialist
Two North Nevada Ave
Colorado Springs, CO 80903
719.520.4813 or 575.644.3336
(Child Ambassador - www.worldvision.org)



August 10, 2016

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: **Supplemental Page** - 2015 Annual Report for EPNG's Annual Temporary Discharge Permit HBP-NM-017

Dear Mr. Jones

Enclosed is the supplemental page to EPNG's annual report to include one additional project where hydrostatic testing occurred under our Annual Temporary Discharge Permit, between June 10, 2015 and June 26, 2016.

Washington Ranch Storage Project, Located in Eddy County, New Mexico. EPNG drilled WI Federal #25 and installed 1,000 feet of new 6 inch diameter pipe, connecting it to an existing 10 inch line, known as WR-1001. EPNG also drilled WI Federal #26 and installed 1,400 feet of new 6 inch diameter pipe, connecting it to the existing 16 inch line, known as WR-1601. The water was recaptured from the first test (1,000 foot segment) and used to test the 1,400 foot segment.

- 1) Location: Sections 33 and 34, Township 25 South, Range 24 East, in Eddy County, New Mexico.
 - a. Well #25 = Latitude 32.08898; Longitude -104.49676
 - b. Well #26 = Latitude 32.07999; Longitude -104.48489
- 2) The date of the test was September 28, 2015.
- 3) The volume of water discharged was approximately 4,000 gallons.
- 4) The source of the test water was from a municipal supply from the City of Carlsbad.

If you have any questions, please contact me at 719-520-4813 or via email at amy_blythe@kindermorgan.com.

Sincerely,

Amy M. Blythe
Environmental Specialist II



August 1, 2016

2016 AUG -4 P 3:18

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: 2015 Annual Report for EPNG's Annual Temporary Discharge Permit HBP-NM-017

Dear Mr. Jones

El Paso Natural Gas Company (EPNG) is submitting the following annual report, as requested in EPNG's Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. The report summarizes each test of new pipe, with less than 25,000 gallons per hydrostatic test event that occurred between June 10, 2015 and June 26, 2016.

1. Line No. 1100 – Repair or Replace a Segment of Pipe (Immediate Remediation Project), Located in Lea County, New Mexico: Crews replaced approximately 80 feet on EPNG's 26" O.D. California Mainline (No. 1100) at Milepost 12+0860.

- 1) Location: Section 10, Township 22 South, Range 34 East in Lea County, New Mexico.
 - a) Latitude 32.4088817; Longitude -103.4573577
- 2) The date of the test was Monday March 28, 2016.
- 3) The volume of water discharged was approximately 2,200 gallons.
- 4) The source of the test water was a municipal supply from the City of Carlsbad

2. Construct the Ramsey North Receipt Meter Station, Located in Eddy County, New Mexico. EPNG installed the new meter station on Line Nos. 1100 and 1103 at Milepost 57+0000. The Project involved one hot tap, two ultrasonic meters, flow control valves and related appurtenances.

- 1) Location: Section 15, Township 26 South, Range 28 East in Eddy County, New Mexico.
 - a. Latitude 32.0405; Longitude -104.0773
- 2) The date of the test was Friday April 15, 2016.
- 3) The volume of water discharged was approximately 12,500 gallons.
- 4) The source of the test water was from a municipal supply in Carlsbad, New Mexico

3. Construct the Bounds Receipt Meter Station, Located in Eddy County, New Mexico. EPNG installed the new meter station on Line No. 3191 at Milepost 3+4242. The Project involved one hot tap, two ultrasonic meters, a flow control valve and related appurtenances.

- 1) Location: Section 31, Township 23 South, Range 28 East in Eddy County, New Mexico.
 - a. Latitude 32.258757; Longitude -104.134395
- 2) The date of the test was Sunday June 26, 2016.
- 3) The volume of water discharged was approximately 400 gallons.
- 4) The source of the test water was from a municipal supply in Loving, New Mexico

4. Construct the Rock Dove Meter Station, Located in Eddy County, New Mexico. EPNG installed the new meter station on Line No. 1100 at Milepost 39+3600 located in Section 36, Township 24 South, Range 30 East of Eddy County, New Mexico. The Project involved one hot tap, valve assembly, two ultrasonic meters, a rotary meter and related appurtenances. In addition, the crews needed to install approximately 60 feet of new 24" O.D. pipe on Line 1100.

This project had no discharge on site. The test water was hauled to an approved disposal facility because the source water was not from a municipal water supply.

If you have any questions, please contact me at 719-520-4813 or via email at amy_blythe@kindermorgan.com.

Sincerely,



Amy M. Blythe

Environmental Specialist II

Jones, Brad A., EMNRD

From: Jason Waltz <jasonwaltz@live.com>
Sent: Thursday, October 01, 2015 1:00 PM
To: Jones, Brad A., EMNRD
Cc: 'Jason Waltz'
Subject: FW: 72 Hour Prior Notice -El Paso Natural Gas Company L.L.C. a Kinder Morgan company - Washington Ranch Storage Project Eddy County, NM

From: Jason Waltz [mailto:jasonwaltz@live.com]
Sent: Wednesday, September 30, 2015 7:04 PM
To: 'Bonar, Michael J (Mike)' <Michael_Bonar@kindermorgan.com>
Subject: 72 Hour Prior Notice -El Paso Natural Gas Company L.L.C. a Kinder Morgan company - Washington Ranch Storage Project Eddy County, NM

Dear Brad,

I would like to notify you of a planned hydrostatic test discharge on EPNG's Washington Ranch Storage Project. After drilling WI Federal #25 the approximate 1,000 feet of 6 inch lateral line was installed and connected to the existing 10 inch Line WR-1001 and tested, the water was recaptured and used to test the remaining 1,400 feet of six inch lateral line connecting WI Federal #26 to the existing 16 inch line WR-1601 and we will now be using the water for dust control on the project.

Project Description:

Drill WI Federal #25 and #26

Install approximately 2,400 of lateral line

Acquire approximately 4,000 gallons of water from a municipal water source

Test both lateral lines

Recapture test water into EPNG's water truck and use for dust control

Discharge will occur Monday October 5, 20015

If you have any questions feel free to call me.

Thank You,
Jason

Jason Waltz
Environmental Inspector, AK Environmental
606.776.4829

Jones, Brad A., EMNRD

From: Castellano, Sheila Fennell (Contractor) <Sheila_Castellano@KinderMorgan.com>
Sent: Sunday, March 20, 2016 7:37 PM
To: Jones, Brad A., EMNRD
Cc: Castellano, Sheila Fennell (Contractor); Zettlemoyer, David M
Subject: Hydrostatic Test Notification_El Paso Natural Gas Company_Rock Dove Meter Station, Eddy County, NM

Dear Brad,

I would like to notify you of a planned hydrostatic test discharge on EPNG's Project – Construction Rock Dove Meter Station located in Eddy County, New Mexico.

Project Description:

EPNG will install a new meter station consisting of one 24" hot tap and valve assembly, one 12" and one 16" ultrasonic meter, one 4" rotary meter and related appurtenances. In addition, EPNG will install 60.19 feet of new 24" pipeline which will extend from EPNG's existing easement to the new meter station facility located adjacent to the existing right of way. This project will be located along EPNG's existing Line No. 1100 at MP 39+3600 in Section 36, Township 24 South, Range 30 East, Eddy County, New Mexico.

- All pipeline segments proposed for testing will be new.
- Source water will be from a municipal water supply.
- Amount of water required will be approximately 6000 gallons.
- Discharge will occur on Monday, March 21, 2016 (at the earliest) and Friday, March 25th (at the latest).

If you have any questions, please feel free to call me.

Thank you very much,

Sheila Castellano

KINDER MORGAN

Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903
o: 719 520-3719
c: 719 352-1367

Jones, Brad A., EMNRD

From: Blythe, Amy M (Amy) <Amy_Blythe@kindermorgan.com>
Sent: Thursday, March 24, 2016 9:18 AM
To: Jones, Brad A., EMNRD
Cc: Mijares, Bryan E; Bill White; Castellano, Sheila Fennell (Contractor); Hatch, Emmitt R (Emmitt)
Subject: 72 Hour Prior Notification under Permit HBP-017 - (RAD#15-0118) El Paso Natural Gas Project - Repair Segments of Line No. 1100, located in Lea County, New Mexico

Dear Brad,

I would like to notify you of a planned hydrostatic test discharge on EPNG's Project - Repair or Replace Segments of Line No. 1100, located in Lea and Eddy counties, New Mexico. During the pipeline integrity program, the In Line Inspection Tool, or "smart pig" identified several anomalies (corrosion) on Line 1100 in the segment between Eunice and Pecos River Compressor Stations. Only one of the anomalies required the pipe segment to be replaced.

Project Description:

Repair or replace approximately 80 feet of 26" O.D. pipe at Milepost 12+0860 in Section 10, Township 22 South, Range 34 East, Lea County, New Mexico. Latitude and Longitude is 32.40888177; -103.4573577.

- We will be testing a new segment of pipe.
- Source water will be from a municipal water supply in Carlsbad.
- Amount of water to be discharged is approximately 2,200 gallons.
- The water will be discharged into a dissipation structure in an upland area on the existing ROW or used as dust control on the ROW.
- Discharge will occur on Monday March 28, 2016.

If you have any questions, please feel free to call me.

Thank you so much,
Amy

KINDER MORGAN

Amy Blythe
Environmental Specialist
Two North Nevada Ave
Colorado Springs, CO 80903
719.520.4813 or 575.644.3336
(Child Ambassador - www.worldvision.org)

Jones, Brad A., EMNRD

From: Hatch, Emmitt R (Emmitt) <Emmitt_Hatch@kindermorgan.com>
Sent: Thursday, March 24, 2016 10:36 AM
To: Blythe, Amy M (Amy)
Cc: Bill White; Castellano, Sheila Fennell (Contractor); Mijares, Bryan E; Jones, Brad A., EMNRD
Subject: Re: 72 Hour Prior Notification under Permit HBP-017 - (RAD#15-0118) El Paso Natural Gas Project - Repair Segments of Line No. 1100, located in Lea County, New Mexico
Attachments: image001.gif

Let me verify, we can used as dust control?

Sent from my Verizon Wireless 4G LTE DROID On Mar 24, 2016 9:17 AM, "Blythe, Amy M (Amy)" <Amy_Blythe@kindermorgan.com> wrote:

Dear Brad,

I would like to notify you of a planned hydrostatic test discharge on EPNG's Project - Repair or Replace Segments of Line No. 1100, located in Lea and Eddy counties, New Mexico. During the pipeline integrity program, the In Line Inspection Tool, or "smart pig" identified several anomalies (corrosion) on Line 1100 in the segment between Eunice and Pecos River Compressor Stations. Only one of the anomalies required the pipe segment to be replaced.

Project Description:

Repair or replace approximately 80 feet of 26" O.D. pipe at Milepost 12+0860 in Section 10, Township 22 South, Range 34 East, Lea County, New Mexico. Latitude and Longitude is 32.40888177; -103.4573577.

We will be testing a new segment of pipe.

Source water will be from a municipal water supply in Carlsbad.

Amount of water to be discharged is approximately 2,200 gallons.

The water will be discharged into a dissipation structure in an upland area on the existing ROW or used as dust control on the ROW.

Discharge will occur on Monday March 28, 2016.

If you have any questions, please feel free to call me.

Thank you so much,

Amy

[Description: Description:

http://intranet/procurement/facilities/logos_online/images/LOGOS/kmlogo_nobu_1.gif]

Amy Blythe

Environmental Specialist

Two North Nevada Ave

Colorado Springs, CO 80903

719.520.4813 or 575.644.3336

(Child Ambassador – www.worldvision.org)

Jones, Brad A., EMNRD

From: Castellano, Sheila Fennell (Contractor) <Sheila_Castellano@KinderMorgan.com>
Sent: Tuesday, April 12, 2016 2:40 PM
To: Jones, Brad A., EMNRD
Cc: Castellano, Sheila Fennell (Contractor); Mccarthy, Patrick
Subject: 72 Hour Prior Notification under Permit HBP-017_El Paso Natural Gas Company_North Ramsey Receipt Meter Station, Eddy County, NM

Importance: Low

Dear Brad,

I would like to notify you of a planned hydrostatic test discharge for EPNG's Project – Construction North Ramsey Receipt Meter Station located in Eddy County, New Mexico.

Project Description:

EPNG installed one 12" ultrasonic meter, one 16" ultrasonic meter, two 12" flow control valve and related appurtenances. In addition, EPNG installed 300 feet of new 24" pipeline, extending from the existing L1110 and L1103 to the new meter station facility located adjacent to the existing right of way. This project is located along EPNG's existing Line No. 1100 at MP 57 in Section 15, Township 26 South, Range 29 East, Eddy County, New Mexico. Lat: 32.0405, Long:-104.0773.

- All pipeline segments tested were new. Test date was April 9, 2016.
- Source water was from a municipal water supply in Carlsbad, NM.
- Amount of water to be discharged is approximately 12,500 gallons.
- Discharge will occur on Friday, April 15, 2016. Water will be used beneficially as dust mitigation along the existing right of way at the location listed above.

If you have any questions, please feel free to call me.

Thank you very much,

Sheila Castellano

KINDER MORGAN

Sheila Castellano - Contractor Consultant

2 North Nevada Ave

Colorado Springs, CO 80903

o: 719 520-3719

c: 719 352-1367

Jones, Brad A., EMNRD

From: Castellano, Sheila Fennell (Contractor) <Sheila_Castellano@KinderMorgan.com>
Sent: Tuesday, June 21, 2016 3:02 PM
To: Jones, Brad A., EMNRD
Cc: Zettlemoyer, David M; Thompson, Glen D
Subject: 72 Hour Prior Notice_El Paso Natural Gas Company_Bounds Receipt Meter Station Project, Eddy County, NM

Dear Brad,

I would like to notify you of a planned hydrostatic test discharge on EPNG's Project – Installation of Bounds Receipt Meter Station located in Eddy County, New Mexico.

EPNG will install one 4" senior ultrasonic meter, one 6" senior ultrasonic meter, one 4" flow control valve, and related appurtenances located at Milepost 3+4242 on EPNG's 16" O.D. Line from South Carlsbad Station to Pecos River Station ("Line No. 3191") in Section 31, Township 23 South, Range 28 East, Eddy County, New Mexico.

- All pipeline segments proposed for testing will be new.
- Source water will be from a municipal water supply in Loving, New Mexico.
- Amount of water required will be approximately 1,000 gallons.
- Discharge will occur on-site and is scheduled for Friday, June 24, 2016 (at the earliest).

If you have any questions, please feel free to call me.

Thank you very much,

Sheila Castellano

KINDER MORGAN

Sheila Castellano - Contractor Consultant
2 North Nevada Ave
Colorado Springs, CO 80903
o: 719 520-3719
c: 719 352-1367

Cash Remittance Report (CRR)

Energy, Minerals & Natural Resources Department CASH REMITTANCE REPORT (CRR)

Location Name ①

Location Code ②

OCD-Environment

740

Today's Date: 05 / 13 / 2016
MONTH DAY YEAR ③

Collection Period: ___ / ___ / ___ through ___ / ___ / ___ ④
MM DD YYYY MM DD YYYY

Cost Center ⑤	Revenue Code ⑤	Receipt Amount ⑦	Collected Amount ⑧
0740		250.00	

Total =====> \$ 250.00 ⑨ \$ ⑩

Over/Short Amount \$ ⑪

CRR Deposit Amount \$ ⑫

Print Name: Lorraine DeVerges ⑬ Signature: Lorraine DeVerges ⑬

Print Name: _____ ⑬ Signature: _____ ⑬

Distribution: White and Yellow copy to Accounts Receivable-ASD,
Pink copy retained at CRR submitting location.

Official Use Only

Completed by the Accounts Receivable

Date Received: _____ ①

Notes: _____ ②

Amount Received: _____ ③

State Treasurer Deposit Number: _____ ④

Verified by: _____ ⑥

Deposit Date: _____ ⑤

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of Check No. 261537 dated 05/04/2016

or cash received on 05/13/2016 in the amount of \$ 250.⁰⁰

from Kinder Morgan Inc., & affiliates

for HBP-017 WQ

Submitted by: Brad Jones Date: 05/13/2016

Submitted to ASD by: Lorraine DeVargas Date: 05/13/2016

Received in ASD by: _____ Date: _____

Filing Fee _____ New Facility: _____ Renewal: _____

Modification _____ Other permit

Organization Code 521.07 Applicable FY _____

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

NEW MEXICO ENVIRONMENT DEPARTMENT - ALBUQUERQUE FIELD OFFICE DAILY CHECK RECEIPT LOG

DATE RECEIVED	WALK IN MAIL	NAME ON CHECK	DATE OF CHECK	CHECK/MONEY ORDER#	PROGRAM ACCOUNT CODE	AMOUNT OF CHECK	DATE DEPOSITED	DEPOSIT
05/13/2016	✓	Kender Morgan Inc.	05/04/16	261537		250. ⁰⁰		
TOTAL						250. ⁰⁰		

REVENUE TRANSMITTAL SHEET

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	23200	496402		
Water Recreation Facilities	40000	28501	496402		
Food Permit Fees	99100	22600	496402		
OTHER	54100	232900		2329029000	

Kinder Morgan Inc. & Affiliates

HBP-017

No. 261537

Check Date: 05/04/2016

(100127901)

WATER QUALITY MANAGEMENT FUNDS, 1220 S ST FRANCIS DR, SANTA FE NM 87505

Description	Voucher #	Date	PO Number	Gross Amount	Discount Amount	Net Amount Paid
PMTREQSTATEOPNMEMNRDEP Return check to Amy Blythe at 2 North Nevada Ave, Colorado Springs, CO 80903	12276070	06/10/15		\$250.00	\$0.00	\$250.00
Totals				\$250.00	\$0.00	\$250.00

Detach at Perforation Before Depositing Check

100127901

KINDER MORGAN

Kinder Morgan Inc. & Affiliates
1001 Louisiana Ste 1000
Houston, TX 77002

Wells Fargo Bank Ohio, N.A.
115 Hospital Drive
Van Wert, OH 45891
56-382/412

Check No. 261537

Check Date
05/04/2016

Check Amount
\$ *****250.00

PAY *Two Hundred Fifty AND 00/100*

TO THE
ORDER
OF

WATER QUALITY MANAGEMENT FUNDS
1220 S ST FRANCIS DR
SANTA FE NM 87505

K. Dang

100127901



El Paso
Natural Gas Company
a Kinder Morgan company

RECEIVED OCD

2016 MAY 12 P 3:05

May 9, 2016

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: Request for EPNG's Annual Temporary Discharge Permit HBP-NM-017

Dear Mr. Jones

El Paso Natural Gas Company (EPNG) is submitting the following request for an Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. This application was completed using the OCD's Guidelines for Hydrostatic Test Dewatering, revised January 11, 2007. The current permit expires on June 26, 2016. A check for \$250.00, that covers the filing and permission fees, is enclosed within this submittal application.

In order to maintain coverage under the Annual Temporary Permit, EPNG will comply with the following conditions:

- 1) The volume will not exceed 25,000 gallons per hydrostatic test;
- 2) Water from a public/municipal water supply or other OCD-approved sources will be used for each test;
- 3) Written notification shall be provided to the OCD 72-hours prior to each hydrostatic discharge event;
- 4) The discharge will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
- 5) No discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED and OCD prior to discharge;
- 6) Best management practices shall be implemented to contain the discharge onsite, prevent impact to adjacent properties, and to control erosion;
- 7) The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations)
- 8) The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location shall be properly notified of the activities prior to each proposed hydrostatic event; and
- 9) An annual report, summarizing all tests of new pipe with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - (a) The location of hydrostatic test (Section/Township/Range or GPS coordinates)
 - (b) The date of each test;
 - (c) The volume of each discharge; and
 - (d) The source and quality of test water (laboratory analysis, if necessary).

Mr. Brad Jones – NMOCDE – Environmental Bureau
EPNG Renewal Annual Temporary Discharge Permit
Page 2

If you have any questions, please contact me at 719-520-4813.

Sincerely,

A handwritten signature in black ink, appearing to read "Amy Blythe". The signature is written in a cursive, flowing style.

Amy M. Blythe
Environmental Specialist II

Copy (with enclosure):

CC: Chris Janak – Environmental Project Permitting Manager