

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

NM OIL CONSERVATION

ARTESIA DISTRICT

APR 05 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED

Form C-141
Revised April 3, 2017

Release Notification and Corrective Action

NAB1710041956

Name of Company OXY USA INC 11610410		Operator CASEY SUMMERS	<input checked="" type="checkbox"/> Initial Report <input type="checkbox"/> Final Report
Address PO BOX 4294; HOUSTON, TX 77210		Contact CASEY SUMMERS	
Facility Name SDS 11 FEDERAL #1 SWD FACILITY		Telephone No. 575-513-8289	
Surface Owner BLM		Facility Type SWD	
Mineral Owner		API No. 30-015-27627	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
F	11	24S	31E	2090	NORTH	1980	WEST	EDDY

Latitude 32.2333984 Longitude -103.7507324 NAD83

NATURE OF RELEASE

Type of Release PRODUCED WATER	Volume of Release 6 BBLS	Volume Recovered 0 BBLS
Source of Release Fitting failure on the disposal line from pump.	Date and Hour of Occurrence 03/31/2017	Date and Hour of Discovery
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bracher, NMOCD; Crystal Weaver, NMOCD; Shelly Tucker, BLM	
By Whom? Casey Summers	Date and Hour 04/03/2017 10:43am	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*



Describe Cause of Problem and Remedial Action Taken.*

Fitting failure on the disposal line from pump caused a spill of 6 bbls of produced water. Fitting was replaced but overall system is in the process of being rebuilt new.

Describe Area Affected and Cleanup Action Taken.*

The affected area is approximately 36' L x 25' W on location. Remediation will be completed in accordance with a remediation plan approved by both the BLM and NMOCD.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: CASEY L. SUMMERS	Signed By:  Approved by Environmental Specialist:	
Title: ENVIRONMENTAL ADVISOR	Approval Date: 4/10/17	Expiration Date: N/A
E-mail Address: casey.summers@oxy.com	Conditions of Approval: See Attached	
Date: 4-4-17	Phone: 575-513-8289	Attached <input checked="" type="checkbox"/>

2RP-4165

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 4/5/2017 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 2RP-41125 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in ARTESIA on or before 5/5/2017. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505-476-3465

jim.griswold@state.nm.us

Bratcher, Mike, EMNRD

From: Casey_Summers@oxy.com
Sent: Wednesday, April 5, 2017 2:34 PM
To: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD; stucker@blm.gov; Jennifer_Hudgens@oxy.com
Cc: cbrunson@bbcinternational.com; kswinney@bbcinternational.com; kathy@bbcinternational.com; jgilkey@bbcinternational.com
Subject: Initial C141 - SDS 11 FEDERAL 1 SWD FACILITY
Attachments: SDS 11 FED 1 SWD - INITIAL C-141.pdf

Attached is the initial C-141 for a release that occurred at the SDS 11 FEDERAL 1 SWD on 03/31/2017 in Eddy County, NM. Receipt notification and the RP number via email are greatly appreciated.

Casey Summers
O: (575)-628-4152
C: (575)-513-8289

From: Summers, Casey L
Sent: Monday, April 03, 2017 9:43 AM
To: 'Bratcher, Mike, EMNRD' <mike.bratcher@state.nm.us>; 'Weaver, Crystal, EMNRD' <Crystal.Weaver@state.nm.us>; Tucker, Shelly <stucker@blm.gov>; Hudgens, Jennifer A <Jennifer_Hudgens@oxy.com>
Cc: 'Cliff Brunson' <cbrunson@bbcinternational.com>; Ken Swinney <kswinney@bbcinternational.com>; 'Kathy Purvis' <kathy@bbcinternational.com>; 'Jennifer Gilkey' <jgilkey@bbcinternational.com>
Subject: SDS 11 FEDERAL 1 SWD FACILITY Initial Notification

All,
This is to inform you that Oxy Permian had a release at the SDS 11 FEDERAL 1 SWD FACILITY on 3/31/2017.

- **Release Location:** Legal F-11-24S-31E, API: 30-015-27627
- **Release Volume:** 0 bbls of Oil and 6 bbls of Produced Water
- **Recovered:** 0 recovered
- **Cause of release:** fitting failure on the disposal line from pump
- **Approximate Area impacted by release:** 36Lx25W FT (measurements will change with future GPS track)
- **GPS Coordinates and Driving Direction:** 32.2333984,-103.7507324, GOING EAST ON HWY 128, TURN SOUTH ON BUCK JACKSON ROAD GO 1.5 MILES, TURN WEST 150 FT TAKE RIGHT AT Y GO 2.5-3 MILES, 1ST LEASE TO THE RIGHT

Please let me know if you have any questions.

Thank you,

Casey Summers
O: (575)-628-4152
C: (575)-513-8289