NM OIL CONSERVATION

ARTESIA DISTRICT

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

APR 18 2018

Form C-141 Revised April 3, 2017

Submit I Copy to appropriate District Office in RECEIVE Condance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Release Notification and Corrective Action			
11AB 1810850031	OPERATOR		
Name of Company: XTO Energy 3000 30073			
Address: 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220 Telephone No: 432-221-7331 Facility Name: PLU #359 (@ PLU #156) Facility Type: Exploration and Production			
Surface Owner: Federal Mineral Owner	er: Federal	API No: 30-015-43230	
LOCATION OF RELEASE			
	orth/South Line Feet from the Eas tuth 1825 Eas	t/West Line County t Eddy	
Latitude32.241461°Longitude103.918046°NAD83			
NATURE OF RELEASE			
Type of Release release volume). Fresh Water (< 1 gallon of chemical added to	Volume of Release 516 bbls	Volume Recovered 0 bbls	
Source of Release Victaulic clamp connection on contractor trailer	Date and Hour of Occurrence 4/4/2018 12:40 pm	Date and Hour of Discovery 4/4/2018 12:40 pm	
Was Immediate Notice Given?	If YES, To Whom?	, maoro ranto pin	
Yes No Not Required Mike Bratcher/Crystal Weaver (NMOCD), Shelly Tucker/Jim Amos (BLM)			
By Whom? Amy Ruth	Date and Hour: 4/5/2018 9:12 am		
Was a Watercourse Reached? ☐ Yes ☑ No	N/A	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.*			
N/A			
Describe Cause of Problem and Remedial Action Taken.*			
A 12" Victaulic clamp became disconnected from the contractor chemical trailer. Pumps were shut down and the line was clamped. The fresh water released had .88 gallons of chemical additives. The trailer and associated tanks were removed to the frac location and placed within lined containment for			
the remaining operation.			
Describe Area Affected and Cleanup Action Taken.*			
The leak affected 5,400 square feet of caliche pad/lease road and approximately 13,700 square feet of pasture north of the pad and on ROW's. An			
environmental contractor will be retained to assist with delineation and remediation efforts.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and			
regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability			
should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health			
or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other			
federal, state, or local laws and/or regulations.	OIL CONSER	VATION DIVISION	
HI TUIL	# /		
Signature Signat			
Printed Name: Kyle Littrell Approved by Environmental Specialist! /4 Drawnicae			
	Approval Date: 4 18 18	Expiration Date: NIA	
Title: Environmental Coordinator	Approval Date: 4 8 8	Expiration Date: NIA	
E-mail Address: Kyle_Littrell@xtoenergy.com	Conditions of Approval:	Attached A	
Date: 4/18/2018 Phone: 432-221-7331	See attai	ched ZKP-4708	

* Attach Additional Sheets If Necessary

Operator/Responsible Party,

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in ARTESIA on or before 5/18/2018. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us

Bratcher, Mike, EMNRD

From:

Ruth, Amy <Amy_Ruth@xtoenergy.com>

Sent:

Wednesday, April 18, 2018 10:08 AM

To:

Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD; Tucker, Shelly; Jim Amos

Cc:

Littrell, Kyle; Sanders, Toady; Foust, Bryan; McSpadden, Wes

Subject:

Initial C-141 - PLU 359 @ PLU 156 4-4-18 (API PLU 359 30-015-43230)

Attachments:

Initial C-141 - PLU 359 @ PLU 156 4-4-18.pdf

Good Morning,

Attached is the initial form C-141 regarding the referenced spill event below. Please call me with any questions or concerns as we always appreciate your help. Thanks

Respectfully,

Amy C. Ruth

Delaware Basin Division

Environmental Coordinator

3104 E. Greene Street | Carlsbad, NM 88220 | M: 432.661.0571 | O: 575.689.3380



This document may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, you are notified that any unauthorized disclosure, copying, distribution or action on/of the contents of this document is prohibited.

From: Ruth, Amy

Sent: Thursday, April 05, 2018 9:12 AM

To: Bratcher, Mike, EMNRD; 'Weaver, Crystal, EMNRD'; Tucker, Shelly; Jim Amos

Cc: Littrell, Kyle; Sanders, Toady; Foust, Bryan; McSpadden, Wes

Subject: Release Notification - PLU 359 frac @ PLU 156 (API PLU 359 30-015-43230)

Good Morning,

This is sent as notification of a release of fluids greater than 25 barrels from the referenced facility. The release occurred at GPS 32.241461° N, -103.918046° W from the northeast edge of the PLU 156 well pad. The release flowed WNW 230 feet to cover to the reserve pit in the north pasture. It also flowed SW 550 feet onto the pad, along the lease road, and along the ROW's west of Gavilan Rd. Details will be submitted with an initial C-141. Please call me with any questions or concerns. Thank you.

Respectfully,

Amy C. Ruth

Delaware Basin Division

Environmental Coordinator

3104 E. Greene Street | Carlsbad, NM 88220 | M: 432.661.0571 | O: 575.689.3380