

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Rec'd 4/4/18
NMOCD DIST II

Form C-141
Revised April 3, 2017

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

NAB1812258307

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	Oxy Permian Ltd.	Contact	Wade Dittrich
Address	1017 S. Stanolind, Hobbs NM 88240	Telephone No.	575-397-8214
Facility Name	Sand Dunes South Corridor CTB	Facility Type	SWD

Surface Owner	BLM	Mineral Owner		API No.	30-015-24627
---------------	-----	---------------	--	---------	--------------

LOCATION OF RELEASE

30-015-27627

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
F	11	24S	31E					EDDY

Latitude_32.23328_Longitude_-103.75060 NAD83

SBS 11 FEB 11

NATURE OF RELEASE

Type of Release	Produced Water	Volume of Release	20 bbls	Volume Recovered	20 bbls lined fac
Source of Release	Train Weathering oil tank high level failure	Date and Hour of Occurrence	3-24-2018	Date and Hour of Discovery	
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	MIKE BRATCHER-NMOCD, Shelly Tucker BLM		
By Whom?	Wade Dittrich	Date and Hour	3-24-2018	* 3/27/2018 @ 10:03am (e-mail) AB	
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.*



Describe Cause of Problem and Remedial Action Taken.*

Train Weathering oil tank high level failure caused 20 bbls of produced water to leak on location. Repairs made immediately upon discovery.

Describe Area Affected and Cleanup Action Taken.*

The affected area is approximately 25' x 25' on location. Remediation will be completed in accordance with the remediation plan approved by both the NMOCD and BLM.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION		
Printed Name: WADE DITTRICH	Approved by Environmental Specialist:	Signed By: 	
Title: ENVIRONMENTAL COORDINATOR	Approval Date: 5/1/18	Expiration Date: N/A	
E-mail Address: Wade.Dittrich@oxy.com	Conditions of Approval: See Attached	Attached <input checked="" type="checkbox"/> RP-4727	
Date: 3/21/18	Phone: 575-390-2828 (m)		

* Attach Additional Sheets If Necessary

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 4/4/2018 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 2RP-4727 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in ARTESIA on or before 5/4/2018. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-476-3465
jim.griswold@state.nm.us

Bratcher, Mike, EMNRD

From: Wade_Dittrich@oxy.com
Sent: Wednesday, April 4, 2018 9:35 AM
To: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD
Cc: stucker@blm.gov
Subject: Sand Dunes South Corridor CTB
Attachments: SDS CTB Initial-Signed C141.pdf

All,

Attached is the **Initial C141**. Please review and let me know if there are any questions. Thank you.

Wade Dittrich
Environmental Specialist
Oxy Permian-New Mexico
575-390-2828 cell
575-397-8214 office
Wade_Dittrich@Oxy.com

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Friday, April 27, 2018 3:42 PM
To: Wade_Dittrich@oxy.com; Weaver, Crystal, EMNRD
Cc: stucker@blm.gov
Subject: RE: Sand Dunes South Corridor CTB

Wade,

This C-141 will be entered under API 30-015-27627 per the Lat/Long provided.

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

From: Weaver, Crystal, EMNRD
Sent: Tuesday, April 10, 2018 8:47 AM
To: Wade_Dittrich@oxy.com; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Cc: stucker@blm.gov
Subject: RE: Sand Dunes South Corridor CTB

Wade,

Please cross check what you wrote on 3/27/18 regarding the immediate notification for what I believe is for this release against what you put on the Initial C-141 sent to use from your email below. Also on the C-141 is the API number typoed? Cause that API you used does not belong to OXY. Please advise with a corrected version.

Thank you,

From: Wade_Dittrich@oxy.com <Wade_Dittrich@oxy.com>
Sent: Wednesday, April 4, 2018 9:35 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>
Cc: stucker@blm.gov
Subject: Sand Dunes South Corridor CTB

All,

Attached is the Initial C141. Please review and let me know if there are any questions. Thank you.

Wade Dittrich
Environmental Specialist
Oxy Permian-New Mexico
575-390-2828 cell

575-397-8214 office
Wade_Dittrich@Oxy.com

Bratcher, Mike, EMNRD

From: Wade_Dittrich@oxy.com
Sent: Tuesday, March 27, 2018 10:03 AM *
To: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD
Cc: stucker@blm.gov; Rebecca_Moore@oxy.com
Subject: Sand Dunes South Corridor CTB

Follow Up Flag: Follow up
Flag Status: Completed

All,

This is to inform you that Oxy Permian had a **Reportable** release in **Eddy County** at the Sand Dunes South Corridor CTB on 3/24/2018.

- **Release Location:** Legal -7-24S-31E, API: 30-015-33890(closest well)
- **Release Volume:** 20 bbls of Oil and 0 bbls of Produced Water.
- **Recovered:** 0 bbls recovered
- **Cause of Release:** Train weathering oil tank high level caused spill
- **Approximate Area impacted by release:** 25ftx25ft (measurements are subject to change with GPS tracking)
- **GPS Coordinates and Driving Direction:** **32.223380 , -103.813103** (Leak GPS) From the Int. of 128 and Twin Wells Road, go South on Twin Wells Road for 5.3 miles, turn right(West) and go 550 ft to CTB on left.

Please let me know if you have any questions.

Wade Dittrich

Environmental Specialist

Oxy Permian-New Mexico

575-390-2828 cell

575-397-8214 office

Wade_Dittrich@Oxy.com