

ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

GARREY CARRUTHERS
GOVERNOR

POST OFFICE BOX 2088 STATE LAND OFFICE BUILDING SANTA FE. NEW MEXICO 87504 (505) 827-5800

January 17, 1989

CNG Producing Company P.O. Box 2115
Tulsa, OK 74101-2115

Attention: K.T. Lam

Administrative Order TX-191

Reference is made to your request for an exception to the tubing setting requirements as contained in Division Rule 107(d)(3) for the below-named well.

Pursuant to the authority granted me by Rule 107(d)(4), you are hereby authorized to set tubing at 12,148 feet in the following well:

Well Name and Number: Bar 4 Federal Well No. 1

Location: Unit L, Section 4, Township 25

Unit L, Section 4, Township 25 South, Range 29 East, NMPM, Eddy

County, New Mexico.

The Division reserves the right to rescind this authority in the event that waste appears to be resulting therefrom.

Sincerely,

William J. LeMay

Vietr 2. Lyon

leputy Director


WJL/REJ/ag

From the desk of . . .

Susan Lacy

as you requested, I have	
D 4	11
strached a copy of the well bore sketch for the Bar 4 Dederal 1. If you need	¥
further information, please	·

Susan Lang




لمل		,	WELL SK	ETCH			
, "	WELL	Bar 4	Foderal 1 FIE	LD C	orral Draw	Prospect	_
	SEC	. ?	TASS RAGE,	Eddy	COUN	TY, NM	
	FI FVA	TIONS:	GROUND2943.7 ;	KB	TO GL	: 26.	5
	1830'	FSL + 6	0' FWL Sec 4				
	PRES	SENT	30" @ 66'			PROPO	SED
		'	20 " @ 617 ·				
			13 1/2" 61 # @ 2920				
4			130, 51	•			
						,	
					<u> </u>	•	
					,	'	
							1
			· · · · · · · · · · · · · · · · · · ·		g 4.7#/ft	,	
				P-105 C	es Hydril		
		ŀ					
			- 75/" + 202/	<u> </u>	18 19		
			TOL 7 /8 x+ 9893'	(P-110 B)	it & SQC FLUS		
					at 12,148'		
			A	toka per	rfs 12421-28		
*		S	Baker Model DB" pkr w/ Plug TOL (G1/2"x 5 1/4" setting	@12530	if 12546	rt.	
7	×	×	Liner horgan @ 12533	(*(10))		•	
39'			ę				
水	4		75/6" (P110 + 595) 39# Lin	or £ 1	2635'		
							
						•	
					····	• .	
						•	
					· · · · · · · · · · · · · · · · · · ·	•	
			12 712 /		· ·	-	
		· E	ST PBTD 13713'			-	
			51/2 " 23 " @ 13828' (Smellest:	ID 4.719 ")		
	-	_	ATE 3/15/18 PREPARED BY			 -	



CNG Producing Company

TULSA OPERATIONS

Post Office Box 2115 Tulsa, Oklahoma 74101-2115 (918) 599-3800



A CNG COMPANY

OIL CONSERVATION DEVISION. SANTA SE

November 29, 1988

New Mexico Oil Conservation Commission P. O. Box 2088 Santa Fe, NM 87504-2088

Attn: Mike Stogner

RE: Bar 4 Federal No. 1 Eddy Co, NM. App. for Exception-Tubing

Dear Mr. Stogner:

CNG Producing Co. hereby requests an exception for tubing to be set greater than 250' above perforations on the referenced well for the following reason:

The Halliburton RTTS packer currently in use was set during the testing phase. It will only be used temporarily (until workover is required) to avoid killing and damaging the Atoka formation.

If you need further information, please advise.

Sincerely,

K. T. Lam

Production Engineer

KTL/SLL/eb

location

L-4-255-29E

Called 12-13-88

To Return call

Packer Setting Depth Tuby @ 12148

Well bore diagram

Top Atoka perf @ 12421