



ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION

2040 S. PACHECO SANTA FE, NEW MEXICO 87505 (505) 827-7131

September 3, 1996

Amoco Production Company P. O. Box 606 Clayton, New Mexico 88415 Attention: Bill Prichard

Administrative Order TX-248

Dear Mr. Prichard:

Reference is made to your request for an exception to the tubing setting requirements as contained in Division Rule 107 (j) (3) for the below-named well.

Pursuant to the authority granted me by Rule 107 (d) (4), you are hereby authorized to have tubingless completions in the wells referenced in Exhibit "A" attached to this order.

The Division reserves the right to rescind this authority in the event that waste appears to be resulting therefrom.

Sincerely,

William J. Kellay

Director

WJL/RJ/kv

cc: Oil Conservation Division - Santa Fe

EXHIBIT "A" AMOCO PRODUCTION COMPANY ADMINISTRATIVE ORDER TX-248

WELL NAME & NO.	API NO.	LOCATION	COUNTY
BDCDGU 2234 -172	30-059-20353	A-17-22N-34E	UNION
BDCDGU 2234 - 212	30-059-20354	M-21-22N-34E	UNION
BDCDGU 2234 - 213	30-059-20355	D-21-22N-34E	UNION
BDCDGU 2234 - 222	30-059-20356	D-22-22N-34E	UNION
BDCDGU 2234 - 262	30-059-20358	M-26-22N-34E	UNION
BDCDGU 2234 - 282	30-059-20364	P-28-22N-34E	UNION
BDCDGU 2234 - 232	30-059-20357	M-23-22N-34E	UNION
BDCDGU 2234 - 342	30-059-20365	P-34-22N-34E	UNION



Amoco Production Company PO Box 606 Clayton, NM 88415

2234-162A) 2234

May 15, 1996

Roy . Johnson State of New Mexico Energy and Minerals Department Oil Conservation Division 2040 S. Pacheco Santa Fe, NM 87505

File: BEP-986.51XWF

Dear Mr. Johnson:

Exception to Statewide Rule 107(J)
Bravo Dome Carbon Dioxide Gas Unit
Well No: 2234-212M; 2234-213D; 2234-223D
232M; 2234-262M.

Union County, New Mexico

Amoco Production Company requests an exception to Rule 107(J), by drilling and equiping with 5.5" fiberglass production casing in the following Bravo Dome Carbon Dioxide Gas Unit Well Numbers: 2234-212M; 2234-213D; 2234-223D; 2234-282P; 2234-342P; 2234-172A; 2234-162A; 2234-232M; 2234-262M.

In support of our request, the following reasons exist

- 1. Increased production rates through the larger inside diameter fiberglass casing.
- 2. Eliminate casing corrosion.
- 3. Eliminate expense of packer and tubing.
- 4 The wells are not wildcats or dual completion's, and are completed with a total depth of less than 5000 feet.

A well bore schematic is attached for your information and review.

Your administrative approval of this request will be appreciated. If additional information is desired, please contact me at (505)374-3053.

Yours very truly,

Billy E. Prichard Field Foreman

AMOCO - Bravo Dome CO2 Gas Unit

Well No. County, State Completed		TYPICAL WELL RTU No. 5xxx Union, Quay, Harding Co.,NM 1996	
Location		All 1996 Infill Wells	
Elevation	GL	4700-4800 KB approx 11'	

This is a typical well completion for the 22 well development drilling project for 1996.

The completion will be tubingless.
5.5" Fiberglass Casing will be run from surface to the top of the Tubb Formation.
5.5" Steel casing will be set through the Tubb Formation to 20 feet above the GWC.

The Steel casing will be perforated at 6 SPF.

