STATE OF NEW MEXICO



ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION

2040 S. PACHECO SANTA FE, NEW MEXICO 87505 (505) 827-7131

January 24, 1997

Amoco Production Company P. O. Box 606 Clayton, New Mexico 88415 Attention: Bill Prichard

Administrative Order TX-260

Dear Mr. Prichard:

Reference is made to your request for an exception to the tubing setting requirements as contained in Division Rule 107 (j) (3) for the below-named well.

Pursuant to the authority granted me by Rule 107 (d) (4), you are hereby authorized to make a tubingless completion in the following well:

Well Name and Number:

BDCDGU 1934 Well No. 111 (API No. 30-059-20051)

Location:

Unit J, Section 11, Township 19 North, Range 34 East, Union County,

New Mexico

The Division reserves the right to rescind this authority in the event that waste appears to be resulting therefrom.

Sincerely

William J. LeMay

Director

WJL/RJ/kv

cc: Oil Conservation Division - Santa Fe

January 5, 1997

Mr. Roy Johnson State of New Mexico Energy and Minerals Department Oil Conservation Division 2040 Pacheco Street Santa Fe, NM 87505

File: BEP 0049

Dear Mr. Johnson:

Exception to Statewide Rule 107(J)
Bravo Dome Carbon Dioxide Gas Unit
Well No. 1934-111G
<u>Union County</u>, New Mexico

Billy E. Kruhn

Amoco Production Company requests an exception to Rule 107(J), in order to Bravo Dome Carbon Dioxide Gas Unit Well Numbers . 1934-111G

CONSERVATION DIVISION

Amoco has run A 5.2" OD SDR 17 polyethlyene liner to the top of the production packer, thereby eliminating the need for tubing.

A well bore schematic is attached for your information and review.

Your administrative approval of this request will be appreciated. If additional information is desired, please contact me at (505)374-3053.

Yours very truly,

Billy E. Prichard Field Foreman

Attachments

AMOCO - Bravo Dome CO2 Gas Unit

No Y

2/8/96 Gary Ford

Well No.
County, State
Completed

XXXX XXX X

RTU No. XXXX

Leg No. X

Enginneer
Field Foreman
Production Tech.

DATE

Bill Prichard
Kay Theungthi

Location

Union, Quay, Harding, NM

xx/xx/xxx

Elevation G

.


1980' FNL x 1980' FEL, SEC. 1, T-20-N, R-34-E

GL

KB 4692

Workover Activity Remove existing 2-7/8 fiberglass tubing and insert tight fit polyethylene liner in steel casing.

Return well to production as tubingless completion.



Perforations Detail

2088-94, 2099-2102, 21-25, 40-48, 52-55, 66-68, 74-76, 79-82, 84-90, 93-95, 2199-2201, 03-05, 09-13, 19-23, 25-33, 46-48, 54-56, 60-63, 69-71, 75-78, 82-91, 2308-12, w/2 JSPF

Squeeze: 2376-80, 2388-98, 2403-13, 2437-42, 2470-2513, 2525-33, w/2 JSPF

Reservoir Data		_]	
height - h, ft	100	res.press Pr.psig	260
net pay, ft .	84	skin, s	-4
perm - k, md	18	frac	Yes