District I - (505) 393-6161 625 N. French Dr Hobbs, NM 88241-1980 District II - (505) 748-1283 811 S. First Artesia, NM 88210 District III - (505) 334-6178 1000 Rio Brazos Road Aztec, NM 87410 District IV - (505) 827-7131 New Mexico

1299 Form C-142

Energy Minerals and Natural Resources Depart

Oil Conservation Division

2040 South Pacheco Street Santa Fe, New Mexico 87505 (505) 827-7131

)ep	artmer	<u>it</u>	_	·
	EG	3	IV	SUBMIT ORIGINAL
	OCT	- 7	1999	TO THE SANTA FI

APPLICATION FOR NEW WELL STATUS CONSERVATION BINISHON

I. Operator and Well	
Operator name & address OGRID Number	
SONAT RATON, LLC 180514	
P.O. BOX 190 RATON, NEW MEXICO 87740	
Contact Party Phone	
DONALD R. LANKFORD (505)-445-4621	
Property Name Well Number API Number	
VERMEJO PARK RANCH (VPR 'A') 13 30-007-20127	
UL Section Township Range Feet From The North/South Line Feet From The East/West Line County	
J 35 32N 19E 1760 South 1951 East COLFAX II. Date/Time Information	<u></u>
Spud Date Spud Time Date Completed Pool	
07/31/99 1:00 AM 09/22/99	
III. Attach copies of Form C-103 or Federal Form 3160-5 showing date/time of drilling commenced and Form	C-105 or
Federal Form 3160-4 showing well was completed as a producer.	
IV. Attach a list of all working interest owners with their percentage interests.	
V. AFFIDAVIT:	
State of New Mexico	
SS.	
County of Colfax	
hoing first duly awarn upon acth states	
, being first duly sworn, upon oath states:	
1. I am the Operator, or authorized representative of the Operator, of the above-referenced well.	
2. To the best of my knowledge, this application is complete and correct.	
2. To the book of my knowledge, and approach to complete and confect.	
Signature Title Sr. Petroleum Engineer Date Date	
	, :
SUBSCRIBED AND SWORN TO before me this5thday of _Oct, _99	,
SUBSCRIBED AND SWORN TO before me this	, ,
College O corone	·
1 2 4 4 7 2 4 7 2 4 7 4 7 4 7 4 7 4 7 4 7	
My Commission expires: , 2003	
FOR OIL CONSERVATION DIVISION USE ONLY:	
FOR OIL CONSERVATION DIVISION USE ONLY.	
VI. CERTIFICATION OF APPROVAL:	
This Application is hereby approved and the above-referenced well is designated a New Well. By copy hereof, the I	ivision
notifies the Secretary of the Taxation and Revenue Department of this Approval.	14101011
	14131011
Signature // Date Date Date Date 22	
Signature Mahhah Title P.E. Shor	
Signature Mah Jahly Title P.E. Spor. Date: NOV 22	

	New Mex		of the second second	Form C-10	
District 1 Energy, Minerals	and Natura	al Resources	WELL ARINO	Revised March 25, 19	99
1625 N. French Dr., Hobbs, NM 87240 District II			WELL API NO. 30-007-20127		
811 South First, Artesia, NM 87210 OIL CONSERV			5. Indicate Type o	FI coso	
District III 2040 So	uth Pache	eco			.]
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe	, NM 875	505	STATE L	J FEE -	
2040 South Pacheco, Santa Fe, NM 87505	•		6. State Oil & G	as Lease No.	ı
SUNDRY NOTICES AND REPORTS OF	WELLS		7. Lease Name or	Unit Agreement Name	e:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEE!			VPR 'A'		
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORI PROPOSALS.)	M C-101) FOR	SUCH	122 12		
1. Type of Well:					
Oil Well Gas Well Other Coalbed M	Methane	}			
2. Name of Operator			8. Well No 13	 }	
SONAT RATON, L.L.C.			· · · · · · · · · · · · · · · · · · ·		
3. Address of Operator			9. Pool name or W	/ildcat	
P.O. Box 190; Raton, NM 877	40				
		· ·	•		ļ
	from the	South	line and1950.8	88feet from	n
the Eastline					
Costinu 25 Tournship	22 N	. Dames 10.E	ND 400	A Cale	
Section 35 Township County	32 N	Range 19 E	NMP	M Colfax	
10. Elevation (Show v	vhether DR	RKB. RT. GR. etc.)		
8281'(G					
11. Check Appropriate Box to Inc	dicate Nat	ure of Notice, F	Report or Other I	Data	
NOTICE OF INTENTION TO:	- 1	SUBS	SEQUENT REF	PORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON		REMEDIAL WORK	·	ALTERING CASING	
TEMPORARII V ARANDON - CO OLIANOS RI ANO	_				
TEMPORARILY ABANDON		COMMENCE DRIL	LING OPNS.	PLUG AND ABANDONMENT	
PULL OR ALTER CASING MULTIPLE		CASING TEST AN	D II	• • • • • • • • • • • • • • • • • • • •	
COMPLETION	Ì	CEMENT JOB	•		
OTHER:		OTHER:	•		
12. Describe proposed or completed operations. (Clearly s	tate all perti	nent details, and gi	ve pertinent dates,	including estimated da	ite
of starting any proposed work). SEE RULE 1103. For	Multiple Co	ompletions: Attach	wellbore diagram	of proposed completion	n
or recompilation.			,	•	
	•				
07/30/99: MIRU Thornton Rig #1.		1			
07/31/99: Spud well at 1:00 A.M. Drill 11" hole to 36	54'. Kan an	d set 8-5/8", 23#, \	WC-50. Casing at 3	48'. Cement with 110)
sx. Circ. 33 sx. to surface. 08/07/99: T.D. 7-7/8" hole at 2588'. RDMO Thornton	Dia#1 M	IIDII completion D	ia. Dun open hole l	logg	
08/08/99: Ran and set 5 ½", 15.5#, M-50 casing at 256				ogs.	
08/13/99: Ran CBL. Found TOC @ 1420' with good			beinein to surrace.		
I hereby certify that the information above is true and comp	lete to the b	est of my knowledg	ge and belief.		
SIGNATURE SIGNATURE	TITLE #	otroloum Fro	gr. Advisor	DATE 8/31/99	}
		erroreom en	1 1744.001		L
Type or print name Woel W. Putscher			Telep	hone No.	
(This space for State use)					
ADDDD OVED DV (H)	TITLE P	TETDICT CI	IPERVISOR .	DATE 9/2/9	9
APPPROVED BY 7/9 C fortune Conditions of approval, if any:	THIFF	ISIKICI SL	TLEKA12OK	DAIR //-//	
Conditions of approval, it any:		•			

Submit 3 Copies To Appropriate District Office	State of	New Me	xico		F	orm C-103
District 1	Energy, Minerals	and Natu	ral Resources	MARCH A DE		1arch 25, 1999
1625 N. French Dr., Hobbs, NM 87240 District II	OH COMBEDI	/	DIMOLONI	WELL API 30-007-201		
811 South First, Artesia, NM 87210	OIL CONSERV				Type of Lease	
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410		outh Pach	-	į.	TE 🗆 FEE	See
District IV 2040 South Pacheco, Santa Fe, NM 87505	Santa Fe	e, NM 87	305		il & Gas Lease No).
<u></u>	TO ALLE BERGERS OF					
SUNDRY NOTICE (DO NOT USE THIS FORM FOR PROPOSAL DIFFERENT RESERVOIR. USE "APPLICA" PROPOSALS.) 1. Type of Well:		PEN OR PLU	JG BACK TO A	7. Lease No.	ame or Unit Agree	ment Name:
Oil Well Gas Well	Other Coalbed N	∕lethane				
2. Name of Operator	· · · · · · · · · · · · · · · · · · ·		,	8. Well No	13	
	RATON, L.L.C.			·		
3. Address of Operator	. 100. Date: NM 977	40		9. Pool nan	ne or Wildcat	
4. Well Location	(190; Raton, NM 877	40		J <u> </u>		
4. Well Education						
	1759.98feet f	from the _	South	_ line and	1950.88	feet from
the East line						
Section 35 County	Township	32 N	Range 19 E		NMPM Colfax	
	10. Elevation (Show и	vhether Di	R, RKB, RT, GR, etc	c.)		
A SA CALLER AND A	8281'(GI					
	propriate Box to Inc	dicate Na				•
NOTICE OF INT	•	_	· ·		T <u>R</u> EPORT OF	
PERFORM REMEDIAL WORK I	PLUG AND ABANDON	· [_].	REMEDIAL WOR	K	☐ ALTERING	G CASING ∟
TEMPORARILY ABANDON 🔲	CHANGE PLANS		COMMENCE DR	ILLING OPNS	. PLUG ANI	
•	MULTIPLE COMPLETION		CASING TEST AI CEMENT JOB	ND		
OTHER:			OTHER:	11	COMPLETION	
of starting any proposed work). So or recompilation. Perforated casing 2329 – 233 Frac'd 2329 – 2333 W/27,10 Set RBP at 2260' Perforated casing 2240 – 224 Frac'd 2210 – 2244 W/79, 10 Set RBP at 1550. Shot 8 squ HES mixed & pumped 350 s Circulated 50 bbls of slurry t Drilled cement from 1328 to Clean out to 2564' Run production equipment (19	SEE RULE 1103. For 183 W/4 SPF. 180 lbs of sand. 184, 2210 – 2214 W/4 SI 180 lbs. of sand. 186 lbs. of sand. 186 lbs. of sand. 186 lbs. midcon 2 plus addit to the pit. 180 lbs. Test casing to	Multiple C PF. 02' ives.	Completions: Attac			
I hereby certify that the information a	bove is true and compl	ete to the	pest of my knowled	lge and belief.		
SIGNATURE 1//	A. Harrie	_TITLE S	r. Petroleum Engin	eer	DATE_09/30/9	9
	R. Lankford			Telephor	ne No	
(This space for State use) APPPROVED BY	10 from	TITLE [DISTRICT SI	JPE RVIS	OK DATE	7/30/99
Conditions of approval, if any	T T					<u> </u>

Submit To Appropriate District Office State of New Mexico Form C-105 State Lease - 6 copies Energy, Minerals and Natural Resources Fee Lease - 5 copies Revised March 25, 1999 District I WELL API NO. 30-007-20127 1625 N. French Dr., Hobbs, NM 87240 District II OIL CONSERVATION DIVISION 811 South First, Artesia, NM 87210 5. Indicate Type of Lease 2040 South Pacheco District III STATE FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 State Oil & Gas Lease No. District IV 2040 South Pacheco, Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Well: 7. Lease Name or Unit Agreement Name GAS WELL DRY OTHER_COALBED METHANE OIL WELL VPR 'A' b. Type of Completion: PLUG NEW | WORK DEEPEN DIFF WELL RACK RESVR. **OTHER** 2. Name of Operator 8. Well No. 13 SONAT RATON, LLC 3. Address of Operator 9. Pool name or Wildcat P.O. BOX 190, RATON, NM 87740 4. Well Location Feet From The ___EAST_ Unit Letter __J_ SOUTH Line and 1951' : 1760' Feet From The_ Section 35 32N **NMPM** Township Range COLFAX County 10. Date Spudded 11. Date T.D. Reached 13. Elevations (DF, RB, RT, GR, etc.) 12. Date Compl. (Ready to Prod.) 14. Elev. Casinghead 07/31/99 8281' (GR) 08/07/99 09/22/99 8280' (GR) 15. Total Depth 16. Plug Back T.D. 17. If Multiple Compl. How Many 18. Intervals **Rotary Tools** Cable Tools Drilled By NONE 2588 2564 Zones? 0 - TD 19. Producing Interval(s), of this completion - Top, Bottom, Name 2329'-2333'; 2240'-2244'; 2210'-2214' 20. Was Directional Survey Made **VERMEJO COALS** NO 22. Was Well Cored 21: Type Electric and Other Logs Run INDUCTION LOG; COMPENSATED DENSITY LOG; CBL NO 73 **CASING RECORD** (Report all strings set in well) WEIGHT LB./FT. **DEPTH SET** HOLE SIZE CEMENTING RECORD AMOUNT PULLED CASING SIZE 348 11" 110 NONE 8.5/8" 23 NONE 5 1/2" 15.50 2565' 7 7/8" 240 LINER RECORD 25. TUBING RECORD 24. **BOTTOM** SACKS CEMENT | SCREEN SIZE **DEPTH SET** PACKER SET TOP SIZE 2 7/8" 2350' 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC 26. Perforation record (interval, size, and number) 2329'-2333' SHOT 4 SPF AMOUNT AND KIND MATERIAL USED DEPTH INTERVAL .48" DIA. HOLES 2240'-2244' 1000 gals of 7 1/2 % HCL; 55,500 lbs of 20/40; 2210'-2333' **48 HOLES TOTAL** 2210'-2214' 50,700 lbs 0f 16/30; 469,000 scf of N2. (70 quality foam) **PRODUCTION** 28 Well Status (Prod. or Shut-in) Production Method (Flowing, gas lift, pumping - Size and type pump) Date First Production **PRODUCING** 30-N-095 PC PUMP Water - Bbl. Gas - Oil Ratio Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl Gas - MCF 24 Test Period TSTM 125 9/27/99 Casing Pressure Oil Gravity - API - (Corr.) Flow Tubing Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl. 7 psi Hour Rate Press. **TSTM** 125 Test Witnessed By LARRY CASEY 29. Disposition of Gas (Sold, used for fuel, vented, etc.) USED FOR FUEL AND VENTED THE N2 30. List Attachments 31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Don Lonford

Drintod Printed Palshuma Title SR. PETROLEUM ENGINEER Date 09/30/99 Signature Name DON LANKFORD

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

T. Ojo Alamo

T. Kirtland-Fruitland_____

T. Pictured Cliffs_____

Northwestern New Mexico

T. Penn. "B"

T. Penn. "C"

T. Penn. "D"

Southeastern New Mexico

T. Anhy___

B. Salt

T. Salt_____

T. Canyon_____

T. Strawn____

T. Atoka____

			77 3 4'		•	n ~11.00 v v			
T. Yates	S		I . MISS			I. Cliff H	ouse		T. Leadville
T. 7 Riv	ers		_ T. Devoni	ian		l'. Meneté	ee		T. Madison
T. Quee	:n		1. Siluriai	n		Γ. Point L	.ookout_		T. Elbert
T. Gray	burg		T. Monto	ya		Γ. Manco	S		T. McCracken
T. San A	Andres	· · · · · · · · · · · · · · · · · · ·	T. Simpso	on	-	Γ. Gallup			T. Ignacio Otzte
T. Glori	eta		1. McKee	·		Base Gree	enhorn		T. Granite
T. Padd	ock		T. Ellenbu	urger		Γ. Dakota	. –		T_Raton - Surface
T. Bline	bry		T. Gr. Wa	ısh		Γ. Morris	on		TVermejo – 2194'
T.Tubb			T. Delawa	are Sand		Γ.Todilto			T_Trinidad – 2450'
			T. Bone S	Springs	-	Γ. Entrada	a		TPierre – 2542'
T. Abo			T T	,pr50		F Wingst	te		т
T. Walf	camn		— т		-	Γ Chinle			т
T. Woll	Carrip		— т			T Dormia			— т <u>`</u>
T. Cina	(Pouch	<u>C)</u>	- ^		 -	r. remma r. Donn "	ит		т
1. Cisco	(Dough	C)	_ '			I. FCILL	A		TPierre - 2542' TT TTOIL OR GAS
						×.			OIL OR GAS
NT. 1	C		4-			NI. 2 (•	•	. SANDS OR ZON
No. 1,	irom	• • • • • • • • • • • • • • • • • • • •	το	• • • • • • • • • • • • • • • • • • • •	•••••	No. 3, I	rom	••••••	to
No. 2,	from		to	IMPORT		No. 4, f	rom		to
No. 2,	from			to				feet	
No. 3,	from								
		L	THOLO	GY RECC		tach add	ditiona	l sheet if n	
No. 3,	To		THOLO						ecessary) Lithology
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	
		Thickness	THOLO	GY RECC		tach add	ditiona	sheet if n	

Sonat Raton P.O. Box 190 Raton, NM 87740

Oct. 6, 1999

NOTICE OF GAS CONNECTION

This is to notify the New Mexico Oil Conservation Division that connection for purchase of gas from Sonat Raton's Vermejo Park Ranch Well No. A-13, meter station no. 'A-13' located in unit letter J, Section 35, Township 32 North, Range 19 East, Colfax County, New Mexico, 160 acre area, was made on 09/22/99, by Sonat Raton, L.L.C. First delivery date: 10/1/99.

Purchaser: Sonat Raton, L.L.C.

Representative: DR Lack

Title: <u>Facilities Engineer</u>

Sonat Raton, L.L.C. P.O. Box 190 Raton, New Mexico 87740

October 5, 1999

Mark Ashley New Mexico Oil Conservation Division 2040 S. Pacheco Santa Fe, NM 87505

Mark:

The subject well, as well as all wells within the Vermejo Park Ranch have the following Working Interest:

Sonat Exploration:

75.000 %

Devon Energy:

25.000 %

Respectfully,

Don Lankford