

DATE IN 11/24/99	SUSPENSE 12/14/99	ENGINEER DC	LOGGED MN	TYPE DHC
---------------------	----------------------	----------------	--------------	-------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
- Engineering Bureau -

2540

ADMINISTRATIVE APPLICATION COVERSHEET

THIS COVERSHEET IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS


Application Acronyms:

[NSP-Non-Standard Proration Unit] [NSL-Non-Standard Location]
[DD-Directional Drilling] [SD-Simultaneous Dedication]
[DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
[PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
[WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
[SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
[EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

[1] TYPE OF APPLICATION - Check Those Which Apply for [A]

[A] Location - Spacing Unit - Directional Drilling

☐ NSL ☐ NSP ☐ DD ☐ SD



Check One Only for [B] and [C]

[B] Commingling - Storage - Measurement

☒ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

[C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery

☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR

[2] NOTIFICATION REQUIRED TO: - Check Those Which Apply, or ☐ Does Not Apply

[A] ☐ Working, Royalty or Overriding Royalty Interest Owners

[B] ☐ Offset Operators, Leaseholders or Surface Owner

[C] ☐ Application is One Which Requires Published Legal Notice

[D] ☒ Notification and/or Concurrent Approval by BLM or SLO

U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office

[E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,

[F] ☐ Waivers are Attached

[3] INFORMATION / DATA SUBMITTED IS COMPLETE - Statement of Understanding

I hereby certify that I, or personnel under my supervision, have read and complied with all applicable Rules and Regulations of the Oil Conservation Division. Further, I assert that the attached application for administrative approval is accurate and complete to the best of my knowledge and where applicable, verify that all interest (WI, RI, ORRI) is common. I understand that any omission of data, information or notification is cause to have the application package returned with no action taken.

Note: Statement must be completed by an individual with supervisory capacity.

Peggy Bradfield

Regulatory/Compliance Administrator

Print or Type Name

Signature

Title

Date

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
811 South First St., Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410
DISTRICT IV
2040 S. Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department
OIL CONSERVATION DIVISION
2040 S. Pacheco
Santa Fe, New Mexico 87505-6429

Form C-107-A
Revised August 1999

APPROVAL PROCESS:

___ Administrative ___ Hearing

EXISTING WELLBORE

___X___ YES ___ NO

APPLICATION FOR DOWNHOLE COMMINGLING

BURLINGTON RESOURCES OIL & GAS COMPANY

PO BOX 4289, FARMINGTON, NM 87499

Operator

Address

JICARILLA 150

1E

F 01-26N-05W

RIO ARRIBA

Lease

Well No.

Unit Ltr. - Sec - Twp - Rge

County

Spacing Unit Lease Types: (check 1 or more)

OGRID NO. 14538 Property Code 16344 API NO. 30-039-23519 Federal ___X___, State ___ , (and/or) Fee ___

The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone
1. Pool Name and Pool Code	BLANCO MESAVERDE - 72319	GALLUP - 72920	BASIN DAKOTA - 71599
2. Top and Bottom of Pay Section (Perforations)	WILL BE SUPPLIED UPON COMPLETION	WILL BE SUPPLIED UPON COMPLETION	WILL BE SUPPLIED UPON COMPLETION
3. Type of production (Oil or Gas)	GAS	GAS	GAS
4. Method of Production (Flowing or Artificial Lift)	FLOWING	FLOWING	FLOWING
5. Bottomhole Pressure Oil Zones - Artificial Lift: Gas & Oil - Flowing: All Gas Zones: Estimated Current Measured Current Estimated Or Measured Original	a. (Current) 544 psi (see attachment) b. (Original) 1151 psi (see attachment)	a. (Current) 772 psi (see attachment) b. (Original) 1630 psi (see attachment)	a. (Current) 856 psi (see attachment) b. (Original) 1324 psi (see attachment)
6. Oil Gravity (EAPI) or Gas BTU Content	BTU 1192	BTU 1253	BTU 1188
7. Producing or Shut-In?	SHUT-IN	SHUT-IN	SHUT-IN
Production Marginal? (yes or no)	NO	YES	YES
* If Shut-In, give date and oil/gas/water rates of last production	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:
* If Producing, give date and oil/gas/water rates of recent test (within 60 days)	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:
8. Fixed Percentage Allocation Formula - % for each zone (total of %'s to equal 100%)	Oil: % Gas: % WILL BE SUPPLIED UPON COMPLETION	Oil: % Gas: % WILL BE SUPPLIED UPON COMPLETION	Oil: % Gas: % WILL BE SUPPLIED UPON COMPLETION

9. If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data.
10. Are all working, overriding, and royalty interests identical in all commingled zones? ___X___ Yes ___ No
If not, have all working, overriding, and royalty interests been notified by certified mail? ___ Yes ___ No
11. Will cross-flow occur? ___X___ Yes ___ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. ___X___ Yes ___ No (If No, attach explanation)
12. Are all produced fluids from all commingled zones compatible with each other? ___X___ Yes ___ No
13. Will the value of production be decreased by commingling? ___ Yes ___X___ No (If Yes, attach explanation)
14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. ___X___ Yes ___ No
15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). _____
16. ATTACHMENTS:
* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
* Production curve for each zone for at least one year. (If not available, attach explanation.)
* For zones with no production history, estimated production rates and supporting data.
* Data to support allocation method or formula.
* Notification list of working, overriding, and royalty interests for uncommon interest cases.
* Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Sean E. Corrigan

TITLE PRODUCTION ENGINEER

DATE: 11/15/99

TYPE OR PRINT NAME SEAN E. CORRIGAN

TELEPHONE NO. 505-326-9700

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-23519	² Pool Code 72319/72920/	³ Pool Name Basin Dakota Blanco Mesaverde/B S Mesa Gallup/
⁴ Property Code 16344	⁵ Property Name Jicarilla 150	⁶ Well Number 1E
⁷ OGRID No. 14538	⁸ Operator Name Burlington Resources Oil & Gas Company	⁹ Elevation 7285' GR

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	1	26N	5W		1656	North	1979	West	RA

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres MV-W/319.88 Gal - 160	¹³ Joint or Infill DK-W/319.88	¹⁴ Consolidation Code	¹⁵ Order No.
---	--	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ 	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief Signature <u>Peggy Cole</u> Printed Name <u>Regulatory Administrator</u> Title Date	
		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyer:


Jicarilla 150 #1E
Expected Production
Mesaverde Formation



Jicarilla 150 #1E

Actual Production


Dakota Formation



Jicarilla 150 #1E

Actual Production

Gallup Formation



Jicarilla 150 #1E
Bottom Hole Pressures
Flowing and Static BHP
Cullender and Smith Method
Version 1.0 3/13/94

Mesaverde		Dakota	
<u>MV-Current</u>		<u>DK-Current</u>	
GAS GRAVITY	<u>0.688</u>	GAS GRAVITY	<u>0.687</u>
COND. OR MISC. (C/M)	<u>C</u>	COND. OR MISC. (C/M)	<u>C</u>
%N2	<u>0.47</u>	%N2	<u>0.61</u>
%CO2	<u>0.9</u>	%CO2	<u>0.89</u>
%H2S	<u>0</u>	%H2S	<u>0</u>
DIAMETER (IN)	<u>1.5</u>	DIAMETER (IN)	<u>2.375</u>
DEPTH (FT)	<u>5632</u>	DEPTH (FT)	<u>8332</u>
SURFACE TEMPERATURE (DEG F)	<u>60</u>	SURFACE TEMPERATURE (DEG F)	<u>60</u>
BOTTOMHOLE TEMPERATURE (DEG F)	<u>137</u>	BOTTOMHOLE TEMPERATURE (DEG F)	<u>198</u>
FLOWRATE (MCFPD)	<u>0</u>	FLOWRATE (MCFPD)	<u>0</u>
SURFACE PRESSURE (PSIA)	<u>472</u>	SURFACE PRESSURE (PSIA)	<u>698</u>
BOTTOMHOLE PRESSURE (PSIA)	<u>543.8</u>	BOTTOMHOLE PRESSURE (PSIA)	<u>855.5</u>
<u>MV-Original</u>		<u>DK-Original</u>	
GAS GRAVITY	<u>0.688</u>	GAS GRAVITY	<u>0.687</u>
COND. OR MISC. (C/M)	<u>C</u>	COND. OR MISC. (C/M)	<u>C</u>
%N2	<u>0.47</u>	%N2	<u>0.61</u>
%CO2	<u>0.9</u>	%CO2	<u>0.89</u>
%H2S	<u>0</u>	%H2S	<u>0</u>
DIAMETER (IN)	<u>1.5</u>	DIAMETER (IN)	<u>2.375</u>
DEPTH (FT)	<u>5632</u>	DEPTH (FT)	<u>8332</u>
SURFACE TEMPERATURE (DEG F)	<u>60</u>	SURFACE TEMPERATURE (DEG F)	<u>60</u>
BOTTOMHOLE TEMPERATURE (DEG F)	<u>137</u>	BOTTOMHOLE TEMPERATURE (DEG F)	<u>198</u>
FLOWRATE (MCFPD)	<u>0</u>	FLOWRATE (MCFPD)	<u>0</u>
SURFACE PRESSURE (PSIA)	<u>986</u>	SURFACE PRESSURE (PSIA)	<u>1069</u>
BOTTOMHOLE PRESSURE (PSIA)	<u>1151.0</u>	BOTTOMHOLE PRESSURE (PSIA)	<u>1324.1</u>

Jicarilla 150 #1E
 Bottom Hole Pressures
 Flowing and Static BHP
 Cullender and Smith Method
 Version 1.0 3/13/94

Gallup	
<u>GP-Current</u>	
GAS GRAVITY	0.723
COND. OR MISC. (C/M)	C
%N2	0.36
%CO2	0.73
%H2S	0
DIAMETER (IN)	2.375
DEPTH (FT)	7715
SURFACE TEMPERATURE (DEG F)	60
BOTTOMHOLE TEMPERATURE (DEG F)	198
FLOWRATE (MCFPD)	0
SURFACE PRESSURE (PSIA)	633
BOTTOMHOLE PRESSURE (PSIA)	771.7
<u>GP-Original</u>	
GAS GRAVITY	0.723
COND. OR MISC. (C/M)	C
%N2	0.36
%CO2	0.73
%H2S	0
DIAMETER (IN)	2.375
DEPTH (FT)	7715
SURFACE TEMPERATURE (DEG F)	60
BOTTOMHOLE TEMPERATURE (DEG F)	198
FLOWRATE (MCFPD)	0
SURFACE PRESSURE (PSIA)	1309
BOTTOMHOLE PRESSURE (PSIA)	1629.9

Jicarilla 150 #1E

Mesaverde Offset

	<u>Date</u>	<u>Pressure</u>
JICARILLA 150 1	1954- 09- 2	986
JICARILLA 150 1	1970- 10- 23	946
JICARILLA 150 1	1971- 09- 26	709
JICARILLA 150 1	1972- 04- 17	554
JICARILLA 150 1	1973- 05- 17	591
JICARILLA 150 1	1974- 06- 2	496
JICARILLA 150 1	1976- 05- 3	444
JICARILLA 150 1	1978- 05- 18	458
JICARILLA 150 1	1980- 07- 25	505
JICARILLA 150 1	1982- 04- 9	405
JICARILLA 150 1	1984- 05- 2	564
JICARILLA 150 1	1986- 04- 23	567
JICARILLA 150 1	1989- 11- 29	603
JICARILLA 150 1	1991- 05- 1	671
JICARILLA 150 1	1991- 05- 15	659
JICARILLA 150 1	1993- 06- 1	472

Jicarilla 150 #1E

Gallup Offset

	<u>Date</u>	<u>Pressure</u>
Jicarilla 150 12	1980- 03- 27	1,309
Jicarilla 150 12	1981- 06- 1	664
Jicarilla 150 12	1982- 04- 9	607
Jicarilla 150 12	1983- 06- 9	633

Jicarilla 150 #1E

Existing Dakota

	<u>Date</u>	<u>Pressure</u>
Jicarilla 150 1E	1985- 10- 15	1069
Jicarilla 150 1E	1986- 04- 23	962
Jicarilla 150 1E	1987- 10- 21	817
Jicarilla 150 1E	1988- 01- 13	817
Jicarilla 150 1E	1990- 12- 5	698

Jicarilla 150 #1E

Dakota / Gallup / Mesaverde

26N - 5W - 01

