ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

3

	- Engineering Bureau -
	ADMINISTRATIVE APPLICATION COVERSHEET
	THIS COVERSHEET IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS
Appli	cation Acronyms: [NSP-Non-Standard Proration Unit] [NSL-Non-Standard Location] [DD-Directional Drilling] [SD-Simultaneous Dedication] [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling] [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement] [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion] [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase] [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]
[1]	TYPE OF APPLICATION - Check Those Which Apply for [A] [A] Location - Spacing Unit - Directional Drilling NSL NSP DD SD Check One Only for [B] and [C] [B] Commingling - Storage - Measurement \(\times \) DHC CTB PLC PC OLS OLM [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery WFX PMX SWD IPI EOR PPR NOTIFICATION REQUIRED TO: - Check Those Which Apply, or Does Not Apply
	 [A] Working, Royalty or Overriding Royalty Interest Owners [B] Offset Operators, Leaseholders or Surface Owner [C] Application is One Which Requires Published Legal Notice [D] \(\) Notification and/or Concurrent Approval by BLM or SLO
F0.7	THEODREAM ON A DAME OF THE CONTRACTOR OF THE CON

INFORMATION / DATA SUBMITTED IS COMPLETE - Statement of Understanding [3]

I hereby certify that I, or	personnel under my supervision, h	nave read and complied w	ith all application	ible Rules a
Regulations of the Oil C	onservation Division. Further, I a	ssert that the attached an	olication for a	dministratis
approval is accurate and	complete to the best of my knowle	dge and where applicable	verify that a	all interest
(WI RI ORRI) is comm	ion. I understand that any omission	n of data information or	notification is	m microsi
the application package	returned with no action taken.	n or data, information or	nouncation is	cause to na
	Note: Statement must be completed by an	individual with supervisory capaci	ty.	
Peggy Cole	Leggy (plo	Regulatory/Compliance	Administrator	
Print or Type Name	Signature	Title		Date
4.5°				. •

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 South First St., Artesia, NM 88210 <u>DISTRICT III</u>

1000 Rio Brazos Rd, Aztec, NM 87410

DISTRICT IV

2040 S. Pacheco, Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

APPLICATION FOR DOWNHOLE COMMINGLING

Form C-107-A Revised March 17, 1999

APPROVAL PROCESS:

_x_Administrative ___Hearing

EXISTING WELLBORE _X_YES ___NO

BURLINGTON RESOURCES OIL & GAS COMPANY Operator PO Box 4289, Farmington, NM 87499 A, Sec. 7, T27N, R5W Rio Arriba #69 San Juan 27-5 Unit Unit Ltr. - Sec - Twp - Rge County Lease Spacing Unit Lease Types: (check 1 or more) OGRID NO. __14538 Property Code API NO. ____30-039-07139 Federal _X__, State ___, (and/or) Fee 7454

support of downhole commingling:	Zone	Zone	Zone
Pool Name and Pool Code	Blanco Mesaverde - 72319	THE PROPERTY OF THE PROPERTY O	Basin Dakota71599
Top and Bottom of Pay Section (Perforations)	5099'-5706'		7604'-7824'
3. Type of production (Oil or Gas)	Gas		Gas
Method of Production (Flowing or Artificial Lift)	Flowing		Flowing
Bottomhole Pressure Oil Zones - Artificial Lift:	a. 541 psia ^(Current)	a.	a. 622 psia
Estimated Current Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated Or Measured Original	b. 1229 psia ^(Original)	b.	b. 3191 psia
6. Oil Gravity (EAPI) or Gas BTU Content	BTU 1238		BTU 1101
7. Producing or Shut-In?	Producing		Producing
	Yes		Yes
Production Marginal? (yes or no) * If Shut-In, give date and oil/gas/ water rates of last production	Date: Rates:	Date: Rates:	Date: Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data * If Producing, give date andoil/gas/water rates of recent test (within 60 days)	Date: 2/00 Rates: 58 mcfd 0.3 bopd	Date: Rates:	Date: 2/00 Rates: 84 mcfd 0.0 bopd
8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Oil: Gas: 95 % 36 %	Oil: Gas: %	Oil: Gas: 5 % 64 %
If allocation formula is based a submit attachments with supp	upon something other than curr orting data and/or explaining m	rent or past production, or is ba nethod and providing rate proje	used upon some other method, ctions or other required data.
10. Are all working, overriding, and If not, have all working, overrid			Yes X No
11. Will cross-flow occur? X Y flowed production be recovered	es No If yes, are fluids ced, and will the allocation formu	ompatible, will the formations nations of the compatible. X Yes N	ot be damaged, will any cross- o (If No, attach explanation)
12. Are all produced fluids from all			
13. Will the value of production be			
 If this well is on, or communitized United States Bureau of Land I 	ed with, state or federal lands, Management has been notified	either the Commissioner of Pub in writing of this application. X	olic Lands or the _Yes No
15. NMOCD Reference Cases for F		ORDER NO(S). R-10694	
16. ATTACHMENTS: * C-102 for each zone * Production curve fo * For zones with no p * Data to support allo * Any additional state	e to be commingled showing its r each zone for at least one yea roduction history, estimated pro cation method or formula. ments, data, or documents req	s spacing unit and acreage ded ar. (If not available, attach expla oduction rates and supporting o uired to support commingling.	ication. Ination.) data.
I hereby certify that the information	above is true and complete to	the best of my knowledge and	belief.
SIGNATURE Jumpe	OobsonTITI	E <u>Operations Engineer</u>	DATE 4/12/00
TYPE OR PRINT NAME _Jennifer [Dobson	TELEPHONE NO. (505)	326-9700

ection A.				Date	MAI II)	130Z	
perator EL PASO NATURAL GAS CO	MPANY	Leane	SAN JUAN	27-5 U	NIT	SF0 79	391
oll No. 69 (MD) Unit Letter A	ection	7	Township_	27-N	Range_	5-W	NMI
posted 1090 Feet From NOF	TH Line,			et From	EAST	~	L i
ounty RIO ARRIBA G. L. Eleve		6629	Dedicated		320 & 33 & BASIN		Acre
ame of Producing Formation MESA VERDE Is the Operator the only owner in the dedi					u 24221	2202	
Yes No No	.0.0004 -01014		n the plant con	· · · ·			-
. If the answer to question one is "no",	have the in	terests of a	all the owners	been con	solidated b	y comm	unitizati
agreement or otherwise? Yes	_No	If answ	er is "yes",	Type of	Consolidati	on.	
. If the answer to question two is "no", l	iut all the or	unary and th	nair rounactiv	interaut	halow:		
Owner		and the		Descripti		•	
				· · · · · · · · · · · · · · · · · · ·			
				•			٠
	and the second of		-		· · · · · · · · · · · · · · · · · · ·		
					•		
ection B.	Note:	All distance	s must be to	n outer ho	undaries of	20100	77
his is to certify that the information				XXXX	XXXXX	yyy	N
Section A above is true and complete				1	96	1	
the best of my knowledge and belief.	+	-		1-	0 -	7 - 7	N
El Paso Natural Gas Company	'		- i (186	'		1	
Original Signeror D. W. Meehan			N8	<u> </u>		990'	N .
(Representative)	<u> </u>		N	S.P	079391	1	
(Address)			, - N	,			RIN
Fermington, New Mexico	,		SEC	37 7 1			
			N				AN .
			, NX	i		ı	
	- +						N
			. N8	} '		1	
OTE:					ļ		
This plat reissued to show	(N	ı		- 	
•				ı		•	
corrected location.	-		·· ···: N X	1-		-	
3 17 62			· • • • • • • • • • • • • • • • • • • •	1		i	
				XXXXX	XXXXX	XXXX	M
And the state of t			7				
	0 330 65	0 990 1320 16	50 1980 2310 264	0 2000	1500 1000	800	0


This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.


(Seal)

Farmington, New Mexico

Date Surveyed MAY 2, 1962

Registered Professional Engineer and/or Land Surveyor





San Juan 27-5 Unit #69 Production Allocation

Gas

*Mesaverde Cumulative Production:	on:	1,508 MMcf 2,695 MMcf	36% 64%
	Total:	4,203	100.0%
		Oil	
*Mesaverde Cumulative Production	on:	5,609 BBIs	95%

Total:

*Dakota Cumulative Production:

5,888

279 BBIs

5%

^{*}Allocation Formula Basis: The fixed percentages are based on cumulative production from 7/62 - 2/00.

San Juan 27-5 Unit #69 Bottom Hole Pressures Flowing and Static BHP

Cullender and Smith Method

Version 1.0 3/13/94

Dakota
DK-Current
GAS GRAVITY 0.639 COND. OR MISC. (C/M) M %N2 0.20 %CO2 1.44 %H2S 0 DIAMETER (IN) 1.5 DEPTH (FT) 7714 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 175 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 523 BOTTOMHOLE PRESSURE (PSIA) 621.7
<u>DK-Original</u>
GAS GRAVITY COND. OR MISC. (C/M) %N2 0.39 %CO2 1.49 %H2S 0 DIAMETER (IN) 1.5 DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) 801 3190.8

San Juan 27-5 Unit #69 5340201/5340202 Mesaverde/Dakota

MESAVERDE

DAKOTA

PR	ESSURE DA	ГА
Date	Gas Cum	Press
07/12/1962	0	1067
09/04/1999	1497368	471

PRE	SSURE DA	TA
	Gas Cum	SIWHP
07/05/1962	0	2669
07/05/1962 09/04/1999	2676613	523

Gas Meter Vol. History (Act.) Friday, January 01, 1999 Through Sunday, April 30, 2000

: 04/06/2000, 8:35:22 PM . R_040 Report Number Page No Print Date : 15.025 .. No Pressure Base Rounded (y/n) Units Select By : Gas Meters Sort By

	>	Volume				Period	p				
Meter		Date	Ticket#	Volume	Heat Value	Start	End	Disp. Pr	Prod.	Purchaser	Gatherer
SAN JUAN 27-5 UNIT 69 73346						⊢		_			
DAKOTA	מביי	02/01/1999	2200000692	2,812.67	3,236.55		65/28/1888	2	100		WILLIAMS FIELD SERV
)/€0	03/01/1999	0300003408	6,043.96	6,954.55		03/31/1999	20	100		WILLIAMS FIELD SERV
	04/(04/01/1999	8800001340	4,217.53	4,831.87		04/30/1999	50	100		WILLIAMS FIELD SERV
)/50	05/01/1999	7800000317	4,336.16	4,967.53		05/31/1999	20	100		WILLIAMS FIELD SERV
)/90	06/01/1999	7700000105	4,555.76	5,218.46		06/30/1999	20	100		WILLIAMS FIELD SERV
)/20	6661/10/20	700000565	3,937.15	4,510.56		07/31/1999	20	100		WILLIAMS FIELD SERV
)/80	6661/10/80	2200000000	5,388.09	6,172.18		6661/16/80	20	100		WILLIAMS FIELD SERV
)/60	6661/10/60	0200000328	3,200.90	3,667.00	6661/10/60	09/30/1999	20	100		WILLIAMS FIELD SERV
	10/0	10/01/1999	7500003891	3,646.96	4,178.03	10/01/1999	10/31/1999	20	100		WILLIAMS FIELD SERV
	11/0	6661/10/11	4400003296	4,256.75	4,876.75	6661/10/11	11/30/1999	50	100		WILLIAMS FIELD SERV
	12/0	12/01/1999	5800000402	3,673.43	4,207.61	12/01/1999	12/31/1999	20	100		WILLIAMS FIELD SERV
	Totals	1999	•	46,069.36	52,821.09						
	0/10	01/01/2000	7400000058	4,822.42	5,524.47	01/01/2000	01/31/2000	70	100		WILLIAMS FIELD SERV
	0/20	02/01/2000	7600000611	2,396.01	2,744.89	007/01/2000	02/29/2000	20	100		WILLIAMS FIELD SERV
	Totals	2000		7,218.44	8,269.36						
Totals - SAN JUAN 27-5 UNIT 69	73346			53,287,80	61.090.45				•		
					`						
31 '		6661/10/10	6100000137	4,399.88	5,617.29	01/01/1096	01/31/1999	70	100		WILLIAMS FIELD SERV
1	0/20	05/01/1999	2200000693	3,445.01	4,398.36	05/01/1999	05/28/1999	20	100		WILLIAMS FIELD SERV
	0/60	03/01/1999	0300003397	3,012.66	3,846.52	03/01/1999	6661/16/60	20	100		WILLIAMS FIELD SERV
	04/0	04/01/1999	8800001339	2,826.40	3,640.48	04/01/1999	04/30/1999	70	100		WILLIAMS FIELD SERV
	0/50	66/1/10/50	7800000302	3,195.99	4,116.83	6661/10/90	6661/18/50	20	001		WILLIAMS FIELD SERV
	0/90	6661/10/90	7700000104	2,467.58	3,178.40		6661/0€/90	20	100		WILLIAMS FIELD SERV
	0//0	6661/10//0	7000005566	1,664.66	2,144.10	6661/10//0	6661/18//0	20	100		WILLIAMS FIELD SERV
	0/80	08/01/1999	4400000449	-270.58	-348.85		6661/16/80	20	100		WILLIAMS FIELD SERV
	0/80	6661/10/80	8290000026	2,078.38	2,677.57	6661/10/80	08/31/1999	20	100		WILLIAMS FIELD SERV
	Totals 0	6661/80		1,807.80	2,328.72						
	0/60	6661/10/60	0200000327	2,984.23	3,843.46	6661/10/60	6661/08/60	20	100		WILLIAMS FIELD SERV
	10/0	6661/10/01	7500003890	1,578.39	2,032.91	10/01/1999	10/31/1999	20	100		WILLIAMS FIELD SERV
	11/0	11/01/1999	4400003295	2,344.06	3,019.28	11/01/1999	11/30/1999	20	100		WILLIAMS FIELD SERV
	12/0	12/01/1999	5800000401	3.92	5.10		12/31/1999	20	001		WILLIAMS FIELD SERV
	Totals	1999		29,730.58	38,171.46						
		01/01/2000	7400000059	1,611.72	2 075 76	01/01/2000	01/31/2000	20	100		WILLIAMS FIELD SERV
	07/0	05/01/2000	760000612	1.661.72	2,140.02		02/29/2000	20	001		WILLIAMS FIELD SERV
	Totals	2000		3,273.44	4,215.77						
Totals SAN JUAN 27-5 UNIT 69	73347			33 004 02	42, 387, 23						
		_		=			-				
									· · · · · ·		
			,								
Report Totals				86 791 87	103 477 67			-			
				70.1/7/00	1000				_		
			:								

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES OIL & GAS COMPANY FOR THE ESTABLISHMENT OF A DOWNHOLE COMMINGLING "REFERENCE CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT TO DIVISION RULE 303.E AND THE ADOPTION OF SPECIAL ADMINISTRATIVE RULES THEREFOR, SAN JUAN COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area. etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23,043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
 - (6) According to its evidence and testimony, Burlington seeks to:
 - a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
 - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- c) establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit; and,
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 27-5 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
 - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and,
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
- (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
- (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3,141 psi and 1,118 psi, respectively; and,
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1,032 psi and 441 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
 - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
- (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
- (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
 - a) the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common;
 - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico, is hereby approved.

- (2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole commingle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
- (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

WILLIAM I LEMAY

Director //