R & G DRILLING COMPANY, INC.

-New -YORK- 23.- NEW-YORK Farmington, New Mexico

1962 MAY 14 M 8 27

May 11, 1962

denes

bon

State of New Mexico Oil Conservation Commission State Land Office Building Santa Fe, New Mexico

Attention: Mr. Porter

Re: Unorthodox location, Dakota gas well, San Juan County

Gentlemen:

Enclosed herewith are Well Location and Acreage Dedication platts together with Notice of Intention to Drill (U.S. Form 9-331a) both in duplicate and relating to our #67 Lunt.

Although this proposed drilling location is situated only 530 feet from the North boundary line of Tract B, as delineated in your Order No. R-2086, all other acreage lying within that tract is of such rough and uneven terrain that road and location costs are prohibitive. Too, this location lying 790' from the South line and 790' from the West line of Section 6 conforms with the NE/4 -SW/4 drill site pattern prevailing in the area and we are the lease owner of all of Section 6.

Considering the topography and drilling pattern in this area, we respectfully request approval of this location.

Very truly yours,

R & G Drilling Company, Inc. Russell,

CC: Mr. Arnold

1 9-331 a b. 1951)		Form Approved.				
	SUBMIT IN TRIPLICATE)	Land Office Santa				
	Lease No. NM=09867-A					
UNITED STATES DEPARTMENT OF THE INTERIOR		Unit				
<u></u>	GEOLOGICAL SURVEY					
SUNDRY NOTICI	ES AND REPORTS OF	N WELLS				
DTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATE	R SHUT-OFF				
TICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOT	ING OR ACIDIZING				
TICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTER	RING CASING				
TICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DR	RILLING OR REPAIR				
TICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANE	IDONMENT				
DTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	RY				
DTICE OF INTENTION TO ABANDON WELL						
(INDICATE ABOVE BY CHE	ECK MARK NATURE OF REPORT, NOTICE, OR OTHE	R DATA)				
	May 11 1069	10				
ll No. <u>67</u> is located 790 f		$\operatorname{rom}\left\{ egin{smallmatrix} \mathbf{B}\\ \mathbf{W} \end{smallmatrix} ight\}$ line of sec				
14 SW/14 Sec. 6 30 N (1/4 Sec. and Sec. No.) (Twp.)	t. from $\begin{bmatrix} \mathbf{X} \\ \mathbf{S} \end{bmatrix}$ line and 790 ft. fr 13 W NMPM (Range) (Meridian)	$\operatorname{Form}\left\{ egin{matrix} \mathbf{B} \ \mathbf{W} \end{array} ight\}$ line of sec				
14 SW/4 Sec. 6 30 N (14 Sec. and Sec. No.) (Twp.) Basin Dakota	t. from $\left\{ \begin{matrix} \textbf{X} \\ \textbf{S} \end{matrix} \right\}$ line and $\begin{array}{c} \textbf{790} \\ \textbf{790} \\ \textbf{Meridian} \end{matrix}$ (Meridian) (Meridian) Sen Juan (County or Subdivision)	$\operatorname{Form}\left\{ egin{matrix} \mathbf{B} \ \mathbf{W} \end{array} ight\}$ line of sec				
4 SW/4 Sec. 6 30 N (14 Sec. and Sec. No.) (Twp.) Basin Dakota (Field) e elevation of the derrick floor above	t. from $\left\{ \begin{matrix} \textbf{X} \\ \textbf{S} \end{matrix} \right\}$ line and $\begin{array}{c} \textbf{790} \\ \textbf{790} \\ \textbf{M} \\ $	$\operatorname{Form}\left\{ egin{matrix} \mathbf{B} \ \mathbf{W} \end{array} ight\}$ line of sec				
14 SW/4 Sec. 6 30 N (14 Sec. and Sec. No.) (Twp.) Basin Dakota (Field) e elevation of the derrick floor above	t. from $\left\{ \begin{matrix} \textbf{X} \\ \textbf{S} \end{matrix} \right\}$ line and $\begin{array}{c} \textbf{7.90} \\ \textbf{MPM} \\ \textbf{(Meridian)} \\ \textbf{Sen Juan} \\ \textbf{(County or Subdivision)} \\ sea level is \begin{array}{c} \textbf{5670} \\ \textbf{5670} \\ \textbf{ft.} \\ \textbf{DETAILS OF WORK} \\ \end{array}$	$\operatorname{rom} \left\{ \begin{matrix} \mathbf{B} \\ \mathbf{W} \end{matrix} \right\} \text{ line of sec. } \dots \\ \underbrace{\mathbf{B} \\ \mathbf{B} \\ \mathbf{S} \\ \mathbf{M} \\ M$				
4 SW/4 Sec. 6 30 N (14 Sec. and Sec. No.) (Twp.) Basin pakota e elevation of the derrick floor above	t. from $\left\{ \begin{matrix} \textbf{X} \\ \textbf{S} \end{matrix} \right\}$ line and $\begin{array}{c} \textbf{7.90} \\ \textbf{MPM} \\ \textbf{(Meridian)} \\ \textbf{Sen Juan} \\ \textbf{(County or Subdivision)} \\ sea level is \begin{array}{c} \textbf{5670} \\ \textbf{5670} \\ \textbf{ft.} \\ \textbf{DETAILS OF WORK} \\ \end{array}$	$\operatorname{rom} \left\{ \begin{matrix} \mathbf{B} \\ \mathbf{W} \end{matrix} \right\} \text{ line of sec. } \dots \\ \underbrace{\mathbf{B} \\ \mathbf{B} \\ \mathbf{S} \\ \mathbf{M} \\ M$				
4 SW/4 Sec. 6 30 N (14 Sec. and Sec. No.) (Twp.) Basin Dakota e elevation of the derrick floor above	t. from $\left\{ \begin{matrix} \textbf{X} \\ S \end{matrix} \right\}$ line and $\begin{array}{c} \textbf{7.90} \\ \textbf{1.3} \\ \textbf{W} \\ (Range) \\ (Meridian) \\ (Me$	rom W line of sec				
A SWA Sec. 6 30 N (14 Sec. and Sec. No.) Basin Dakota e elevation of the derrick floor above is names of and expected depths to objective sands ing points. Plan to set 217 * X 8-5	t. from $\left\{ \begin{matrix} \textbf{N} \\ \textbf{S} \end{matrix} \right\}$ line and 790 ft. ft 13 W NMPM (Range) (Meridian) San Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) /8th surface casing with	rom $\left\{ \begin{matrix} \mathbf{R} \\ \mathbf{W} \end{matrix} \right\}$ line of sec W hexico (State or Territory) asings; indicate mudding jobs, cemen a 150 sacks cement				
A SWA Sec. 6 30 N (14 Sec. and Sec. No.) Basin Dakota e elevation of the derrick floor above is names of and expected depths to objective sands ing points, Plan to set 217 X 8-5, Drill 7-7/8" hole with	t. from $\left\{ \begin{matrix} \textbf{N} \\ \textbf{S} \end{matrix} \right\}$ line and 790 ft. ft 13 W NMPM (Range) (Meridian) San Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) /8^{III} surface casing with mud through Dakota for	rom $\left\{ \begin{matrix} \mathbf{R} \\ \mathbf{W} \end{matrix} \right\}$ line of sec We have a set of the sec second secon				
4 SW/4_Sec. 6 30 N (Twp.) Basin pakota (Twp.) Besin pakota (Twp.) e elevation of the derrick floor above e elevation of the derrick floor above Plan to set 217* X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro	t. from $\left\{ \begin{matrix} \mathbf{N} \\ \mathbf{S} \end{matrix} \right\}$ line and 790 ft. ft (Range) (Meridian) (Meridian) Sen Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) (8" surface casing with mud through Dakota for oduction casing to TD to	rom $\left\{ \begin{matrix} \textbf{R} \\ \textbf{W} \end{matrix} \right\}$ line of sec where ico (State or Territory) asings; indicate mudding jobs, cemen a 150 sacks cement mation to TD of 6 with 300 sacks cem				
A SW/L Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin Dakota e elevation of the derrick floor above te names of and expected depths to objective sands ing points. Plan to set 217 [†] X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro- 100 on Mesa Verde, 100 Perforate Dakota and sa	t. from $\left\{ \begin{matrix} \textbf{N} \\ \textbf{S} \end{matrix} \right\}$ line and 790 ft. ft 13 W MPM (Range) (Meridian) Sen Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed ca , and all other important proposed work) /81 surface casing with mud through Dakota for oduction casing to TD to on Gallup and 100 sach and -water frac with 300	rom W line of sec w liexico (State or Territory) asings; indicate mudding jobs, cemen a 150 sacks cement mation to TD of 6 with 300 sacks cen ks on Dakota. D0 barrels.				
14 SW/1 Sec. 6 30 N (14 Sec. and Sec. No.) (Twp.) Basin Dakota (Twp.) Basin Dakota (Twp.) e elevation of the derrick floor above is e names of and expected depths to objective sandssing points. Plan to set 217* X 8-5, Drill 7-7/8" hole with Set 14-1/2" X 11.60# projection 100 on Mesa Verde, 100	t. from $\left\{ \begin{matrix} \textbf{N} \\ \textbf{S} \end{matrix} \right\}$ line and 790 ft. ft 13 W MPM (Range) (Meridian) Sen Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed ca , and all other important proposed work) /81 surface casing with mud through Dakota for oduction casing to TD to on Gallup and 100 sach and -water frac with 300	rom W line of sec w liexico (State or Territory) asings; indicate mudding jobs, cemen a 150 sacks cement mation to TD of 6 with 300 sacks cen ks on Dakota. D0 barrels.				
4 SW/4 Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin Dakota e elevation of the derrick floor above te names of and expected depths to objective sands ing points. Plan to set 217 X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro 100 on Mesa Verde, 100 Perforate Dakota and sa Land 2" tubing with per	t. from $\begin{bmatrix} X \\ S \end{bmatrix}$ line and 790 ft. ft 13 W NMPM (Range) (Meridian) Sen Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed ca , and all other important proposed work) /81 surface casing with mud through Dakota for oduction casing to TD to on Gallup and 100 sach and -water frac with 300 rforated joint at inside	rom W line of sec W lievico (State or Territory) asings; indicate mudding jobs, cemen a 150 sacks cement mation to TD of 6 with 300 sacks cem ks on Dakota. D0 barrels. ie TD.				
4 SW/4 Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin Dakota e elevation of the derrick floor above te names of and expected depths to objective sands ing points. Plan to set 217' X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro- 100 on Mesa Verde, 100 Perforate Dakota and sa Land 2" tubing with per	it. from $\begin{bmatrix} M \\ S \end{bmatrix}$ line and 790 ft. ft 13 W NMPM (Range) (Meridian) San Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) /8" surface casing with mud through Dakota for oduction casing to TD to on Gallup and 100 sac) and -water frac with 300 rforated joint at inside	rom { B } W} line of sec6 sec6 (State or Territory) assings; indicate mudding jobs, comen in 150 sacks cement rmation to TD of 6 with 300 sacks cem ks on Dakota. D0 barrels. ie TD.				
4 SW/4 Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin Dakota e elevation of the derrick floor above te names of and expected depths to objective sands ing points. Plan to set 217' X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro- 100 on Mesa Verde, 100 Perforate Dakota and sa Land 2" tubing with per	it. from $\begin{bmatrix} M \\ S \end{bmatrix}$ line and 790 ft. ft 13 W (Meridian) (Meridian) San Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) /8" surface casing with mud through Dakota for oduction casing to TD to oduction casing to TD to on Gallup and 100 sac) and -water frac with 300 rforated joint at inside	rom { B } W} line of sec6 sec6 (State or Territory) assings; indicate mudding jobs, comen in 150 sacks cement rmation to TD of 6 with 300 sacks cem ks on Dakota. D0 barrels. ie TD.				
4 SW/4 Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin Dakota e elevation of the derrick floor above te names of and expected depths to objective sands ing points. Plan to set 217' X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro- 100 on Mesa Verde, 100 Perforate Dakota and sa Land 2" tubing with per	it. from $\begin{bmatrix} M \\ S \end{bmatrix}$ line and 790 ft. ft 13 W (Meridian) (Meridian) San Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) /8" surface casing with mud through Dakota for oduction casing to TD to oduction casing to TD to on Gallup and 100 sac) and -water frac with 300 rforated joint at inside	rom { B } W} line of sec6 sec6 (State or Territory) assings; indicate mudding jobs, comen in 150 sacks cement rmation to TD of 6 with 300 sacks cem ks on Dakota. D0 barrels. ie TD.				
4 SW/4 Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin pakota e elevation of the derrick floor above the names of and expected depths to objective sands ing points. Plan to set 217 [‡] X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro- 100 on Mesa Verde, 100 Perforate Dakota and set Land 2" tubing with performance of the set 100 on Mesa Verde, 100 Perforate Dakota and set Land 2" tubing with performance of the set (Twp.) (Tw	it. from $\begin{bmatrix} X \\ S \end{bmatrix}$ line and 790 ft. ft (Range) (Meridian) Sen Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed or and all other important proposed work) /8" surface casing with mud through Dakota for oduction casing to TD to on Gallup and 100 sach and water frac with 300 rforated joint at inside	rom $\left\{ \begin{matrix} \textbf{R} \\ \textbf{W} \end{matrix} \right\}$ line of sec Werley ico (State or Territory) asings; indicate mudding jobs, comen a 150 sacks cement (mation to TD of 6 with 300 sacks cem ks on Dakota. D0 barrels. ie TD.				
4 SW/4 Sec. 6 30 N (4 Sec. and Sec. No.) (Twp.) Basin pakota e elevation of the derrick floor above the names of and expected depths to objective sands ing points. Plan to set 217 [‡] X 8-5, Drill 7-7/8" hole with Set 4-1/2" X 11.60# pro- 100 on Mesa Verde, 100 Perforate Dakota and set Land 2" tubing with performance of the set 100 on Mesa Verde, 100 Perforate Dakota and set Land 2" tubing with performance of the set (Twp.) (Tw	t. from $\begin{bmatrix} X \\ S \end{bmatrix}$ line and 790 ft. ft 13 W NMPM (Range) (Meridian) Sen Juan (County or Subdivision) sea level is 5670 ft. DETAILS OF WORK show sizes, weights, and lengths of proposed co and all other important proposed work) 8 " surface casing with mud through Dakota for oduction casing to TD to on Gallup and 100 sach and-water frac with 300 rforated joint at inside	rom { B } W} line of sec6 sec6 (State or Territory) assings; indicate mudding jobs, comen in 150 sacks cement rmation to TD of 6 with 300 sacks cem ks on Dakota. D0 barrels. ie TD.				

Address <u>P. O. Box</u> Farmington, New Mexico

) Luxill William C. Russell Title President

Section A.						Date_	May	11,	1962	
Operator R AND G DRILLING CO			Le		UNT		· · · · · · · · · · · · · · · · · · ·			
Well No. <u>67</u> Unit Letter N Located <u>790</u> Feet From <u>t</u>		on <u>6</u> Line,	79	То Э		<u>30 NO</u>			WEST,	NMPM Line
County <u>SAN JUAN</u> G. L. Name of Producing Formation <u>DAKO</u>	Elevation				edicate	d Acrea BASIN	ge_325	-72 <u></u>		Acres
1. Is the Operator the only owner in the		d acreage o	outlin					· · · · · · · · · · · · · · · · · · ·		
Yes X No 2. If the answer to question one is '	'no'', have	e the inter	ests	of all the	owne	rs been	consolid	ated by	commun	itization
agreement or otherwise? Yes										
3. If the answer to question two is "n	o", list a	ll the owne	ers ai	nd their re	-	-		ow:		
Owner			ni in Na Ei		Lan	d Descr	iption	· · ·	· · · · · ·	* ·.
R AND G DRILLING COMPANY, INC	•		-	Lot 7,		6		· · · · · · · · · · · · · · · · · · ·		<u> </u>
			- - -	Wa Sec.	• 7		· · · · · · · · · · · · · · · · · · ·	<u>.</u>		
	• •		1 1 1	NW Se	c. 18		·`			1 :
Section B.		Note: All	diet		the fr	om outer	boundar		action	•
	•	Note: All		ances mus	it be ir		Doundai	les of s	ection.	
This is to certify that the informatio in Section A above is true and complet				i,						
to the best of my knowledge and belief					;	I	-'' -		1	
& G Drilling Company, Inc	•	<i>n n</i>		· · ·		Sa	Sec. 6	· · · ·	1	
6 A Ullian () Ce	ent	ℓ				· · ·			1	
11/11am C. Representative)	- · ,			<u>90'</u> 0'	4		- 			
(Address)	• 1 •			130		1	- ⁻		1	
arming sol , M. M.			<u>k</u> -	<u> </u>					+	
	<u> </u>			· • 1			ا میں بیکھ معر میں ا			
1					(<u>_</u>	N
Ref: GLO plat dated 12 May 19	55			. i					l i	
				1					1	
		-		⊥ 1				_ ·	۱ م	
· · · · · · · · · · · · · · · · · · ·	17 	• •		· · · ·			· ·		1	
and a straight second and a second second	4). <i>q.a.</i>	وهارو به الدوريسور مايور مايو	Ķ	I		Se	c. 7	Ч. т., т., т., т., т., т., т., т., т., т.	1 	
	t to see		1	1			، مىلەت يەر		1	
A second s second se	nin i stati	•	X	1					-	
			K	1			 - ,		1	
		, `	-	1			<u> ২ ম</u> . I.		1 \	
· · · · · · · · · · · · · · · · · · ·	· · ·					1	l ' .		1	
·····	· ·				(I .		1	· . ·
			E	1			l 		I	
				1		ł	I	÷.,	1	
	· · · · · · · · · · · · · · · · · · ·		L.	I 	/	- `-	· · · ·	1. 1. 1		N.
	Tag 11 - 1 - 1 - 1	· • • •	Ĩ.	1	·····	prl))		1	
	· ·		F	1		112	Sec. 1	0	 	
•		·	Ľ	ı	ł		1		۱.	
	· ·		ľ		(;	! !		-+ 	
		1	Ĺ	7121	777	1	1) . ¹	
		0 330 660	990 1	20 1650 198	0 23 10	640 20	00 1500	1000	500 (-
121 AF						s equal		1000		•

Farmington, New Mexico

(Seal)

16 February 1962 Date Surveyed. Registered Professional Engineer and/or Land Surveyor