

Dynegy Midstream Services, Limited Partnership
1000 Louisiana Street, Suite 5800
Houston, Texas 77002
Phone 713.507.6400
www.dynegy.com

OK



August 29, 2003

New Mexico Oil Conservation Division
Attn: Mr. Chris Williams
1625 N. French Drive
Hobbs, NM 88240

Re: Rule 118 – Submission of Hydrogen Sulfide Concentrations and Radius of Exposure Calculations, Dynegy Midstream Services, L.P. (Dynegy) – Versado Facilities

Dear Mr. Williams:

Please find attached information being submitted as required by New Mexico Administrative Code 19.15.3.118 (Rule 118). Hydrogen Sulfide concentrations and the radius of exposure have been determined for all gathering system meters and applicable plant meters in New Mexico operated by Dynegy.

A summary is presented in Table 1. Tables 2 and 3 list the H₂S concentration and radius of exposure for each meter in North Versado and South Versado, respectively. North Versado includes the Saunders gas processing plant, gathering system, and related booster stations. South Versado includes the Monument and Eunice gas processing plants and their associated gathering systems and booster stations.

Based on discussions with Mr. Ed Martin in your Santa Fe office, we trust this information will meet the current regulatory requirements and is in a format sufficient for your needs. New contingency plans required by the rule are being developed and will be submitted before the March 2, 2004 deadline. If you have any questions or need any further information, please call me at 713-507-6752, or Mr. Cal Wrangham in our Midland office at 915-688-0542.

Sincerely,

A handwritten signature in black ink, appearing to be "J. D. Morris".

J. D. Morris
jd.morris@dynegy.com

cc: Cal Wrangham
Clark White w/o attachments
Bill Puckett w/o attachments



Dynegy Midstream Services, L.P.
Table 1 - Summary of Rule 118 Application
for Versado Facilities

Number of Meters with:

Radius of Exposure, ROE	North Versado - Facility 146				South Versado - Facility 161				TOTAL			
	100 PPM ROE		500 PPM ROE		100 PPM ROE		500 PPM ROE		100 PPM ROE		500 PPM ROE	
>3000 ft	0	0.0%	0	0.0%	4	0.3%	1	0.1%	4	0.2%	1	0.0%
>2000 ft	2	0.3%	0	0.0%	4	0.3%	3	0.2%	6	0.3%	3	0.1%
>1000 ft	8	1.0%	1	0.1%	9	0.6%	4	0.3%	17	0.8%	5	0.2%
> 750 ft	3	0.4%	1	0.1%	6	0.4%	1	0.1%	9	0.4%	2	0.1%
>500 ft	10	1.3%	7	0.9%	6	0.4%	7	0.5%	16	0.7%	14	0.6%
>200 ft	24	3.1%	18	2.4%	81	5.4%	20	1.3%	105	4.6%	38	1.7%
>100 ft	42	5.5%	19	2.5%	153	10.2%	64	4.3%	195	8.6%	83	3.7%
>50 ft	61	8.0%	35	4.6%	215	14.3%	138	9.2%	276	12.2%	173	7.6%
>25 ft	112	14.7%	62	8.1%	176	11.7%	219	14.6%	288	12.7%	281	12.4%
<25 ft	149	19.5%	265	34.7%	453	30.2%	643	42.8%	602	26.6%	908	40.1%
0 ft	7	0.9%	10	1.3%	43	2.9%	50	3.3%	50	2.2%	60	2.6%
Sub-Total	418	54.7%	418	54.7%	1150	76.6%	1150	76.6%	1568	69.2%	1568	69.2%
Not Applicable	346	45.3%	346	45.3%	352	23.4%	352	23.4%	698	30.8%	698	30.8%
Un-determined	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
TOTAL	764	100.0%	764	100.0%	1502	100.0%	1502	100.0%	2266	100.0%	2266	100.0%

North Versado includes the Saunders Plant and associated gathering system and booster stations.

South Versado includes the Monument and Eunice Plants and their associated gathering systems and booster stations.

Dynegy Midstream Services, L.P.
Table 1 - Summary of Rule 118 Application
for Versado Facilities

Number of Meters with:

H2S Concentration	North Versado - Facility 146		South Versado - Facility 161		Total	
	Meters	% of Total	Meters	% of Total	Meters	% of Total
>100,000 PPM	1	0.1%	23	1.5%	24	1.1%
>50,000 PPM	7	0.9%	23	1.5%	30	1.3%
>30,000 PPM	40	5.2%	47	3.1%	87	3.8%
>20,000 PPM	47	6.2%	85	5.7%	132	5.8%
>10,000 PPM	72	9.4%	231	15.4%	303	13.4%
>5,000 PPM	81	10.6%	137	9.1%	218	9.6%
>2,000 PPM	66	8.6%	134	8.9%	200	8.8%
>1,000 PPM	41	5.4%	124	8.3%	165	7.3%
>500 PPM	11	1.4%	84	5.6%	95	4.2%
>100 PPM	52	6.8%	262	17.4%	314	13.9%
<i>Sub-Total</i>	418	54.7%	1150	76.6%	1568	69.2%
<100 PPM	106	13.9%	187	12.5%	293	12.9%
0 PPM	240	31.4%	165	11.0%	405	17.9%
TOTAL	764	100.0%	1502	100.0%	2266	100.0%

North Versado includes the Saunders Plant and associated gathering system and booster stations.

South Versado includes the Monument and Eunice Plants and their associated gathering systems and booster stations.

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
1	146	110090	5/29/03	1.332	13320	315971	10532	2,223	1,016
2	146	139100090	4/24/03	0.888	8880	419118	13971	2,058	940
3	146	100087	4/25/03	1.388	13875	165184	5506	1,519	694
4	146	100224	5/23/03	1.554	15540	138879	4629	1,463	669
5	146	100041	4/30/01	4.454	44544	47740	1591	1,450	663
6	146	139100106	10/18/02	0.888	8880	208880	6963	1,331	608
7	146	109035	4/11/03	2.775	27750	64045	2135	1,296	592
8	146	100059	4/25/03	0.999	9990	164707	5490	1,235	564
9	146	109033	8/30/02	1.221	12210	134491	4483	1,233	564
10	146	100213	1/17/03	1.998	19980	65464	2182	1,070	489
11	146	139100005	10/18/02	0.444	4440	243341	8111	949	434
12	146	100063	5/29/03	0.200	1998	466403	15547	865	395
13	146	109001	9/12/02	2.442	24420	30923	1031	758	347
14	146	100222	1/17/03	0.888	8880	82546	2752	745	340
15	146	109027	12/6/02	0.666	6660	107272	3576	733	335
16	146	100042	3/28/03	0.266	2664	266458	8882	730	333
17	146	100092	5/2/03	1.887	18870	33767	1126	682	312
18	146	100223	5/15/03	0.944	9435	64505	2150	663	303
19	146	100081	5/29/03	0.150	1499	309116	10304	559	255
20	146	100005	2/14/03	0.444	4440	102833	3428	554	253
21	146	100244	10/6/00	0.445	4454	97677	3256	537	245
22	146	100097	2/14/03	0.666	6660	60896	2030	514	235
23	146	1621	4/11/03	0.999	9990	39267	1309	503	230
24	146	100094	1/23/03	0.555	5550	62994	2100	468	214
25	146	100234	1/17/03	4.218	42180	7913	264	455	208
26	146	100215	4/25/03	0.866	8658	38008	1267	451	206
27	146	100238	2/3/03	2.442	24420	13004	433	441	202
28	146	100773	12/6/02	0.444	4440	69025	2301	431	197
29	146	100211	1/24/03	1.388	13875	15565	519	347	158
30	146	1804	1/23/03	2.220	22200	8741	291	324	148
31	146	9545	9/12/02	1.221	12210	15114	504	314	144
32	146	109009	2/3/03	0.555	5550	32887	1096	312	143
33	146	100245	3/17/03	1.554	15540	11504	383	308	141
34	146	139100108	4/24/03	1.221	12210	13823	461	297	136
35	146	1127	5/2/03	3.996	39960	4206	140	296	135
36	146	1852	6/18/03	2.109	21090	7938	264.6	295	135
37	146	100077	4/18/03	0.666	6660	24978	833	294	134
38	146	1301	1/24/03	1.499	14985	10700	357	288	131
39	146	9543	9/12/02	1.332	13320	10401	347	262	120
40	146	100243	5/23/03	0.200	1998	62206	2074	245	112
41	146	1586	11/14/02	3.996	39960	3055	102	242	111
42	146	1139	1/23/03	1.110	11100	10688	356	238	109
43	146	1150	1/23/03	1.554	15540	7303	243	232	106
44	146	1133	4/11/03	2.220	22200	5108	170	232	106
45	146	100096	3/17/03	2.442	24420	4465	149	226	103
46	146	1312	1/17/03	3.885	38850	2782	93	225	103
47	146	1428	4/25/03	5.550	55500	1801	60	214	98

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
48	146	1323	2/14/03	3.219	32190	2760	92	199	91
49	146	1311	1/17/03	1.554	15540	5546	185	195	89
50	146	951	4/25/03	6.660	66600	1250	42	191	87
51	146	100104	3/17/03	1.110	11100	7496	250	191	87
52	146	813	12/6/02	6.660	66600	1213	40	187	86
53	146	1329	2/14/03	5.772	57720	1349	45	183	84
54	146	1254	1/17/03	2.775	27750	2680	89	178	81
55	146	1321	1/17/03	6.660	66600	1116	37	178	81
56	146	1149	12/26/02	1.776	17760	3821	127	168	77
57	146	1689	4/4/03	1.132	11322	5782	193	164	75
58	146	1330	2/14/03	3.164	31635	1993	66	160	73
59	146	127	3/28/03	1.443	14430	3898	130	149	68
60	146	100069	5/2/03	0.280	2800	19480	649	146	67
61	146	965	4/25/03	11.100	111000	473	16	143	65
62	146	100216	4/4/03	0.655	6549	7660	255	139	64
63	146	1720	1/24/03	1.443	14430	3413	114	137	63
64	146	1360	4/25/03	2.220	22200	2192	73	136	62
65	146	1319	2/3/03	4.662	46620	1006	34	133	61
66	146	1564	1/17/03	3.552	35520	1301	43	132	60
67	146	9385	2/3/03	1.665	16650	2755	92	131	60
68	146	100105	5/15/03	0.333	3330	13142	438	128	58
69	146	1148	1/9/03	1.665	16650	2579	86	126	58
70	146	1359	4/25/03	2.664	26640	1569	52	124	57
71	146	1425	1/17/03	3.552	35520	1169	39	123	56
72	146	1051	4/25/03	0.888	8880	4495	150	120	55
73	146	1596	5/9/03	1.221	12210	3266	109	120	55
74	146	1218	5/2/03	2.775	27750	1430	48	120	55
75	146	1763	2/14/03	3.108	31080	1271	42	120	55
76	146	1318	2/14/03	3.330	33300	1183	39	119	55
77	146	1734	1/24/03	3.774	37740	1034	34	119	54
78	146	1325	2/14/03	4.773	47730	779	26	115	53
79	146	100212	1/24/03	0.999	9990	3583	119	113	51
80	146	1210	3/24/03	3.330	33300	1038	35	110	50
81	146	1189	5/23/03	1.554	15540	2214	74	110	50
82	146	1268	2/3/03	2.442	24420	1365	46	108	49
83	146	100100	4/4/03	0.133	1332	24748	825	107	49
84	146	1313	1/17/03	3.330	33300	977	33	106	48
85	146	258	1/17/03	1.332	13320	2419	81	105	48
86	146	1565	3/17/03	4.995	49950	640	21	105	48
87	146	1385	4/25/03	2.442	24420	1299	43	104	48
88	146	100221	4/25/03	0.777	7770	3988	133	103	47
89	146	409175	3/17/03	4.440	44400	690	23	102	47
90	146	1457	4/25/03	1.665	16650	1749	58	99	45
91	146	100074	3/17/03	0.111	1110	26036	868	98	45
92	146	1193	3/17/03	1.887	18870	1428	48	94	43
93	146	1345	2/14/03	4.052	40515	651	22	93	42
94	146	1188	5/23/03	2.331	23310	1116	37	92	42

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
95	146	110072	3/28/03	0.022	222	115123	3837	91	42
96	146	1267	2/3/03	2.220	22200	1107	37	89	41
97	146	751387	5/23/03	3.552	35520	687	23	89	40
98	146	1031	4/4/03	0.389	3885	6190	206	88	40
99	146	1759	4/24/03	1.998	19980	1146	38	85	39
100	146	1753	1/24/03	3.330	33300	683	23	85	39
101	146	1227	4/24/03	1.998	19980	1094	36	83	38
102	146	1190	5/23/03	3.108	31080	692	23	82	37
103	146	1334	2/14/03	1.332	13320	1611	54	82	37
104	146	1332	1/24/03	1.554	15540	1362	45	81	37
105	146	100227	1/17/03	1.332	13320	1544	51	80	36
106	146	1176	2/14/03	3.330	33300	605	20	79	36
107	146	9378	1/17/03	1.598	15984	1233	41	77	35
108	146	1293	3/17/03	0.722	7215	2731	91	77	35
109	146	1288	3/17/03	1.388	13875	1404	47	77	35
110	146	834	5/15/03	1.776	17760	1094	36	77	35
111	146	1353	2/14/03	1.332	13320	1416	47	75	34
112	146	1264	2/3/03	0.555	5550	3394	113	75	34
113	146	1453	4/25/03	2.664	26640	691	23	74	34
114	146	1211	3/24/03	2.220	22200	806	27	73	33
115	146	262	1/10/03	1.110	11100	1606	54	73	33
116	146	1342	1/17/03	4.884	48840	362	12	72	33
117	146	1213	4/18/03	2.775	27750	617	21	71	32
118	146	1187	5/15/03	1.776	17760	926	31	69	32
119	146	845	5/23/03	1.332	13320	1229	41	69	32
120	146	1154	1/23/03	0.888	8880	1825	61	69	31
121	146	1335	2/14/03	1.388	13875	1160	39	68	31
122	146	1733	3/24/03	0.666	6660	2369	79	67	31
123	146	1344	2/14/03	2.553	25530	612	20	67	31
124	146	100210	1/17/03	1.077	10767	1423	47	66	30
125	146	1603	4/25/03	0.666	6660	2290	76	66	30
126	146	1324	2/14/03	3.663	36630	416	14	66	30
127	146	100218	4/25/03	0.333	3330	4447	148	65	30
128	146	1389	4/25/03	3.330	33300	444	15	65	30
129	146	1435	1/24/03	2.109	21090	691	23	64	29
130	146	9432	2/21/03	0.722	7215	2019	67	64	29
131	146	1220	10/18/02	1.665	16650	865	29	64	29
132	146	9472	2/21/03	0.866	8658	1658	55	64	29
133	146	100065	4/9/01	0.267	2673	5309	177	63	29
134	146	9058	3/23/01	5.568	55680	249	8	62	28
135	146	1423	1/24/03	1.665	16650	818	27	61	28
136	146	9430	4/4/03	2.942	29415	452	15	61	28
137	146	9382	1/17/03	2.620	26196	507	17	61	28
138	146	1510	4/4/03	0.666	6660	1933	64	59	27
139	146	1265	2/3/03	0.558	5577	2238	75	58	27
140	146	9068	1/24/03	2.387	23865	519	17	58	26
141	146	1426	4/25/03	4.218	42180	283	9	57	26

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
142	146	1256	2/14/03	4.440	44400	261	9	56	25
143	146	843	4/25/03	0.666	6660	1655	55	54	25
144	146	1782	4/18/03	1.576	15762	683	23	53	24
145	146	139100004	11/2/01	0.557	5568	1863	62	52	24
146	146	261	1/10/03	1.332	13320	762	25	51	23
147	146	254	1/17/03	0.777	7770	1302	43	51	23
148	146	1729	3/28/03	2.220	22200	455	15	51	23
149	146	1437	1/24/03	1.610	16095	614	20	50	23
150	146	100067	5/2/03	0.111	1110	8831	294	50	23
151	146	1336	2/14/03	2.720	27195	343	11	49	22
152	146	1427	4/25/03	1.388	13875	658	22	48	22
153	146	1317	1/17/03	5.883	58830	155	5	48	22
154	146	1326	1/17/03	4.884	48840	183	6	47	22
155	146	1246	4/4/03	0.422	4218	2118	71	47	22
156	146	1737	1/24/03	3.219	32190	277	9	47	22
157	146	1118	4/25/03	0.444	4440	1998	67	47	21
158	146	1204	3/17/03	4.218	42180	210	7	47	21
159	146	1341	1/17/03	1.376	13764	640	21	47	21
160	146	100095	2/21/03	0.111	1110	7926	264	47	21
161	146	1514	4/4/03	0.655	6549	1339	45	47	21
162	146	835	5/23/03	1.554	15540	564	19	47	21
163	146	451346	2/3/03	3.830	38295	228	8	47	21
164	146	1570	4/4/03	0.688	6882	1261	42	46	21
165	146	1286	2/21/03	0.389	3885	2199	73	46	21
166	146	1340	1/24/03	0.999	9990	829	28	45	21
167	146	751388	4/25/03	2.498	24975	326	11	45	20
168	146	1505	4/4/03	0.555	5550	1454	48	44	20
169	146	1355	4/25/03	0.444	4440	1801	60	44	20
170	146	1850	5/29/03	0.022	222	35520	1184	44	20
171	146	1563	2/21/03	0.944	9435	832	28	44	20
172	146	1262	2/3/03	0.550	5495	1414	47	43	20
173	146	1516	4/4/03	0.888	8880	866	29	43	20
174	146	1517	4/4/03	0.888	8880	839	28	42	19
175	146	9550	9/12/02	0.444	4440	1672	56	42	19
176	146	1221	4/24/03	2.220	22200	334	11	42	19
177	146	1442	1/24/03	1.277	12765	578	19	42	19
178	146	1352	2/14/03	0.555	5550	1313	44	42	19
179	146	1461	1/24/03	1.166	11655	620	21	41	19
180	146	139110004	11/2/01	1.002	10022	716	24	41	19
181	146	1506	4/4/03	0.688	6882	1034	34	41	19
182	146	1494	4/25/03	0.777	7770	910	30	41	19
183	146	1337	2/14/03	0.500	4995	1412	47	41	19
184	146	1612	4/4/03	0.167	1665	4189	140	40	18
185	146	1471	1/24/03	2.109	21090	308	10	39	18
186	146	1681	3/24/03	0.666	6660	972	32	39	18
187	146	1411	8/2/02	1.998	19980	317	11	38	17
188	146	1327	1/17/03	3.596	35964	174	6	38	17

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
189	146	1477	1/24/03	3.885	38850	160	5	38	17
190	146	1468	1/24/03	3.053	30525	201	7	37	17
191	146	1502	4/4/03	0.688	6882	888	30	37	17
192	146	139	5/2/03	2.220	22200	271	9	37	17
193	146	1480	1/24/03	3.885	38850	154	5	37	17
194	146	910	5/2/03	0.311	3108	1899	63	36	17
195	146	1778	9/12/02	0.333	3330	1772	59	36	17
196	146	9535	2/21/03	0.577	5772	1021	34	36	17
197	146	1419	4/25/03	0.644	6438	891	30	36	16
198	146	1259	2/3/03	0.333	3330	1714	57	36	16
199	146	1579	4/4/03	0.172	1721	3312	110	36	16
200	146	1469	1/24/03	2.442	24420	225	8	35	16
201	146	1215	4/24/03	2.220	22200	247	8	35	16
202	146	1478	1/24/03	3.441	34410	159	5	35	16
203	146	1272	2/21/03	0.611	6105	888	30	35	16
204	146	1261	2/3/03	0.500	4995	1076	36	34	16
205	146	1751	5/23/03	0.225	2251	2387	80	34	16
206	146	100220	5/15/03	0.111	1110	4828	161	34	16
207	146	916	4/25/03	0.278	2775	1914	64	34	16
208	146	1041	4/25/03	0.611	6105	862	29	34	15
209	146	651458	4/25/03	2.220	22200	236	8	34	15
210	146	1290	3/17/03	1.832	18315	286	10	34	15
211	146	1243	5/23/03	0.222	2220	2352	78	34	15
212	146	1445	1/24/03	2.331	23310	223	7	34	15
213	146	1230	5/2/03	0.888	8880	584	19	34	15
214	146	9502	8/30/02	1.110	11100	467	16	34	15
215	146	1812	1/24/03	0.444	4440	1163	39	34	15
216	146	1508	4/4/03	0.455	4551	1122	37	33	15
217	146	1305	1/24/03	0.722	7215	694	23	33	15
218	146	1234	12/26/02	0.111	1110	4502	150	33	15
219	146	9326	12/6/02	0.833	8325	597	20	33	15
220	146	1633	10/13/00	0.724	7238	682	23	33	15
221	146	1657	1/24/03	0.944	9435	521	17	32	15
222	146	948	4/25/03	0.722	7215	669	22	32	15
223	146	939	5/2/03	0.389	3885	1240	41	32	15
224	146	100072	3/28/03	0.017	167	28490	950	32	15
225	146	1443	1/24/03	1.277	12765	370	12	32	14
226	146	1226	4/24/03	2.220	22200	211	7	32	14
227	146	1194	3/17/03	2.775	27750	167	6	31	14
228	146	1754	5/23/03	0.333	3330	1373	46	31	14
229	146	9057	3/17/03	2.331	23310	195	7	31	14
230	146	1278	2/21/03	0.611	6105	739	25	31	14
231	146	1513	4/4/03	0.477	4773	944	31	31	14
232	146	1504	4/4/03	0.500	4995	890	30	31	14
233	146	1619	9/12/02	1.443	14430	308	10	30	14
234	146	9538	3/17/03	0.722	7215	604	20	30	14
235	146	329	7/19/02	0.278	2775	1540	51	30	14

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
236	146	9386	2/21/03	0.500	4995	825	28	29	13
237	146	1266	2/3/03	2.220	22200	184	6	29	13
238	146	1475	1/24/03	2.886	28860	139	5	29	13
239	146	914	5/2/03	0.888	8880	444	15	28	13
240	146	9464	3/17/03	0.139	1388	2826	94	28	13
241	146	9537	9/12/02	0.500	4995	776	26	28	13
242	146	1216	4/24/03	2.220	22200	174	6	28	13
243	146	1785	4/18/03	1.610	16095	238	8	28	13
244	146	1834	1/10/03	2.109	21090	179	6	28	13
245	146	1446	1/24/03	2.442	24420	153	5	27	13
246	146	9551	9/12/02	2.220	22200	166	6	27	12
247	146	1248	4/4/03	0.111	1110	3257	109	27	12
248	146	1606	4/4/03	0.172	1721	2093	70	27	12
249	146	9439	9/12/02	0.999	9990	357	12	27	12
250	146	1361	4/25/03	0.244	2442	1399	47	26	12
251	146	1333	2/14/03	0.666	6660	508	17	26	12
252	146	1522	5/15/03	1.221	12210	270	9	25	12
253	146	1575	4/4/03	0.133	1332	2471	82	25	12
254	146	1140	1/23/03	2.220	22200	147	5	25	11
255	146	1611	4/4/03	0.211	2109	1544	51	25	11
256	146	1574	4/4/03	0.118	1177	2744	91	25	11
257	146	50	12/20/02	3.885	38850	83	3	25	11
258	146	1214	4/24/03	2.220	22200	143	5	25	11
259	146	1447	1/24/03	0.611	6105	520	17	25	11
260	146	1680	4/25/03	0.155	1554	2030	68	25	11
261	146	1273	2/21/03	0.555	5550	566	19	25	11
262	146	100232	3/17/03	0.151	1510	2075	69	25	11
263	146	9536	3/24/03	1.832	18315	171	6	24	11
264	146	1519	5/23/02	1.476	14763	210	7	24	11
265	146	1283	2/21/03	0.666	6660	465	16	24	11
266	146	1496	4/18/03	0.178	1776	1730	58	24	11
267	146	934	4/18/03	0.666	6660	461	15	24	11
268	146	1354	4/25/03	2.054	20535	149	5	24	11
269	146	1653	3/17/03	0.111	1110	2738	91	24	11
270	146	1250	2/3/03	0.500	4995	605	20	24	11
271	146	1314	1/17/03	1.110	11100	272	9	24	11
272	146	9560	9/12/02	1.998	19980	146	5	23	11
273	146	1245	4/25/03	0.111	1110	2600	87	23	11
274	146	1833	12/20/02	1.665	16650	172	6	23	11
275	146	1291	3/17/03	1.166	11655	244	8	23	11
276	146	1277	2/21/03	0.500	4995	567	19	23	11
277	146	9474	9/12/02	0.777	7770	364	12	23	11
278	146	1792	4/4/03	0.222	2220	1225	41	22	10
279	146	1364	4/25/03	0.144	1443	1879	63	22	10
280	146	9340	5/2/03	0.133	1332	2027	68	22	10
281	146	1292	3/17/03	1.138	11378	235	8	22	10
282	146	294	5/2/03	0.194	1943	1358	45	22	10

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
283	146	1512	4/4/03	0.400	3996	657	22	22	10
284	146	1285	2/21/03	0.333	3330	784	26	22	10
285	146	1363	4/25/03	0.333	3330	768	26	22	10
286	146	1576	1/24/03	0.056	555	4427	148	21	10
287	146	1552	4/25/03	0.233	2331	1054	35	21	10
288	146	1613	4/4/03	0.133	1332	1799	60	21	9
289	146	1470	1/24/03	2.220	22200	104	3	20	9
290	146	1260	2/3/03	0.389	3885	594	20	20	9
291	146	1511	4/4/03	0.622	6216	370	12	20	9
292	146	12	5/2/03	0.888	8880	258	9	20	9
293	146	1584	9/19/02	1.221	12210	185	6	20	9
294	146	182	5/2/03	0.155	1554	1446	48	20	9
295	146	14	5/2/03	1.554	15540	141	5	20	9
296	146	1664	4/24/03	1.665	16650	131	4	20	9
297	146	109036	12/29/98	0.668	6682	321	11	19	9
298	146	9564	4/25/03	0.233	2331	910	30	19	9
299	146	9384	2/3/03	0.577	5772	347	12	19	8
300	146	9465	3/17/03	0.139	1388	1425	48	18	8
301	146	1509	4/4/03	0.444	4440	444	15	18	8
302	146	1823	4/1/03	0.056	560	3474	116	18	8
303	146	1244	5/2/03	0.111	1110	1746	58	18	8
304	146	1501	4/4/03	0.833	8325	232	8	18	8
305	146	1269	2/3/03	0.278	2775	685	23	18	8
306	146	1444	1/24/03	1.554	15540	121	4	18	8
307	146	1806	1/24/03	0.666	6660	274	9	17	8
308	146	100219	12/13/02	0.167	1665	1081	36	17	8
309	146	1284	2/21/03	0.766	7659	234	8	17	8
310	146	1617	4/4/03	0.205	2054	848	28	17	8
311	146	1849	5/15/03	0.022	222	7630	254	17	8
312	146	1497	4/18/03	0.222	2220	762	25	17	8
313	146	955	5/2/03	0.122	1221	1366	46	17	8
314	146	9559	9/13/02	0.888	8880	187	6	16	8
315	146	1236	12/26/02	0.111	1110	1416	47	16	7
316	146	1550	11/22/02	0.910	9102	171	6	16	7
317	146	1814	4/4/03	0.117	1166	1324	44	16	7
318	146	1695	4/18/03	0.053	527	2927	98	16	7
319	146	984	5/9/03	0.777	7770	196	7	16	7
320	146	1819	3/24/03	0.044	444	3335	111	15	7
321	146	564	4/18/03	0.155	1554	934	31	15	7
322	146	9496	8/30/02	0.111	1110	1236	41	15	7
323	146	1507	4/4/03	0.477	4773	282	9	14	7
324	146	1557	4/25/03	0.211	2109	629	21	14	7
325	146	1252	2/21/03	0.500	4995	259	9	14	6
326	146	9413	2/21/03	0.389	3885	320	11	14	6
327	146	1495	4/18/03	0.278	2775	432	14	13	6
328	146	1351	2/14/03	0.555	5550	211	7	13	6
329	146	1793	3/24/03	0.033	333	3386	113	13	6

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
330	146	1822	4/25/03	0.117	1166	966	32	13	6
331	146	1693	3/17/03	1.110	11100	96	3	12	6
332	146	1826	3/11/03	0.036	355	2869	96	12	6
333	146	1017	5/9/03	0.888	8880	114	4	12	6
334	146	1553	4/25/03	0.222	2220	452	15	12	5
335	146	959	4/18/03	0.111	1110	844	28	12	5
336	146	1271	2/21/03	0.422	4218	222	7	12	5
337	146	1692	2/21/03	0.644	6438	144	5	11	5
338	146	1831	4/18/03	0.033	333	2651	88	11	5
339	146	1779	5/23/03	0.361	3608	240	8	11	5
340	146	1393	4/18/03	0.278	2775	288	10	10	5
341	146	1247	3/17/03	0.205	2054	388	13	10	5
342	146	1777	1/23/03	0.666	6660	119	4	10	5
343	146	1801	4/4/03	0.044	444	1691	56	10	5
344	146	16	12/20/02	0.444	4440	164	5	10	4
345	146	9488	4/4/03	0.111	1110	637	21	10	4
346	146	1684	5/15/03	0.083	833	833	28	10	4
347	146	908	5/29/03	0.222	2220	293	10	9	4
348	146	1797	4/18/03	0.033	333	1895	63	9	4
349	146	1347	1/24/03	0.500	4995	122	4	9	4
350	146	1799	4/4/03	0.666	6660	77	3	8	4
351	146	1707	4/4/03	0.222	2220	231	8	8	4
352	146	361	4/18/03	0.011	111	4607	154	8	4
353	146	852	10/26/01	0.557	5568	87	3	8	3
354	146	1263	2/3/03	0.555	5550	87	3	8	3
355	146	1743	4/18/03	0.039	389	1190	40	7	3
356	146	9476	4/25/03	0.064	644	687	23	7	3
357	146	1275	2/21/03	0.866	8658	51	2	7	3
358	146	1702	3/28/03	0.019	194	2028	68	7	3
359	146	1556	4/25/03	0.014	144	2645	88	7	3
360	146	438	4/18/03	0.025	250	1508	50	7	3
361	146	1071	4/4/03	0.028	278	1354	45	7	3
362	146	1035	4/18/03	0.031	311	1210	40	7	3
363	146	1462	4/25/03	0.444	4440	83	3	6	3
364	146	774	3/28/03	0.012	122	2699	90	6	3
365	146	1760	4/18/03	0.036	361	860	29	6	3
366	146	430	4/18/03	0.017	167	1847	62	6	3
367	146	434	4/18/03	0.020	200	1324	44	5	2
368	146	862	4/4/03	0.022	222	1140	38	5	2
369	146	1554	4/25/03	0.200	1998	124	4	5	2
370	146	9511	5/2/03	0.139	1388	169	6	5	2
371	146	1170	1/17/03	3.330	33300	7	0	5	2
372	146	1249	2/3/03	0.211	2109	102	3	5	2
373	146	1545	5/2/03	0.122	1221	170	6	4	2
374	146	9528	5/15/03	0.117	1166	178	6	4	2
375	146	606	4/18/03	0.011	111	1724	57	4	2
376	146	9337	4/18/03	0.056	555	344	11	4	2

Dynergy Midstream Services, L.P.

Table 2 - North Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
377	146	1356	4/25/03	0.031	311	592	20	4	2
378	146	240	4/25/03	0.011	111	1608	54	4	2
379	146	1043	8/2/02	0.031	311	516	17	4	2
380	146	1824	4/11/03	0.044	444	345	12	4	2
381	146	1280	2/21/03	0.583	5828	26	1	4	2
382	146	1483	5/23/03	0.020	200	642	21	3	2
383	146	1839	3/11/03	0.024	244	504	17	3	1
384	146	1003	4/4/03	0.022	222	552	18	3	1
385	146	533	4/18/03	0.016	155	706	24	3	1
386	146	268	2/21/03	0.022	222	464	15	3	1
387	146	511	11/22/02	0.018	178	560	19	3	1
388	146	1184	2/21/03	0.011	111	886	30	3	1
389	146	1042	3/24/03	0.056	555	173	6	3	1
390	146	1758	9/12/02	0.011	111	819	27	3	1
391	146	9036	5/20/02	0.017	167	512	17	3	1
392	146	1838	3/11/03	0.036	355	239	8	3	1
393	146	394	1/17/03	0.018	178	445	15	2	1
394	146	558	11/1/02	0.017	172	447	15	2	1
395	146	362	3/17/03	0.029	289	222	7	2	1
396	146	9370	2/3/03	0.222	2220	25	1	2	1
397	146	1761	3/28/03	0.011	105	478	16	2	1
398	146	288	8/30/02	0.014	144	327	11	2	1
399	146	9165	5/15/03	0.094	944	48	2	2	1
400	146	1669	8/30/02	0.022	222	204	7	2	1
401	146	9540	5/15/03	0.064	644	64	2	2	1
402	146	309	2/21/03	0.013	128	298	10	2	1
403	146	952	4/18/03	0.010	100	372	12	2	1
404	146	1440	8/9/02	0.999	9990	3	0	1	1
405	146	297	1/2/03	0.094	944	28	1	1	1
406	146	300	2/21/03	0.049	488	53	2	1	1
407	146	709	5/29/03	0.020	200	129	4	1	1
408	146	289	8/30/02	0.011	111	212	7	1	1
409	146	402	2/21/03	0.018	178	100	3	1	0
410	146	1526	8/23/02	0.025	250	57	2	1	0
411	146	1798	4/4/03	0.044	444	30	1	1	0
412	146	1518	5/31/02	0.211	2109	1	0	0	0
413	146	809	3/23/01	0.089	891	2	0	0	0
414	146	540	6/7/02	0.013	133	0	0	0	0
415	146	1166	7/19/02	3.885	38850	0	0	0	0
416	146	1167	1/17/03	1.776	17760	0	0	0	0
417	146	9539	9/13/02	0.333	3330	0	0	0	0
418	146	100107	5/18/01	2.394	23942	0	0	0	0

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
1	161	118100006	3/28/03	29.970	299700	80670	2689	6,638	3,033
2	161	118100004	3/28/03	29.970	299700	71618	2387	6,161	2,815
3	161	161100050	6/19/03	22.200	222000	87842	2928	5,802	2,651
4	161	161100052	6/19/03	0.555	5550	2638816	87961	4,850	2,216
5	161	223505	3/17/03	0.555	5550	1179778	39326	2,931	1,339
6	161	118100030	3/28/03	1.110	11100	572694	19090	2,877	1,315
7	161	118100029	3/28/03	1.110	11100	568832	18961	2,865	1,309
8	161	118100026	3/28/03	1.665	16650	273150	9105	2,333	1,066
9	161	233501	3/17/03	0.444	4440	699303	23310	1,837	840
10	161	118100099	4/10/03	1.832	18315	140520	4684	1,634	747
11	161	232636	3/17/03	0.444	4440	510359	17012	1,509	689
12	161	222628	3/17/03	0.444	4440	479204	15973	1,450	663
13	161	222627	3/17/03	0.500	4995	347131	11571	1,276	583
14	161	222626	3/17/03	0.500	4995	345312	11510	1,272	581
15	161	118100022	3/28/03	0.555	5550	252608	8420	1,117	510
16	161	161100002	3/17/03	0.666	6660	206310	6877	1,103	504
17	161	1181029	3/21/03	5.550	55500	22040	735	1,026	469
18	161	233152	3/7/03	0.666	6660	160455	5349	943	431
19	161	233095	3/17/03	0.666	6660	156140	5205	927	423
20	161	118849	5/2/03	5.550	55500	15383	513	819	374
21	161	118100098	3/28/03	0.833	8325	97306	3244	793	362
22	161	161100041	3/17/03	0.044	444	1801530	60051	786	359
23	161	161500585	4/17/03	15.540	155400	4883	163	761	348
24	161	1181028	3/21/03	1.665	16650	43737	1458	741	339
25	161	161100001	3/17/03	0.111	1110	432947	14432	572	261
26	161	118845	1/29/03	3.885	38850	11367	379	542	248
27	161	161600472	11/20/02	11.100	111000	3922	131	537	246
28	161	161600471	11/20/02	11.100	111000	3921	131	537	246
29	161	212277	6/5/03	1.110	11100	36603	1220	515	235
30	161	118200674	1/31/03	9.990	99900	3844	128	497	227
31	161	161135	5/29/03	1.665	16650	22360	745	487	223
32	161	161600776	11/20/02	14.430	144300	2485	83	476	217
33	161	161500581	5/2/03	11.100	111000	3073	102	461	211
34	161	161120	5/9/03	1.332	13320	24662	822	451	206
35	161	830040	5/16/03	1.998	19980	15907	530	441	202
36	161	212273	5/9/03	1.221	12210	25634	854	437	200
37	161	161600469	11/20/02	14.430	144300	2137	71	433	198
38	161	830006	5/16/03	4.440	44400	6910	230	432	197
39	161	161100046	6/19/03	22.200	222000	1344	45	424	194
40	161	118793	2/7/03	2.553	25530	11130	371	411	188
41	161	161500588	5/2/03	4.995	49950	5667	189	410	188
42	161	830007	4/10/03	0.194	1943	142458	4749	405	185
43	161	118100078	3/28/03	0.133	1332	207321	6911	404	185
44	161	830019	5/16/03	2.442	24420	11204	373	402	184
45	161	118885	2/7/03	2.220	22200	12098	403	397	181
46	161	118861	2/7/03	1.998	19980	13384	446	396	181
47	161	830021	5/16/03	2.498	24975	10639	355	395	180

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
48	161	118100050	3/28/03	0.067	666	398845	13295	394	180
49	161	118100031	3/28/03	0.133	1332	198683	6623	394	180
50	161	212816	3/17/03	3.219	32190	8065	269	389	178
51	161	118100080	3/28/03	0.133	1332	193194	6440	387	177
52	161	212739	4/24/03	0.777	7770	33040	1101	386	176
53	161	118200675	1/31/03	11.100	111000	2266	76	381	174
54	161	213130	2/21/03	0.555	5550	44418	1481	376	172
55	161	213128	2/21/03	0.555	5550	42871	1429	368	168
56	161	16110096	5/2/03	0.888	8880	25060	835	353	161
57	161	213233	4/24/03	1.110	11100	19641	655	349	159
58	161	118860	2/14/03	3.552	35520	5910	197	340	156
59	161	118856	2/7/03	2.220	22200	9334	311	338	154
60	161	830037	5/16/03	2.997	29970	6844	228	336	153
61	161	118847	2/14/03	2.886	28860	6971	232	331	151
62	161	161500590	5/2/03	4.995	49950	3917	131	326	149
63	161	212585	10/25/02	0.888	8880	21720	724	323	148
64	161	830027	5/16/03	2.775	27750	6827	228	319	146
65	161	118836	5/2/03	2.220	22200	8460	282	318	145
66	161	213032	1/29/03	4.120	41203	4333	144	308	141
67	161	118262	5/16/03	3.330	33300	5354	178	307	140
68	161	161500583	4/17/03	5.550	55500	3203	107	307	140
69	161	118962	2/7/03	1.887	18870	9239	308	303	138
70	161	118870	2/14/03	3.663	36630	4640	155	298	136
71	161	118689	3/21/03	2.775	27750	5768	192	287	131
72	161	118894	5/22/03	0.777	7770	19738	658	280	128
73	161	212045	5/2/03	0.555	5550	27382	913	278	127
74	161	118851	1/31/03	2.664	26640	5400	180	269	123
75	161	161881	4/10/03	1.998	19980	7115	237	267	122
76	161	118726	1/31/03	3.108	31080	4535	151	265	121
77	161	118792	1/31/03	2.220	22200	6018	201	257	117
78	161	213017	1/29/03	2.553	25530	5108	170	253	115
79	161	118824	2/7/03	8.880	88800	1464	49	252	115
80	161	118732	2/6/03	1.998	19980	6408	214	250	114
81	161	11860077	5/16/03	0.555	5550	22646	755	247	113
82	161	161113	11/22/02	0.555	5550	22510	750	246	112
83	161	161873	5/2/03	1.665	16650	7474	249	245	112
84	161	161800236	11/26/02	0.888	8880	13424	447	239	109
85	161	213406	1/29/03	2.775	27750	4247	142	237	108
86	161	118879	1/31/03	3.663	36630	3211	107	237	108
87	161	118884	1/31/03	2.775	27750	4215	141	236	108
88	161	16189	5/2/03	0.777	7770	14980	499	235	108
89	161	213125	2/21/03	0.777	7770	14934	498	235	107
90	161	212562	2/14/03	1.665	16650	6924	231	234	107
91	161	213131	2/21/03	1.887	18870	6108	204	234	107
92	161	118838	1/29/03	2.220	22200	4963	165	227	104
93	161	830035	11/1/02	2.553	25530	4315	144	227	104
94	161	161890	4/17/03	2.220	22200	4885	163	225	103

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
95	161	118788	2/14/03	3.885	38850	2759	92	224	102
96	161	16187	5/2/03	1.665	16650	6427	214	223	102
97	161	212727	5/9/03	1.554	15540	6817	227	222	101
98	161	11861	2/7/03	1.110	11100	9344	311	219	100
99	161	118867	1/29/03	2.220	22200	4667	156	219	100
100	161	212729	3/11/03	2.553	25530	4044	135	218	100
101	161	118888	2/14/03	3.108	31080	3268	109	216	99
102	161	212841	5/9/03	0.333	3330	30479	1016	216	99
103	161	212568	5/16/03	0.666	6660	14866	496	213	97
104	161	161855	3/7/03	1.110	11100	8902	297	212	97
105	161	213203	2/6/03	1.665	16650	5918	197	212	97
106	161	830023	5/16/03	3.330	33300	2941	98	211	97
107	161	212216	10/25/02	0.888	8880	10813	360	209	95
108	161	212837	3/11/03	22.200	222000	421	14	205	94
109	161	161100014	3/17/03	0.666	6660	13907	464	204	93
110	161	118840	1/31/03	1.665	16650	5445	182	201	92
111	161	161878	3/11/03	1.887	18870	4599	153	196	90
112	161	213349	5/2/03	0.333	3330	25827	861	195	89
113	161	213262	3/11/03	3.330	33300	2581	86	195	89
114	161	161786	5/22/03	1.887	18870	4522	151	194	89
115	161	213379	2/6/03	1.665	16650	5114	170	194	88
116	161	212830	1/29/03	2.775	27750	3049	102	193	88
117	161	161500580	12/4/01	16.650	166500	507	17	193	88
118	161	118853	7/25/02	6.660	66600	1263	42	192	88
119	161	213058	3/4/03	1.443	14430	5782	193	191	87
120	161	16179	5/16/03	0.444	4440	18702	623	191	87
121	161	830068	5/16/03	3.053	30525	2700	90	190	87
122	161	118656	2/7/03	2.220	22200	3675	123	188	86
123	161	212842	5/9/03	0.155	1554	51550	1718	186	85
124	161	212728	3/11/03	2.442	24420	3243	108	185	85
125	161	118877	2/7/03	2.220	22200	3565	119	185	84
126	161	161241001	6/13/03	0.067	666	118029	3934	184	84
127	161	118817	2/7/03	3.330	33300	2359	79	184	84
128	161	161883	3/11/03	1.332	13320	5887	196	184	84
129	161	830020	5/16/03	2.997	29970	2601	87	183	84
130	161	1181082	6/19/03	1.776	17760	4346	145	182	83
131	161	118943	1/31/03	1.443	14430	5278	176	180	82
132	161	161229	4/10/03	2.886	28860	2633	88	180	82
133	161	11818	5/9/03	2.553	25530	2967	99	180	82
134	161	118200681	1/31/03	11.100	111000	682	23	180	82
135	161	118858	2/14/03	5.550	55500	1360	45	179	82
136	161	1181058	2/7/03	1.221	12210	6108	204	178	81
137	161	213214	5/16/03	1.110	11100	6693	223	178	81
138	161	213040	5/9/03	0.666	6660	11122	371	177	81
139	161	161828	3/11/03	0.588	5883	12466	416	176	81
140	161	118927	2/7/03	1.665	16650	4384	146	176	80
141	161	118965	3/28/03	4.107	41070	1746	58	174	79

Dynegy Midstream Services, L.P.
Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
142	161	118811	2/14/03	5.550	55500	1278	43	173	79
143	161	118131	5/16/03	2.109	21090	3341	111	172	79
144	161	161129	5/9/03	0.833	8325	8177	273	168	77
145	161	118760	1/29/03	1.665	16650	4021	134	167	76
146	161	213405	2/6/03	3.108	31080	2147	72	166	76
147	161	213215	5/16/03	0.833	8325	7927	264	165	75
148	161	118783	1/29/03	3.330	33300	1971	66	164	75
149	161	161610	4/24/03	1.665	16650	3892	130	163	75
150	161	118844	1/31/03	2.220	22200	2914	97	163	74
151	161	213057	3/4/03	1.998	19980	3229	108	163	74
152	161	212554	5/2/03	0.999	9990	6452	215	163	74
153	161	161799	3/17/03	0.444	4440	14492	483	162	74
154	161	161311	5/2/03	0.999	9990	6351	212	161	74
155	161	212566	3/4/03	1.776	17760	3513	117	159	73
156	161	213184	3/27/03	1.665	16650	3742	125	159	73
157	161	213373	5/9/03	1.554	15540	3991	133	159	73
158	161	118804	2/7/03	1.665	16650	3609	120	156	71
159	161	118886	2/7/03	2.886	28860	2080	69	156	71
160	161	212577	3/4/03	1.110	11100	5356	179	155	71
161	161	118809	2/14/03	1.665	16650	3499	117	153	70
162	161	161631	3/11/03	1.221	12210	4681	156	151	69
163	161	118929	1/23/03	2.886	28860	1967	66	150	69
164	161	212835	1/29/03	1.998	19980	2808	94	149	68
165	161	118768	2/14/03	1.110	11100	5045	168	149	68
166	161	213136	5/16/03	1.665	16650	3363	112	149	68
167	161	11889	2/7/03	11.100	111000	497	17	148	67
168	161	118960	2/6/03	2.775	27750	1975	66	147	67
169	161	118859	2/14/03	3.663	36630	1485	50	146	67
170	161	161100025	6/19/03	0.444	4440	12107	404	145	66
171	161	213204	2/6/03	1.110	11100	4781	159	144	66
172	161	161569	5/22/03	1.665	16650	3145	105	143	65
173	161	118769	2/7/03	1.221	12210	4252	142	142	65
174	161	161600496	3/7/03	3.330	33300	1558	52	142	65
175	161	161773	3/4/03	1.110	11100	4529	151	139	64
176	161	213447	1/29/03	1.110	11100	4448	148	138	63
177	161	118876	1/31/03	3.885	38850	1268	42	137	63
178	161	212178	4/10/03	1.221	12210	4005	134	137	63
179	161	118815	1/31/03	3.108	31080	1567	52	136	62
180	161	161792	4/17/03	1.665	16650	2912	97	136	62
181	161	830028	5/16/03	2.997	29970	1571	52	134	61
182	161	161132	5/2/03	2.220	22200	2115	71	133	61
183	161	118854	1/31/03	3.330	33300	1410	47	133	61
184	161	118866	2/7/03	1.221	12210	3824	127	133	61
185	161	118727	2/7/03	3.885	38850	1196	40	132	61
186	161	213326	4/4/03	3.330	33300	1391	46	132	60
187	161	213437	1/31/03	1.110	11100	4170	139	132	60
188	161	118699	2/7/03	1.443	14430	3196	107	132	60

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
189	161	118889	2/7/03	2.331	23310	1967	66	131	60
190	161	830032	5/9/03	5.550	55500	825	28	131	60
191	161	118807	2/14/03	1.554	15540	2937	98	131	60
192	161	11890	2/7/03	1.110	11100	4060	135	130	59
193	161	213330	3/28/03	1.110	11100	4029	134	129	59
194	161	118871	1/31/03	4.440	44400	990	33	128	58
195	161	11860087	2/7/03	3.885	38850	1130	38	128	58
196	161	161848	5/9/03	0.500	5000	8744	291	128	58
197	161	161600467	11/20/02	23.310	233100	187	6	127	58
198	161	118916	7/19/02	2.220	22200	1956	65	127	58
199	161	212261	3/11/03	0.777	7770	5546	185	126	58
200	161	830039	5/16/03	5.550	55500	776	26	126	58
201	161	118972	5/16/03	0.089	888	48054	1602	126	57
202	161	118748	2/6/03	1.554	15540	2737	91	125	57
203	161	161439	3/11/03	0.888	8880	4765	159	125	57
204	161	212832	1/29/03	1.998	19980	2101	70	124	57
205	161	161440	5/29/03	0.444	4440	9333	311	123	56
206	161	161857	5/2/03	0.666	6660	6216	207	123	56
207	161	118695	1/29/03	1.776	17760	2320	77	123	56
208	161	118935	2/6/03	1.665	16650	2459	82	122	56
209	161	213035	1/29/03	2.220	22200	1834	61	122	56
210	161	118843	2/7/03	3.108	31080	1305	44	122	56
211	161	213134	2/21/03	0.333	3330	12111	404	121	55
212	161	118820	2/14/03	3.330	33300	1189	40	120	55
213	161	161869	5/16/03	1.998	19980	1971	66	119	55
214	161	118842	7/25/02	3.108	31080	1264	42	119	55
215	161	1181059	1/29/03	1.110	11100	3535	118	119	54
216	161	213295	2/14/03	1.332	13320	2941	98	119	54
217	161	118828	2/6/03	1.110	11100	3503	117	119	54
218	161	212245	3/11/03	1.110	11100	3491	116	118	54
219	161	212833	1/29/03	1.887	18870	2042	68	118	54
220	161	118812	2/7/03	1.443	14430	2659	89	118	54
221	161	118795	2/14/03	1.776	17760	2148	72	117	54
222	161	213126	2/21/03	6.327	63270	598	20	117	53
223	161	118810	1/31/03	1.332	13320	2840	95	116	53
224	161	118742	1/31/03	3.108	31080	1215	41	116	53
225	161	118957	7/25/02	6.660	66600	560	19	115	53
226	161	213408	2/21/03	1.832	18315	2027	68	115	53
227	161	213039	5/9/03	1.110	11100	3333	111	115	52
228	161	118739	1/29/03	1.665	16650	2211	74	115	52
229	161	161600468	11/20/02	15.540	155400	235	8	114	52
230	161	118364	3/21/03	2.442	24420	1480	49	113	52
231	161	212320	5/16/03	0.178	1776	20302	677	113	52
232	161	161600474	5/23/02	6.660	66600	538	18	113	51
233	161	212582	5/16/03	0.133	1332	26357	879	111	51
234	161	213016	2/14/03	1.221	12210	2870	96	111	51
235	161	161500579	12/4/01	16.650	166500	210	7	111	51

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
236	161	161616	4/18/03	0.200	1998	17476	583	111	51
237	161	213401	5/9/03	0.555	5550	6119	204	109	50
238	161	118977	5/16/03	0.777	7770	4348	145	109	50
239	161	213062	3/11/03	2.775	27750	1200	40	108	49
240	161	118910368	4/4/03	2.553	25530	1273	42	106	48
241	161	213288	5/16/03	1.332	13320	2433	81	106	48
242	161	161884	5/9/03	1.665	16650	1926	64	105	48
243	161	161582	3/4/03	1.332	13320	2400	80	105	48
244	161	118770	2/14/03	1.110	11100	2873	96	105	48
245	161	118958	2/7/03	3.330	33300	956	32	105	48
246	161	212156	3/4/03	1.776	17760	1792	60	105	48
247	161	118735	1/29/03	1.665	16650	1908	64	104	48
248	161	161771	5/16/03	0.722	7215	4402	147	104	48
249	161	118710	11/22/02	1.776	17760	1773	59	104	47
250	161	213310	1/31/03	1.443	14430	2178	73	104	47
251	161	212077	2/14/03	2.553	25530	1231	41	104	47
252	161	222625	3/17/03	0.444	4440	7031	234	103	47
253	161	161630	3/11/03	1.332	13320	2337	78	103	47
254	161	213281	2/21/03	1.776	17760	1731	58	102	47
255	161	118841	4/4/03	1.221	12210	2500	83	102	47
256	161	161628	3/11/03	0.888	8880	3429	114	102	46
257	161	213014	1/29/03	1.554	15540	1954	65	102	46
258	161	212374	5/9/03	0.888	8880	3419	114	102	46
259	161	213228	8/13/02	1.554	15540	1949	65	101	46
260	161	118554	3/17/03	1.110	11100	2726	91	101	46
261	161	233087	3/7/03	0.888	8880	3389	113	101	46
262	161	118816	2/14/03	1.554	15540	1934	64	101	46
263	161	118924	1/31/03	2.775	27750	1078	36	101	46
264	161	213175	1/29/03	1.665	16650	1742	58	99	45
265	161	1181045	5/9/03	2.220	22200	1298	43	98	45
266	161	213189	3/28/03	0.064	638	44766	1492	98	45
267	161	1181037	5/16/03	3.330	33300	853	28	97	44
268	161	213329	8/13/02	1.776	17760	1587	53	97	44
269	161	213224	8/13/02	1.332	13320	2108	70	97	44
270	161	161676	11/20/02	1.443	14430	1944	65	97	44
271	161	213267	6/5/03	0.555	5550	5051	168	97	44
272	161	213196	2/21/03	0.333	3330	8311	277	96	44
273	161	213015	1/31/03	0.999	9990	2760	92	96	44
274	161	118873	2/6/03	1.221	12210	2254	75	95	44
275	161	161692	4/17/03	0.444	4440	6172	206	95	44
276	161	213390	1/29/03	1.998	19980	1359	45	95	43
277	161	118698	1/29/03	1.776	17760	1528	51	95	43
278	161	161721	3/7/03	0.555	5550	4830	161	94	43
279	161	11842	5/9/03	4.440	44400	598	20	93	43
280	161	213368	3/27/03	1.665	16650	1589	53	93	43
281	161	118763	1/29/03	1.221	12210	2163	72	93	43
282	161	118733	2/6/03	1.110	11100	2375	79	93	42

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
283	161	213006	2/6/03	1.554	15540	1675	56	92	42
284	161	213216	5/2/03	0.666	6660	3904	130	92	42
285	161	161100053	6/19/03	0.022	222	116944	3898	92	42
286	161	212251	2/14/03	0.777	7770	3324	111	92	42
287	161	161345	3/4/03	1.554	15540	1640	55	91	42
288	161	213018	1/29/03	2.997	29970	847	28	91	41
289	161	213022	1/29/03	1.665	16650	1523	51	91	41
290	161	213377	1/29/03	1.110	11100	2276	76	90	41
291	161	212230	9/17/02	0.555	5550	4546	152	90	41
292	161	213025	6/5/03	0.555	5550	4546	152	90	41
293	161	161521	3/20/03	2.775	27750	907	30	90	41
294	161	118925	2/6/03	0.999	9990	2513	84	90	41
295	161	213374	3/11/03	1.110	11100	2261	75	90	41
296	161	118746	1/29/03	1.998	19980	1252	42	90	41
297	161	213248	1/31/03	1.665	16650	1488	50	89	41
298	161	212881	2/14/03	1.110	11100	2222	74	89	41
299	161	213252	1/29/03	2.220	22200	1111	37	89	41
300	161	161600584	11/16/01	11.100	111000	222	7	89	41
301	161	161800207	5/16/03	0.333	3330	7393	246	89	41
302	161	212818	1/31/03	1.554	15540	1581	53	89	41
303	161	161241006	6/13/03	0.064	644	38125	1271	89	41
304	161	161103	11/26/02	0.178	1776	13715	457	88	40
305	161	233503	3/17/03	0.444	4440	5485	183	88	40
306	161	118734	1/29/03	0.666	6660	3632	121	88	40
307	161	213265	6/5/03	0.777	7770	3102	103	88	40
308	161	161856	4/24/03	1.554	15540	1547	52	88	40
309	161	213322	2/14/03	1.110	11100	2150	72	87	40
310	161	213188	4/4/02	0.111	1110	21471	716	87	40
311	161	16110	3/20/03	0.666	6660	3549	118	87	40
312	161	213010	1/29/03	1.998	19980	1182	39	87	40
313	161	11829	2/7/03	2.775	27750	850	28	87	40
314	161	213384	5/16/03	0.444	4440	5295	177	86	40
315	161	161197	3/7/03	1.443	14430	1629	54	86	40
316	161	213227	8/13/02	2.442	24420	959	32	86	39
317	161	213389	1/29/03	1.776	17760	1309	44	86	39
318	161	830050	5/16/03	0.111	1110	20904	697	86	39
319	161	212288	2/21/03	1.665	16650	1392	46	86	39
320	161	212829	1/29/03	1.887	18870	1213	40	85	39
321	161	161453	5/2/03	1.776	17760	1279	43	85	39
322	161	118806	1/23/03	1.443	14430	1567	52	84	39
323	161	161708	4/17/03	0.666	6660	3391	113	84	39
324	161	161712	3/7/03	0.333	3330	6695	223	84	38
325	161	118848	1/31/03	1.665	16650	1332	44	83	38
326	161	213190	3/28/03	0.178	1776	12486	416	83	38
327	161	213202	3/28/03	0.222	2220	9897	330	83	38
328	161	161864	5/22/03	0.333	3330	6593	220	83	38
329	161	11860023	2/7/03	1.554	15540	1409	47	83	38

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
330	161	118864	2/7/03	2.220	22200	985	33	83	38
331	161	161807	3/7/03	0.333	3330	6536	218	82	38
332	161	118703	5/16/03	0.133	1332	16260	542	82	38
333	161	223506	9/17/02	0.444	4440	4831	161	82	37
334	161	213298	2/6/03	1.221	12210	1754	58	82	37
335	161	16167	4/24/03	0.278	2775	7631	254	81	37
336	161	213360	11/22/02	1.221	12210	1710	57	80	37
337	161	118381	5/9/03	2.775	27750	749	25	80	37
338	161	118822	1/31/03	2.220	22200	933	31	80	37
339	161	213223	7/13/01	11.100	111000	186	6	80	36
340	161	161823	9/17/02	0.722	7215	2842	95	79	36
341	161	830009	11/8/02	1.388	13875	1461	49	79	36
342	161	161457	5/29/03	1.665	16650	1216	41	79	36
343	161	118787	5/16/03	0.022	222	90907	3030	79	36
344	161	161871	11/20/02	0.555	5550	3616	121	78	36
345	161	212525	5/2/03	1.554	15540	1287	43	78	36
346	161	212819	1/31/03	0.999	9990	1980	66	78	35
347	161	118737	1/29/03	1.332	13320	1474	49	77	35
348	161	213257	11/22/02	1.221	12210	1590	53	77	35
349	161	213221	4/24/03	3.330	33300	581	19	77	35
350	161	1181032	5/9/03	7.326	73260	261	9	76	35
351	161	212324	2/14/03	0.389	3885	4907	164	76	35
352	161	118808	2/7/03	2.220	22200	858	29	76	35
353	161	118100037	3/28/03	1.110	11100	1708	57	76	35
354	161	11836	2/7/03	2.775	27750	681	23	75	34
355	161	118738	1/29/03	1.665	16650	1129	38	75	34
356	161	161689	5/22/03	1.221	12210	1539	51	75	34
357	161	118724	1/31/03	0.888	8880	2109	70	75	34
358	161	118833	1/31/03	1.665	16650	1120	37	75	34
359	161	118909	1/29/03	0.888	8880	2100	70	75	34
360	161	212079	4/17/03	2.775	27750	670	22	75	34
361	161	118745	1/29/03	1.998	19980	929	31	75	34
362	161	118895	2/21/03	22.200	222000	83	3	74	34
363	161	118736	1/29/03	1.332	13320	1373	46	74	34
364	161	212517	5/29/03	0.333	3330	5482	183	74	34
365	161	161766	2/27/03	1.332	13320	1368	46	74	34
366	161	161762	5/16/03	0.333	3330	5471	182	74	34
367	161	161190	5/2/03	0.133	1332	13589	453	73	34
368	161	118765	1/29/03	1.554	15540	1160	39	73	33
369	161	161797	2/21/03	0.999	9990	1782	59	73	33
370	161	118690	1/29/03	4.440	44400	398	13	72	33
371	161	213056	10/11/02	0.555	5550	3182	106	72	33
372	161	213258	11/22/02	1.221	12210	1441	48	72	33
373	161	161763	3/11/03	0.444	4440	3936	131	72	33
374	161	161802	11/20/02	0.777	7770	2246	75	72	33
375	161	161637	3/11/03	0.444	4440	3921	131	72	33
376	161	212014	2/21/03	2.109	21090	821	27	71	33

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
377	161	118731	2/6/03	1.221	12210	1415	47	71	33
378	161	118934	2/6/03	1.665	16650	1034	34	71	33
379	161	213007	1/31/03	1.665	16650	1027	34	71	32
380	161	161201	3/7/03	1.776	17760	957	32	71	32
381	161	161744	11/20/02	1.110	11100	1529	51	71	32
382	161	212067	5/2/03	0.555	5550	3031	101	70	32
383	161	1181	3/6/03	3.108	31080	536	18	70	32
384	161	161629	3/11/03	0.333	3330	4987	166	70	32
385	161	161654	5/1/02	0.999	9990	1651	55	69	32
386	161	118650	1/31/03	1.110	11100	1477	49	69	32
387	161	213362	5/29/03	0.555	5550	2928	98	69	31
388	161	213138	5/16/03	0.444	4440	3647	122	68	31
389	161	11860025	2/7/03	1.110	11100	1458	49	68	31
390	161	212399	3/7/03	1.887	18870	852	28	68	31
391	161	161241005	6/13/03	0.062	622	25698	857	68	31
392	161	213251	1/29/03	1.776	17760	896	30	68	31
393	161	213372	5/9/03	1.554	15540	1023	34	68	31
394	161	161241004	6/13/03	0.064	644	24623	821	68	31
395	161	233151	10/22/99	0.555	5550	2846	95	67	31
396	161	161577	5/16/03	0.666	6660	2370	79	67	31
397	161	118678	1/31/03	2.109	21090	746	25	67	31
398	161	161266	2/21/03	4.107	41070	383	13	67	31
399	161	118782	2/7/03	2.220	22200	707	24	67	31
400	161	118701	1/29/03	0.888	8880	1760	59	67	31
401	161	213397	4/4/02	0.555	5550	2766	92	66	30
402	161	118631	1/31/03	0.999	9990	1534	51	66	30
403	161	213367	3/27/03	0.333	3330	4509	150	65	30
404	161	161642	3/11/03	0.333	3330	4480	149	65	30
405	161	161710230	4/17/03	0.078	777	18972	632	65	30
406	161	161265	5/16/03	0.244	2442	6024	201	65	29
407	161	161308	2/21/03	2.886	28860	508	17	64	29
408	161	212817	1/31/03	2.109	21090	692	23	64	29
409	161	118790	2/7/03	2.220	22200	656	22	64	29
410	161	118767	2/14/03	1.554	15540	933	31	64	29
411	161	161777	4/18/03	0.278	2775	5196	173	64	29
412	161	161850	3/7/03	0.833	8325	1724	57	64	29
413	161	213250	11/22/02	1.110	11100	1255	42	62	28
414	161	161600465	11/20/02	5.550	55500	251	8	62	28
415	161	161458	11/20/02	1.499	14985	925	31	62	28
416	161	212821	1/31/03	2.109	21090	653	22	62	28
417	161	161597	3/7/03	0.444	4440	3099	103	62	28
418	161	213448	1/29/03	1.443	14430	948	32	62	28
419	161	118447	5/16/03	0.056	555	24525	818	61	28
420	161	830070	5/16/03	1.665	16650	816	27	61	28
421	161	11860029	1/31/03	1.443	14430	938	31	61	28
422	161	118922	1/29/03	1.887	18870	706	24	61	28
423	161	213055	2/6/03	5.550	55500	240	8	61	28

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
424	161	213161	5/2/03	0.444	4440	2982	99	60	28
425	161	16169	3/7/03	0.333	3330	3935	131	60	27
426	161	161563	5/9/03	0.533	5328	2455	82	60	27
427	161	213381	5/16/03	0.333	3330	3919	131	60	27
428	161	118702	11/15/02	2.997	29970	433	14	60	27
429	161	213328	1/29/03	0.888	8880	1443	48	59	27
430	161	213308	2/6/03	1.110	11100	1154	38	59	27
431	161	118970	5/16/03	0.133	1332	9507	317	59	27
432	161	161858	3/7/03	0.666	6660	1895	63	59	27
433	161	213127	2/21/03	0.222	2220	5678	189	59	27
434	161	212440	4/10/03	1.443	14430	872	29	58	27
435	161	212588	5/2/03	0.555	5550	2246	75	58	27
436	161	213392	5/16/03	0.333	3330	3675	123	57	26
437	161	118400015	1/31/03	2.553	25530	473	16	57	26
438	161	118971	1/29/03	0.555	5550	2170	72	57	26
439	161	212013	2/21/03	1.887	18870	638	21	57	26
440	161	213238	2/21/03	1.499	14985	797	27	57	26
441	161	161846	3/7/03	0.333	3330	3541	118	56	26
442	161	213116	2/21/03	0.555	5550	2122	71	56	26
443	161	213249	7/17/02	1.776	17760	662	22	56	26
444	161	161128	5/9/03	0.422	4218	2786	93	56	26
445	161	212231	4/10/03	1.221	12210	962	32	56	26
446	161	212579	3/4/03	0.666	6660	1763	59	56	26
447	161	118921	12/6/02	1.998	19980	587	20	56	26
448	161	161624	4/18/03	0.888	8880	1318	44	56	26
449	161	212146	3/11/03	1.110	11100	1051	35	56	25
450	161	213254	1/31/03	1.776	17760	653	22	56	25
451	161	161854	5/22/03	0.222	2220	5200	173	55	25
452	161	213320	7/12/02	0.888	8880	1286	43	55	25
453	161	213266	6/5/03	0.333	3330	3390	113	55	25
454	161	212069	2/21/03	1.110	11100	1013	34	55	25
455	161	212609	9/19/02	2.220	22200	505	17	54	25
456	161	118208	11/8/02	3.330	33300	330	11	54	25
457	161	212099	2/14/03	2.109	21090	521	17	54	25
458	161	118700	1/29/03	0.888	8880	1225	41	53	24
459	161	118880	7/25/02	2.220	22200	489	16	53	24
460	161	161866	5/22/03	0.333	3330	3260	109	53	24
461	161	161600466	11/20/02	6.660	66600	163	5	53	24
462	161	118830	1/31/03	1.776	17760	608	20	53	24
463	161	212439	2/21/03	1.887	18870	568	19	53	24
464	161	212199	5/16/03	0.389	3885	2758	92	53	24
465	161	118205	2/21/03	0.555	5550	1887	63	52	24
466	161	212422	4/24/03	0.178	1776	5880	196	52	24
467	161	161107	10/25/02	0.033	333	31326	1044	52	24
468	161	16110142	5/9/03	0.555	5550	1879	63	52	24
469	161	213283	2/27/03	0.777	7770	1327	44	52	24
470	161	118725	5/9/03	1.776	17760	577	19	51	24

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
471	161	161566	11/20/02	0.555	5550	1845	62	51	23
472	161	212152	5/2/03	0.222	2220	4590	153	51	23
473	161	16119	3/11/03	0.666	6660	1525	51	51	23
474	161	212176	5/2/03	0.888	8880	1137	38	51	23
475	161	161703	5/9/03	0.366	3663	2739	91	51	23
476	161	161714	11/26/02	0.333	3330	2989	100	51	23
477	161	11877	2/6/03	0.056	555	17805	594	50	23
478	161	213003	1/29/03	1.110	11100	882	29	50	23
479	161	118103	5/9/03	1.110	11100	865	29	49	23
480	161	118692	1/29/03	1.665	16650	576	19	49	23
481	161	118961	5/9/03	0.111	1110	8570	286	49	22
482	161	118272	5/16/03	2.220	22200	427	14	49	22
483	161	118291	1/31/03	1.665	16650	561	19	49	22
484	161	161567	11/20/02	0.999	9990	931	31	48	22
485	161	212205	2/14/03	1.221	12210	747	25	48	22
486	161	161147	3/7/03	0.555	5550	1639	55	48	22
487	161	118714	5/9/03	0.888	8880	1023	34	48	22
488	161	11860067	1/31/03	2.220	22200	409	14	48	22
489	161	161633	3/11/03	0.222	2220	4059	135	47	22
490	161	161678	11/20/02	1.776	17760	497	17	47	21
491	161	212114	4/17/03	0.666	6660	1325	44	47	21
492	161	212822	1/31/03	1.776	17760	495	17	47	21
493	161	830036	11/1/02	0.089	888	9833	328	47	21
494	161	118432	1/29/03	1.665	16650	524	17	47	21
495	161	212820	1/31/03	0.999	9990	869	29	46	21
496	161	212831	1/29/03	2.220	22200	390	13	46	21
497	161	161600473	11/20/02	14.430	144300	60	2	46	21
498	161	213337	5/2/03	0.023	233	36984	1233	46	21
499	161	118519	4/1/02	0.111	1110	7714	257	46	21
500	161	161713	3/7/03	0.444	4440	1898	63	46	21
501	161	161800	11/20/02	1.110	11100	759	25	46	21
502	161	118679	1/29/03	1.443	14430	581	19	45	21
503	161	212509	5/29/03	0.178	1776	4702	157	45	21
504	161	161600470	11/20/02	11.100	111000	75	3	45	21
505	161	212836	7/17/02	0.555	5550	1493	50	45	21
506	161	11860036	1/31/03	2.775	27750	297	10	45	21
507	161	118785	3/17/03	1.110	11100	736	25	45	20
508	161	212187	3/17/03	0.389	3885	2102	70	45	20
509	161	161109	3/7/03	0.555	5550	1469	49	45	20
510	161	213270	4/18/03	1.110	11100	734	24	45	20
511	161	161862	5/22/03	0.333	3330	2422	81	44	20
512	161	11860097	11/15/02	0.555	5550	1431	48	44	20
513	161	212584	2/21/03	0.044	444	17838	595	44	20
514	161	830056	5/9/03	0.111	1110	7088	236	44	20
515	161	161865	5/22/03	0.333	3330	2325	78	43	20
516	161	161764	3/11/03	0.222	2220	3469	116	43	20
517	161	212097	3/4/03	0.555	5550	1382	46	43	20

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
518	161	118759	1/29/03	1.554	15540	493	16	43	20
519	161	161634	3/11/03	0.444	4440	1724	57	43	20
520	161	213439	2/21/03	2.664	26640	287	10	43	20
521	161	232853	11/20/02	0.666	6660	1139	38	43	19
522	161	118974	11/8/02	0.444	4440	1690	56	42	19
523	161	118900	5/9/03	0.222	2220	3377	113	42	19
524	161	212490	5/9/03	1.110	11100	668	22	42	19
525	161	161450	3/11/03	0.666	6660	1098	37	42	19
526	161	213268	5/1/03	0.133	1332	5462	182	42	19
527	161	212519	5/2/03	0.044	444	16365	546	41	19
528	161	118951	2/7/03	0.444	4440	1603	53	41	19
529	161	213294	2/14/03	0.999	9990	709	24	41	19
530	161	213259	11/22/02	0.888	8880	797	27	41	19
531	161	212823	12/6/02	1.110	11100	628	21	40	18
532	161	118975	11/8/02	0.555	5550	1249	42	40	18
533	161	161241003	6/13/03	0.064	644	10744	358	40	18
534	161	213420	2/21/03	1.332	13320	515	17	40	18
535	161	212311	5/16/03	2.220	22200	308	10	40	18
536	161	118294	2/21/03	0.278	2775	2451	82	40	18
537	161	161805	3/7/03	0.222	2220	3061	102	40	18
538	161	212282	3/17/03	0.888	8880	765	26	40	18
539	161	161861	3/11/03	0.444	4440	1521	51	40	18
540	161	11860024	2/7/03	3.330	33300	202	7	40	18
541	161	161435	3/17/03	2.553	25530	263	9	39	18
542	161	11849	2/7/03	2.775	27750	241	8	39	18
543	161	118560	5/9/03	0.833	8325	792	26	39	18
544	161	213133	2/21/03	0.444	4440	1474	49	39	18
545	161	16160	5/9/03	0.733	7326	889	30	39	18
546	161	161452	5/2/03	0.666	6660	969	32	39	18
547	161	161635	3/11/03	0.056	555	11494	383	38	17
548	161	118805	2/14/03	1.110	11100	568	19	38	17
549	161	161131	5/9/03	0.078	777	8108	270	38	17
550	161	118869	9/12/02	0.111	1110	5674	189	38	17
551	161	212827	2/6/03	1.221	12210	506	17	37	17
552	161	213358	4/4/03	0.222	2220	2780	93	37	17
553	161	161244	2/14/03	1.887	18870	326	11	37	17
554	161	213048	4/18/03	0.111	1110	5541	185	37	17
555	161	118691	1/29/03	3.885	38850	157	5	37	17
556	161	161863	5/22/03	0.333	3330	1808	60	37	17
557	161	118762	1/29/03	1.221	12210	490	16	37	17
558	161	213430	5/2/03	0.133	1332	4452	148	37	17
559	161	213005	1/29/03	1.665	16650	356	12	37	17
560	161	118744	1/29/03	1.110	11100	533	18	36	17
561	161	1181050	3/21/03	0.133	1332	4423	147	36	17
562	161	161718	11/20/02	0.333	3330	1758	59	36	17
563	161	212437	4/10/03	1.776	17760	329	11	36	17
564	161	161743	5/16/03	0.222	2220	2613	87	36	16

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
565	161	161490	9/19/02	2.464	24642	232	8	36	16
566	161	212203	4/24/03	0.999	9990	572	19	36	16
567	161	161461	3/7/03	1.221	12210	464	15	36	16
568	161	161814	5/9/03	0.599	5994	944	31	35	16
569	161	213364	3/27/03	0.333	3330	1690	56	35	16
570	161	212463	2/21/03	2.442	24420	229	8	35	16
571	161	212693	5/29/03	0.222	2220	2501	83	35	16
572	161	161587	3/7/03	0.333	3330	1667	56	35	16
573	161	161241007	6/12/03	0.056	555	9964	332	35	16
574	161	11835	2/7/03	1.665	16650	329	11	35	16
575	161	161811	5/16/03	0.222	2220	2449	82	35	16
576	161	161767	3/7/03	0.111	1110	4852	162	34	16
577	161	1181070	5/16/03	0.011	111	48514	1617	34	16
578	161	213319	1/29/03	0.666	6660	806	27	34	16
579	161	161870	5/22/03	0.222	2220	2324	77	33	15
580	161	118947	1/29/03	0.133	1332	3844	128	33	15
581	161	118743	1/29/03	1.221	12210	418	14	33	15
582	161	161455	3/11/03	0.222	2220	2299	77	33	15
583	161	1181067	3/21/03	0.178	1776	2860	95	33	15
584	161	212239	2/21/03	0.333	3330	1519	51	33	15
585	161	212313	5/16/03	4.995	49950	101	3	33	15
586	161	161880	5/22/03	0.111	1110	4481	149	33	15
587	161	212869	3/11/03	0.777	7770	632	21	32	15
588	161	118706	2/7/03	2.220	22200	220	7	32	15
589	161	830059	5/9/03	0.078	777	6248	208	32	15
590	161	118522	4/1/02	0.111	1110	4357	145	32	15
591	161	213277	2/14/03	0.444	4440	1085	36	32	15
592	161	161874	5/9/03	0.333	3330	1435	48	32	15
593	161	118863	2/21/03	1.776	17760	269	9	32	15
594	161	161217	4/10/03	0.031	311	15162	505	32	14
595	161	212148	3/17/03	0.333	3330	1408	47	32	14
596	161	212028	2/14/03	0.222	2220	2103	70	31	14
597	161	212684	5/9/03	0.888	8880	524	17	31	14
598	161	212415	9/17/02	0.067	666	6955	232	31	14
599	161	118516	3/17/03	0.333	3330	1384	46	31	14
600	161	118749	1/29/03	0.777	7770	584	19	31	14
601	161	212024	2/14/03	0.111	1110	4067	136	31	14
602	161	161665	3/7/03	0.111	1110	4023	134	31	14
603	161	118612	3/17/03	0.999	9990	446	15	31	14
604	161	118740	7/12/02	1.665	16650	267	9	31	14
605	161	213452	5/2/03	0.666	6660	664	22	30	14
606	161	118189	2/21/03	2.553	25530	173	6	30	14
607	161	212504	2/14/03	0.333	3330	1326	44	30	14
608	161	213455	4/10/03	0.051	511	8545	285	30	14
609	161	212494	3/4/03	0.999	9990	434	14	30	14
610	161	212256	11/20/02	0.444	4440	961	32	30	14
611	161	213353	5/29/03	0.222	2220	1919	64	30	14

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
612	161	118831	5/9/03	0.777	7770	548	18	30	14
613	161	161847	9/17/02	0.278	2775	1531	51	30	14
614	161	212065	5/2/03	1.776	17760	238	8	30	14
615	161	118533	3/22/02	0.111	1110	3795	127	29	13
616	161	223504	3/17/03	0.555	5550	743	25	29	13
617	161	118566	3/17/03	0.888	8880	463	15	29	13
618	161	213442	4/10/03	0.033	333	12269	409	29	13
619	161	213263	1/31/03	1.110	11100	367	12	29	13
620	161	161593	2/21/03	1.554	15540	262	9	29	13
621	161	212535	5/2/03	0.278	2775	1453	48	29	13
622	161	212441	4/10/03	1.110	11100	362	12	29	13
623	161	212330	3/11/03	0.033	333	11951	398	28	13
624	161	11860061	2/7/03	1.665	16650	239	8	28	13
625	161	213244	5/2/03	0.178	1776	2229	74	28	13
626	161	213304	1/29/03	1.665	16650	237	8	28	13
627	161	212675	3/11/03	0.333	3330	1179	39	28	13
628	161	118850	5/16/03	0.222	2220	1753	58	28	13
629	161	212131	4/18/03	0.033	333	11536	385	28	13
630	161	118510	3/17/03	0.289	2886	1331	44	28	13
631	161	161717	5/16/03	0.555	5550	692	23	28	13
632	161	1181064	1/23/03	0.111	1110	3411	114	28	13
633	161	161575	9/11/02	1.332	13320	282	9	27	13
634	161	118954	6/14/02	0.222	2220	1687	56	27	13
635	161	161556	2/14/03	0.555	5550	673	22	27	13
636	161	161497	5/16/03	2.109	21090	171	6	27	12
637	161	118536	10/10/02	0.111	1110	3225	108	27	12
638	161	212255	5/2/03	0.222	2220	1599	53	26	12
639	161	212050	4/24/03	0.017	167	21253	708	26	12
640	161	1181062	3/21/03	0.111	1110	3150	105	26	12
641	161	212697	4/26/02	1.110	11100	312	10	26	12
642	161	212575	3/4/03	0.222	2220	1514	50	26	12
643	161	212307	2/14/03	0.389	3885	853	28	25	12
644	161	161844	3/15/02	0.244	2442	1353	45	25	12
645	161	161822	4/17/03	0.050	500	6588	220	25	12
646	161	161162	4/24/03	0.022	222	14806	494	25	12
647	161	213443	5/2/03	0.178	1776	1845	62	25	12
648	161	118882	3/6/03	0.111	1110	2939	98	25	11
649	161	118865	7/12/02	1.665	16650	194	6	25	11
650	161	213403	8/15/02	1.110	11100	291	10	25	11
651	161	161621	4/17/03	0.167	1665	1937	65	25	11
652	161	213205	1/31/03	2.886	28860	111	4	25	11
653	161	161638	3/11/03	0.089	888	3585	120	25	11
654	161	213027	2/7/03	0.444	4440	710	24	25	11
655	161	213345	5/9/03	0.044	444	7050	235	24	11
656	161	213183	4/10/03	0.466	4662	664	22	24	11
657	161	161191	5/9/03	0.111	1110	2778	93	24	11
658	161	118465	5/16/03	0.056	555	5541	185	24	11

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
659	161	213033	5/29/03	0.222	2220	1369	46	24	11
660	161	118400173	1/29/03	1.332	13320	227	8	24	11
661	161	161330	2/21/03	0.021	211	14224	474	24	11
662	161	212847	4/24/03	0.028	278	10636	355	24	11
663	161	212201	3/4/03	0.067	666	4437	148	24	11
664	161	212001	2/14/03	0.888	8880	329	11	23	11
665	161	118362	7/25/02	0.444	4440	656	22	23	11
666	161	1181034	3/21/03	0.022	222	12870	429	23	11
667	161	161868	5/22/03	0.444	4440	633	21	23	10
668	161	118875	9/12/02	0.111	1110	2524	84	23	10
669	161	118511	3/17/03	0.089	888	3151	105	23	10
670	161	213225	4/24/03	0.017	167	16530	551	23	10
671	161	161620	4/17/03	0.333	3330	825	28	23	10
672	161	213096	4/24/03	0.089	888	3051	102	22	10
673	161	11860011	1/31/03	1.110	11100	243	8	22	10
674	161	118496	3/17/03	0.111	1110	2421	81	22	10
675	161	161267	2/21/03	0.888	8880	301	10	22	10
676	161	212238	2/21/03	0.222	2220	1204	40	22	10
677	161	161241008		0.060	600	4374	146	22	10
678	161	830058	5/9/03	0.033	333	7773	259	22	10
679	161	118994	12/6/02	0.111	1110	2329	78	22	10
680	161	118705	4/4/02	0.111	1110	2328	78	22	10
681	161	212340	3/17/03	1.665	16650	155	5	22	10
682	161	118244	5/16/03	0.083	833	3075	103	22	10
683	161	212586	5/2/03	0.044	444	5711	190	21	10
684	161	161487	3/20/03	0.111	1110	2226	74	21	10
685	161	1181071	3/11/03	0.011	111	22163	739	21	10
686	161	213041	11/22/02	0.666	6660	365	12	21	10
687	161	161803	11/20/02	0.222	2220	1081	36	21	9
688	161	16194	4/24/03	0.017	167	14182	473	21	9
689	161	212030	2/14/03	0.044	444	5292	176	20	9
690	161	213066	4/10/03	0.050	500	4662	155	20	9
691	161	161626	4/18/03	0.044	444	5196	173	20	9
692	161	161769	8/21/02	0.133	1332	1724	57	20	9
693	161	213247	4/24/03	0.017	167	13706	457	20	9
694	161	118902	9/12/02	0.111	1110	2036	68	20	9
695	161	161251	2/21/03	1.110	11100	203	7	20	9
696	161	213317	4/24/03	0.144	1443	1561	52	20	9
697	161	161576	5/16/03	0.222	2220	982	33	20	9
698	161	161275	11/22/02	1.110	11100	196	7	20	9
699	161	212435	2/14/03	0.111	1110	1952	65	19	9
700	161	161882	5/16/03	0.111	1110	1945	65	19	9
701	161	161720	11/20/02	0.100	999	2159	72	19	9
702	161	212126	5/9/03	0.555	5550	387	13	19	9
703	161	161783	4/17/03	0.133	1332	1608	54	19	9
704	161	212360	4/10/03	0.888	8880	240	8	19	9
705	161	213363	12/13/02	0.222	2220	954	32	19	9

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
706	161	212395	5/2/03	0.056	555	3769	126	19	9
707	161	118898	9/12/02	0.111	1110	1870	62	19	9
708	161	161819	4/10/03	0.021	211	9724	324	19	9
709	161	118450	5/16/03	0.033	333	6133	204	19	9
710	161	118506	3/17/03	0.111	1110	1839	61	19	9
711	161	213028	4/18/03	0.038	377	5398	180	19	9
712	161	1181004	3/11/03	0.222	2220	912	30	19	9
713	161	212560	2/14/03	0.111	1110	1814	60	19	8
714	161	118774	5/29/03	5.550	55500	36	1	18	8
715	161	212102	4/18/03	0.777	7770	257	9	18	8
716	161	161618	4/18/03	0.050	500	3993	133	18	8
717	161	118948	1/29/03	0.144	1443	1362	45	18	8
718	161	212037	2/21/03	0.222	2220	884	29	18	8
719	161	118910	3/6/03	0.333	3330	589	20	18	8
720	161	118310	5/9/03	0.022	222	8830	294	18	8
721	161	118936	2/6/03	1.221	12210	160	5	18	8
722	161	212212	3/17/03	0.020	200	9760	325	18	8
723	161	16152	3/20/03	0.016	155	12555	419	18	8
724	161	161670	11/26/02	0.167	1665	1155	39	18	8
725	161	118949	5/22/03	0.056	555	3460	115	18	8
726	161	1181026	5/16/03	0.020	200	9550	318	18	8
727	161	212052	5/2/03	0.056	555	3364	112	18	8
728	161	212573	3/7/03	2.220	22200	84	3	18	8
729	161	213291	5/16/03	0.666	6660	280	9	18	8
730	161	161606	2/14/03	0.189	1887	985	33	18	8
731	161	212432	5/9/03	0.010	100	18582	619	18	8
732	161	161154	4/24/03	0.010	100	18466	616	18	8
733	161	212563	3/11/03	0.044	444	4142	138	18	8
734	161	16120	3/11/03	0.056	555	3284	109	17	8
735	161	161592	3/11/03	0.333	3330	545	18	17	8
736	161	161264	3/7/03	1.110	11100	163	5	17	8
737	161	212438	4/10/03	1.221	12210	148	5	17	8
738	161	118513	3/21/03	0.122	1221	1463	49	17	8
739	161	161253	5/2/03	0.200	1998	889	30	17	8
740	161	118494	3/17/03	0.111	1110	1600	53	17	8
741	161	161200	3/20/03	0.056	555	3199	107	17	8
742	161	11860034	1/31/03	2.220	22200	76	3	17	8
743	161	212679	3/28/03	0.100	999	1686	56	17	8
744	161	11860095	2/2/01	3.898	38976	43	1	17	8
745	161	118955	3/11/03	0.039	389	4298	143	17	8
746	161	830002	5/9/03	0.155	1554	1070	36	16	8
747	161	16159	5/9/03	0.027	266	6246	208	16	8
748	161	212436	4/10/03	0.999	9990	166	6	16	8
749	161	161695	4/24/03	0.059	588	2809	94	16	8
750	161	161619	4/17/03	0.133	1332	1238	41	16	7
751	161	118878	9/12/02	0.111	1110	1449	48	16	7
752	161	118198	3/17/03	1.443	14430	111	4	16	7

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
753	161	118524	3/17/03	0.111	1110	1427	48	16	7
754	161	212108	4/10/03	0.611	6105	257	9	16	7
755	161	213347	5/9/03	0.044	444	3529	118	16	7
756	161	213325	4/24/03	0.278	2775	563	19	16	7
757	161	213395	2/21/03	0.111	1110	1406	47	16	7
758	161	213365	3/27/03	0.222	2220	696	23	16	7
759	161	161736	3/7/03	0.111	1110	1390	46	16	7
760	161	161144	4/24/03	0.018	178	8664	289	16	7
761	161	212345	3/17/03	0.012	122	12570	419	16	7
762	161	161818	3/11/03	0.044	444	3451	115	16	7
763	161	212254	5/2/03	0.111	1110	1361	45	16	7
764	161	212290	2/21/03	0.178	1776	845	28	15	7
765	161	1181016	5/16/03	0.042	422	3550	118	15	7
766	161	212054	5/2/03	0.111	1110	1344	45	15	7
767	161	118915	3/21/03	0.031	311	4789	160	15	7
768	161	161589	5/1/02	1.110	11100	132	4	15	7
769	161	161591	3/7/03	0.222	2220	659	22	15	7
770	161	212352	6/5/03	0.333	3330	431	14	15	7
771	161	118709	3/17/03	0.278	2775	512	17	15	7
772	161	161494	3/11/03	0.044	444	3189	106	15	7
773	161	212811	5/9/03	0.444	4440	315	11	15	7
774	161	161645	3/11/03	0.044	444	3122	104	15	7
775	161	213102	3/11/03	0.020	200	6888	230	15	7
776	161	16149	5/2/03	0.020	200	6838	228	15	7
777	161	118469	3/17/03	0.111	1110	1230	41	15	7
778	161	161565	3/7/03	0.111	1110	1227	41	15	7
779	161	161462	3/11/03	0.444	4440	305	10	14	7
780	161	212180	5/2/03	0.666	6660	200	7	14	7
781	161	118952	5/9/03	0.222	2220	594	20	14	7
782	161	161787	4/17/03	0.031	311	4233	141	14	7
783	161	212367	5/16/03	0.033	333	3904	130	14	6
784	161	212551	3/17/03	1.665	16650	78	3	14	6
785	161	118801	2/14/03	0.111	1110	1164	39	14	6
786	161	118827	5/16/03	0.033	333	3802	127	14	6
787	161	212127	4/18/03	0.033	333	3790	126	14	6
788	161	118890	3/6/03	0.056	555	2241	75	14	6
789	161	161751	5/16/03	0.044	444	2753	92	14	6
790	161	212214	3/17/03	0.024	244	4984	166	14	6
791	161	161611	4/24/03	0.028	278	4367	146	14	6
792	161	161830359	5/2/03	0.029	289	4190	140	14	6
793	161	213438	3/4/03	0.067	666	1788	60	13	6
794	161	161741	4/17/03	0.094	944	1248	42	13	6
795	161	161600	3/4/03	0.056	555	2070	69	13	6
796	161	118919	2/14/03	1.554	15540	73	2	13	6
797	161	212488	5/2/03	0.033	333	3355	112	13	6
798	161	232624	3/17/03	0.444	4440	251	8	13	6
799	161	161748	2/21/03	0.173	1732	642	21	13	6

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
800	161	161568	5/9/03	0.133	1332	834	28	13	6
801	161	212332	3/11/03	0.039	389	2854	95	13	6
802	161	161729	2/14/03	0.072	722	1530	51	13	6
803	161	213383	2/6/03	0.067	666	1646	55	13	6
804	161	161657	3/7/03	0.111	1110	971	32	13	6
805	161	161825	9/27/02	0.056	555	1938	65	13	6
806	161	118903	9/12/02	0.111	1110	968	32	13	6
807	161	118481	3/17/03	0.111	1110	964	32	13	6
808	161	161161	2/21/03	0.067	666	1552	52	12	6
809	161	212189	3/17/03	0.032	322	3168	106	12	6
810	161	212840	3/11/03	0.222	2220	459	15	12	6
811	161	161449	3/11/03	0.555	5550	183	6	12	6
812	161	213201	4/17/03	0.022	222	4493	150	12	5
813	161	161784	3/7/03	0.020	200	4890	163	12	5
814	161	212502	5/2/03	0.089	888	1085	36	12	5
815	161	213394	5/9/03	0.067	667	1444	48	12	5
816	161	161738	3/7/03	0.111	1110	856	29	12	5
817	161	118417	2/21/03	0.155	1554	611	20	12	5
818	161	161760	5/29/03	0.555	5550	170	6	12	5
819	161	212134	3/7/03	0.111	1110	844	28	12	5
820	161	161303	4/24/03	0.017	172	5401	180	11	5
821	161	213044	5/9/03	0.067	667	1371	46	11	5
822	161	161639	5/16/03	0.089	888	1028	34	11	5
823	161	118757	1/29/03	1.110	11100	82	3	11	5
824	161	212226	2/14/03	0.058	577	1559	52	11	5
825	161	118531	3/17/03	0.222	2220	403	13	11	5
826	161	161731	2/14/03	0.111	1110	792	26	11	5
827	161	212023	3/17/03	0.089	888	978	33	11	5
828	161	161613	4/24/03	0.024	244	3531	118	11	5
829	161	212553	3/7/03	0.027	266	3230	108	11	5
830	161	161779	3/11/03	0.033	333	2548	85	11	5
831	161	213348	5/2/03	0.017	167	5074	169	11	5
832	161	118651	5/9/03	0.067	666	1270	42	11	5
833	161	212119	3/17/03	0.033	333	2529	84	11	5
834	161	118752	2/7/03	0.056	555	1503	50	11	5
835	161	212002	6/5/03	0.044	444	1877	63	11	5
836	161	118872	6/14/02	0.111	1110	747	25	11	5
837	161	213176	3/17/03	0.012	122	6784	226	11	5
838	161	830030	5/16/03	0.011	111	7365	246	11	5
839	161	118747	1/31/03	0.044	444	1833	61	11	5
840	161	213333	5/2/03	0.018	178	4522	151	10	5
841	161	161113	2/21/03	0.278	2775	289	10	10	5
842	161	161758	11/22/02	0.012	122	6529	218	10	5
843	161	161612	4/24/03	0.023	233	3389	113	10	5
844	161	212567	5/2/03	0.133	1332	591	20	10	5
845	161	212280	3/17/03	0.078	777	997	33	10	5
846	161	118654	3/17/03	0.222	2220	347	12	10	5

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
847	161	161625	4/18/03	0.044	444	1723	57	10	5
848	161	212334	3/11/03	0.044	444	1712	57	10	5
849	161	212117	3/17/03	0.022	222	3389	113	10	5
850	161	212101	3/17/03	0.033	333	2239	75	10	5
851	161	161617	4/17/03	0.029	289	2575	86	10	5
852	161	212322	5/16/03	0.016	155	4792	160	10	5
853	161	161615	4/18/03	0.056	555	1333	44	10	5
854	161	212294	10/18/02	0.888	8880	83	3	10	5
855	161	830025	11/1/02	0.122	1221	601	20	10	5
856	161	212132	9/19/02	2.775	27750	26	1	10	4
857	161	118959	3/6/03	0.033	333	2150	72	10	4
858	161	161495	3/17/03	0.033	333	2132	71	10	4
859	161	212354	2/14/03	0.444	4440	158	5	10	4
860	161	118502	3/17/03	0.056	560	1242	41	10	4
861	161	213454	4/10/03	0.033	333	2087	70	10	4
862	161	1181033	5/16/03	0.111	1110	619	21	9	4
863	161	212301	3/11/03	0.022	222	3083	103	9	4
864	161	212142	3/7/03	0.044	444	1535	51	9	4
865	161	118814	5/16/03	0.022	222	3058	102	9	4
866	161	118515	3/21/03	0.089	888	737	25	9	4
867	161	161891	5/22/03	0.014	144	4441	148	9	4
868	161	161775	8/21/02	0.278	2775	230	8	9	4
869	161	212035	2/14/03	0.056	555	1112	37	9	4
870	161	212368	5/16/03	0.033	333	1853	62	9	4
871	161	16165	3/11/03	0.056	555	1111	37	9	4
872	161	161836	5/9/03	0.012	122	5043	168	9	4
873	161	161745	2/14/03	0.039	389	1564	52	9	4
874	161	118224	11/8/02	0.333	3330	182	6	9	4
875	161	1616	3/17/03	0.111	1110	491	18	9	4
876	161	161608	4/24/03	0.016	155	3874	129	9	4
877	161	213212	4/24/03	0.094	944	635	21	9	4
878	161	118219	3/17/03	0.194	1943	306	10	9	4
879	161	212191	3/17/03	0.023	233	2544	85	9	4
880	161	213440	4/10/03	0.028	278	2132	71	9	4
881	161	213099	3/11/03	0.020	200	2963	99	9	4
882	161	212243	4/18/03	0.034	344	1719	57	9	4
883	161	212158	3/11/03	0.033	333	1774	59	9	4
884	161	212130	4/18/03	0.017	167	3522	117	9	4
885	161	161247	3/11/03	0.042	422	1376	46	9	4
886	161	213399	3/17/03	0.033	333	1715	57	8	4
887	161	1181043	5/16/03	0.018	178	3094	103	8	4
888	161	1181057	5/16/03	0.049	488	1112	37	8	4
889	161	212279	3/17/03	0.046	455	1186	40	8	4
890	161	213366	3/27/03	0.333	3330	161	5	8	4
891	161	212076	3/6/03	0.016	155	3444	115	8	4
892	161	161492	3/9/01	0.666	6660	79	3	8	4
893	161	118834	5/16/03	0.022	222	2343	78	8	4

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
894	161	161724	5/9/03	0.019	189	2729	91	8	4
895	161	212118	3/17/03	0.021	211	2429	81	8	4
896	161	213402	3/27/03	0.022	222	2293	76	8	4
897	161	161830412	6/28/02	0.024	244	2076	69	8	4
898	161	161768	9/17/02	0.266	2664	190	6	8	4
899	161	161475	3/11/03	0.047	472	1072	36	8	4
900	161	212246	5/16/03	0.044	444	1118	37	8	4
901	161	16154	3/20/03	0.014	144	3420	114	8	4
902	161	161432	2/14/03	0.042	416	1166	39	8	3
903	161	212283	3/17/03	0.022	222	2183	73	8	3
904	161	212244	4/17/03	0.027	266	1821	61	8	3
905	161	212312	5/16/03	1.110	11100	43	1	8	3
906	161	212271	3/17/03	0.029	289	1646	55	8	3
907	161	161838	5/2/03	0.027	266	1782	59	8	3
908	161	161463	3/11/03	0.100	999	472	16	7	3
909	161	212589	2/14/03	0.017	167	2819	94	7	3
910	161	212308	2/14/03	0.080	799	585	20	7	3
911	161	213355	4/4/03	0.033	333	1401	47	7	3
912	161	161305	3/11/03	0.555	5550	84	3	7	3
913	161	213416	3/4/03	0.111	1110	420	14	7	3
914	161	16116	3/20/03	0.014	144	3234	108	7	3
915	161	212071	3/11/03	0.044	444	1048	35	7	3
916	161	161830410	6/28/02	0.027	266	1742	58	7	3
917	161	161840	3/4/03	0.022	222	2066	69	7	3
918	161	212510	3/4/03	0.222	2220	206	7	7	3
919	161	213343	5/2/03	0.011	111	4110	137	7	3
920	161	161100045	3/17/03	0.044	444	1010	34	7	3
921	161	1181007	5/16/03	0.042	422	1052	35	7	3
922	161	213187	2/6/03	0.999	9990	44	1	7	3
923	161	161145	3/11/03	0.036	355	1219	41	7	3
924	161	161728	5/2/03	0.027	266	1618	54	7	3
925	161	16151	3/20/03	0.011	111	3854	128	7	3
926	161	212425	3/17/03	0.044	444	963	32	7	3
927	161	213413	4/24/01	0.244	2442	171	6	7	3
928	161	118956	1/29/03	0.167	1665	249	8	7	3
929	161	161781	10/18/02	0.144	1443	287	10	7	3
930	161	161237	3/11/03	0.022	222	1844	61	7	3
931	161	213451	2/14/03	0.011	111	3624	121	7	3
932	161	1617	3/20/03	0.027	266	1339	49	7	3
933	161	161747	5/9/03	0.022	222	1750	58	7	3
934	161	213049	3/17/03	0.020	200	1928	64	7	3
935	161	118350	5/9/03	0.018	178	2146	72	7	3
936	161	212866	3/17/03	0.022	222	1710	57	7	3
937	161	213276	2/27/03	0.111	1110	342	11	7	3
938	161	161557	2/14/03	0.067	666	565	19	7	3
939	161	212247	5/16/03	0.033	333	1118	37	6	3
940	161	161438	4/18/03	0.047	466	793	26	6	3

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
941	161	213386	5/2/03	0.020	200	1805	60	6	3
942	161	1181056	2/7/03	0.011	111	3233	108	6	3
943	161	213185	4/24/03	0.031	311	1126	38	6	3
944	161	161643	3/11/03	0.089	888	393	13	6	3
945	161	1181023	5/16/03	0.031	311	1121	37	6	3
946	161	161520	5/9/03	0.016	155	2215	74	6	3
947	161	213163	10/11/02	0.111	1111	309	10	6	3
948	161	212417	3/6/03	0.030	300	1143	38	6	3
949	161	118492	3/17/03	0.111	1110	307	10	6	3
950	161	212691	6/5/03	0.089	888	373	12	6	3
951	161	213092	3/11/03	0.200	1998	164	5	6	3
952	161	212413	2/14/03	0.067	666	489	16	6	3
953	161	161835	4/17/03	0.024	244	1328	44	6	3
954	161	161877	4/17/03	0.010	100	3191	106	6	3
955	161	213123	11/20/02	0.018	178	1788	60	6	3
956	161	161719	5/2/03	0.022	222	1433	48	6	3
957	161	118491	3/17/03	0.044	444	709	24	6	3
958	161	118512	3/21/03	0.111	1110	283	9	6	3
959	161	213008	2/14/03	0.044	444	706	24	6	3
960	161	161746	5/9/03	0.014	144	2145	72	6	3
961	161	118946	5/17/02	0.111	1110	277	9	6	3
962	161	161493	5/3/02	0.133	1332	226	8	6	3
963	161	212302	6/28/02	0.011	111	2711	90	6	3
964	161	161199	5/16/03	0.022	222	1343	45	6	3
965	161	1181011	3/6/03	0.010	100	2958	99	6	3
966	161	213047	3/11/03	0.011	111	2600	87	6	3
967	161	212359	5/2/03	0.022	222	1294	43	5	3
968	161	161451	3/11/03	0.222	2220	129	4	5	3
969	161	213342	5/2/03	0.053	533	537	18	5	3
970	161	161821	2/27/03	0.033	333	845	28	5	2
971	161	161117	5/2/03	0.056	555	502	17	5	2
972	161	118636	3/17/03	0.016	161	1697	57	5	2
973	161	213388	5/2/03	0.022	222	1214	40	5	2
974	161	118495	3/17/03	0.111	1110	241	8	5	2
975	161	212882	5/9/03	0.010	100	2646	88	5	2
976	161	212851	3/4/03	0.061	611	433	14	5	2
977	161	161214	2/14/03	0.013	133	1985	66	5	2
978	161	161830366	11/13/01	0.036	355	735	25	5	2
979	161	161742	4/24/03	0.022	222	1166	39	5	2
980	161	118634	5/9/03	0.056	555	465	16	5	2
981	161	212409	2/14/03	0.067	666	386	13	5	2
982	161	161752	3/7/03	0.011	111	2311	77	5	2
983	161	118569	3/6/03	0.111	1110	230	8	5	2
984	161	161595	3/11/03	0.011	111	2294	76	5	2
985	161	118897	2/21/03	0.050	500	506	17	5	2
986	161	118874	5/22/03	0.029	289	871	29	5	2
987	161	161860	3/11/03	0.056	555	450	15	5	2

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
988	161	118505	2/14/03	0.056	555	449	15	5	2
989	161	212296	4/24/03	0.013	133	1866	62	5	2
990	161	161270	3/17/03	0.012	122	2009	67	5	2
991	161	212552	3/7/03	0.028	278	877	29	5	2
992	161	212227	11/15/02	0.044	444	544	18	5	2
993	161	1181046	3/21/03	1.998	19980	12	0	5	2
994	161	161460	5/9/03	0.033	333	705	24	5	2
995	161	118950	2/21/03	0.011	111	2104	70	5	2
996	161	212429	3/17/03	0.064	644	358	12	5	2
997	161	161194	4/18/03	0.010	100	2287	76	5	2
998	161	118514	3/17/03	0.133	1332	171	6	5	2
999	161	212336	3/11/03	0.012	122	1852	62	5	2
1000	161	118637	5/16/03	0.044	444	508	17	5	2
1001	161	212365	8/2/02	0.031	311	724	24	5	2
1002	161	212863	5/2/03	0.012	122	1814	60	5	2
1003	161	212012	2/14/03	0.028	278	787	26	5	2
1004	161	161559	4/24/03	0.010	100	2174	72	5	2
1005	161	1181025	6/14/02	0.106	1055	199	7	5	2
1006	161	212105	10/25/02	0.022	222	944	31	5	2
1007	161	161636	3/20/03	0.144	1443	145	5	5	2
1008	161	118458	2/21/03	0.018	178	1162	39	4	2
1009	161	212565	3/4/03	0.092	916	223	7	4	2
1010	161	212724	6/5/03	0.044	444	446	15	4	2
1011	161	118330	2/14/03	0.056	555	356	12	4	2
1012	161	213226	2/14/03	0.222	2220	89	3	4	2
1013	161	212852	3/17/03	0.010	100	1916	64	4	2
1014	161	118597	3/6/03	0.022	222	856	29	4	2
1015	161	830063	5/9/03	0.061	611	311	10	4	2
1016	161	118978	1/29/03	0.111	1110	170	6	4	2
1017	161	213450	3/4/03	0.012	122	1517	51	4	2
1018	161	212109	3/11/03	0.011	111	1600	53	4	2
1019	161	212420	2/21/03	0.017	167	998	33	4	2
1020	161	118931	4/4/03	0.033	333	499	17	4	2
1021	161	118758	1/29/03	0.111	1110	149	5	4	2
1022	161	212007	5/8/02	0.555	5550	29	1	4	2
1023	161	830041	5/9/03	0.033	333	483	16	4	2
1024	161	213050	3/17/03	0.072	722	222	7	4	2
1025	161	212418	5/2/03	0.011	111	1429	48	4	2
1026	161	118526	6/28/02	0.111	1110	142	5	4	2
1027	161	161755	5/9/03	0.078	777	197	7	4	2
1028	161	212291	3/11/03	0.011	111	1373	46	4	2
1029	161	212220	3/11/03	0.016	155	977	33	4	2
1030	161	161830364	6/28/02	0.013	133	1131	38	4	2
1031	161	161163	5/2/03	0.011	111	1317	44	4	2
1032	161	118135	2/14/03	0.019	189	769	26	4	2
1033	161	161830	3/4/03	0.016	155	935	31	4	2
1034	161	212355	3/11/03	0.022	222	645	22	4	2

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118

Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
1035	161	118669	5/16/03	0.017	167	857	29	4	2
1036	161	161233	3/17/03	0.011	111	1267	42	4	2
1037	161	212120	3/17/03	0.013	133	1039	35	3	2
1038	161	118969	3/11/03	0.022	222	614	20	3	2
1039	161	161209	3/17/03	0.022	222	604	20	3	2
1040	161	161446	5/16/03	0.016	155	861	29	3	2
1041	161	213357	8/24/01	0.167	1665	80	3	3	2
1042	161	212278	3/17/03	0.067	666	197	7	3	2
1043	161	212206	5/16/03	0.078	777	165	6	3	2
1044	161	213013	2/14/03	0.033	333	382	13	3	2
1045	161	213182	8/23/02	0.444	4440	28	1	3	1
1046	161	212338	2/27/03	0.010	100	1167	39	3	1
1047	161	161734	5/29/03	0.029	289	402	13	3	1
1048	161	212129	9/17/02	0.022	222	519	17	3	1
1049	161	212160	2/27/03	0.012	122	895	30	3	1
1050	161	161829	3/4/03	0.011	111	966	32	3	1
1051	161	161711	3/7/03	0.018	178	599	20	3	1
1052	161	118677	6/28/02	0.011	111	958	32	3	1
1053	161	212021	2/14/03	0.333	3330	31	1	3	1
1054	161	212740	5/9/03	0.036	355	288	10	3	1
1055	161	1181035	2/6/03	0.011	111	917	31	3	1
1056	161	118778	7/25/02	0.011	111	903	30	3	1
1057	161	213382	3/4/03	0.011	111	894	30	3	1
1058	161	118887	6/28/02	0.011	111	854	28	3	1
1059	161	212737	11/20/02	0.022	222	400	13	3	1
1060	161	118429	3/28/03	0.028	278	318	11	3	1
1061	161	118538	4/1/02	0.111	1110	77	3	3	1
1062	161	16164	3/11/03	0.012	117	727	24	3	1
1063	161	118430	5/16/03	0.106	1055	76	3	2	1
1064	161	213021	6/5/03	0.022	222	358	12	2	1
1065	161	161234	3/17/03	0.012	122	622	21	2	1
1066	161	16153	9/17/02	0.028	278	270	9	2	1
1067	161	212164	11/15/02	0.044	444	169	6	2	1
1068	161	212411	5/16/03	0.044	444	160	5	2	1
1069	161	118397	3/28/03	0.028	278	249	8	2	1
1070	161	212373	5/16/03	0.020	200	342	11	2	1
1071	161	161478	9/17/02	0.012	122	560	19	2	1
1072	161	161830385	6/26/00	0.018	178	380	13	2	1
1073	161	118704	2/21/03	0.031	311	217	7	2	1
1074	161	161100038	3/17/03	0.111	1110	60	2	2	1
1075	161	118942	9/12/02	0.111	1110	58	2	2	1
1076	161	212048	4/17/03	0.022	222	290	10	2	1
1077	161	118423	3/7/03	0.013	133	484	16	2	1
1078	161	161806	4/17/03	0.011	111	573	19	2	1
1079	161	212170	3/7/03	0.024	244	247	8	2	1
1080	161	118789	3/8/02	1.332	13320	4	0	2	1
1081	161	212106	9/4/01	1.332	13320	4	0	2	1

Dynergy Midstream Services, L.P.

Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
1082	161	212193	2/21/03	1.776	17760	3	0	2	1
1083	161	161830408	11/26/02	0.019	189	273	9	2	1
1084	161	161623	8/13/02	0.017	167	307	10	2	1
1085	161	212138	3/11/03	0.014	144	349	12	2	1
1086	161	161808	11/26/02	0.011	111	424	14	2	1
1087	161	118883	3/28/03	0.033	333	138	5	2	1
1088	161	118466	5/16/03	0.056	555	75	3	2	1
1089	161	161560	4/17/03	0.017	167	239	8	2	1
1090	161	212123	6/5/03	0.020	200	196	7	2	1
1091	161	118498	6/28/02	0.011	111	318	11	1	1
1092	161	161830362	11/26/02	0.011	111	317	11	1	1
1093	161	212571	3/7/03	0.666	6660	5	0	1	1
1094	161	118932	4/4/03	0.033	333	99	3	1	1
1095	161	1181040	11/15/02	0.011	111	296	10	1	1
1096	161	830060	5/9/03	0.016	161	201	7	1	1
1097	161	118556	6/28/02	0.011	111	250	8	1	1
1098	161	161790	3/1/02	0.178	1776	14	0	1	1
1099	161	212699	5/9/03	0.011	111	220	7	1	1
1100	161	212144	3/7/03	0.018	178	125	4	1	1
1101	161	118467	5/16/03	0.012	122	174	6	1	0
1102	161	161669	11/26/02	0.014	144	145	5	1	0
1103	161	161306	3/11/03	0.100	999	18	1	1	0
1104	161	212042	11/7/02	0.033	333	41	1	1	0
1105	161	212416	9/17/02	0.044	444	30	1	1	0
1106	161	161100039	3/17/03	0.666	6660	2	0	1	0
1107	161	212224	9/4/02	0.022	222	39	1	1	0
1108	161	118968	3/11/03	0.111	1110	2	0	0	0
1109	161	118616	3/6/03	0.011	111	19	1	0	0
1110	161	118520	6/28/02	0.011	111	10	0	0	0
1111	161	118707	7/25/02	0.111	1110	0	0	0	0
1112	161	118818	3/1/02	3.663	36630	0	0	0	0
1113	161	118819	2/14/03	1.110	11100	0	0	0	0
1114	161	118852	3/28/03	0.011	111	0	0	0	0
1115	161	118908	2/21/01	0.111	1114	0	0	0	0
1116	161	118937	8/9/01	3.341	33408	0	0	0	0
1117	161	118953	5/9/03	1.110	11100	0	0	0	0
1118	161	161491	3/9/01	2.331	23310	0	0	0	0
1119	161	161698	12/17/01	1.665	16650	0	0	0	0
1120	161	161770	7/3/01	0.222	2220	0	0	0	0
1121	161	161795	4/16/02	0.910	9102	0	0	0	0
1122	161	161827	9/1/00	0.311	3108	0	0	0	0
1123	161	161843	5/1/02	0.089	888	0	0	0	0
1124	161	161879	5/30/02	0.017	167	0	0	0	0
1125	161	212044	8/30/02	0.028	278	0	0	0	0
1126	161	212072	5/30/02	0.044	444	0	0	0	0
1127	161	212154	9/4/02	5.550	55500	0	0	0	0
1128	161	212218	11/15/02	0.200	1998	0	0	0	0

Dynegy Midstream Services, L.P.
Table 3 - South Versado Facilities Subject to Rule 118
Sorted in descending order by Radius of Exposure

#	Facility	Meter ID	Analyzed	H2S Conc.		June '03 Production		ROE Calculation, feet	
				Mol%	PPM	Volume	MCFD	100 PPM	500 PPM
1129	161	212258	11/7/02	0.111	1110	0	0	0	0
1130	161	212318	2/14/03	1.554	15540	0	0	0	0
1131	161	212722	12/6/02	0.033	333	0	0	0	0
1132	161	212838	8/8/02	0.111	1110	0	0	0	0
1133	161	212839	8/13/02	0.044	444	0	0	0	0
1134	161	212848	8/13/02	0.111	1110	0	0	0	0
1135	161	213104	3/17/03	0.999	9990	0	0	0	0
1136	161	213186	8/8/02	0.133	1332	0	0	0	0
1137	161	213287	11/20/02	1.887	18870	0	0	0	0
1138	161	213296	9/19/02	1.665	16650	0	0	0	0
1139	161	213297	9/19/02	0.122	1221	0	0	0	0
1140	161	213354	12/13/02	0.022	222	0	0	0	0
1141	161	830046	7/2/01	5.011	50112	0	0	0	0
1142	161	830051	11/22/02	0.333	3330	0	0	0	0
1143	161	1181000	5/23/02	2.442	24420	0	0	0	0
1144	161	1181027	5/29/03	7.104	71040	0	0	0	0
1145	161	1181030	5/29/03	5.550	55500	0	0	0	0
1146	161	1181047	3/21/03	5.550	55500	0	0	0	0
1147	161	11860047	5/11/01	1.670	16704	0	0	0	0
1148	161	161100003	3/17/03	0.111	1110	0	0	0	0
1149	161	161800241	11/22/02	0.555	5550	0	0	0	0
1150	161	161800274	5/9/03	0.144	1443	0	0	0	0