
District I 1625 N. French Dr., Hobbs, NM 88240 District II		New Mexico and Natural Resources	A 123456	Form C-141 Revised October 10, 2003
1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	1220 South		NUG 2007	Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form
Trunk "0" # H	Release Notification	1 - 48	person n.	v /
		OPERATOR 2		al.Report Final Report
Name of Company Southern	Union Gas Services, Ltd.	Contact	61.81.11	Tony Savoie
Address P.O. E	Box 1226 Jal, N.M. 88252	Telephone No.		505-395-2116
Facility Name	Lea County Field Dept.	Facility Type		Natural Gas Gathering
Surface Owner: Wanda Jones	Mineral Owner:	Fee	Lease N	Jo.
	LOCATIO	N OF RELEASE		
	ange Feet from the North 36E	/South Line Feet from the	East/West Line	County Lea
Latitude N32 20.921 Longitude W103 15.296 NATURE OF RELEASE				
Type of Release : Crude Oil, Produced wa	ater, and Natural Gas	Volume of Release: 15 Bbls Fluid and 45 MCF Nat. Gas		Recovered 0 Bbls crude Oil
Source of Release : 30" Natural Gas Pipel	line	Date and Hour of Occurrence	e Date and	Hour of Discovery 7/21/07
Was Immediate Notice Given?	· · · · · · · · · · · · · · · · · · ·	not known If YES, To Whom?	Time: 7:0	0 p.m.
Yas minediate (Volice Siven)	es 🗌 No 🗌 Not Required	NMOCD on call representat	ive	
By Whom? Tony Savoie		Date and Hour: 7/21/07 7:15		
Was a Watercourse Reached?	'es 🛛 No	If YES, Volume Impacting t	he Watercourse.	
If a Watercourse was Impacted, Describe				
Describe Cause of Problem and Reme A 30" Natural Gas gathering line deve and natural gas. Crews began shutting arrived on site.	eloped a leak due to excess fl			
Describe Area Affected and Cleanup Action Taken. Approximately 600 Square feet of pasture land and approximately 44 square feet of caliche lease road was impacted by the release. No cleanup actions were taken at the time of the release.				
The final remediation will follow the NMOCD guidelines for the remediation of leaks and spills. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.				
		OIL CON	SERVATION	DIVISION
Signature: Tony Savoie		Filin	ENCO	
Printed Name: jon Drune	John A. Savoie	Approved by District Supervise	DI- CODI	
		Approval Date: 8-7. ひ	7 Expiration 1	Date: 10-2-87
				Dait. (0 - C - C -
		Conditions of Approval:	121 1	Attached
Date: 7/31/07 P * Attach Additional Sheets If Necessary	hone: 505-395-2116	SURMIT FINAL C- SUPPORTING DOC	TIWI	S BY /1
		EUPPORTING DOC	U.WE15799708	RP# 1510



## Trunk "O" #4 Job # 2007-028 **Ranking Analysis**

NMOCD Standards					Points
Depth to Ground Wat	ter	Greater than 100 ft.			0
Depth to Ground Wat	ter	Less than 100 ft. but greater than 50 ft.			10
Depth to Ground Wat	ter	Less than 50 ft.			20
Well Head Protection		Less than 1000 ft. from a water source, or;		Yes	20
		Less than 200 f	ft. from private domestic water source	No	0
Distance to Surface v	vater body	Less than 200 I	Horizontal. ft.		20
Distance to Surface v	vater body	200 to 1000 Horizontal ft.			10
Distance to Surface v	vater body	Greater than 10	000 Horizontal ft.		0
Action levels	>19	10-19	0-9		
Benzene (mg/kg)	10	10	10		
BTEX (mg/kg)	50	50	50		
TPH (mg/kg)	100	1000	5000		

Site Ranking		Points
Depth to Ground Water "Avg."	153 ft.	0
Well Head Protection	4218 Horiz. Ft.	0
Surface Water Body	1.83 Horiz. Miles	0
· · · ·	Total Ranking Score	0

Site Closure Objective		
Benzene (mg/kg)	10	
BTEX (mg/kg)	50	
TPH (mg/kg) "Surface"	5000	
Chlorides (mg/kg)	1000	•

Remediation Plan:	
All affected soil will be excavated	and sampled for the presence of Hydrocarbons EPA method (8015M)
Soil with TPH values greater than	5000 mg/kg or chloride values greater than 1000 mg/kg will be
transported to the Southern Union	Landfarm or remediated on site.
	n the excavation and analyzed for Hydrocarbons EPA method (8015M)
All samples will be field screened	with a "PID" The soil sample with the highest PID reading will be
analyzed separately and tested for BTEX.	

