to Appropriate 01L CONSERVEY, Minerals and Natural Resources Department	Form C-103 Revised 1-1-89			
DISTRICT I P.O. Box 1980, Hobbs, NM 88240	WELL API NO.			
DISTRICT II '90 JUL 20 Am 8 IS. Box 2088 Sama Pe, New Mexico 87504-2088	30-025-01820 5. Indicate Type of Lease			
P.O. Drawer DD, Artesia, NM 88210 <u>DISTRICT III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	6. State Oil & Gas Lease No.			
SUNDRY NOTICES AND REPORTS ON WELLS	V-1611			
( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name			
1. Type of Well: OIL GAS WELL WELL X OTHER RE-ENTRY	Lagarto State Unit			
2. Name of Operator YATES PETROLEUM CORPORATION	8. Well No. 3			
. Address of Operator 105 South 4th St., Artesia, NM 88210	9. Pool name or Wildcat Sand Springs Atoka			
. Well Location	Sand Springs Aloka			
Unit Letter $\underline{M}$ : <u>660</u> Feet From The <u>South</u> Line and <u>660</u>	Feet From The West Line			
Section 1 Township 11S Range 34E 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4139' GR	NMPM Lea County			
m. Check Appropriate Box to Indicate Nature of Notice, R	eport, or Other Data			
	SEQUENT REPORT OF			
EMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING				
ULL OR ALTER CASING CASING TEST AND CASING TES				
	·			
<ul> <li>12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, incluwork) SEE RULE 1103.</li> <li>7-7-90. Dug out cellar. Pulled dry hole marker.</li> <li>7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug.</li> <li>7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d 4810'. Went inside 5½" casing. Pulled out - re-tag plug.</li> </ul>	10:30 AM. Wash down to 4197'.			
<pre>work) SEE RULE 1103. 7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d</pre>	10:30 AM. Wash down to 4197'.			
<pre>work) SEE RULE 1103. 7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d</pre>	10:30 AM. Wash down to 4197'.			
<pre>work) SEE RULE 1103. 7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d</pre>	10:30 AM. Wash down to 4197'.			
7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d	10:30 AM. Wash down to 4197'.			
<pre>work) SEE RULE 1103. 7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d</pre>	10:30 AM. Wash down to 4197'.			
<pre>work) SEE RULE 1103. 7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d</pre>	10:30 AM. Wash down to 4197'. Nown to top of 5½". Casing stub TOH to 6750'. SD for day.			
<pre>work) SEE RULE 1103. 7-7-90. Dug out cellar. Pulled dry hole marker. 7-9-90. Spud on surface plug 10:00 AM. Drill thru plug Did not tag shoe plug. 7-10-90. Tag plug at 4204'. Drill out to 4280'. Wash d 4810'. Went inside 5½" casing. Pulled out - re-tag plug.</pre>	10:30 AM. Wash down to 4197'. Nown to top of 5½". Casing stub TOH to 6750'. SD for day.			
work) SEE RULE 1103.         7-7-90.       Dug out cellar.         Pulled dry hole marker.         7-9-90.       Spud on surface plug 10:00 AM.         Did not tag shoe plug.         7-10-90.       Tag plug at 4204'.         Value       Drill out to 4280'.         Wash d         4810'.       Went inside 5½" casing.         Pulled out - re-tag plug.         I hereby certify that the information above is true and complete to the best of my knowledge and belief.         SKONATURE       Lain ta Goodlett         TYPE OR FRINT NAME       Juanita Goodlett	10:30 AM. Wash down to 4197'. Nown to top of 5½". Casing stub TOH to 6750'. SD for day.			
work) SEE RULE 1103.         7-7-90.       Dug out cellar.         Pulled dry hole marker.         7-9-90.       Spud on surface plug 10:00 AM.         Did not tag shoe plug.         7-10-90.       Tag plug at 4204'.         Value       Drill out to 4280'.         Wash d         4810'.       Went inside 52'' casing.         Pulled out - re-tag plug.         I hereby certify that the information above is true and complete to the best of my knowledge and belief.         SKONATURE       Landta Coullett         TYPE OR FRINT NAME       Juanita Goodlett	10:30 AM. Wash down to 4197'. Nown to top of 5½". Casing stub TOH to 6750'. SD for day. Upervisor DATE 7-11-90 TELEPHONE NO. 505/748-1			

Submit to Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies	Energy, ONSERVATION DIV	Form C-101 Revised 1-1-89				
DISTRICT I P.O. Box 1980, Hobbs, NM	RECEIVEN	API NO. (assigned by OCD on New Wells) 30.025-01820				
DISTRICT II P.O. Drawer DD, Artean, N	UN 28 AM 95	5. Indicate Type of Lease STATE X FEE				
DISTRICT III 1000 Rio Brazos Rd., Azter	c, NM 87410			6. State Oil & Gas Lease V-1611		
APPLICAT	ION FOR PERMIT	TO DRILL, DEEPEN, C	R PLUG BACK			
1a. Type of Work:				7. Lease Name or Unit Ag	preement Name	
DRILL b. Type of Well:	RE-ENTER	R X DEEPEN	PLUG BACK			
WELL WELL	OTHER	SINGLE ZONE		Lagarto State (	Jnit	
2. Name of Operator				8. Well No.		
Yates Petrol	Leum Corporatic	n		、 3 ·		
3. Address of Operator 105 South Fo	ourth Street, A	rtesia, New Mexic	co 88210	9. Pool name or Wildcat Wildcat Atoka	r	
4. Well Location Unit LetterN	4 : 660 Feet 1	From The South	Line and 660	Feet From The	West Line	
Section	1 Town	ship 11 South Rar	ge 34 East M	MPM Lea	County	
		10. Proposed Depth				
		Formation 12. Rotary or C.T.				
		12,800'		oka	Rotary	
13. Elevations (Show whether 4139' GR	er Dr, KI, GR, eic.)	14. Kind & Status Plug. Bond Blanket	15. Drilling Contractor Undesignat			
17.	PI	ROPOSED CASING AN	D CEMENT PROGE	AM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT		SACKS OF CEMENT	EST. TOP	
_17-1/2"	13-3/8"	32.75#	304' in place	350 sacks	Circulated	
11"	9-5/8"	36 & 40#	4132' in place	1700 sacks	Circulated	
7-7/8"	5-1/2"	<u>17 &amp; 20</u> #	4800-13,205	200 sacks	12,400'	
			in place	175 sacks	11,140'	

This well was originally drilled by Sinclair Oil & Gas Company as the State Lea 840 #1 in June 1957. The well was completed in November 1957, as a Devonian oil well. The well was plugged in February 1959. We propose to re-enter this well cleaning it out to 12,800', splice and cement  $5\frac{1}{2}$  casing at 4800' with 300 sacks. Then plan to cement behind  $5\frac{1}{2}$  casing from 12,400' to 11,780', perforate and test Atoka within this interval. Other potentially productive zones may also be tested.

This is a non-standard location and application for approval will be made to NMOCD in Santa Fe. We wish to proceed with our plans while awaiting approval.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my known skinkature	owiedge and belief. Thre Permit Agent	BATE	
TYPE OR PRINT NAME Clifton R. May		(505) теlepione no. 748-1471	
(This space for State Use)	DISTRICT 1 SUPERVISOR	JUN 2 7 1990	
CONDITIONS OF A STREAD VAL, IF ANY:			


Approved for re-entry work only--well cannot be produced until order approving non-standard location has been issued. Date Unless Drilling Underway.

Form C-128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.					•	Date		9 4, 19	57	
Operator 🕱	inclair	911 & Gen	Cospans	- Lease	State Las	ALD	•	04 i 1 (	25	
Well No.	U	nit Letter_	Sectio	n <u>1</u>	Townsh	ip 11 !			al Road	NMPN
Located	<u> </u>		m <b>South</b> L. Elevati	_Line,		Feet Fr ated Ac		19885		Line
		G. Formation_			Dedic. Pool		reage_		<u></u>	_Acres
			والمحصور المستجمع المستحد والمكالة مغازة التجاهب والمستجمعات	and the second	ted acreage		the second s	the pla	at below?	?
Yes		••		•	_					
					he interest					
		f Consolida		eement or	otherwise?	res	1\O	•	li answei	5 15
				o," list a	ill the owne	rs and	their	respec	tive inte	erests
	<u>0</u>	wner			Land D	escript	tion			
			•••• <u> </u>		· <u> </u>					·
Section.B										
		· · · · · · · · · · · · · · · · · · ·		T						
	1			1			nis is	to cer	tify that	t the
	1								Section	
	1			1					and comp.	
	1								my know	ledge
	1			1		ai	nd bel	ler.		
						31	nalair	a ito a	Gas Comp	
				۰ ۱			ý	Operato	ŗ)	rij I.s
	,						<u>Y</u>	0/-	2. i	
	1						(Ře	present	ative)	<u></u>
										<b>.</b>
	· · ·	•						Address	tdiand,	
<u> </u>								NUUI 635		
	1									
	1	•		1					tify tha shown on	
	1			1					n B was j	
	1								es of ac	
``									y me or i	
									and that nd corre	
				1					knowled	
6601	1			· · · · · · · · · · · · · · · · · · ·		b	elief.	•		-
						D	ate Su	rveyed_	6-5	- 37
							En		s. find	
	8			}		R	egiste	red Pro	fessiona	1
1 1			í				nginee			



DESC: 5/2 SER. 2 (R-8946, 7-1-89)

.