

**AP - 076**

**REPORTS**

**01/30/2008**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

☒ Initial Report ☐ Final Report

|  |                              |                    |
|--|------------------------------|--------------------|
| Name of Company – Pride Energy           | Contact – Matt Pride         |                    |
| Address – P O Box 701950 Tulsa, OK 74170 | Telephone No. – 918-524-9200 |                    |
| Facility Name – South Four Lakes #13     | Facility Type – Drilling Pit |                    |
| Surface Owner - State                    | Mineral Owner - State        | API # 30-025-36528 |

**LOCATION OF RELEASE**

|                  |              |                 |              |               |                  |               |                |               |
|------------------|--------------|-----------------|--------------|---------------|------------------|---------------|----------------|---------------|
| Unit Letter<br>L | Section<br>1 | Township<br>12S | Range<br>34E | Feet from the | North/South Line | Feet from the | East/West Line | County<br>Lea |
|------------------|--------------|-----------------|--------------|---------------|------------------|---------------|----------------|---------------|

Latitude 33-18-19.8N Longitude 103-28-14.1W


**NATURE OF RELEASE**

|  |  |  |
|--|--|--|
| Type of Release – Drilling Pit Fluids  | Volume of Release ?  | Volume Recovered – None                    |
| Source of Release – Drilling Pit   | Date and Hour of Occurrence ?  | Date and Hour of Discovery-1-28-08<br>11AM |
| Was Immediate Notice Given?<br><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required   | If YES, To Whom? Hobbs NMOCD Chris Williams 1-28-08<br>Sante Fe NMOCD Glenn von Gonten 1-28-08 |  |
| By Whom? Logan Anderson – Elke Environmental   | Date and Hour 1-28-08 with an email.   |  |
| Was a Watercourse Reached?<br><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  | If YES, Volume Impacting the Watercourse.<br>?   |  |
| If a Watercourse was Impacted, Describe Fully. Drilling mud solidified onsite as per C-144 approved through Hobbs NMOCD. After mud was removed a vertical delineation was performed with a trackhoe then an air rotary drill. The soil samples did not meet NMOCD standards and a monitor well was set on the SE corner of the drilling pit. A water sample was analyzed and did not meet water quality standards.   |  |  |
| Describe Cause of Problem and Remedial Action Taken. Monitor well was set and analyzed for TPH and Chloride and did not meet water quality standards.  |  |  |
| Describe Area Affected and Cleanup Action Taken. A plat map, field analytical and lab analysis are included with this C-141.   |  |  |
| I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. |  |  |
| Signature:    | <b>OIL CONSERVATION DIVISION</b>   |  |
| Printed Name: Logan Anderson   | Approved by District Supervisor:   |  |
| Title: Project Manager – Elke Environmental  | Approval Date:   | Expiration Date:                           |
| E-mail Address: la_elkeenv@yahoo.com   | Conditions of Approval:  | Attached <input type="checkbox"/>          |
| Date: 1-30-08 Phone: 432-366-0043  |  |  |

\* Attach Additional Sheets If Necessary

RECEIVED

**Pride Energy**  
South Four Lakes #13  
UL 'L' Sec. 1 T12S R34E  
Lea County, NM



**Elke Environmental, Inc.**

P.O. Box 14167 Odessa, TX 79768

**Field Analytical Report Form****Client** Pride Energy**Analyst** Jason Jessup**Site** South Four Lakes #13

| Sample ID | Date    | Depth | TPH / PPM | Cl / PPM | PID / PPM | GPS                                 |
|-----------|---------|-------|-----------|----------|-----------|-------------------------------------|
| TP1       | 1-22-08 | 8'    |           | 9,779    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-22-08 | 10'   |           | 8,696    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-22-08 | 12'   |           | 1,857    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-22-08 | 14'   |           | 1,751    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-22-08 | 16'   |           | 3,342    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-22-08 | 18'   |           | 5,823    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-23-08 | 20'   |           | 1,875    |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-23-08 | 25'   |           | 607      |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-23-08 | 30'   |           | 527      |           | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP1       | 1-23-08 | 35'   |           | 590      | 5.7       | 33° 18' 33.4" N<br>103° 28' 20.2" W |
| TP2       | 1-22-08 | 8'    |           | 5,440    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-22-08 | 10'   |           | 1,388    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-22-08 | 12'   |           | 1,439    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-22-08 | 14'   |           | 2,042    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-22-08 | 16'   |           | 4,104    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-22-08 | 18'   |           | 2,723    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-23-08 | 20'   |           | 2,058    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-23-08 | 25'   |           | 2,240    |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |

**Elke Environmental, Inc.**

P.O. Box 14167 Odessa, TX 79768

**Field Analytical Report Form****Client** Pride Energy **Analyst** Jason Jessup**Site** South Four Lakes #13

| Sample ID | Date    | Depth | TPH / PPM | Cl / PPM | PID / PPM | GPS                                 |
|-----------|---------|-------|-----------|----------|-----------|-------------------------------------|
| TP2       | 1-23-08 | 30'   |           | 982      |           | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP2       | 1-23-08 | 35'   |           | 323      | 3.9       | 33° 18' 34.7" N<br>103° 28' 20.3" W |
| TP3       | 1-22-08 | 8'    |           | 6,796    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-22-08 | 10'   |           | 5,604    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-22-08 | 12'   |           | 3,549    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-22-08 | 14'   |           | 4,932    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-22-08 | 16'   |           | 1,706    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-22-08 | 18'   |           | 3,671    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-23-08 | 20'   |           | 1,218    |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-23-08 | 25'   |           | 865      |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-23-08 | 30'   |           | 558      |           | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP3       | 1-23-08 | 35'   |           | 240      | 17.7      | 33° 18' 33.4" N<br>103° 28' 19.5" W |
| TP4       | 1-22-08 | 8'    |           | 1,646    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4       | 1-22-08 | 10'   |           | 1,289    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4       | 1-22-08 | 12'   |           | 2,726    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4       | 1-22-08 | 14'   |           | 2,324    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4       | 1-22-08 | 16'   |           | 2,085    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4       | 1-22-08 | 18'   |           | 4,883    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |

**Elke Environmental, Inc.**

P.O. Box 14167 Odessa, TX 79768

**Field Analytical Report Form****Client** Pride Energy **Analyst** Jason Jessup**Site** South Four Lakes #13

| Sample ID  | Date    | Depth   | TPH / PPM | CI / PPM | PID / PPM | GPS                                 |
|------------|---------|---------|-----------|----------|-----------|-------------------------------------|
| TP4        | 1-23-08 | 20'     |           | 5,720    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4        | 1-23-08 | 25'     |           | 1,565    |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4        | 1-23-08 | 30'     |           | 468      |           | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP4        | 1-23-08 | 35'     |           | 391      | 4.5       | 33° 18' 34.6" N<br>103° 28' 19.4" W |
| TP5        | 1-22-08 | 8'      |           | 11,879   |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-22-08 | 10'     |           | 13,886   |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-22-08 | 12'     |           | 9,027    |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-22-08 | 14'     |           | 11,691   |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-22-08 | 16'     |           | 6,304    |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-22-08 | 18'     |           | 4,111    |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-23-08 | 20'     |           | 4,298    |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-23-08 | 25'     |           | 4,527    |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-23-08 | 30'     |           | 288      |           | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| TP5        | 1-23-08 | 35'     |           | 465      | 13.5      | 33° 18' 33.9" N<br>103° 28' 19.8" W |
| Background | 1-22-08 | Surface |           | 230      |           |                                     |
|            |         |         |           |          |           |                                     |
|            |         |         |           |          |           |                                     |
|            |         |         |           |          |           |                                     |

P.O. Box 14167 Odessa, TX 79768

**Site** South Four Lakes #13

## Notes

**Signature** Jason Johnson

# **Analytical Report 296419**

**for**

**Elke Environmental, Inc.**

**Project Manager: Logan Anderson**

**Pride Energy**

**29-JAN-08**



**12600 West I-20 East Odessa, Texas 79765**

Texas certification numbers:  
Houston, TX T104704215

Florida certification numbers:  
Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675  
Norcross(Atlanta), GA E87429

South Carolina certification numbers:  
Norcross(Atlanta), GA 98015

North Carolina certification numbers:  
Norcross(Atlanta), GA 483

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America  
Midland - Corpus Christi - Atlanta





29-JAN-08

Project Manager: **Logan Anderson**  
**Elke Environmental, Inc.**  
4817 Andrews Hwy  
P.O. Box 14167 Odessa, tx 79768  
Odessa, TX 79762

Reference: XENCO Report No: **296419**  
**Pride Energy**  
Project Address: South Four Lakes # 13

**Logan Anderson:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 296419. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 296419 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

**Brent Barron, II**

Odessa Laboratory Manager

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



## Sample Cross Reference 296419



Elke Environmental, Inc., Odessa, TX

Pride Energy

| Sample Id  | Matrix | Date Collected  | Sample Depth | Lab Sample Id |
|------------|--------|-----------------|--------------|---------------|
| TP 1 @ 35' | S      | Jan-23-08 13:00 | 35 ft        | 296419-001    |
| TP 2 @ 35' | S      | Jan-23-08 13:40 | 35 ft        | 296419-002    |
| TP 3 @ 35' | S      | Jan-23-08 14:15 | 35 ft        | 296419-003    |
| TP 4 @ 35' | S      | Jan-23-08 14:45 | 35 ft        | 296419-004    |
| TP 5 @ 35' | S      | Jan-23-08 16:15 | 35 ft        | 296419-005    |



# Certificate of Analysis Summary 296419

## Elke Environmental, Inc., Odessa, TX

Project Id:

Contact: Logan Anderson

Project Location: South Four Lakes # 13

Project Name: Pride Energy

Date Received in Lab: Thu Jan-24-08 09:47 am


Report Date: 29-JAN-08

Project Manager: Brent Barron, II

|                                    |                   |                 |                 |                 |                 |                 |
|------------------------------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| <b>Analysis Requested</b>          | <b>Lab Id:</b>    | 296419-001      | 296419-002      | 296419-003      | 296419-004      | 296419-005      |
|                                    | <b>Field Id:</b>  | TP 1 @ 35'      | TP 2 @ 35'      | TP 3 @ 35'      | TP 4 @ 35'      | TP 5 @ 35'      |
|                                    | <b>Depth:</b>     | 35 ft           | 35 ft           | 35 ft           | 35 ft           | 35 ft           |
|                                    | <b>Matrix:</b>    | SOIL            | SOIL            | SOIL            | SOIL            | SOIL            |
|                                    | <b>Sampled:</b>   | Jan-23-08 13:00 | Jan-23-08 13:40 | Jan-23-08 14:15 | Jan-23-08 14:45 | Jan-23-08 16:15 |
| <b>Percent Moisture</b>            | <b>Extracted:</b> |                 |                 |                 |                 |                 |
|                                    | <b>Analyzed:</b>  | Jan-24-08 11:10 | Jan-24-08 11:11 | Jan-24-08 11:12 | Jan-24-08 11:13 | Jan-24-08 11:14 |
|                                    | <b>Units/RL:</b>  | % RL 12.3       | % RL 14.2       | % RL 15.1       | % RL 8.54       | % RL 11.6       |
| <b>TPH by SW8015 Mod</b>           | <b>Extracted:</b> | Jan-25-08 09:55 | Jan-25-08 09:55 | Jan-25-08 09:55 | Jan-25-08 09:55 | Jan-25-08 09:55 |
|                                    | <b>Analyzed:</b>  | Jan-26-08 03:00 | Jan-26-08 03:25 | Jan-26-08 03:51 | Jan-26-08 04:17 | Jan-26-08 04:42 |
|                                    | <b>Units/RL:</b>  | mg/kg RL 17.1   | mg/kg RL 17.5   | mg/kg RL 17.7   | mg/kg RL 16.4   | mg/kg RL 17.0   |
| C6-C12 Gasoline Range Hydrocarbons |                   | ND              | ND              | ND              | ND              | ND              |
|                                    |                   | 17.1            | 17.5            | 17.7            | 16.4            | 17.0            |
|                                    |                   | ND              | ND              | ND              | ND              | ND              |
| C12-C28 Diesel Range Hydrocarbons  |                   | ND              | ND              | ND              | ND              | ND              |
|                                    |                   | 17.1            | 17.5            | 17.7            | 16.4            | 17.0            |
|                                    |                   | ND              | ND              | ND              | ND              | ND              |
| C28-C35 Oil Range Hydrocarbons     |                   | ND              | ND              | ND              | ND              | ND              |
|                                    |                   | 17.1            | 17.5            | 17.7            | 16.4            | 17.0            |
|                                    |                   | ND              | ND              | ND              | ND              | ND              |
| <b>Total TPH</b>                   |                   | ND              | ND              | ND              | ND              | ND              |
|                                    |                   | 17.1            | 17.5            | 17.7            | 16.4            | 17.0            |
|                                    |                   | ND              | ND              | ND              | ND              | ND              |
| <b>Total Chloride by EPA 325.3</b> | <b>Extracted:</b> |                 |                 |                 |                 |                 |
|                                    | <b>Analyzed:</b>  | Jan-24-08 16:42 | Jan-24-08 16:42 | Jan-24-08 16:42 | Jan-24-08 16:42 | Jan-24-08 16:42 |
|                                    | <b>Units/RL:</b>  | mg/kg RL 638    | mg/kg RL 287    | mg/kg RL 532    | mg/kg RL 308    | mg/kg RL 255    |
| <b>Chloride</b>                    |                   | 5.00            | 5.00            | 5.00            | 5.00            | 5.00            |
|                                    |                   | 638             | 287             | 532             | 308             | 255             |
|                                    |                   | ND              | ND              | ND              | ND              | ND              |

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

  
Brent Barron  
Odessa Laboratory Director



## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
  - B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
  - D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
  - E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
  - F** RPD exceeded lab control limits.
  - J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
  - U** Analyte was not detected.
  - L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
  - H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
  - K** Sample analyzed outside of recommended hold time.
- \* Outside XENCO'S scope of NELAC Accreditation

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647  
9701 Harry Hines Blvd , Dallas, TX 75220  
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238  
2505 N. Falkenburg Rd., Tampa, FL 33619  
5757 NW 158th St, Miami Lakes, FL 33014  
6017 Financial Dr., Norcross, GA 30071

| Phone          | Fax            |
|----------------|----------------|
| (281) 589-0692 | (281) 589-0695 |
| (214) 902 0300 | (214) 351-9139 |
| (210) 509-3334 | (201) 509-3335 |
| (813) 620-2000 | (813) 620-2033 |
| (305) 823-8500 | (305) 823-8555 |
| (770) 449-8800 | (770) 449-5477 |



## Form 2 - Surrogate Recoveries



Project Name: Pride Energy

Work Order #: 296419

Project ID:

Lab Batch #: 713224

Sample: 296418-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 98.7             | 100             | 99              | 70-135            |       |
| o-Terphenyl              | 44.5             | 50.0            | 89              | 70-135            |       |

Lab Batch #: 713224

Sample: 296418-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 103              | 100             | 103             | 70-135            |       |
| o-Terphenyl              | 46.3             | 50.0            | 93              | 70-135            |       |

Lab Batch #: 713224

Sample: 296419-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 85.8             | 100             | 86              | 70-135            |       |
| o-Terphenyl              | 44.3             | 50.0            | 89              | 70-135            |       |

Lab Batch #: 713224

Sample: 296419-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 82.1             | 100             | 82              | 70-135            |       |
| o-Terphenyl              | 42.4             | 50.0            | 85              | 70-135            |       |

Lab Batch #: 713224

Sample: 296419-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 83.0             | 100             | 83              | 70-135            |       |
| o-Terphenyl              | 42.2             | 50.0            | 84              | 70-135            |       |

\*\* Surrogates outside limits; data and surrogates confirmed by reanalysis

\*\*\* Poor recoveries due to dilution

Surrogate Recovery [D] =  $100 * A / B$

All results are based on MDL and validated for QC purposes.



## Form 2 - Surrogate Recoveries

Project Name: Pride Energy



Work Order #: 296419

Project ID:

Lab Batch #: 713224

Sample: 296419-004 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 83.4             | 100             | 83              | 70-135            |       |
| o-Terphenyl              | 42.4             | 50.0            | 85              | 70-135            |       |

Lab Batch #: 713224

Sample: 296419-005 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 82.7             | 100             | 83              | 70-135            |       |
| o-Terphenyl              | 42.3             | 50.0            | 85              | 70-135            |       |

Lab Batch #: 713224

Sample: 503878-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 103              | 100             | 103             | 70-135            |       |
| o-Terphenyl              | 46.1             | 50.0            | 92              | 70-135            |       |

Lab Batch #: 713224

Sample: 503878-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 96.0             | 100             | 96              | 70-135            |       |
| o-Terphenyl              | 49.5             | 50.0            | 99              | 70-135            |       |

Lab Batch #: 713224

Sample: 503878-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 104              | 100             | 104             | 70-135            |       |
| o-Terphenyl              | 47.0             | 50.0            | 94              | 70-135            |       |

\*\* Surrogates outside limits; data and surrogates confirmed by reanalysis

\*\*\* Poor recoveries due to dilution

Surrogate Recovery [D] =  $100 * A / B$

All results are based on MDL and validated for QC purposes.



# Blank Spike Recovery



**Project Name: Pride Energy**

**Work Order #: 296419**

**Project ID:**

**Lab Batch #: 712901**

**Sample: 712901-1-BKS**

**Matrix: Solid**

**Date Analyzed: 01/24/2008**

**Date Prepared: 01/24/2008**

**Analyst: LATCOR**

**Reporting Units: mg/kg**

**Batch #: 1**

## BLANK/BLANK SPIKE RECOVERY STUDY

| Total Chloride by EPA 325.3 |  | Blank Result [A] | Spike Added [B] | Blank Spike Result [C] | Blank Spike %R [D] | Control Limits %R | Flags |
|-----------------------------|--|------------------|-----------------|------------------------|--------------------|-------------------|-------|
| Analytes                    |  |                  |                 |                        |                    |                   |       |
| Chloride                    |  | ND               | 100             | 91.5                   | 92                 | 75-125            |       |

Blank Spike Recovery [D] =  $100 * [C] / [B]$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: Pride Energy

Work Order #: 296419

Analyst: SHE

Lab Batch ID: 713224

Sample: 503878-1-BKS

Batch #: 1

Project ID:

Date Analyzed: 01/26/2008

Matrix: Solid

Units: mg/kg

| BLANK / BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY |  |                         |                 |                        |                    |                 |                                  |                      |       |                   |                     |      |
|--|--|-------------------------|-----------------|------------------------|--------------------|-----------------|----------------------------------|----------------------|-------|-------------------|---------------------|------|
| TPH by SW8015 Mod  |  | Blank Sample Result [A] | Spike Added [B] | Blank Spike Result [C] | Blank Spike %R [D] | Spike Added [E] | Blank Spike Duplicate Result [F] | Blk. Spk Dup. %R [G] | RPD % | Control Limits %R | Control Limits %RPD | Flag |
| Analytes   |  |                         |                 |                        |                    |                 |                                  |                      |       |                   |                     |      |
| C6-C12 Gasoline Range Hydrocarbons                         |  | ND                      | 1000            | 868                    | 87                 | 1000            | 889                              | 89                   | 2     | 70-135            | 35                  |      |
| C12-C28 Diesel Range Hydrocarbons                          |  | ND                      | 1000            | 888                    | 89                 | 1000            | 902                              | 90                   | 2     | 70-135            | 35                  |      |

Relative Percent Difference  $RPD = 200 * (D - F) / (D + F)$   
Blank Spike Recovery  $[D] = 100 * (C) / [B]$   
Blank Spike Duplicate Recovery  $[G] = 100 * (F) / [E]$   
All results are based on MDL and Validated for QC Purposes





# Form 3 - MS / MSD Recoveries



Project Name: Pride Energy

Work Order #: 296419

Lab Batch ID: 713224

Date Analyzed: 01/26/2008

Reporting Units: mg/kg

Project ID:

QC- Sample ID: 296418-001 S Batch #: 1 Matrix: Soil

Date Prepared: 01/25/2008 Analyst: SHE

| Reporting Units: mg/kg                               |                                    |                       |                                |                            |                       |  |                             |          |                         |                           |      |  |
|--|------------------------------------|-----------------------|--------------------------------|----------------------------|-----------------------|--|-----------------------------|----------|-------------------------|---------------------------|------|--|
| MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY |                                    |                       |                                |                            |                       |  |                             |          |                         |                           |      |  |
| TPH by SW8015 Mod<br><br>Analytes                    | Parent<br>Sample<br>Result<br>[A]  | Spike<br>Added<br>[B] | Spiked Sample<br>Result<br>[C] | Spiked Sample<br>%R<br>[D] | Spike<br>Added<br>[E] | Duplicate<br>Spiked Sample<br>Result [F] | Spiked<br>Dup.<br>%R<br>[G] | RPD<br>% | Control<br>Limits<br>%R | Control<br>Limits<br>%RPD | Flag |  |
|  |                                    |                       |                                |                            |                       |  |                             |          |                         |                           |      |  |
|  | C6-C12 Gasoline Range Hydrocarbons | ND                    | 1080                           | 905                        | 84                    | 1080                                     | 928                         | 86       | 2                       | 70-135                    | 35   |  |
|  | C12-C28 Diesel Range Hydrocarbons  | ND                    | 1080                           | 919                        | 85                    | 1080                                     | 957                         | 89       | 5                       | 70-135                    | 35   |  |

Lab Batch ID: 712901

Date Analyzed: 01/24/2008

Reporting Units: mg/kg

QC- Sample ID: 296441-002 S Batch #: 1 Matrix: Soil

Date Prepared: 01/24/2008 Analyst: LATCOR

| Reporting Units: mg/kg                               |                                   |                       |                                |                            |                       |  |                             |          |                         |                           |      |
|--|-----------------------------------|-----------------------|--------------------------------|----------------------------|-----------------------|--|-----------------------------|----------|-------------------------|---------------------------|------|
| MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY |                                   |                       |                                |                            |                       |  |                             |          |                         |                           |      |
| Total Chloride by EPA 325.3<br><br>Analytes          | Parent<br>Sample<br>Result<br>[A] | Spike<br>Added<br>[B] | Spiked Sample<br>Result<br>[C] | Spiked Sample<br>%R<br>[D] | Spike<br>Added<br>[E] | Duplicate<br>Spiked Sample<br>Result [F] | Spiked<br>Dup.<br>%R<br>[G] | RPD<br>% | Control<br>Limits<br>%R | Control<br>Limits<br>%RPD | Flag |
|  | 1340                              | 2000                  | 3340                           | 100                        | 2000                  | 3360                                     | 101                         | 1        | 75-125                  | 30                        |      |
|  | Chloride                          |                       |                                |                            |                       |  |                             |          |                         |                           |      |

Matrix Spike Percent Recovery  $[D] = 100 \cdot (C-A)/B$   
Relative Percent Difference  $RPD = 200 \cdot (D-G)/(D+C)$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable  
N = See Narrative, EQL = Estimated Quantitation Limit

Matrix Spike Duplicate Percent Recovery  $[G] = 100 \cdot (F-A)/E$



## Sample Duplicate Recovery



Project Name: Pride Energy

Work Order #: 296419

Lab Batch #: 712937

Date Analyzed: 01/24/2008

QC- Sample ID: 296397-001 D

Reporting Units: %

Project ID:

Analyst: RBA

Date Prepared: 01/24/2008

Batch #: 1

Matrix: Soil

| SAMPLE / SAMPLE DUPLICATE RECOVERY |                          |                             |     |                     |      |
|------------------------------------|--------------------------|-----------------------------|-----|---------------------|------|
| Percent Moisture                   | Parent Sample Result [A] | Sample Duplicate Result [B] | RPD | Control Limits %RPD | Flag |
| Analyte                            |                          |                             |     |                     |      |
| Percent Moisture                   | 7.70                     | 8.69                        | 12  | 20                  |      |

Spike Relative Difference RPD  $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

## A Xenco Laboratories Company

**CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST**

12600 West I-20 East  
Odessa, Texas 79765

Phone: 432-563-1800  
Fax: 432-563-1713

**Project Manager:** Logan Anderson

|                  |                           |
|------------------|---------------------------|
| Project Manager: | <u>Logan Anderson</u>     |
| Company Name     | <u>Elke Environmental</u> |

**Company Address: P O Box 14167**

City/State/Zip: Odessa, TX 79768

Telephone No: 432-366-0043

Sampler Signature: 

**(lab use only)**

296419

[illegible]

**Environmental Lab of Texas**  
Variance/ Corrective Action Report- Sample Log-In

Client: ELK Env.  
Date/ Time: 1-24-08 9:47  
Lab ID #: 296419  
Initials: AL

**Sample Receipt Checklist**

|     |  |   |                             | Client Initials          |
|-----|--|---|-----------------------------|--------------------------|
| #1  | Temperature of container/ cooler?                      | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | 2.0 °C                   |
| #2  | Shipping container in good condition?                  | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #3  | Custody Seals intact on shipping container/ cooler?    | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Not Present              |
| #4  | Custody Seals intact on sample bottles/ container?     | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Not Present              |
| #5  | Chain of Custody present?                              | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #6  | Sample Instructions complete of Chain of Custody?      | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #7  | Chain of Custody signed when relinquished/ received?   | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #8  | Chain of Custody agrees with sample label(s)?          | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | ID written on Cont./ Lid |
| #9  | Container label(s) legible and intact?                 | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Not Applicable           |
| #10 | Sample matrix/ properties agree with Chain of Custody? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #11 | Containers supplied by ELQT?                           | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #12 | Samples in proper container/ bottle?                   | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | See Below                |
| #13 | Samples properly preserved?                            | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | See Below                |
| #14 | Sample bottles intact?                                 | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #15 | Preservations documented on Chain of Custody?          | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #16 | Containers documented on Chain of Custody?             | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |                          |
| #17 | Sufficient sample amount for indicated test(s)?        | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | See Below                |
| #18 | All samples received within sufficient hold time?      | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | See Below                |
| #19 | Subcontract of sample(s)?                              | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Not Applicable           |
| #20 | VOC samples have zero headspace?                       | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Not Applicable           |

**Variance Documentation**

Contact: \_\_\_\_\_ Contacted by: \_\_\_\_\_ Date/ Time: \_\_\_\_\_

Regarding: \_\_\_\_\_

Corrective Action Taken:

- Check all that Apply:
- ☐ See attached e-mail/ fax
  - ☐ Client understands and would like to proceed with analysis
  - ☐ Cooling process had begun shortly after sampling event

# **Analytical Report 296504**


**for**

**Elke Environmental, Inc.**

**Project Manager: Logan Anderson**

**Pride Energy**

**25-JAN-08**



**12600 West I-20 East Odessa, Texas 79765**

Texas certification numbers:  
Houston, TX T104704215

Florida certification numbers:  
Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675  
Norcross(Atlanta), GA E87429

South Carolina certification numbers:  
Norcross(Atlanta), GA 98015

North Carolina certification numbers:  
Norcross(Atlanta), GA 483

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America  
Midland - Corpus Christi - Atlanta



25-JAN-08

Project Manager: **Logan Anderson**  
**Elke Environmental, Inc.**  
4817 Andrews Hwy  
P.O. Box 14167 Odessa, tx 79768  
Odessa, TX 79762

Reference: XENCO Report No: **296504**  
**Pride Energy**  
Project Address: South Four Lakes #13

**Logan Anderson:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 296504. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 296504 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

---

**Brent Barron, II**  
Odessa Laboratory Manager

*Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.*

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America



**Sample Cross Reference 296504**

**Elke Environmental, Inc., Odessa, TX**

**Pride Energy**



| <b>Sample Id</b> | <b>Matrix</b> | <b>Date Collected</b> | <b>Sample Depth</b> | <b>Lab Sample Id</b> |
|------------------|---------------|-----------------------|---------------------|----------------------|
| MW 1             | W             | Jan-24-08 11:42       |                     | 296504-001           |



# Certificate of Analysis Summary 296504


## Elke Environmental, Inc., Odessa, TX

**Project Id:** **Project Name:** Pride Energy  
**Contact:** Logan Anderson  
**Project Location:** South Four Lakes #13  
**Date Received in Lab:** Thu Jan-24-08 04:38 pm  
**Report Date:** 25-JAN-08  
**Project Manager:** Brent Barron, II

| Analysis Requested                 | Lab Id:    | 296504-001      |  |  |  |  |
|------------------------------------|------------|-----------------|--|--|--|--|
|                                    | Field Id:  | MW 1            |  |  |  |  |
|                                    | Depth:     |                 |  |  |  |  |
|                                    | Matrix:    | WATER           |  |  |  |  |
|                                    | Sampled:   | Jan-24-08 11:42 |  |  |  |  |
| TPH by SW8015 Mod                  | Extracted: | Jan-25-08 11:12 |  |  |  |  |
|                                    | Analyzed:  | Jan-25-08 12:58 |  |  |  |  |
|                                    | Units/RL:  | mg/L RL         |  |  |  |  |
|                                    |            | ND 1.50         |  |  |  |  |
| C6-C12 Gasoline Range Hydrocarbons |            | ND 1.50         |  |  |  |  |
| C12-C28 Diesel Range Hydrocarbons  |            | ND 1.50         |  |  |  |  |
| C28-C35 Oil Range Hydrocarbons     |            | ND 1.50         |  |  |  |  |
| Total TPH                          |            | ND              |  |  |  |  |
| Total Chloride by EPA 325.3        | Extracted: |                 |  |  |  |  |
|                                    | Analyzed:  | Jan-25-08 10:05 |  |  |  |  |
|                                    | Units/RL:  | mg/L RL         |  |  |  |  |
| Chloride                           |            | 1330 5.00       |  |  |  |  |

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America - Atlanta - Corpus Christi

  
Brent Barron  
Odessa Laboratory Director





## Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the MQL(PQL) and above the SQL(MDL).
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.

\* Outside XENCO'S scope of NELAC Accreditation

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

***A Small Business and Minority Status Company that delivers SERVICE and QUALITY***

**Houston - Dallas - San Antonio - Austin - Tampa - Miami - Atlanta - Corpus Christi - Latin America**

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647  
9701 Harry Hines Blvd , Dallas, TX 75220  
5332 Blackberry Drive, Suite 104, San Antonio, TX 78238  
2505 N. Falkenburg Rd., Tampa, FL 33619  
5757 NW 158th St, Miami Lakes, FL 33014  
6017 Financial Dr., Norcross, GA 30071

| Phone          | Fax            |
|----------------|----------------|
| (281) 589-0692 | (281) 589-0695 |
| (214) 902 0300 | (214) 351-9139 |
| (210) 509-3334 | (201) 509-3335 |
| (813) 620-2000 | (813) 620-2033 |
| (305) 823-8500 | (305) 823-8555 |
| (770) 449-8800 | (770) 449-5477 |



## Form 2 - Surrogate Recoveries

Project Name: Pride Energy



Work Order #: 296504

Project ID:

Lab Batch #: 713031

Sample: 296504-001 / SMP

Batch: 1 Matrix: Water

Units: mg/L

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 10.4             | 10.0            | 104             | 70-135            |       |
| o-Terphenyl              | 5.99             | 5.00            | 120             | 70-135            |       |

Lab Batch #: 713031

Sample: 503808-1-BKS / BKS

Batch: 1 Matrix: Water

Units: mg/L

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 10.8             | 10.0            | 108             | 70-135            |       |
| o-Terphenyl              | 6.22             | 5.00            | 124             | 70-135            |       |

Lab Batch #: 713031

Sample: 503808-1-BLK / BLK

Batch: 1 Matrix: Water

Units: mg/L

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 10.1             | 10.0            | 101             | 70-135            |       |
| o-Terphenyl              | 6.12             | 5.00            | 122             | 70-135            |       |

Lab Batch #: 713031

Sample: 503808-1-BSD / BSD

Batch: 1 Matrix: Water

Units: mg/L

| SURROGATE RECOVERY STUDY |                  |                 |                 |                   |       |
|--------------------------|------------------|-----------------|-----------------|-------------------|-------|
| TPH by SW8015 Mod        | Amount Found [A] | True Amount [B] | Recovery %R [D] | Control Limits %R | Flags |
| Analytes                 |                  |                 |                 |                   |       |
| 1-Chlorooctane           | 11.1             | 10.0            | 111             | 70-135            |       |
| o-Terphenyl              | 6.32             | 5.00            | 126             | 70-135            |       |

\*\* Surrogates outside limits; data and surrogates confirmed by reanalysis

\*\*\* Poor recoveries due to dilution

Surrogate Recovery [D] =  $100 * A / B$

All results are based on MDL and validated for QC purposes.



## Blank Spike Recovery



**Project Name: Pride Energy**

**Work Order #: 296504**

**Project ID:**

**Lab Batch #: 712959**

**Sample: 712959-1-BKS**

**Matrix: Water**

**Date Analyzed: 01/25/2008**

**Date Prepared: 01/25/2008**

**Analyst: LATCOR**

**Reporting Units: mg/L**

**Batch #: 1**

### BLANK/BLANK SPIKE RECOVERY STUDY

| Total Chloride by EPA 325.3<br>Analytes | Blank<br>Result<br>[A] | Spike<br>Added<br>[B] | Blank<br>Spike<br>Result<br>[C] | Blank<br>Spike<br>%R<br>[D] | Control<br>Limits<br>%R | Flags |
|---|------------------------|-----------------------|---------------------------------|-----------------------------|-------------------------|-------|
| Chloride                                | ND                     | 100                   | 91.5                            | 92                          | 80-120                  |       |

Blank Spike Recovery [D] =  $100 * [C] / [B]$

All results are based on MDL and validated for QC purposes.



## BS / BSD Recoveries

Project Name: Pride Energy

Work Order #: 296504

Analyst: SHE

Lab Batch ID: 713031

Sample: 503808-1-BKS

Units: mg/L

Date Prepared: 01/25/2008

Batch #: 1

Project ID:

Date Analyzed: 01/25/2008

Matrix: Water

| BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY |                   |          |                         |                 |                        |                    |                 |                                  |                      |       |                   |                     |      |  |
|---|-------------------|----------|-------------------------|-----------------|------------------------|--------------------|-----------------|----------------------------------|----------------------|-------|-------------------|---------------------|------|--|
| Units: mg/L   | TPH by SW8015 Mod | Analytes | Blank Sample Result [A] | Spike Added [B] | Blank Spike Result [C] | Blank Spike %R [D] | Spike Added [E] | Blank Spike Duplicate Result [F] | Blk. Spk Dup. %R [G] | RPD % | Control Limits %R | Control Limits %RPD | Flag |  |
|   |                   |          |                         |                 |                        |                    |                 |                                  |                      |       |                   |                     |      |  |
|   |                   |          |                         |                 |                        |                    |                 |                                  |                      |       |                   |                     |      |  |
|   |                   |          | ND                      | 100             | 87.5                   | 88                 | 100             | 90.1                             | 90                   | 3     | 70-135            | 25                  |      |  |
|   |                   |          | ND                      | 100             | 103                    | 103                | 100             | 105                              | 105                  | 2     | 70-135            | 25                  |      |  |

Relative Percent Difference RPD =  $200 * (D - F) / (D + F)$   
Blank Spike Recovery [D] =  $100 * (C) / [B]$   
Blank Spike Duplicate Recovery [G] =  $100 * (F) / [E]$   
All results are based on MDL and Validated for QC Purposes



## Form 3 - MS / MSD Recoveries



Project Name: Pride Energy

Work Order #: 296504

Lab Batch ID: 712959

Date Analyzed: 01/25/2008

Reporting Units: mg/L

Project ID:

QC- Sample ID: 296506-001 S Batch #: 1 Matrix: Water

Date Prepared: 01/25/2008 Analyst: LATCOR

| Total Chloride by EPA 325.3 |  | MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY |                       |                                |                               |                       |  |                             |          |                           |      |
|-----------------------------|--|--|-----------------------|--------------------------------|-------------------------------|-----------------------|--|-----------------------------|----------|---------------------------|------|
| Analytes                    |  | Parent<br>Sample<br>Result<br>[A]                    | Spike<br>Added<br>[B] | Spiked Sample<br>Result<br>[C] | Spiked<br>Sample<br>%R<br>[D] | Spike<br>Added<br>[E] | Duplicate<br>Spiked Sample<br>Result [F] | Spiked<br>Dup.<br>%R<br>[G] | RPD<br>% | Control<br>Limits<br>%RPD | Flag |
| Chloride                    |  | 1490   | 5000                  | 6590                           | 102                           | 5000                  | 6700                                     | 104                         | 2        | 80-120                    | 20   |

Matrix Spike Percent Recovery  $[D] = 100 \cdot (C-A)/B$   
Relative Percent Difference  $RPD = 200 \cdot (D-G)/(D+G)$   
ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable  
N = See Narrative, EQL = Estimated Quantitation Limit

Matrix Spike Duplicate Percent Recovery  $[G] = 100 \cdot (F-A)/E$



**Environmental Lab of Texas**  
Variance/ Corrective Action Report- Sample Log-In

Client: Eike Environmental  
Date/ Time: 01-24-08 @ 1638  
Lab ID #: 296504  
Initials: JMF

**Sample Receipt Checklist**

|  | Yes | No | Client Initials          |
|--|-----|----|--------------------------|
| #1 Temperature of container/ cooler?                       | Yes | No | -1.5 °C                  |
| #2 Shipping container in good condition?                   | Yes | No | (N/A)                    |
| #3 Custody Seals intact on shipping container/ cooler?     | Yes | No | Not Present              |
| #4 Custody Seals intact on sample bottles/ container?      | Yes | No | Not Present              |
| #5 Chain of Custody present?                               | Yes | No |                          |
| #6 Sample instructions complete of Chain of Custody?       | Yes | No |                          |
| #7 Chain of Custody signed when relinquished/ received?    | Yes | No |                          |
| #8 Chain of Custody agrees with sample label(s)?           | Yes | No | ID written on Cont./ Lid |
| #9 Container label(s) legible and intact?                  | Yes | No | Not Applicable           |
| #10 Sample matrix/ properties agree with Chain of Custody? | Yes | No |                          |
| #11 Containers supplied by ELDT?                           | Yes | No |                          |
| #12 Samples in proper container/ bottle?                   | Yes | No | See Below                |
| #13 Samples properly preserved?                            | Yes | No | See Below                |
| #14 Sample bottles intact?                                 | Yes | No |                          |
| #15 Preservations documented on Chain of Custody?          | Yes | No |                          |
| #16 Containers documented on Chain of Custody?             | Yes | No |                          |
| #17 Sufficient sample amount for indicated test(s)?        | Yes | No | See Below                |
| #18 All samples received within sufficient hold time?      | Yes | No | See Below                |
| #19 Subcontract of sample(s)?                              | Yes | No | Not Applicable           |
| #20 VOC samples have zero headspace?                       | Yes | No | Not Applicable           |

**Variance Documentation**

Contact: \_\_\_\_\_ Contacted by: \_\_\_\_\_ Date/ Time: \_\_\_\_\_

Regarding: \_\_\_\_\_

Corrective Action Taken:

- Check all that Apply:
- ☐ See attached e-mail/ fax
  - ☐ Client understands and would like to proceed with analysis
  - ☐ Cooling process had begun shortly after sampling event