# AP - 043

# STAGE 1 & 2 ABATEMENT PLAN

DATE: 01-30-2007

AP-43 Stage 1&2 Abatement Plan 1-30-07

RECEIVED

JAN 3 n 2007

Environmental Bureau
Oil Conservation Division

Star E. Hard

Sharon E. Hall
Site Evaluation Department Manager

EME Jct. A-20 Stage 1
Abatement Plan Report and
Stage 2 Abatement Plan
Proposal
Rice Operating Company
Hobbs, New Mexico

Prepared for:
Rice Operating Company

Prepared by: ARCADIS G&M, Inc. 1004 N. Big Spring Street Suite 300 Midland, Texas 79701 Tel 432.687.5400 Fax 432.687.5401

Our Ref.: MT000857.0001.00001

January 30, 2007

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. Any dissemination, distribution, or copying of this document is strictly prohibited.



Infrastructure, environment, buildings

ARCADIS G&M, Inc. 1004 North Big Spring Street

Suite 300

TRANSMIT	TAL LETTER	₹			Midland Texas 79701	
то: ·Ed Hanse	en	·		Copies: Chris Williams, NMOCD Hobbs Kristin Farris Pope, ROC File Report room	Tel 432 687 5400 Fax 432 687 5401	
• . •						
From: Sharon H	Iall			Date: 1/29/2007		
_		Plan EME M-16 Plan EME A-20		ARCADIS Project No.: 2 856.0001		
We are ser			☐ Unde	er Separate Cover Via the Following I	tems:	
☐ Shop D☐ Prints☐ Other:	rawings		ans amples	☐ Specifications ☐ Copy of Letter	☐ Change Order X Reports	
Copies	Date	Drawing No.	Rev.	Description		Action*
1				M-16-1 Stage 1 Abatement Plan Report and Plan Proposal	Stage 2 Abatement	
1				A-20 Stage 1 Abatement Plan Report and St. Proposal	age 2 Abatement Plan	
·						
☐ AN A	pproved pproved As I s Requested			CR Correct and Resubmit F File FA For Approval	Resubmit Copie: Return Copie: Review and Comme	
_	stal Service I/Registered	1 <sup>st</sup> Class	urier/Hand ited Parce	· · · · · · · · · · · · · · · · · · ·	☐ FedEx 2-Day t ☐ FedEx Econor	

Comments: Attached are the Stage 1 Abatement Report and Stage 2 Abatement Plan proposal for NMOCD AP-24 and AP-43. I emailed you a PDF of the text, tables and figures today. If you have any questions please do not hesitate to call me. Regards, Sharon Hall

g:\aprojectvice oper\mt857.0001\a-20 and m-16-1 stage 2 plan transmittal letter.doc

Other:

Page:

1/1

#### NOTICE OF PUBLICATION

# State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division

Notice is hereby given that pursuant to New Mexico Oil Conservation Division Regulations, the following Stage 2 Abatement Plan Proposal has been submitted to the Director of the Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, New Mexico 87505, Telephone (505) 476-3440:

Rice Operating Company, Carolyn Doran Haynes, Engineering Manager, Telephone (505) 393-9174, 122 West Taylor, Hobbs, New Mexico 88240, has submitted a Stage 2 Abatement Plan Proposal for the Pipeline Junction EME Junction A-20, located in Section 20, Township 20 south, Range 37 east, Lea County, New Mexico, near the town of Monument, New Mexico. Rice Operating Company operates a saltwater disposal pipeline at the site. Soil impacts at the site include chlorides and TPH. Groundwater samples exhibit elevated chloride concentrations and phase separated hydrocarbons. The Stage 2 Abatement Plan Proposal presents the following site soil and groundwater investigation activities: Excavation and remediation or disposal of impacted soils and groundwater monitoring.

Any interested person may obtain further information from the Oil Conservation Division and may submit written comments to the Director of the Oil Conservation Division at the address given above. The Stage 2 Abatement Plan Revision Proposal may be viewed at the above address or at the Oil Conservation Division District Office, 1625 N. French Drive, Hobbs, New Mexico 88240, Telephone (505) 393-6161 between 8:00 a.m. and 4:00 p.m., Monday through Friday. Prior to ruling on any proposed Stage 2 Abatement Plan, the Director of the Oil Conservation Division shall allow at least thirty (30) days after the date of publication of this notice during which written comments may be submitted to him.

#### **Table of Contents**

1.	Executive Summary					
2.	Chr	onology of Events	1			
3.	Bac	kground	. 2			
4.	Geo	logy and Hydrogeology	3			
	4.1	Regional and Local Geology	3			
	4.2	Regional and Local Hydrogeology	4			
5.	Sub	surface Soils	4			
6.	Gro	undwater Quality	5			
	6.1	Hydrocarbons in Groundwater	. 6			
7.	Stag	ge 2 Abatement Plan	6			
	7.1	Remediation of Soil	6			
	7.2	Groundwater Monitoring	6			
	7.3	Reporting	7			
8.	Qua	lity Assurance/Quality Control	7			
	8.1	Decontamination Procedures	7			
9.	Pro	posed Schedule of Activities	8			

ARCADIS Table of Contents

#### **Figures**

- 1 Site Location Map
- 2 Excavation, Boring and Monitor Well Locations
- 3 Soil Sampling Results
- 4 October 2006 groundwater sampling Results
- 5 October 2006 Groundwater Elevation Map

#### **Tables**

- 1 Soil Sample Analyses
- 2 Monitor Well Data Sheets

#### **Appendices**

- A Soil Boring Lithology Log
- B Monitor Well Lithology Logs
- C Laboratory Analytical Results

EME Jct. A-20 Stage 1
Abatement Plan Report
and Stage 2 Abatement
Plan Proposal
Rice Operating Company

Hobbs, New Mexico

#### 1. Executive Summary

The subject site is a junction box on the Eunice Monument Eumont (EME) Salt Water Disposal System, operated by Rice Operating Company (ROC). The site is located in Section 20, Township 20 south, Range 37 east, Lea County, New Mexico, near the town of Monument Oil Center (Figure 1). The disposal system transports produced water from oil and gas leases to a permitted well for disposal by subsurface injection.

Identification of soil impacts occurred during line replacement being performed as part of the approved Junction Box Upgrade Program. Soil investigation at the A-20 junction box was initiated in October 2001 with a back hoe by trenching to 12 feet below ground surface (bgs) in three locations. To further delineate depth of impact, a soil boring was completed at the site in October 2001 and additional trenches installed and sampled in December 2001.

On February 28, 2002, a monitor well (MW-1) was installed southwest of Jct. A-20 (Figure 2). Water level was recorded at 24.53 feet below measuring point. The monitor well has been sampled quarterly since installation. Four additional monitor wells have been installed at the site; MW-2 and MW-3 were installed February 28 and March 1, 2006 and MW-4 and MW-5 were installed May 31, 2006.

Soil impacts at the site include chlorides and hydrocarbons. Groundwater samples exhibit elevated chloride concentrations and hydrocarbons in monitor well MW-1. This Stage 1 Report and Stage 2 Abatement Plan propose excavation of hydrocarbon impacted soils and remediation of soils by treatment with appropriate amendments. Following treatment of hydrocarbon impacted soils excavated areas will be backfilled and the site restored with native soils and seeding.

#### 2. Chronology of Events

The following summarizes the chronology of events at the subject site:

- Initial delineation began on October 1, 2001 and was performed as part of the Junction Box Upgrade Program;
- A soil boring was installed on October 4, 2001 to a depth of 23 feet bgs:
- Soil samples were collected from excavations on December 27, 2001 and January 8, 2002;

- EME Jct. A-20 Stage 1
  Abatement Plan Report
  and Stage 2 Abatement
  Plan Proposal
  Rice Operating Company
  Hobbs, New Mexico
- A notice of groundwater impact, dated January 29, 2002, was submitted to New Mexico Oil Conservation Division (NMOCD);
- On February 28, 2002, a monitor well was installed southeast of Jct. A-20. The
  monitor well has been sampled quarterly since installation, and a Monitor Well
  Report has been submitted annually;
- An Investigation & Characterization Plan was submitted to the NMOCD on March 21, 2005;
- On May 05, 2005, Mr. Daniel Sanchez of the NMOCD wrote a letter to ROC indicating that several sites require abatement plans pursuant to NMOCD Rule 19;
- A Stage 1 Abatement Plan was submitted to NMOCD on June 23, 2005 and approved as administratively complete on November 18, 2005;
- Public Notice was submitted to the NMOCD on November 28, 2005 and published in the Albuquerque Journal and Hobbs News Sun on December 10, 2005;
- NMOCD approved the Abatement Plan Proposal on February 21, 2006;
- Stage 1 Abatement Plan activities were performed on February 28, 2006.
   Monitor wells MW-2 and MW-3 were installed southeast and southwest of the Jct. A-20 and soil and groundwater samples were collected; and
- On May 31, 2006, monitor wells MW-4 and MW-5 were installed southeast and northwest of the Jct. A-20 and soil and groundwater samples were collected.

#### 3. Background

Initial delineation began on October 1, 2001 and was performed as part of the Junction Box Upgrade Program. Soil samples were collected and analyzed in the field for chlorides and total petroleum hydrocarbons (TPH). A soil boring was installed on October 4, 2001 to a depth of 23 feet bgs, and the soil sample collected from the depth of 23 feet bgs was submitted for laboratory analysis for gasoline range organics (GRO)

diesel range organics (DRO), benzene, toluene, ethylbenzene and xylenes (BTEX) and chlorides. A soil sample was collected from a sample location on December 27, 2001 that was excavated to a depth of 22 feet bgs. The soil sample collected from a depth of 18 feet bgs was submitted for laboratory analysis for GRO, DRO, BTEX and chlorides. A notice of groundwater impact, dated January 29, 2002, was submitted to NMOCD. On February 28, 2002, a monitor well was installed southeast of Jct. A-20. A groundwater sample was submitted for laboratory analysis for chlorides. A soil sample was collected from the monitor well boring from a depth of 25 feet bgs submitted for laboratory analysis for chlorides, GRO, DRO and BTEX. The monitor well has been sampled quarterly since installation, and a Monitor Well Report has been submitted annually. An Investigation & Characterization Plan was submitted to the NMOCD on March 21, 2005. On May 05, 2005, Mr. Daniel Sanchez of the NMOCD wrote a letter to ROC indicating that several sites (including the subject site EME Jct. A-20) required abatement plans pursuant to NMOCD Rule 19.

The Stage 1 Abatement Plan Proposal proposed site soil and groundwater investigation activities including: performing a one-mile water well inventory; further delineation of the vertical and lateral extent of soil impact; and investigation of groundwater impacts. The planned activities were performed in February, March and May 2006 following the public comment period and receipt of NMOCD final approval of the Stage 1 Abatement Plan Proposal.

#### 4. Geology and Hydrogeology

#### 4.1 Regional and Local Geology

The subject site lies in southern Lea County in the Pecos valley section of the Great Plains physiographic province. The site lies within the Eunice Plain, which is bounded by the South Plain to the south, the Rattlesnake Ridge to the east, the High Plains to the northeast, the Laguna Valley and Gramma Ridge Area to the northwest, the San Simon Ridge and San Simon Sale to the west and the Antelope Ridge Area to the southwest. An estimated 80% of Southern Lea County is covered by sand. Shin oak, bear grass and burr grass dominate the areas of sand cover. Elsewhere, the vegetation is grama grass, burr grass and mesquite.

Monument Draw is the only major surface drainage feature in southern Lea County. The draw runs north and south slightly over two miles east of the EME Jct. A-20 junction box. Generally, the topography in the area of the site slopes gently to Monument Draw at an approximate dip of 35 feet per mile.

# EME JCt. A-20 Stage 1 Abatement Plan Report and Stage 2 Abatement Plan Pronosal Rice Operating Company

Rice Operating Company Hobbs, New Mexico



EME Jct. A-20 Stage 1
Abatement Plan Report
and Stage 2 Abatement
Plan Proposal
Rice Operating Company

Rice Operating Company Hobbs, New Mexico

#### 4.2 Regional and Local Hydrogeology

The Ogallala Formation is the principal source of groundwater in the subject area. Depth to groundwater in Lea County ranges from approximately 12 to approximately 300 feet bgs. The Ogallala consists of predominantly coarse fluvial conglomerate and sandstone and fine-grained eolian siltstone and clay. Where present in the subject area, the Ogallala unconformably overlies Triassic redbeds. The regional groundwater gradient is to the east/southeast. The local groundwater gradient is very flat and to the southwest. Depth to groundwater at the subject site is approximately 24 feet bgs. Subsurface geology in the subject area consists of interbedded loose sand and calcareous sand and clay. Boring lithology logs are included in Appendix A.

#### 5. Subsurface Soils

Soil delineation field activities were conducted beginning October 2001. Initial delineation was begun by ROC as part of the Junction Box Upgrade Program. Four sample locations were excavated to depths of 15-25 feet. Soil samples were analyzed in the field for chlorides using field-adapted Method 9253. Field chloride concentrations are shown in Table 1 and Figure 3. The presence of hydrocarbons was noted in field observations.

To further delineate depth of impact, a soil boring was installed to a depth of 23 feet bgs, and the soil sample collected from the depth of 23 feet bgs was submitted for laboratory analysis for GRO, DRO, (BTEX) and chlorides. The DRO concentration was 24 mg/kg, and no other hydrocarbon compounds analyzed were detected. The chloride concentration was 213 mg/kg (Table 1). The presence of hydrocarbons was noted in field observations.

Additional soil samples were collected from excavation to a depth of 22 feet bgs locations on December 27, 2001. The presence of hydrocarbons was noted in field observations. A soil sample collected from a depth of 18 feet BGS was submitted for laboratory analysis for chlorides GRO, DRO, BTEX and chlorides. Analytical results are as follows: GRO 881 mg/kg; DRO 7,090 mg/kg; chlorides 206 mg/kg; benzene 0.006 mg/kg; toluene 0.660 mg/kg, ethylbenzene 4.81 mg/kg and xylenes 16.5 mg/kg.

A monitor well (MW-1) was completed on February 28, 2002 and a soil sample from the monitor well boring at a depth of 25 feet bgs was submitted on March 5, 2002 for laboratory analysis for GRO, DRO, BTEX and chlorides. Elevated concentrations of hydrocarbons including GRO (111 mg/kg), and BTEX (ethylbenzene 0.0284 mg/kg



and p/m xylenes 0.122 mg/kg) were identified. The chloride concentration was 248 mg/kg.

The extent of delineation by backhoe and soil boring locations is shown in Figure 2.

#### 6. Groundwater Quality

On February 28, 2002, MW-1 was installed southeast of Jct. A-20 (Figure 2). The water level was recorded at 24.53 feet bgs. The monitor well has been sampled quarterly since installation.

In accordance with the Stage 1 Abatement Plan, monitor wells MW-2 and MW-3 were installed on February 28 and March 1, 2006 and MW-4 and MW-5 were installed on May 31, 2006. Static water levels were recorded for the existing monitor well, MW-1, and the new monitor wells MW-2, MW-3, MW-4 and MW-5. The measurements are presented in Table 2.

MW-1, installed in February 2002 has been monitored quarterly since its installation. Chloride concentrations are above the New Mexico Water Quality Control Commission (WQCC) standard of 250 milligrams per liter (mg/L). Free product (a skim of oil) is observed and BTEX has been detected in samples collected from MW-1. Monitor Well logs are included in Appendix B. Analytical results for MW-1 is presented in Table 2. Concentrations of inorganic compounds including chlorides, TDS, sulfate and sodium are elevated in the groundwater samples collected from monitor well MW-1. Wells intended as background monitor wells (MW-2 and MW-4) and downgradient monitor wells (MW-3 and MW-5) also contain elevated concentrations of these compounds.

The analytical results for MW-2, MW-3, MW-4 and MW-5 are presented in Table 2. Chloride concentrations ranged from 1,970 to 3,840 mg/L in groundwater samples collected from these monitor wells. No free product has been observed and BTEX has not been detected above the laboratory reporting limits.

#### **6.1 Hydrocarbons in Groundwater**

Free-phase hydrocarbons are present at the site. Free-phase hydrocarbons (a skim of oil on the groundwater) are monitored and removed weekly using absorbent socks.

EME Jct. A-20 Stage 1
Abatement Plan Report
and Stage 2 Abatement
Plan Pronosal
Rice Operating Company
Hobbs, New Mexico

A groundwater sample from MW-1 was collected and analyzed for BTEX on March 5<sup>th</sup>, 2002 following installation of the monitor well. Toluene, ethylbenzene and xylenes were detected at low concentrations well below the New Mexico drinking water standards (Table 2). The presence of hydrocarbons (a skim of oil) was noted in monitor well MW-1 during each of the 2006 quarterly sampling events. BTEX concentrations are shown in Table 2. Only benzene concentrations exceeded the New Mexico drinking water standards. BTEX was not detected in monitor wells MW-2, MW-3, MW-4 and MW-5.

# EME JCt. A-20 Stage 1 Abatement Plan Report and Stage 2 Abatement Plan Proposal Rice Operating Company

Hobbs, New Mexico

#### 7. Stage 2 Abatement Plan

#### 7.1 Remodiation of Sell

Soils with a chloride concentration in excess of 1,000 mg/kg and a TPH concentration in excess of 1,000 mg/kg will be excavated and evaluated for remediation or disposal. If TPH impacted soils remain in the base of the excavation they will be treated with appropriate amendments and the (fenced) excavation will remain open to allow aeration. The excavation will be backfilled with remediated soil and topsoil (soil that will support native vegetation) will be placed above the backfill. The area will be reseeded with native vegetation. Additionally, areas that are not currently supporting vegetation will be ripped and blended with topsoil and reseeded with native grasses. Areas supporting vegetation will not be disturbed.

#### 7.2 Groundwater Monitoring

Groundwater in the area has been reported as regionally impacted with chlorides and unusable as early as 1952 (Groundwater Report 6). No water wells were identified in Township 20, Section 37 in the USGS and state databases. No further action regarding chloride impacted groundwater is proposed for this site. The impacted soils will be excavated (soils with a chloride concentration in excess of 1,000 mg/kg).

Monitor well MW-1 will be monitored for BTEX until BTEX concentrations in groundwater are below New Mexico Water Quality Control Commission standards for four quarters. No other constituents will be monitored. BTEX has not been detected in monitor wells MW-2, MW-3, MW-4, and MW-5

EME JCt. A-20 Stage 1
Abatement Plan Report
and Stage 2 Abatement
Plan Proposal
Rice Operating Company
Hobbs, New Mexico

#### 7.3 Reporting

A Stage 2 Abatement Plan Report detailing investigation and remediation activities and results will be submitted to the NMOCD. The report will include recommendations for further action if necessary or for closure of the site.

#### 8. Quality Assurance/Quality Control

Samples will be collected and analyzed in accordance with accepted practices and USEPA methods.

For collection of groundwater samples, conductivity, pH and temperature will be measured until three successive readings show stabilization. Successive readings within 5% for conductivity, 0.1 pH units for pH and 0.5°C for temperature will be confirmed before each sample is collected.

Purge water and decontamination water will be collected, contained and transported to an ROC disposal well for disposal.

All samples, both soil and groundwater, will be immediately placed on ice and maintained at 4° C until received by the laboratory.

#### 8.1 Decontamination Procedures

Non-disposable equipment will be decontaminated using the following procedures:

- Wash with Alconox® detergent and potable water solution:
- Rinse with potable water;
- Rinse with distilled water; and
- Allow to air dry.

The groundwater samples will be collected with disposable equipment (disposable bailers) and, therefore will not require decontamination.


#### 9. Proposed Schedule of Activities


Following approval of this Stage 2 Abatement Plan by the NMOCD, field activities will commence within 30 days of approval, based on the availability of drilling and


excavation contractors. We anticipate completing field activities within 60 days of NMOCD approval. However, we request the flexibility to request an extension if a driller is not available. A Stage 2 Abatement Report will be submitted within 45 days of completion of field activities.


EME Jct. A-20 Stage 1
Abatement Plan Report
and Stage 2 Abatement
Plan Proposal
Rice Operating Company

Hobbs, New Mexico












Table 1
Field Analytical Results for Soils
October 1, 2001 and December 27, 2001

October 1, 2001 and D		
Sample ID and Depth	TPH (Mega TPH	Chlorides (ppm)
	Reading)	2.50
TP1 5'	NA	250
TP1 7'	13,200	1,150
TP1 11'	NA	3,400
TP1 15'	18,700	2,000
TP2 8'	NA	157
TP2 10'	NA	173
TP2 12'	NA	157
TP3 8'	NA	233
TP3 10'	NA	144
TP3 12'	NA	. 57
TP4 8'	NA	50
TP4 10'	NA	50
TP4 12'	NA	100
MW-1 BORING 8' (12/27/01)	14,400	NA
MW-1 BORING 10' (12/27/01)	14,600	NA
MW-1 BORING 12' (12/27/01)	15,200	NA
MW-1 BORING 14' (12/27/01)	28,800	NA
MW-1 BORING 16' (12/27/01)	18,700	NA
MW-1 BORING 18' (12/27/01)	26,800	NA
MW-1 BORING 18.5' (12/27/01)	38,200	NA
MW-1 BORING 20' (12/27/01)	21,700	NA
MW-1 BORING 22' (12/27/01)	25,700	NA
MW-1 BORING Groundwater	ŇA	3,200
(12/27/01)		- ,
NA= Not analyzed		L

NA= Not analyzed

Table 1 (con't)
Laboratory Analytical Results for Soils

Sample ID and Depth	GRO (mg/kg)	DRO (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Chlorides (mg/kg)
SB-1 BORING 23' (10/4/01)	<10	24	<0.025	<0.025	<0.025	<0.025	213
MW-1 Boring 5' (3/5/02)	<10	111	< 0.025	< 0.025	0.0284	0.122	248

1 48/6 3

EME jct. A-20 unit 'A', Sec. 20, T20S, R37E

NMOCD Case #1R0427-89

Case #10042/-09

RICE Operating Company
Monitor Well Data Sheet

SULFATE 44.7 8.96 1087 673 875 629 588 273 125 793 780 588 422 486 434 482 822 731 481 484 BENZENE XYLENES 9980.0 0.1489 TOTAL 0.1248 0.15580.3009 0.014 XXX ETHYL 0.0635 0.0823 0.0694 0.124 0.145 0.006 XXX All concentrations are in mg/L TOLUENE 0.0435 0.00849 <0.0200 0.0187 0.0125 0.003 XXX BENZENE [[0.00433] 0.00643 0.0409 < 0.002 0.0139 0.0341 XXX 5430 4050 5310 5044 4840 5020 4500 5240 4900 4480 5340 5110 5060 5100 5100 4010 TDS 4890 5070 4870 4290 1830 2130 1930 2330 2750 2700 1090 2279 2100 2130 2130 1120 2130 2390 2300 1910 2360 2330 2430 2460 C 10/11/06 09/03/03 11/24/04 7/24/06 SAMPLE 05/13/02 08/22/02 03/14/03 06/05/03 12/10/03 02/26/04 05/27/04 3/22/05 11/12/02 2/1/06 4/26/06 9/16/04 6/28/05 50/9/6 11/2/05 DATE 3/5/02 VOLUME PURGED 8.00 XXX 8.00 8.00 6.70 00.9 6.00 6.50 0.80 1.30 1.201.30 2.50 1.30 6.60 XXX 4.18 8:00 8.00 4.32 (gal) VOLUME WELL 0.400 0.448 2.210 2.400 2.400 2.400 2.400 2.000 1.960 0.280 0.448 0.448 0.860 2.300 2.125 XXX XXX XXX XXX TOTAL DEPTH 38.36 38.36 38.36 38.36 38.36 38.00 26.00 26.00 26.00 26.50 26.00 38.36 38.40 38.22 38.25 38.25 32.00 32.00 XXX XXX DEPTH TO WATER \* 25.64 24.70 26.00 26.20 23.20 23.42 23.20 24.53 23.43 23.20 23.60 25.62 24.97 22.39 23.40 23.45 23.22 XXX WW#

EWE jct. A-20 unit 'A', Sec. 20, T20S, R37E

	CITEATE	SULFAIE	491	479	648	629
	TOTAL	XYLENES	<0.001	<0.001	<0.001	<0.001
ng/L	ETHYL	BENZENE	<0.001	<0.001	<0.001	<0.001
All concentrations are in mg/L	TOT	IOLUENE	<0.001	< 0.001	<0.001	<0.001
All concentra	DEMIZENE	BENZEINE	<0.001	<0.001	<0.001	<0.001
	מעג	601	4610	4800	4825	4590
	-10		2030	0261	2270	2040
	SAMPLE	DATE	90/8/8	4/26/06	7/24/06	10/17/06
ll)	VOLUME	PURGED	4.00	15.00	10.00	8.00
(gal)	WELL	VOLUME	1.300	1.300	1.200	1.300
(ft)	TOTAL	DEPTH	32.00	32.00	32.00	32.00
t) (f	DEPTH TO	WATER *	23.84	23.72	24.45	24.08
	7 (XX) #	1VI W #	2	2	2	2

	SINEATE	SULFAIE	486	452	995	563
	TOTAL	SENZENE XYLENES	<0.001	<0.001	<0.001	<0.001
ng/L	ETHYL	BENZENE	<0.001	<0.001	<0.001	<0.001
All concentrations are in mg/L	TOLLIENE	IOLUEINE	<0.001	<0.001	<0.001	<0.001
All concentra	TIVELIVER	DEINZEINE I OLUEINE	<0.001	<0.001	<0.001	<0.001
	TDS		4860	5320	4650	4900
	:-	C	2200	2340	2890	2310
	SAMPLE	DATE	3/8/06	4/29/06	7/24/06	10/11/06
11)	VOLUME	PURGED	5.00	15.00	10.00	8.00
(gal)	WELL	VOLUME PURGED	1.400	1.400	1.300	1.400
(ft)	TOTAL	DEPTH	32.70	32.70	32.70	32.70
(t	DEPTH TO	WATER *	23.90	23.93	24.61	24.23
	# /11/4	# w IvI	3	3	3	3

$\sim$
$\mathbb{X}$
Ţ
#
4
Case
~
برب
ಡ
15
$\mathbf{\mathcal{U}}$
_
r \
$\mathbf{\mathcal{C}}$
_
$\mathbf{\mathcal{L}}$
-
-
$\overline{z}$
_
NMC

	SINEATE	SULFAIL	1060	908	791
	TOTAL	ENZENE XYLENES	<0.001	<0.001	<0.001
mg/L	ETHYL	BENZENE	<0.001	<0.001	<0.001
All concentrations are in mg/L	DENIZENIE TOI HENE	IOLUEINE	<0.001	<0.001	<0.001
All concentra	DENIZEME	DEINZEINE	<0.001	<0.001	<0.001
	2 CT	SOL	0629	6135	0959
	1.0		3840	3520	3020
	SAMPLE	DATE	90/21/9	7/24/06	10/17/06
al)	VOLUME	PURGED	10.00	10.00	8.00
(gal)	WELL	VOLUME PURGED	1.600	1.600	1.600
(ft)	TOTAL	DEPTH	31.80	31.80	31.50
(f	DEPTH TO	WATER *	21.87	21.97	21.59
	# MW		4	4	4

$\vec{C}$
v
9
1
#
e
ase
50
$\circ$
έì
10
$\mathcal{O}$
$\geq$
É
~

•	SILLEATE	AIE	6	574	573
	CITTE	SOLF	519	2.2	57
	TOTAL	XYLENES	<0.001	<0.001	<0.001
ng/L	ETHYL	BENZENE X	<0.001	<0.001	<0.001
All concentrations are in mg/L			<0.001	<0.001	<0.001
All concentra	DENIZENIE TOI HENE	DEINZEINE	<0.001	<0.001	<0.001
	מתת	103	4960	4235	4550
	,17	CI	2450	2300	2100
	SAMPLE	DATE	90/21/9	7/24/06	10/11/06
11)	VOLUME	OLUME PURGED	10.00	10.00	8.00
(gal)	WELL	VOLUME	1.100	1.100	1.200
(ft)	TOTAL	DEPTH	32.20	32.20	32.20
(f	DEPTH TO	WATER *	25.02	25.26	24.92
	# /11/1	1VI VV #	5	5	5

Appendix A

Soil Boring Lithology Log

### Atkins Engineering Associates, Inc.

2904 W. 2nd St., Roswell, NM 88202-3156

#### LOG OF BORING Rice A-20 TH

(Page 1 of 1)

Rice Operating Co. 122 W. Taylor Hobbs, New Mexico 88240 Contact: Donnie Anderson

Date Drill Start Drill End : 10-04-01 : 1300 Site Location Auger Type : South Monument : Hollow Stem

d : 1330

Logged By

: Mort Bates

Bentonite

C:MTECH46/RICENGIAIR01\a-20.bor

15

20

SP

10-05-2001 C.NN

Total depth 23'

Sand, tan, loose, damp

25

Appendix B

Monitor Well Logs

	Logger:	ger: Donnie Anderson		]	DICE Operation	a Commany	Well ID:
	Driller:		Eades Drilling		RICE Operatin	у Сотрину	
	g Method:		4.75 in. Hollow Stem Auger	Project Name:			
,			2/28/2002	ļ	Jct. A-2	20	RANA 4
J	End Date:		2/28/2002	Locat			MW-1
Notes:		~5 ft S	outhwest of junction box	·	EME SWD S		
		= 35 f		<del></del>	unit 'A', Sec. 20, Lea County	1205, R3/E	·
					Lea County	y, INIVI	
Depth	chloride	PID	Description		Lithology	4-in. x 4-in. x 3.5 ft well	Well Construction
(feet)	lab tests		0 - 1 ft	<del> </del> -		cover	
0	<del> </del>		TOPSOIL	ĺ			2 x 2 ft concrete pad on
2			1010012	1			surface
3							
4	<del>   </del>						
5						gr B	
6			2 - 11 ft			casing	grout
7	1 1		CALICHE			8 8	
_ 8						9	
9						b A	
10				-		40 PVC	
11							ノ
12						2-in. sch.	
13						<u>,                                    </u>	bentonite
14			12 - 17 ft			\( \lambda \)	> seal
15			SANDY BROWN CLAY				
16	<b> </b>						$ \cdot $
17				$\dashv$	1010101010101010101010101		\
18	ļ ·	·					
19	<del>                                     </del>						
20	<del> </del>						
22	<del> </del>						
23	<del></del>		4000.5				
24	†		18 - 30 ft				
25			SAND				sand
26							> pack
27							] (
28							
· 29							
30				_			
31		{					
32	<b></b>		31 - 35 ft				
33			SANDY BROWN CLAY				
34	<del></del>						<i> </i>
35		1					ノ



HOLE SIZE(S):

SURFACE COMPLETION:

WELL NO.

A-20 MW-2

1004 N. Big Spring St. Suite 300, Midland, TX 79701-3383

Tel: 432/687-5400 Fax: 432/687-5401

Page 1 of 1

-30.0

PROJECT NUMBER: ENT NAME:

MT000857.0001 Rice Operating Company

Junction A-20 EME SWD System

**KOJECT NAME:** SITE LOCATION:

LOGGER:

Lea County, New Mexico

DRILLING CO: White Drilling Co. DRILLING METHOD: Rotary/Air

SAMPLE METHOD: Shovel

DATE BEGUN: 2/28/06 DRILLER: R. Allen

R. Lang

**ELEVATION (SURF.):** ELEVATION (T.O.C.): UNIQUE NUMBER:

DATE COMPLETED: 2/28/06

31-014-00842

STATIC WATER LEVEL: 6 1/4"

MEAS. PT.: T.O.C. DATE:

TOTAL DEPTH:

8" Locking Steel Sleeve, 4'x4'x6" Conc. Slab **DEPTHS** 

Portland Cement -10.0' to Surface


**GROUT TYPE:** Bentonite Chips -13.0' SEAL TYPE:

SCREEN PACK: -13.0' to -10.0' -30.0' to -13.0'

CASING TYPE: 2" Diameter Sch. 40 PVC Blank -15.0' to Surface

WELL SCREEN: 2" Diameter Sch. 40 PVC, 0.020" slots -30.0' to -15.0'

PLUG BACK:





WELL NO.

A-20 MW-3

1004 N. Big Spring St. Suite 300, Midland, TX 79701-3383

Tel: 432/687-5400 Fax: 432/687-5401

Page 1 of 1

PROJECT NUMBER: MT000857.0001 STATIC WATER LEVEL: MEAS. PT.: T.O.C. DATE: ENT NAME: Rice Operating Company HOLE SIZE(S): 6 1/4" TOTAL DEPTH: -30.0 OJECT NAME: Junction A-20 EME SWD System SURFACE COMPLETION: 8" Locking Steel Sleeve, 4'x4'x6" Conc. Slab SITE LOCATION: **DEPTHS** -10.0' to Surface Portland Cement Lea County, New Mexico **GROUT TYPE:** DRILLING CO: White Drilling Co. **SEAL TYPE:** Bentonite Chips -13.0' -13.0' to -10.0' -30.0' to -13.0' DRILLING METHOD: Rotary/Air SCREEN PACK: 2" Diameter Sch. 40 PVC Blank SAMPLE METHOD: Shovel CASING TYPE: -15.0' to Surface DATE BEGUN: 3/1/06 DATE COMPLETED: 3/1/06 DRILLER: R. Allen **ELEVATION (SURF.):** WELL SCREEN: 2" Diameter Sch. 40 PVC, 0.020" slots -30.0' to -15.0' **ELEVATION (T.O.C.)**: LOGGER: R. Lang FILE NAME: A-20 MW-2.dat UNIQUE NUMBER: 31-014-00842 PLUG BACK:

SAMPLING METHOD PID READING WELL LITHOLOGY ANALYZED CHLORIDES RECOVERY DESCRIPTION MOISTURE INSTALLATION SAMPLED DEPTH 0 SAND 5 YR 5/2 reddish gray, fine grained, subangular to subrounded, well sorted, dry, loose. 3.4 Shovel 180 SAND 5 YR 5/2 reddish gray, fine grained, subangular to subrounded, well sorted, dry, loose, CALICHE 50% 5 YR 8/2 pinkish white, soft. Shovel 4.0 850 -10 Shovel 2.2 1293 Moist at -13.0'. -15 SAND 7.5 YR 6/2 pinkish gray, fine grained, well sorted, moist, argillaceous, faint odor -25.0 to -Shovel 1.3 729 -20 Wet at -22.0'. Shovel 3.1 335 -25 Shovel 4.0



WELL NO.

A-20 MW-4


1004 N. Big Spring St. Suite 300, Midland, TX 79701-3383

Tel: 432/687-5400 Fax: 432/687-5401

Page 1 of 1

PROJECT NUMBER: MT000857.0001 STATIC WATER LEVEL: MEAS. PT.: T.O.C. DATE: HOLE SIZE(S): 6 1/4" TOTAL DEPTH: -30.0 ENT NAME: Rice Operating Company OJECT NAME: Junction A-20 EME SWD System SURFACE COMPLETION: 6" Locking Steel Sleeve, 2'x2'x4" Conc. Slab SITE LOCATION: **DEPTHS** -5.0' to Surface Portland Cement Lea County, New Mexico **GROUT TYPE:** White Drilling Co. SEAL TYPE: Bentonite Chips -8.0' to -5.0' DRILLING CO: -30.0' to -8.0' DRILLING METHOD: Rotary/Air SCREEN PACK: 8/16 Brady Sand SAMPLE METHOD: Shovel 2" Diameter Sch. 40 PVC Blank -10.0' to Surface CASING TYPE: DATE COMPLETED: DATE BEGUN: R. Allen **ELEVATION (SURF.):** WELL SCREEN: 2" Diameter Sch. 40 PVC, 0.020" slots -30.0' to -10.0' DRILLER: LOGGER: R. Lang ELEVATION (T.O.C.):

FILE NAME: A-20 MW-4.DAT UNIQUE NUMBER: 31-014-00848 PLUG BACK: —





WELL NO.

A-20 MW-5

1004 N. Big Spring St. Suite 300, Midland, TX 79701-3383 Tel: 432/687-5400 Fax: 432/687-5401

**GROUT TYPE:** 

SCREEN PACK:

CASING TYPE:

WELL SCREEN:

SEAL TYPE:

STATIC WATER LEVEL:

Page 1 of 1

-30.0

DATE:

TOTAL DEPTH:

PROJECT NUMBER: ENT NAME: OJECT NAME:

MT000857.0001 Rice Operating Company Junction A-20 EME SWD System

SITE LOCATION:

Lea County, New Mexico White Drilling Co.

DRILLING CO: DRILLING METHOD: Rotary/Air SAMPLE METHOD: Shovel

DATE BEGUN: DRILLER:

R. Allen LOGGER: R. Lang

FILE NAME: A-20 MW-5.DAT

**ELEVATION (SURF.):** 

ELEVATION (T.O.C.): UNIQUE NUMBER:

DATE COMPLETED:

31-014-00849

HOLE SIZE(S): 6 1/4" SURFACE COMPLETION:

6" Locking Steel Sleeve, 2'x2'x4" Conc. Slab

MEAS. PT.: T.O.C.

**DEPTHS** 

Portland Cement -7.0' to Surface -12.0' to -7.0' **Bentonite Chips** 8/16 Brady Sand -30.0' to -12.0'

2" Diameter Sch. 40 PVC Blank -15.0' to Surface


2" Diameter Sch. 40 PVC, 0.020" slots -30.0' to -15.0'

PLUG BACK:

SAMPLING METHOD PID READING WELL LITHOLOGY ANALYZED CHLORIDES MOISTURE RECOVERY DESCRIPTION INSTALLATION SAMPLED DEPTH 0-SANDSTONE 2.5YR 6/4 light reddish brown, medium grained, subrounded to subangular, well sorted, loose, dry. Shovel 57 SANDSTONE 7.5YR 7/4 pink, medium to fine grained, subangular to subrounded, well sorted, very Shovel 56 -10 Shovel 374 -15 Shovel 509 Note: Moist at -18.0'. -20 Note: Wet at -21.0'. Shovel 387 -25 Shovel

Appendix C

Laboratory Analytical Results



### Analytical Report

#### Prepared for:

Sharon Hall
ARCADIS
1004 N. Big Spring Street
Midland, TX 79701

Project: MT000856.0001

Project Number: MT000856.001

Location: None Given

Lab Order Number: 6C02008

Report Date: 03/08/06

ARCADIS 1004 N. Big Spring Street Midland TX, 79701 Project: MT000856.0001
Project Number: MT000856.001
Project Manager: Sharon Hall

Fax: (432) 687-5401

Reported:
03/08/06 16:08

#### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
A20 MW-3 5'-10'	6C02008-01	Soil	02/28/06 14:00	03/02/06 09:20
A20 MW-3 20'-25'	6C02008-02	Soil	02/28/06 14:10	03/02/06 09:20
A20 MW-2 0-5'	6C02008-03	Soil	02/28/06 11:15	03/02/06 09:20
A20 MW-2 15'-20'	6C02008-04	Soil	02/28/06 11:35	03/02/06 09:20
M16-1 MW-3 15'-20'	6C02008-05	Soil	03/01/06 09:10	03/02/06 09:20
M16-1 MW-2 15'-20'	6C02008-06	Soil	02/28/06 17:40	03/02/06 09:20

Project Number: MT000856.0001
Project Manager: Sharon Hall

Fax: (432) 687-5401

Reported:
03/08/06 16:08

# Organics by GC Environmental Lab of Texas

		Environ	inchtai L	ab 01 1 (	as				
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	No
A20 MW-3 5'-10' (6C02008-01) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EC60604	03/06/06	03/06/06	EPA 8021B	
Toluene	0.0875	0.0250	"	,n	**	. "	**	**	
Ethylbenzene	0.106	0.0250	**	. **	n	II	11	и	
Xylene (p/m)	0.176	0.0250	"	"	t		"	**	
Xylene (o)	ND	0.0250	n	*1	t <del>ı</del>	п	н	н	
Surrogate: a,a,a-Trifluorotoluene		81.2 %	80-1	20	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		105 %	80-1	20	"	"	"	"	
A20 MW-3 20'-25' (6C02008-02) Soil								٠.	
Benzene	ND	0.0250	mg/kg dry	25	EC60604	03/06/06	03/06/06	EPA 8021B	
Foluene	ND	0.0250	n	**	**	н	**	11	
Ethylbenzene	ND	0.0250	,,	и	11		и	н	
Xylene (p/m)	ND	0.0250	11		*	u	**	ч	
Xylene (o)	ND	0.0250	**	"	u		n	11	
Surrogate: a,a,a-Trifluorotoluene		88.2 %	80-1	20	"	"	n	"	
Surrogate: 4-Bromofluorobenzene		96.0 %	80-1	20	,,	"	"	"	
A20 MW-2 0-5' (6C02008-03) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EC60604	03/06/06	03/06/06	EPA 8021B	
l'oluene	ND	0.0250	**	н	n			n	
Ethylbenzene	ND	0.0250	н	*	**	**		**	
Xylene (p/m)	ND	0.0250	н	**	**	"	**		
Kylene (0)	ND	0.0250	**		**	и	**	н	
Surrogate: a,a,a-Trifluorotoluene		81.0 %	80-1	20	n	"	"	"	
Surrogate: 4-Bromofluorobenzene		107 %	80-1	20.	"	"	"	"	
A20 MW-2 15'-20' (6C02008-04) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EC60604	03/06/06	03/06/06	EPA 8021B	<del></del>
oluene	ND	0.0250		,,	35	"	**	"	
Ethylbenzene	ND	0.0250	п		н	н	11	· n	
Kylene (p/m)	ND	0.0250	. 11	0		**	u	"	
Kylene (o)	ND	0.0250	**	ш	,,	"	и	"	
Surrogate: a,a,a-Trifluorotoluene		81.8 %	80-1	20	"	"	"	n n	
Surrogate: 4-Bromofluorobenzene		102 %	80-1	20	,,	"	,,	n	

Project: MT000856.0001

Project Number: MT000856.001 Project Manager: Sharon Hall Fax: (432) 687-5401

Reported: 03/08/06 16:08

# Organics by GC Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
M16-1 MW-3 15'-20' (6C02008-05) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EC60604	03/06/06	03/06/06	EPA 8021B	
Toluene	ND	0.0250	**		"	**	u	**	
Ethylbenzene	ND	0.0250	"	н	и	"	**	n	
Xylene (p/m)	ND	0.0250	**	н	tr	п	н	**	
Xylene (o)	ND	0.0250	11	**	"	n		11	
Surrogate: a,a,a-Trifluorotoluene		81.0 %	80-1.	20	,,	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	80-1.	20	"	n	"	n	
M16-1 MW-2 15'-20' (6C02008-06) Soil									
Benzene	ND	0.0250	mg/kg dry	25	EC60604	03/06/06	03/06/06	EPA 8021B	
Toluene	ND	0.0250	#	"	"	•	11	**	
Ethylbenzene	ND	0.0250	и	**	11	n	н :	n .	,
Xylene (p/m)	ND	0.0250	"		"	n	"	,,	
Xylene (o)	ND	0.0250	U	"	**	n	n		
Surrogate: a,a,a-Trifluorotoluene		85.0 %	80-1.	20	"	,,	"	"	
Surrogate: 4-Bromofluorobenzene		91.8 %	80-1.	20	"	"	"	"	

Project Number: MT000856.0001
Project Manager: Sharon Hall

Reported: 03/08/06 16:08

Fax: (432) 687-5401

# General Chemistry Parameters by EPA / Standard Methods Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
A20 MW-3 5'-10' (6C02008-01) Soil									•
Chloride	881	20.0	mg/kg	40	EC60801	03/07/06	03/08/06	EPA 300.0	
% Moisture	6.5	0.1	%	. 1	EC60307	03/02/06	03/03/06	% calculation	
A20 MW-3 20'-25' (6C02008-02) Soil									-
Chloride	292	10.0	mg/kg	20	EC60801	03/07/06	03/08/06	EPA 300.0	
% Moisture	7.1	0.1	%	l	EC60307	03/02/06	03/03/06	% calculation	
A20 MW-2 0-5' (6C02008-03) Soil	·								
Chloride	49.9	5.00	mg/kg	10	EC60801	03/07/06	03/08/06	EPA 300.0	
% Moisture	4.9	0.1	%	1	EC60307	03/02/06	03/03/06	% calculation	
A20 MW-2 15'-20' (6C02008-04) Soil									
Chloride	500	10.0	mg/kg	20	EC60801	03/07/06	03/08/06	EPA 300.0	
% Moisture	9.1	0.1	%	l	EC60307	03/02/06	03/03/06	% calculation	
M16-1 MW-3 15'-20' (6C02008-05) Soil									
Chloride	175	10.0	mg/kg	20	EC60801	03/07/06	03/08/06	EPA 300.0	
% Moisture	5.7	0.1	%	1	EC60307	03/02/06	03/03/06	% calculation	
M16-1 MW-2 15'-20' (6C02008-06) Soil									
Chloride	197	5.00	mg/kg	10	EC60801	03/07/06	03/08/06	EPA 300.0	
% Moisture	7.3	0.1	%	1	EC60307	03/02/06	03/03/06	% calculation	

Project: MT000856.0001
Project Number: MT000856.001

Project Number: M1000836.0
Project Manager: Sharon Hall

Fax: (432) 687-5401

**Reported:** 03/08/06 16:08

# Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EC60604 - EPA 5030C (GC)										
Blank (EC60604-BLK1)				Prepared &	: Analyzed:	03/06/06				
Benzene	ND	0.0250	mg/kg wet							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
Kylene (p/m)	ND	0.0250	**							
Kylene (a)	ND	0.0250	"							
Surrogate: a,a,a-Trifluorotoluene	32.1		ug/kg	40.0		80.2	80-120			
urrogate: 4-Bromofluorobenzene	41.0	•	"	40.0		102	80-120			
CS (EC60604-BS1)				Prepared &	: Analyzed:	03/06/06				
3enzene	0.0405	0.00100	mg/kg wet	0.0500		81.0	80-120			
oluene	0.0464	0.00100	и .	0.0500		92.8	80-120			
Ethylbenzene	0.0555	0.00100	**	0.0500		111	80-120			
Kylene (p/m)	0.117	0.00100	19	0.100		117	80-120			
Kylene (0)	0.0579	0.00100	и	0.0500		116	80-120			
Surrogate: a,a,a-Trifluorotoluene	37.7		ug/kg	40.0		94.2	80-120			
urrogate: 4-Bromofluorobenzene	42.9		"	40.0		107	80-120			
Calibration Check (EC60604-CCV1)				Prepared &	: Analyzed:	03/06/06				
lenzene	40.3		ug/kg	50.0		80.6	80-120			
oluene	42.0		н	50.0		84.0	80-120			
thylbenzene	47.3		Ħ	50.0		94.6	80-120			
(ylene (p/m)	99.5		**	100		99.5	80-120			
(ylene (o)	50.2		**	50.0		100	80-120			
urrogate: a,a,a-Trifluorotoluene	33.6		"	40.0		84.0	80-120			
urrogate: 4-Bromofluorobenzene	33.3		"	40.0		83.2	80-120			
latrix Spike (EC60604-MS1)	Sou	rce: 6C03004	-01	Prepared &	: Analyzed:	03/06/06				
enzene	1.25	0.0250	mg/kg dry	1.55	ND	80.6	80-120			
oluene	1.40	0.0250	**	1.55	ND	90.3	80-120			
thylbenzene	1.73	0.0250	**	1.55	ND	112	80-120			
ylene (p/m)	3.64	0.0250	**	3.11	ND	117	80-120			
ylene (o)	1.82	0.0250	**	1.55	ND	117	80-120			
urrogate: a,a,a-Trifluorotoluene	34.0		ug/kg	40.0		85.0	80-120			

Surrogate: 4-Bromofluorobenzene

118

80-120

40.0

47.1

Project: MT000856.0001
Project Number: MT000856.001
Project Manager: Sharon Hall

Fax: (432) 687-5401

**Reported:** 03/08/06 16:08

# Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EC60604 - EPA 5030C (GC)										
Matrix Spike Dup (EC60604-MSD1)	Sou	rce: 6C03004-	01	Prepared &	Analyzed:	03/06/06				
D	1.26	0.0250	4 1	1.55	NID	01.2	90 120	0.065	20	

Manua Spine Dup (Decouve-MODI)	Sour	CC. 0C05004	-01	i reparea e	, i thai j zea	. 03/00/00			
Benzene	1.26	0.0250	mg/kg dry	1.55	ND	81.3	80-120	0.865	20
Toluene	1.40	0.0250	н	1.55	ND	90.3	80-120	0.00	20
Ethylbenzene	1.69	0.0250	и	1.55	ND	109	80-120	2.71	20
Xylene (p/m)	3.58	0.0250	. "	3.11	ND	115	80-120	1.72	20
Xylene (o)	1.79	0.0250	"	1.55	ND	115	80-120	1.72	20
Surrogate: a,a,a-Trifluorotoluene	34.1		ug/kg	40.0		85.2	80-120		
Surrogate: 4-Bromofluorobenzene	44.3		"	40.0		111	80-120		

Project: MT000856.0001
Project Number: MT000856.001

Project Manager: Sharon Hall

Fax: (432) 687-5401

Reported: 03/08/06 16:08

# General Chemistry Parameters by EPA / Standard Methods - Quality Control Environmental Lab of Texas

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EC60307 - General Preparation (Prep)										
Blank (EC60307-BLK1)				Prepared: (	3/02/06 A	nalyzed: 03	/03/06			
% Solids	100		%							
Duplicate (EC60307-DUP1)	Sou	rce: 6C02006-	01	Prepared: (	)3/02/06 A	nalyzed: 03	/03/06			
% Solids	98.9		%		98.8			0.101	20	
Duplicate (EC60307-DUP2)	Sou	rce: 6C02009-	08	Prepared: (	03/02/06 A	nalyzed: 03	/03/06			
% Solids	71.3		%		73.3			2.77	20	
Batch EC60801 - Water Extraction										
Blank (EC60801-BLK1)				Prepared: (	3/07/06 A	nalyzed: 03	/08/06			
Chloride	ND	0.500	mg/kg							
LCS (EC60801-BS1)				Prepared: (	3/07/06 A	nalyzed: 03	/08/06			
Chloride	8.66		mg/L	10.0		86.6	80-120			
Calibration Check (EC60801-CCV1)				Prepared: 0	3/07/06 A	nalyzed: 03	/08/06			
Chloride	9.34		mg/L	10.0		93.4	80-120			
Duplicate (EC60801-DUP1)	Sou	rce: 6C02003-	01	Prepared: (	)3/07/06 A	nalyzed: 03	/08/06			
Chloride	473	10.0	mg/kg		470			0.636	20	

Project: MT000856.0001 Project Number: MT000856.001 Project Manager: Sharon Hall

Fax: (432) 687-5401 Reported:

03/08/06 16:08

### **Notes and Definitions**

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

Relative Percent Difference RPD

LCS Laboratory Control Spike

MS Matrix Spike

Dun Duplicate

Report Approved By:

Raland Kotuls

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.



Laboratory Task Order No./P.O. No.

CHAIN-OF-CUSTODY RECORD Page

Project Number/Name MT000856.0001		ANALYSIS / METHOD / SIZE		
Project Location Rice Operating				
Laboratory Environmental Lab of Texas		FI BI		
Project Manager Sharon Hall	Ispin	304		
Sampler(s)/Affiliation ARCADIS/RL	o Te	Tur O		
Date/AUXXXX Sample ID/Location Matrix Sampled	Time ON FE TAX ON TAX ON TAX ON TAX ON TAX XXXXXX CONTRACTOR ON TAX ON T	(2) British	Remarks	Total
10/15 2	1/4,00/		10-800707 3)	-
প	1 0/1/0		707	_
(0-5) 5			-03	/
<b>&gt;</b>	, 77:35		40-	_
S (15-2d) S	1		200	
MIG-1 MW-2 (15:20) 5 2/28/06	·		9,8	
	<del>-</del>			[
	-			
Sample Matrix: L = Liquid; S = Solid; A	= Air		Total No. of Bottles/	Q
Relinquished by: Relat Lens	Organization: ARCADIS	Date 3 12 106 Time	9:20 Seal Intact?	tact?
}	Ulgaliization.			2
Relinquished by:	Organization:			tact?
Received by:	Organization:	Date / / Time -	Yes No	A/A
Special Instructions/Remarks: 5.0°C.	for glass in what			
	>			
Delivery Method: XXXIn Person	□ Common Carrier	□ Lab Courier □ Other	her	

# Environmental Lab of Texas Variance / Corrective Action Report – Sample Log-In

1011X			•	•
at: ARUTE				
Date/Time: 32/00 9'.26				
* 0.00 · 0.00				
Order #:				
n Ω				
Initials:				
Sample Receipt	Checkli	st		
Temperature of container/cooler?	Yes	No	5,0 C	•
Shipping container/cooler in good condition?	Yes	No		
Custody Seals intact on shipping container/cooler?	Yes	No	Not present	
Custody Seals intact on sample bottles?	YES	No	Not present	 
Chain of custody present?	YES	No		
Sample Instructions complete on Chain of Custody?	23	No		
Chain of Custody signed when relinquished and received?	(F)	No		
Chain of custody agrees with sample label(s)	Xes	No		
Container labels legible and intact?	(Yes)	No		
Sample Matrix and properties same as on chain of custody?	<del>Les</del>	No	<del></del>	
Samples in proper container/bottle?	Yes	No		<u>}</u>
Samples properly preserved?		No		
Sample bottles intact?	X=5	No		1
Preservations documented on Chain of Custody?	V 00	No No	,	1
Containers documented on Chain of Custody? Sufficient sample amount for indicated test?	Yes Yes	No		
amples received within sufficient hold time?	756	No	<u></u>	<u> </u>
c samples have zero headspace?	Yes	No	Not Applicable	<u> </u>
Samples have 25.0 headspace:	T (Cas)	1	1 Hot ripolicable	7
Other observations:				
Office object various.				
				·
		<del></del> -		<del></del>
				1
Variance Docu	mentatio	on:		
Contact Person: Date/Time:			Contacted by	
Regarding:			. • • • • • • • • • • • • • • • • • • •	
Negarung.				
		· · · · · · · · · · · · · · · · · · ·		
		<del> </del>	<u> </u>	
Corrective Action Taken:				
		····		
	······································	·		
				····
				-



# Analytical Report

# Prepared for:

Kristin Farris-Pope Rice Operating Co. 122 W. Taylor Hobbs, NM 88240

Project: EME Jct. A-20
Project Number: None Given

Location: Lea County

Lab Order Number: 6F15002

Report Date: 06/26/06

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Monitor Well #4	6F15002-01	Water	06/13/06 07:45	06/15/06 07:50
Monitor Well #5	6F15002-02	Water	06/13/06 08:45	06/15/06 07:50

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# Organics by GC

### **Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Monitor Well #4 (6F15002-01) Water									
Benzene	ND	0.00100	mg/L	. 1	EF61921	06/19/06	06/20/06	EPA 8021B	
Toluene	ND	0.00100	#	**	"	**	**	н	
Ethylbenzene	ND	0.00100		n	. 11	11	ti		
Xylene (p/m)	ND	0.00100	и	"	н	н	"	н	
Xylene (o)	ND	0.00100	et	•	**	11	11	n	
Surrogate: a,a,a-Trifluorotoluene		95.8 %	80-1.	20	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.0%	80-1.	20	"	"	u	"	
Monitor Well #5 (6F15002-02) Water									
Benzene	ND	0.00100	mg/L	1	EF61921	06/19/06	06/20/06	EPA 8021B	
Toluene	ND	0.00100	11	11	ıı		11 -	u	
Ethylbenzene	ND	0.00100	**	"	"	и	**	и	
Xylene (p/m)	ND	0.00100		**	11	"	"	n .	
Xylene (o)	, ND	0.00100	**	н	n		н	· n	
Surrogate: a,a,a-Trifluorotoluene		108 %	80-1	20	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		103 %	80-12	20	"	"	"	n	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# General Chemistry Parameters by EPA / Standard Methods

# **Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Monitor Well #4 (6F15002-01) Water									
Total Alkalinity	340	2.00	mg/L	1	EF62316	06/22/06	06/22/06	EPA 310.1M	
Chloride	3840	50.0	**	100	EF61712	06/17/06	06/17/06	EPA 300.0	
Total Dissolved Solids	6790	5.00	**	1	EF61918	06/15/06	06/16/06	EPA 160.1	
Sulfate	1060	50.0	"	100	EF61712	06/17/06	06/17/06	EPA 300.0	
Monitor Well #5 (6F15002-02) Water									
Total Alkalinity	456	2.00	mg/L	1	EF62316	06/22/06	06/22/06	EPA 310.1M	
Chloride	2450	25.0	"	50	EF61712	06/17/06	06/17/06	EPA 300.0	
Total Dissolved Solids	4960	5.00	,,	1 .	EF61918	06/15/06	06/16/06	EPA 160.1	
Sulfate	519	25.0	11	50	EF61712	06/17/06	06/17/06	EPA 300.0	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# Total Metals by EPA / Standard Methods Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Monitor Well #4 (6F15002-01) Water									<u> </u>
Calcium	348	0.500	mg/L	50	EF61505	06/15/06	06/15/06	EPA 6010B	
Magnesium	283	0.0500	"	N		**	"	"	
Potassium	34.7	0.500	"	10	**	. "	. п	**	
Sodium ,	1540	5.00	н	500	"	"	"	H .	
Monitor Well #5 (6F15002-02) Water									
Calcium	209	0.500	mg/L	50	EF61505	06/15/06	06/15/06	EPA 6010B	
Magnesium	180	0.0500	o.	**	"	11	**	11	
Potassium	32.4	0.500	**	10	. 11	If	"	**	
Sodium	1100	2.00	11	200	**	. "	u	"	

Project: EME Jct. A-20

Project Number: None Given Project Manager: Kristin Farris-Pope Fax: (505) 397-1471

# Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EF61921 - EPA 5030C (GC)										
Blank (EF61921-BLK1)				Prepared: 0	)6/19/06 Aı	nalyzed: 06	/20/06	**		
Benzene	ND	0.00100	mg/L							
Toluene	ND	0.00100	11							
Ethylbenzene	ND	0.00100	н							
Xylene (p/m)	ND	0.00100	u							
Xylene (o)	ND	0.00100								
Surrogate: a,a,a-Trifluorotoluene	38.4		ug/l	40.0		96.0	80-120			
Surrogate: 4-Bromofluorobenzene	38.4		"	40.0		96.0	80-120			
LCS (EF61921-BS1)				Prepared: 0	)6/19/06 Aı	nalyzed: 06	/20/06			
Benzene	0.0529	0.00100	mg/L	0.0500		106	80-120			
Toluene	0.0579	0.00100	**	0.0500		116	80-120			
Ethylbenzene	0.0565	0.00100	11	0.0500		113	80-120			
Xylene (p/m)	0.119	0.00100	n	0.100		119	80-120			
Xylene (o)	0.0589	0.00100	**	0.0500		118	80-120			
Surrogate: a,a,a-Trifluorotoluene	41.6		ug/l	40.0		104	80-120			
Surrogate: 4-Bromofluorobenzene	40.7		"	40.0		102	80-120			
Calibration Check (EF61921-CCV1)				Prepared: 0	6/19/06 Aı	nalyzed: 06	/20/06			
Benzene	58.0		ug/l	50.0		116	80-120			
Toluene	59.2		**	50.0		118	80-120			
Ethylbenzene	57.5		**	50.0		115	80-120			
Xylene (p/m)	119		**	100		119	80-120			
Xylene (o)	59.0		11	50.0		118	80-120			
Surrogate: a,a,a-Trifluorotoluene	44.1		"	40.0		110	80-120			
Surrogate: 4-Bromofluorobenzene	38.4		"	40.0		96.0	80-120			
Matrix Spike (EF61921-MS1)	Sou	rce: 6F15001-	01	Prepared: 0	06/19/06 Ai	nalyzed: 06	/20/06			
Benzene	0.0488	0.00100	mg/L	0.0500	ND	97.6	80-120			
Toluene	0.0539	0.00100	"	0.0500	ND	108	80-120			
Ethylbenzene	0.0501	0.00100	**	0.0500	ND .	100	80-120			
Xylene (p/m)	0.115	0.00100	**	0.100	ND	115	80-120			
Kylene (o)	0.0576	0.00100	**	0.0500	ND	115	80-120			
Surrogate: a,a,a-Trifluorotoluene	37.6		ug/l	40.0		94.0	80-120			
Surrogate: 4-Bromofluorobenzene	41.7		"	40.0		104	80-120			

Surrogate: a,a,a-Trifluorotoluene

Surrogate: 4-Bromofluorobenzene

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EF61921 - EPA 5030C (GC)										
Matrix Spike Dup (EF61921-MSD1)	Sour	rce: 6F15001-	01	Prepared: 0	6/19/06 A	nalyzed: 06	/20/06			
Benzene	0.0484	0.00100	mg/L	0.0500	ND	96.8	80-120	0.823	20	
Toluene	0.0469	0.00100	"	0.0500	ND	93.8	80-120	14.1	20	
Ethylbenzene	0.0451	0.00100	**	0.0500	ND	90.2	80-120	10.3	20	
Xylene (p/m)	0.0979	0.00100	H	0.100	ND	97.9	80-120	16.1	20	
Xylene (o)	0.0497	0.00100		0.0500	ND	99.4	80-120	14.6	20	

40.0

40.0

33.7

39.1

84.2

97.8

80-120

80-120

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# General Chemistry Parameters by EPA / Standard Methods - Quality Control Environmental Lab of Texas

		D		6.3			N/DEC :		DDD	
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EF61712 - General Preparation (	WetChem)			14.7						
Blank (EF61712-BLK1)				Prepared &	: Analyzed:	06/17/06				
Chloride	ND	0.500	mg/L		,					
Sulfate	ND	0.500								
LCS (EF61712-BS1)	٠		•	Prepared &	: Analyzed:	06/17/06				
Chloride	10.0		mg/L	10.0		100	80-120			
Sulfate	8.16		ıı	10.0		81.6	80-120			
Calibration Check (EF61712-CCV1)				Prepared &	Analyzed:	06/17/06				
Chloride	10.9		mg/L	10.0		109	80-120			
Sulfate	10.5		"	10.0		105	80-120			
Duplicate (EF61712-DUP1)	Sourc	e: 6F14013-	01	Prepared &	Analyzed:	06/17/06				
Chloride	47.9	5.00	mg/L		48.8			1.86	20	
Sulfate	69.2	5.00	11		69.8			0.863	20	
Duplicate (EF61712-DUP2)	Sourc	e: 6F15003-	05	Prepared &	Analyzed:	06/18/06				
Chloride	198	5.00	mg/L		197			0.506	20	
Sulfate	154	5.00	**		152			1.31	20	
Matrix Spike (EF61712-MSI)	Source	e: 6F14013-	01	Prepared &	Analyzed:	06/17/06				
Chloride	157	5.00	mg/L	100	48.8	108	80-120			
Sulfate	154	5.00	"	100	69.8	84.2	75-125			
Matrix Spike (EF61712-MS2)	Sourc	e: 6F15003-	05	Prepared & Analyzed: 06/18/06						
Gulfate	249	5.00	mg/L	100	152	97.0	75-125			
Chloride	301	5.00		100	197	104	80-120			

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# General Chemistry Parameters by EPA / Standard Methods - Quality Control Environmental Lab of Texas

	<b>79.</b> 1.	Reporting	** *.	Spike	Source	N/DDG	%REC	222	RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EF61918 - Filtration Preparation										
Blank (EF61918-BLK1)				Prepared: (	06/15/06 A	nalyzed: 06	/16/06			
Total Dissolved Solids	ND	5.00	mg/L							•
Duplicate (EF61918-DUP1)	Sou	rce: 6F15001-	01	Prepared: (	06/15/06 A	nalyzed: 06	/16/06			
Total Dissolved Solids	7770	5.00	mg/L		7820			0.641	5	
Batch EF62316 - General Preparation (Wet	Chem)									
Blank (EF62316-BLK1)				Prepared &	z Analyzed:	06/22/06	`			
Total Alkalinity	ND	2.00	mg/L	<u> </u>						
Carbonate Alkalinity	ND	0.100	"							
Bicarbonate Alkalinity	ND	2.00								
Hydroxide Alkalinity	ND	0.100	**							
LCS (EF62316-BS1)				Prepared &	Analyzed:	06/22/06				
Total Alkalinity	248	2.00	mg/L	250		99.2	85-115			
Duplicate (EF62316-DUP1)	Sou	rce: 6F15001-	01	Prepared &	Analyzed:	06/22/06				
Total Alkalinity	380	2.00	mg/L		386			1.57	20	
Carbonate Alkalinity	0.00	0.100	51		0.00				20	
Bicarbonate Alkalinity	380	2.00			386			1.57	20	
Hydroxide Alkalinity	0.00	0.100	"		0.00				20	
Duplicate (EF62316-DUP2)	Sou	rce: 6F22003-	01	Prepared &	Analyzed:	06/22/06				
Total Alkalinity	142	2.00	mg/L		144			1.40	20	
Carbonate Alkalinity	0.00	0.100	"		0.00				20	
Bicarbonate Alkalinity	142	2.00	11		144			1.40	20	
dydroxide Alkalinity	0.00	0.100	11		0.00				20	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471


# General Chemistry Parameters by EPA / Standard Methods - Quality Control

# **Environmental Lab of Texas**

·		Reporting	Spi	ke Source	%REC	RPD	
Analyte	Result	Limit	Units Lev	el Result	%REC Limits	RPD Limi	t Notes

Batch EF62316 - General Preparation (WetChem)

Reference (EF62316-SRM1)				Prepared & Ana	alyzed: 06/22/06	
Total Alkalinity	78.0	2.00	mg/L	82.0	95.1	85-115
Bicarbonate Alkalinity	78.0	2.00	11	82.0	95.1	85-115



Project: EME Jct. A-20

Project Number: None Given

Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

# Total Metals by EPA / Standard Methods - Quality Control

### **Environmental Lab of Texas**

l .										
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EF61505 - 6010B/No Digestion										
Blank (EF61505-BLK1)				Prepared &	: Analyzed:	06/15/06				
Calcium	ND	0.0100	mg/L							
Magnesium	ND	0.00100	41							
Potassium	ND	0.0500	**							
Sodium	ND	0.0100	"							
Calibration Check (EF61505-CCV1)				Prepared &	: Analyzed:	06/15/06				
Calcium	2.01		mg/L	2.00		100	85-115			
Magnesium	2.12		**	2.00		106	85-115			
Potassium	1.76			2.00		88.0	85-115			
Sodium	1.74		u	2.00		87.0	85-115			
Duplicate (EF61505-DUP1)	Sou	rce: 6F15001-	01	Prepared &	: Analyzed:	06/15/06				
Calcium	316	0.500	mg/L		320			1.26	20	
Magnesium	231	0.0500	п		229			0.870	20	
Potassium	38.4	0.500	н		38.5			0.260	20	
Sodium	1740	5.00	"		1760			1.14	20	

Project: EME Jct. A-20

Project Number: None Given • Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### **Notes and Definitions**

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

LCS Laboratory Control Spike

MS Matrix Spike

Dup Duplicate

Report Approved By:

Raland KJul

Date:

6/26/2006

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

# Erection Texas

12600 West I-20 East Odessa, Texas 79765

Phone: 432-563-1800 Fax: 432-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: EME Jct. A-20

kpope@riceswd.com Project Manager: Kristin Farris Pope

Company Name RICE Operating Company

TAT brabnet2 × Subsh TAT (Pre-Schedule Custody Seals: Containers / Cooler otal Dissolved Solids Femperature Upon Receipt 3CI Sample Containers Intact? Lea County Labels on container? B1EX 80518/2030 × selilelovimas Metals: Az Ağ Ba Cq Ct bp Hg Se TCLP: SAR / ESP / CEC Project Loc: PO #: Project #: Anions (Cl, 504, CO3, HCO3) × Cations (Ca, Mg, Na, K) 7PH: 418.1 8015M 1005 1006 Ofher (specify): lio2 PLEASE Email RESULTS TO: kpope@riceswd.com & mfranks@riceswd.com aßpn(\$ × Water Other (Specify) None (1) 1 Liter HDPE **†0**S²H Fax No: (505) 397-1471 HOSN HCI (2) 40 ml glass vials N <sup>€</sup>ONH 90 × ო No. of Containers က 8:45 7:45 Time Sampled 6/13/2006 6/13/2006 Date Sampled Sampler Signature: Rozanne Johnson (505) 631-9310, city/state/Zip: Hobbs, New Mexico 88240 Email: rozanne@valornet.com Company Address: 122 W. Taylor Street FIELD CODE Telephone No: (505) 393-9174 Manitor Well #5 Monitor Well #4 Special Instructions: AB # (lab use only)

Laboratory Comments:

Time

578

675.06

人の人のよう

02,20

Received by

Time 5:30

14/15/66

Time 5:3

6/8/00

# Environmental Lab of Texas Variance / Corrective Action Report – Sample Log-In

e Rice Op.	•			
ertime: 6/5/06 7:50				
1 TIC DOWN				
=r#: <u>leff5002</u>				•
A No				
els:				
C- 1 D 11	<b>0</b> ( 1.1)		•	
Sample Receipt			~ <del>~~</del>	
perature of container/cooler?	Yes	No	(5	CI
sing container/cooler in good condition?		No		
ody Seals intact on shipping container/cooler?	<b>283</b>	No	Not prese	
ndy Seals intact on sample bottles?		No	Not prese	nt
of custody present?	1 (5)	No		
ote Instructions complete on Chain of Custody?	763	No		
n of Custody signed when relinquished and received?	(3)	No		
of custody agrees with sample label(s)		No		
ainer lacels legible and intact?	(हैंड)	No		
ole Matrix and properties same as on chain of custody?	<b>C</b> C C C C C C C C C C C C C C C C C C	No		
ples in proper container/bottle?		No		•
ples properly preserved?		No		
ple bottles intact?	Yes Yes	No		
ervations documented on Chain of Custody?	Y€3	l No		
ainers documented on Chain of Custody?	(GS	No		!
cient sample amount for indicated test?	(Pas	No		
s received within sufficient hold time?	Yes	No		ţ
ples have zero headspace?	(es	No	Not Apolica	able
er observations:				
Variance Docu				
ntact Person: Date/Time:		-	Contacted	by:
garding:				
	·			
	<del></del>	·		· · · · · · · · · · · · · · · · · · ·
rrective Action Taken:	<del></del>	<del></del>		
rractive Action Taken.				
	· · · · · · · · · · · · · · · · · · ·			
	······································	<del></del> -		



E-Mail lab@traceanalysis.com

6701 Aberdeen Avenue, Suite 9 155 McCutcheon, Suite H

Lubbock, Texas 79424 El Paso, Texas 79932

888 • 588 • 3443

915 • 585 • 3443

FAX 915 • 585 • 4944

# **Analytical and Quality Control Report**

Kristin Farris-Pope Rice Operating Company 122 W Taylor Street Hobbs, NM, 88240

Report Date: August 22, 2006

Work Order:

6072813

Project Location:

Lea County,NM

Project Name:

EME Junction A-20

Project Number:

EME Junction A-20

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

			Date	Time	Date
Sample	Description	Matrix	Taken	Taken	Received
97130	MW-1	water	2006-07-24	14:20	2006-07-27
97131	MW-2	water	2006-07-24	10:35	2006-07-27
97132	MW-3	water	2006-07-24	09:25	2006-07-27
97133	MW-4	water	2006-07-24	08:15	2006-07-27
97134	MW-5	water	2006-07-24	11:55	2006-07-27

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 19 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

Dr. Blair Leftwich, Director

EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 2 of 19 Lea County,NM

# **Analytical Report**

Sample: 97130 - MW-1

Analysis: Alkalinity OC Batch: 28762

Prep Batch: 25161

Analytical Method:

SM 2320B

Date Analyzed: 2006-08-07 Sample Preparation: 2006-08-07 Prep Method: N/A

Analyzed By: LJ Prepared By: LJ

ВI

•		KL.			
Parameter	Flag	Result	Units	Dilution	RL
Hydroxide Alkalinity		<1.00	mg/L as CaCo3	l	1.00
Carbonate Alkalinity		< 1.00	mg/L as CaCo3		1.00
Bicarbonate Alkalinity		804	mg/L as CaCo3	1	4.00
Total Alkalinity		804	mg/L as CaCo3	1	4.00

Sample: 97130 - MW-1

Prep Batch: 24898

Analysis: QC Batch:

**BTEX** 28457

Analytical Method: Date Analyzed:

S 8021B

2006-07-28 2006-07-28 Prep Method:

S 5030B

Analyzed By: KB Prepared By: KB

RL

Sample Preparation:

Parameter	Flag	Result	Units	Dilution	RL
Benzene		0.0341	mg/L	20	0.00100
Toluene		< 0.0200	mg/L	20	0.00100
Ethylbenzene		0.0823	mg/L	20	0.00100
Xylene		0.0866	mg/L	20	0.00100

					Spike	Percent	Recovery
Surrogate	Flag	Result	Units	Dilution	Amount	Recovery	Limits
Trifluorotoluene (TFT)		1.83	mg/L	20	0.100	92	66.2 - 127.7
4-Bromofluorobenzene (4-BFB)		1.48	mg/L	20	0.100	74	70.6 - 129.2

Sample: 97130 - MW-1

Analysis: QC Batch:

Cations

28607 Prep Batch: 24949 Analytical Method: Date Analyzed:

Sample Preparation:

S 6010B 2006-08-02

2006-07-31

Prep Method:

S 3005A

Analyzed By: TP Prepared By: TS

RL.

		* * *			
Parameter	Flag	Result	Units	Dilution	RL
Dissolved Calcium		164	mg/L	10	0.500
Dissolved Potassium		31.7	mg/L	1	1.00
Dissolved Magnesium		206	mg/L	10	1.00
Dissolved Sodium		1090	mg/L	100	1.00

Samplé: 97130 - MW-1

Analysis: QC Batch: Ion Chromatography

Prep Batch: 24972

28550

Analytical Method: Date Analyzed:

E 300.0 2006-07-30 Sample Preparation: 2006-07-29 Prep Method:

WB Analyzed By: Prepared By:

N/A

EME Junction A-20

Surrogate

Trifluorotoluene (TFT)

4-Bromofluorobenzene (4-BFB)

Work Order: 6072813 EME Junction A-20 Page Number: 3 of 19 Lea County,NM

		RL			
Parameter	Flag	Result	Units	Dilution	RL
Chloride		2180	mg/L	50	0.500
Sulfate		96.8	mg/L	50	0.500
Sample: 97130 - MW-1					
Analysis: TDS		Analytical Method	: SM 2540C	Prep Meth	od: N/A
QC Batch: 28666		Date Analyzed:	2006-08-01	Analyzed	
Prep Batch: 25064		Sample Preparation	n: 2009-07-31	Prepared I	
		RL		•	
Parameter	Flag	Result	Units	Dilution	RL
Total Dissolved Solids		4010	mg/L	5	10.00
Sample: 97131 - MW-2					
Analysis: Alkalinity		Analytical Metho	od: SM 2320B	Prep Meth	od: N/A
QC Batch: 28762		Date Analyzed:	2006-08-07	Analyzed	By: LJ
Prep Batch: 25161		Sample Preparati	on: 2006-08-07	Prepared I	By: LJ
		RL			
Parameter	Flag	Result	Units	Dilution	RL
Hydroxide Alkalinity		<1.00	mg/L as CaCo3	1	1.00
Carbonate Alkalinity		<1.00	mg/L as CaCo3	1	1.00
Bicarbonate Alkalinity		590	mg/L as CaCo3	1	4.00
Total Alkalinity		590	mg/L as CaCo3	1	4.00
Sample: 97131 - MW-2					
Analysis: BTEX		Analytical Method:	S 8021B	Prep Method:	S 5030B
QC Batch: 28457		Date Analyzed:	2006-07-28	Analyzed By:	KB
Prep Batch: 24898		Sample Preparation:	2006-07-28	Prepared By:	KB
		RL			•
Parameter	Flag	Result	Units	Dilution	RL
Benzene		< 0.00100	mg/L	1	0.00100
Toluene		< 0.00100	mg/L	1	0.00100
Ethylbenzene		<0.00100	mg/L	1	0.00100
Xylene		< 0.00100	mg/L	1	0.00100

Units

mg/L

mg/L

Dilution

1

Spike

Amount

0.100

0.100

Percent

Recovery

88

63

Recovery

Limits

66.2 - 127.7

70.6 - 129.2

Result

0.0878

0.0634

Flag

<sup>&</sup>lt;sup>1</sup>BFB surrogate recovery outside normal limits. ICV/CCV and TFT surrogate recovery show the method to be in control.

EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 4 of 19 Lea County, NM

Sample: 97131 - MW-2

Analysis: OC Batch:

Prep Batch:

Cations 28607 24949

Analytical Method:

S 6010B 2006-08-02

Date Analyzed: Sample Preparation: 2006-07-31 Prep Method:

S 3005A Analyzed By: TP

Prepared By: TS

RI.

Parameter	Flag	Result	Units	Dilution	RL
Dissolved Calcium		263	mg/L	10	0.500
Dissolved Potassium		43.6	mg/L	]	1.00
Dissolved Magnesium		203	mg/L	10	1.00
Dissolved Sodium		1080	mg/L	100	1.00

Sample: 97131 - MW-2

Analysis: QC Batch: Ion Chromatography

28550 Prep Batch: 24972

Analytical Method: Date Analyzed:

E 300.0

2006-07-30 2006-07-29 Prep Method: N/A Analyzed By: WB

Prepared By: WB

RL

Parameter	Flag	Result	Units	Dilution	RL
Chloride		2270	mg/L	50	0.500
Sulfate		648	mg/L	50	0.500

Sample Preparation:

Sample: 97131 - MW-2

Analysis: QC Batch:

Prep Batch:

TDS

28666 25064

Analytical Method: Date Analyzed:

Sample Preparation:

SM 2540C 2006-08-01 2009-07-31 Prep Method: N/A Analyzed By:

SM Prepared By: SM

RL

Parameter	Flag	Result	Units	Dilution	RL
Total Dissolved Solids		4825	mg/L	5	10.00

Sample: 97132 - MW-3

Prep Batch: 25161

Analysis: QC Batch:

Alkalinity 28762

Analytical Method: Date Analyzed:

Sample Preparation:

SM 2320B 2006-08-07 2006-08-07 Prep Method: N/A Analyzed By: LJ Prepared By:

RL

Parameter	Flag	Result	Units	Dilution	RL
Hydroxide Alkalinity		<1.00	mg/L as CaCo3	1	1.00
Carbonate Alkalinity		<1.00	mg/L as CaCo3	1	1.00
Bicarbonate Alkalinity		334	mg/L as CaCo3	1	4.00
Total Alkalinity		334	mg/L as CaCo3	I	4.00

### Sample: 97132 - MW-3

**BTEX** Analysis: QC Batch: 28457 Prep Batch: 24898 Analytical Method: S 8021B Date Analyzed: 2006-07-28 Sample Preparation: 2006-07-28 Prep Method: S 5030B Analyzed By: KB Prepared By: KB

		RL			
Parameter	Flag	Result	Units	Dilution	RL
Benzene		< 0.00100	mg/L	1	0.00100
Toluene		< 0.00100	mg/L	. 1	0.00100
Ethylbenzene		< 0.00100	mg/L	1	0.00100
Xylene		< 0.00100	mg/L	1	0.00100

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	1 lag	0.0900	mg/L	1	0.100	90	66.2 - 127.7
4-Bromofluorobenzene (4-BFB)	2	0.0664	mg/L mg/L	1	0.100	66	70.6 - 129.2
1 Bromondorecember (1 Br is)		0.0001	1116/12	<b>_</b>	0.100		70.0 127.2

# Sample: 97132 - MW-3

Analysis: Cations QC Batch: 28607 Prep Batch: 24949

Analytical Method: S 6010B Date Analyzed: 2006-08-02 Sample Preparation: 2006-07-31

Prep Method: S 3005A Analyzed By: TP Prepared By: TS

		RL			
Parameter	Flag	Result	Units	Dilution	RL
Dissolved Calcium		337	mg/L	10	0.500
Dissolved Potassium		37.0	mg/L	1	1.00
Dissolved Magnesium		239	mg/L	10	1.00
Dissolved Sodium		993	mg/L	10	1.00

### Sample: 97132 - MW-3

Analysis: QC Batch: Ion Chromatography

28552 Prep Batch: 24973

Analytical Method: Date Analyzed:

E 300.0 2006-07-31 Sample Preparation: 2006-07-29 Prep Method: N/A Analyzed By: WB

N/A

SM

SM

Prepared By: WB

		RL			
Parameter	Flag	Result	Units-	Dilution	RL
Chloride		2890	mg/L	500	0.500
Sulfate		566	mg/L	50	0.500

### Sample: 97132 - MW-3

Analysis: **TDS** Analytical Method: SM 2540C Prep Method: QC Batch: 28666 Date Analyzed: 2006-08-01 Analyzed By: Prep Batch: 25064 Sample Preparation: 2009-07-31 Prepared By:

continued . . .

<sup>&</sup>lt;sup>2</sup>BFB surrogate recovery outside normal limits. ICV/CCV and TFT surrogate recovery show the method to be in control.

EME Junction A-20

Work Order: 6072813 EME Junction A-20 Page Number: 6 of 19 Lea County,NM

# sample 97132 continued ...

ag Result	Units	Dilution	DI
	9 1,-10	Dilation	RL
RL			
ag Result	Units	Dilution	RL
4650	mg/L	5	10.00
	ag Result	ag Result Units	ag Result Units Dilution

# Sample: 97133 - MW-4

Analysis:	Alkalinity	Analytical Method:	SM 2320B	Prep Method:	N/A
QC Batch:	28763	Date Analyzed:	2006-08-07	Analyzed By:	LJ
Prep Batch:	25162	Sample Preparation:	2006-08-07	Prepared By:	LJ

	•	RL .			
Parameter	Flag	Result	Units	Dilution	RL
Hydroxide Alkalinity	· ·	<1.00	mg/L as CaCo3	1	1.00
Carbonate Alkalinity		<1.00	mg/L as CaCo3	1	1.00
Bicarbonate Alkalinity		338	mg/L as CaCo3	1	4.00
Total Alkalinity		338	mg/L as CaCo3	1	4.00

# Sample: 97133 - MW-4

Analysis: QC Batch: Prep Batch:	28457	Analytical Method: Date Analyzed: Sample Preparation:	2006-07-28	Prep Method: Analyzed By: Prepared By:	KB
		RI.			

Flag	Result	Units	Dilution	RL
	< 0.00100	mg/L	1	0.00100
	< 0.00100	mg/L	1	0.00100
	< 0.00100	mg/L	. 1	0.00100
	< 0.00100	mg/L	1	0.00100
	riag	<0.00100 <0.00100 <0.00100	<0.00100 mg/L <0.00100 mg/L <0.00100 mg/L	<0.00100 mg/L 1 <0.00100 mg/L 1 <0.00100 mg/L 1

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)	1 lag	0.0906	mg/L	1	0.100	91.	66.2 - 127.7
4-Bromofluorobenzene (4-BFB)	3	0.0653	mg/L	1	0.100	65	70.6 - 129.2

# Sample: 97133 - MW-4

Analysis: QC Batch: Prep Batch:	28607	Analytical Method: Date Analyzed: Sample Preparation:	2006-08-02	Prep Method: Analyzed By: Prepared By:	TP
				·	

		RL			
Parameter	Flag	Result	Units	Dilution	RL
Dissolved Calcium		362	mg/L	10	0.500
Dissolved Potassium		56.3	mg/L	1	1.00

<sup>&</sup>lt;sup>3</sup>BFB surrogate recovery outside normal limits. ICV/CCV and TFT surrogate recovery show the method to be in control...

EME Junction A-20

Work Order: 6072813 EME Junction A-20 Page Number: 7 of 19 Lea County,NM

sample 97133 continued . . .

	•	RL			
Parameter	 Flag	Result	Units	Dilution	RL
Dissolved Magnesium		291	mg/L	10	1.00
Dissolved Sodium	•	1320	mg/L	100	1.00

### Sample: 97133 - MW-4

Analysis: Ion Chromatography

QC Batch: 28552 Prep Batch: 24973 Analytical Method: Date Analyzed: E 300.0 2006-07-31 Prep Method: N/A Analyzed By: WB

WB

SM

Sample Preparation: 2006-07-29 Prepared By:

	. ,	RL			
Parameter -	Flag	Result	Units	Dilution	RL
Chloride		3520	mg/L	500	0.500
Sulfate		806	mg/L	50	0.500

# Sample: 97133 - MW-4

Analysis: TDS QC Batch: 28666 Prep Batch: 25064 Analytical Method: SI Date Analyzed: 20

SM 2540C 2006-08-01 Prep Method: N/A Analyzed By: SM

Sample Preparation: 2009-07-31 Prepared By:

# RL

Parameter	Flag	Result	Units	Dilution	RL
Total Dissolved Solids		6135	mg/L	5	10.00

# Sample: 97134 - MW-5

Analysis: Alkalinity QC Batch: 28763 Prep Batch: 25162 Analytical Method: SM 2320B Date Analyzed: 2006-08-07 Sample Preparation: 2006-08-07

Prep Method: N/A Analyzed By: LJ Prepared By: LJ

# meter Flag

Parameter	Flag	Result	Units	Dilution	RL
Hydroxide Alkalinity		<1.00	mg/L as CaCo3	1	1.00
Carbonate Alkalinity		< 1.00	mg/L as CaCo3	1	1.00
Bicarbonate Alkalinity		500	mg/L as CaCo3	1.	4.00
Total Alkalinity	,	500	mg/L as CaCo3	1	4.00

RL

### Sample: 97134 - MW-5

Analysis: BTEX QC Batch: 28457 Prep Batch: 24898

Analytical Method: S 8021B
Date Analyzed: 2006-07-28
Sample Preparation: 2006-07-28

Prep Method: S 5030B Analyzed By: KB Prepared By: KB EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 8 of 19 Lea County,NM

		RL			
Parameter	Flag	Result	Units	Dilution	RL
Benzene	<del></del>	< 0.00100	mg/L	1	0.00100
Toluene		< 0.00100	mg/L	1	0.00100
Ethylbenzene		< 0.00100	mg/L	1	0.00100
Xylene		< 0.00100	mg/L	1	0.00100

					Spike	Percent	Recovery
Surrogate	Flag	Result	Units	Dilution	Amount	Recovery	Limits
Trifluorotoluene (TFT)		0.0907	mg/L .	1	0.100	91	66.2 - 127.7
4-Bromofluorobenzene (4-BFB)	4	0.0642	mg/L	1	0.100	64	70.6 - 129.2

### Sample: 97134 - MW-5

Analysis: Cations QC Batch: 28607 Prep Batch: 24949

Analytical Method: S 6010B Date Analyzed: 2006-08-02 Sample Preparation:

Prep Method: S 3005A Analyzed By: TP 2006-07-31 Prepared By: TS

	. •	RL			
Parameter	Flag	Result	Units	Dilution	RL
Dissolved Calcium		234	mg/L	10	0.500
Dissolved Potassium		45.5	mg/L	1	1.00
Dissolved Magnesium		175	mg/L	10	1.00
Dissolved Sodium		1220	mg/L	100	1.00

# Sample: 97134 - MW-5

Analysis:

Ion Chromatography

QC Batch: 28552 Prep Batch: 24973 Analytical Method: Date Analyzed:

E 300.0 2006-07-31 Sample Preparation: 2006-07-29 Prep Method: N/A Analyzed By: WB Prepared By: WB

RLParameter Dilution Flag Result Units RLChloride 2300 mg/L 50 0.500 Sulfate 574 50 mg/L 0.500

### Sample: 97134 - MW-5

**TDS** Analysis: QC Batch: 28666 Prep Batch: 25064 Analytical Method: SM 2540C Date Analyzed: 2006-08-01 Sample Preparation: 2009-07-31

Prep Method: N/A Analyzed By: SM Prepared By: SM

		RL			
Parameter	Flag	Result	Units	Dilution	RL
Total Dissolved Solids		4235	mg/L	. 5	10.00

<sup>&</sup>lt;sup>4</sup>BFB surrogate recovery outside normal limits. ICV/CCV and TFT surrogate recovery show the method to be in control.

EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 9 of 19 Lea County,NM

Method Blank (1)

QC Batch: 28457

QC Batch: 28457 Date Analyzed:

2006-07-28

Analyzed By: KB

Prep Batch: 24898

QC Preparation:

2006-07-28

Prepared By:

KB

Parameter	Flag	Result	Units	RL
Benzene		< 0.000255	mg/L	0.001
Toluene		< 0.000210	mg/L	0.001
Ethylbenzene		< 0.000317	mg/L	0.001
Xylene		< 0.000603	mg/L	0.001

Surrogate	Flag	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		0.0915	mg/L	1	0.100	92	79.3 - 116
4-Bromofluorobenzene (4-BFB)		0.0654	mg/L	1	0.100	65	47.6 - 122

Method Blank (1)

QC Batch: 28550

QC Batch:

28550

Date Analyzed:

2006-07-30

Analyzed By: WB

Prep Batch: 24972

QC Preparation:

2006-07-29

Prepared By:

WB

MDL

Parameter	Flag	Result	Units	RL
Chloride		< 0.0181	mg/L	0.5
Sulfate	· ·	< 0.0485	mg/L	0.5

Method Blank (1)

QC Batch: 28552

QC Batch: Prep Batch: 24973

28552

Date Analyzed: QC Preparation: 2006-07-31

2006-07-29

Analyzed By: WB

Prepared By:

WB

MDL

Parameter	Flag	Result	Units	RL
Chloride		< 0.0181	mg/L	0.5
Sulfate		< 0.0485	mg/L	0.5

Method Blank (1)

QC Batch: 28607

QC Batch: Prep Batch: 24949

28607

Date Analyzed: QC Preparation:

2006-08-02 2006-07-31 Analyzed By: TP

Prepared By: TS

		MDL
	TI	Th. 1.

Parameter	Flag	Result	Units	RL
Dissolved Calcium		0.175	mg/L	0.5
Dissolved Potassium		0.614	mg/L	1
Dissolved Magnesium		0.935	mg/L	1
Dissolved Sodium		0.947	mg/L	1

EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 10 of 19 Lea County, NM

Method Blank (1)

QC Batch: 28666

OC Batch: 28666 Date Analyzed: 2006-08-01 Analyzed By: SM

Prep Batch: 25064

QC Preparation:

2006-07-31

Prepared By: SM

Parameter Total Dissolved Solids Flag

MDL Result

< 5.000

Units mg/L

RL

10

Method Blank (1)

QC Batch: 28762

QC Batch: 28762 Date Analyzed:

2006-08-07

Analyzed By: LJ

Prep Batch: 25161

QC Preparation:

2006-08-07

Prepared By: LJ

•		MDL		
Parameter	Flag	Result	Units	RL
Hydroxide Alkalinity		<1.00	mg/L as CaCo3	1
Carbonate Alkalinity		<1.00	mg/L as CaCo3	1
Bicarbonate Alkalinity		<4.00	mg/L as CaCo3	4
Total Alkalinity		<4.00	mg/L as CaCo3	4

Method Blank (1)

QC Batch: 28763

QC Batch:

28763

Date Analyzed:

2006-08-07

Analyzed By: LJ

Prep Batch: 25162

QC Preparation:

2006-08-07

Prepared By:

MDI

		MIDL		
Parameter	Flag	Result	Units	RL
Hydroxide Alkalinity		<1.00	mg/L as CaCo3	1
Carbonate Alkalinity		<1.00	mg/L as CaCo3	1
Bicarbonate Alkalinity		<4.00	mg/L as CaCo3	4
Total Alkalinity		<4.00	mg/L as CaCo3	4

**Duplicates (1)** 

QC Batch:

28666

Date Analyzed:

2006-08-01

Analyzed By: SM

Prep Batch: 25064

QC Preparation:

2006-07-31

Prepared By:

SM

RPD Duplicate Sample Result Result Dilution **RPD** Limit Param Units 7235 Total Dissolved Solids 6435 mg/L 5 12 17.2.

**Duplicates (1)** 

QC Batch:

28762

Date Analyzed:

2006-08-07

Analyzed By: LJ

Prep Batch: 25161

QC Preparation:

2006-08-07

Prepared By:

EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 11 of 19 Lea County,NM

Param	Duplicate Result	Sample Result	Units	Dilution	RPD	RPD Limit
Hydroxide Alkalinity	<1.00	<1.00	mg/L as CaCo3	1	0	20
Carbonate Alkalinity	< 1.00	< 1.00	mg/L as CaCo3	1	0	20
Bicarbonate Alkalinity	330	334	mg/L as CaCo3	1	1 -	12.6
Total Alkalinity	330	334	mg/L as CaCo3	1	1	11.5

# **Duplicates (1)**

QC Batch: 28763 Prep Batch: 25162 Date Analyzed: 2006-08-07 QC Preparation: 2006-08-07

Analyzed By: LJ Prepared By:

Param	Duplicate Result	Sample Result	Units	Dilution	RPD	RPD Limit
Hydroxide Alkalinity	<1.00	<1.00	mg/L as CaCo3	1	0	20
Carbonate Alkalinity	< 1.00	< 1.00	mg/L as CaCo3	1	0	20
Bicarbonate Alkalinity	170	174	mg/L as CaCo3	1	2	12.6
Total Alkalinity	170	174	mg/L as CaCo3	1	2	11.5

# Laboratory Control Spike (LCS-1)

QC Batch: Prep Batch: 24898

28457

Date Analyzed: QC Preparation: 2006-07-28

2006-07-28

Analyzed By: KB

Prepared By:

	LCS			Spike	Matrix		Rec.
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit
Benzene	0.0958	mg/L	l	0.100	< 0.000255	96	82.2 - 119
Toluene	0.0943	mg/L	1	0.100	< 0.000210	94	81.2 - 119
Ethylbenzene	0.0926	mg/L	1	0.100	< 0.000317	93	80 - 122
Xylene	0.284	mg/L	1	0.300	< 0.000603	95	81.3 - 122

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

	LCSD	•		Spike	Matrix		Rec.		RPD
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Benzene	0.0950	mg/L	1	0.100	< 0.000255	96	82.2 - 119	l	20
Toluene	0.0940	mg/L	1.	0.100	< 0.000210	94	81.2 - 119	0	20
Ethylbenzene	0.0925	mg/L	1	0.100	< 0.000317	93	80 ~ 122	0 .	20
Xylene	0.284	mg/L	1	0.300	< 0.000603	95	81.3 - 122	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

	LCS	LCSD			Spike	LCS	LCSD	Rec.
Surrogate	Result	Result	Units	Dil.	Amount	Rec.	Rec.	Limit
Trifluorotoluene (TFT)	0.0910	0.0909	mg/L	1	0.100	91	91	81.8 - 114
4-Bromofluorobenzene (4-BFB)	0.101	0.101	mg/L	1	0.100	101	101	72.7 <sup>-</sup> - 116

### Laboratory Control Spike (LCS-1)

QC Batch: Prep Batch: 24972

28550

Date Analyzed: QC Preparation: 2006-07-29

2006-07-30

Analyzed By: WB Prepared By:

WB

EME Junction A-20

Work Order: 6072§13 EME Junction A-20

Page Number: 12 of 19 Lea County,NM

	LCS			Spike	Matrix		Rec.
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit
Chloride	12.0	mg/L	1	12.5	< 0.0181	96	90 - 110
Sulfate	12.2	mg/L	1	12.5	< 0.0485	98	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

	•	LCSD			Spike	Matrix		Rec.		RPD
Param		Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Chloride		11.9	mg/L	1	12.5	< 0.0181	96	90 - 110	1	20
Sulfate		12.1	mg/L	. 1	12.5	< 0.0485	98	90 - 110	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

### Laboratory Control Spike (LCS-1)

QC Batch: 28552

Date Analyzed: 2006-07-31 Analyzed By: WB Prepared By: WB

Prep Batch: 24973

QC Preparation: 2006-07-29

	LCS			Spike	Matrix		Rec.
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit
Chloride	11.8	mg/L	l	12.5	< 0.0181	95	90 - 110
Sulfate	11.9	mg/L	1	12.5	< 0.0485	95	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

	LCSD			Spike	Matrix		Rec.		RPD
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Chloride	12.0	mg/L	1	12.5	< 0.0181	95	90 - 110	1	20
Sulfate	12.0	mg/L	1	12.5	< 0.0485	95	90 - 110	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

### Laboratory Control Spike (LCS-1)

28607 QC Batch: Prep Batch: 24949 Date Analyzed: QC Preparation:

2006-08-02 2006-07-31 Analyzed By: TP Prepared By:

LCS Spike Matrix Rec. Param Result Units Dil. Limit Amount Result Rec. Dissolved Calcium 53.7 mg/L 50.0 < 0.0950 107 85 - 115 Dissolved Potassium 49.7 50.0 99 mg/L 1 < 0.377 85 - 113 Dissolved Magnesium 49.5 50.0 < 0.704 99 mg/L 1 85 - 113 Dissolved Sodium 48.7 mg/L 50.0 < 0.261 97 85 - 111

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

	LCSD			Spike	Matrix		Rec.		RPD
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Dissolved Calcium	52.6	mg/L	1	50.0	< 0.0950	107	85 - 115	2	20
Dissolved Potassium	49.0	mg/L	1	50.0	< 0.377	99	85 - 113	1 ·	20
Dissolved Magnesium	51.4	mg/L	1	50.0	< 0.704	99	85 - 113	4	20
Dissolved Sodium	49.8	mg/L	1	50.0	< 0.261	97	85 - 111	_ 2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

EME Junction A-20

Work Order: 6072813 EME Junction A-20

Page Number: 13 of 19 Lea County, NM

Matrix Spike (MS-1) Spiked Sample: 97188

QC Batch:

28457 Prep Batch: 24898 Date Analyzed:

2006-07-28

QC Preparation:

2006-07-28

Analyzed By: KB

Prepared By:

	MS			Spike	Matrix		Rec.
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit
Benzene	0.0965	mg/L	1	0.100	< 0.000255	96	70.9 - 126
Toluene	0.0961	mg/L	1	0.100	< 0.000210	96	70.8 - 125
Ethylbenzene	0.0956	mg/L	1	0.100	< 0.000317	96	74.8 - 125
Xylene	0.291	mg/L	1	0.300	< 0.000603	97	75.7 - 126

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

		MSD			Spike	Matrix		Rec.		RPD
Param		Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Benzene	5	NA	mg/L	1	0.100	< 0.000255	0	70.9 - 126	200	20
Toluene	6	NA	mg/L	1	0.100	< 0.000210	0 .	70.8 - 125	200	20
Ethylbenzene	7	NA	mg/L	1.	0.100	< 0.000317	0	74.8 - 125	200	20
Xylene	8	NA	mg/L	1	0.300	< 0.000603	0	75.7 - 126	200	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

		MS	MSD			Spike	MS	MSD	Rec.
Surrogate		Result	Result	Units	Dil.	Amount	Rec.	Rec.	Limit
Trifluorotoluene (TFT)	9	0.0916	NA	mg/L	1	0.1	92	0	73.6 - 121
4-Bromofluorobenzene (4-BFB)	10	0.102	NA	mg/L	1	0.1	102	0	81.8 - 114

Matrix Spike (MS-1) Spiked Sample: 96976

QC Batch:

Prep Batch: 24972

28550

Date Analyzed: QC Preparation:

2006-07-30 2006-07-29

Analyzed By:

WB Prepared By: WB

	. MS			Spike	Matrix		Rec.
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit
Chloride	1360	mg/L	100	12.5	46.3	105	25.4 - 171
Sulfate	3730	mg/L	100	12.5	2360	110	0 - 677

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

,	MSD			Spike	Matrix		Rec.		RPD
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Chloride	1350	mg/L	100	12.5	46.3	104	25.4 - 171	1	20
Sulfate	3740	mg/L	100	12.5	2360	89	0 - 677	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

<sup>&</sup>lt;sup>5</sup>RPD is out of range because a matrix spike duplicate was not prepared.

<sup>&</sup>lt;sup>6</sup>RPD is out of range because a matrix spike duplicate was not prepared.

<sup>&</sup>lt;sup>7</sup>RPD is out of range because a matrix spike duplicate was not prepared.

<sup>&</sup>lt;sup>8</sup>RPD is out of range because a matrix spike duplicate was not prepared.

<sup>&</sup>lt;sup>9</sup>RPD is out of range because a matrix spike duplicate was not prepared. <sup>10</sup>RPD is out of range because a matrix spike duplicate was not prepared.

Report Date: August 22, 2006

EME Junction A-20

Prep Batch: 24973

Work Order: 6072813 EME Junction A-20

Page Number: 14 of 19 Lea County,NM

Matrix Spike (MS-1) Spiked Sample: 97132

OC Batch:

Date Analyzed:

2006-07-31

QC Preparation: 2006-07-29 Analyzed By: WB

Prepared By: WB

	MS			Spike	Matrix		Rec.
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit
Chloride	8800	mg/L	500	12.5	2890	94	25.4 - 171
Sulfate	6870	mg/L	500	12.5	566	101	0 - 677

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

	MSD			Spike	Matrix		Rec.		RPD
Param	Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Chloride	8820	mg/L	500	12.5	2890	95	25.4 - 171	0	20
Sulfate	6780	mg/L	500	12.5	566	99	0 - 677	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 97133

QC Batch:

28607 Prep Batch: 24949 Date Analyzed:

2006-08-02

Analyzed By: TP

Prepared By:

		MS			Spike	Matrix		Rec.
Param		Result	Units	Dil.	Amount	Result	Rec.	Limit
Dissolved Calcium		420	mg/L	i	50.0	362	116	68.4 - 138
Dissolved Potassium	11	95.5	mg/L	1	50.0	56.3	78	82 - 129
Dissolved Magnesium		344	mg/L	1	50.0	291	106	61.2 - 135
Dissolved Sodium	12	1420	mg/L	100	50.0	1320	2	81.8 - 125

QC Preparation: 2006-07-31

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

		MSD			Spike	Matrix		Rec.		RPD
Param		Result	Units	Dil.	Amount	Result	Rec.	Limit	RPD	Limit
Dissolved Calcium		416	mg/L	1	. 50.0	362	108	68.4 - 138	1	20
Dissolved Potassium		101	mg/L	- 1	50.0	56.3	89	82 - 129	6	20
Dissolved Magnesium		333	mg/L	1	50.0	291	84	61.2 - 135	3	20
Dissolved Sodium	13	1480	mg/L	100	50.0	1320	3	81.8 - 125	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

### Standard (ICV-1)

QC Batch: 28457

Date Analyzed: 2006-07-28

Analyzed By: KB

			ICVs True	ICVs Found	ICVs Percent	Percent Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Benzene		mg/L	0.100	0.0950	95	85 - 115	2006-07-28
Toluene		mg/L	0.100	0.0942	94	85 - 115	2006-07-28

continued.

<sup>11</sup> Matrix spike recovery out of control limits due to matrix interference. Use LCS/LCSD to demonstrate analysis is under control.

<sup>&</sup>lt;sup>12</sup>Matrix spike recoveries out of control limits due to matrix spike being diluted out. Use LCS/LCSD to demonstrate analysis is under control.

<sup>13</sup> Matrix spike recoveries out of control limits due to matrix spike being diluted out. Use LCS/LCSD to demonstrate analysis is under control.

Report Date: August 22, 2006 EME Junction A-20.

Work Order: 6072813 EME Junction A-20 Page Number: 15 of 19 Lea County,NM

			ICVs	ICVs	ICVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Ethylbenzene		mg/L	0.100	0.0926	93	85 - 115	2006-07-28
Xylene		mg/L	0.300	0.285	95	85 - 115	2006-07-28

### Standard (CCV-1)

QC Batch: 28457

Date Analyzed: 2006-07-28

Analyzed By: KB

			CCVs	CCVs	CCVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Benzene		mg/L	0.100	0.0963	96	85 - 115	2006-07-28
Toluene		mg/L	0.100	0.0945	94	85 - 115	2006-07-28
Ethylbenzene		mg/L	0.100	0.0930	93	85 - 115	2006-07-28
Xylene		mg/L	0.300	0.285	. 95	85 - 115	2006-07-28

### Standard (ICV-1)

QC Batch: 28550

Date Analyzed: 2006-07-30

Analyzed By: WB

		•	ICVs	ICVs	ICVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Chloride		mg/L	12.5	12.9	103	90 - 110	2006-07-30
Sulfate		mg/L	12.5	12.8	102	90 - 110	2006-07-30

### Standard (CCV-1)

QC Batch: 28550

Date Analyzed: 2006-07-30

Analyzed By: WB

			CCVs	CCVs	CCVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Chloride		mg/L	12.5	11.9	95	90 - 110	2006-07-30
Sulfate		mg/L	12.5	12.1	97	90 - 110	2006-07-30

### Standard (ICV-1)

QC Batch: 28552

Date Analyzed: 2006-07-31

Analyzed By: WB

			ICVs True	ICVs Found	ICVs Percent	Percent Recovery	Date
**	771	** *.	~			•	
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Chloride		mg/L	12.5	11.9	95	90 - 110	2006-07-31
Sulfate		mg/L	12.5	12.1	97	90 - 110	2006-07-31

Report Date: August 22, 2006

EME Junction A-20

Work Order: 6072813 EME Junction A-20 Page Number: 16 of 19 Lea County,NM

### Standard (CCV-1)

QC Batch: 28552

Date Analyzed: 2006-07-31

Analyzed By: WB

			CCVs	CCVs	CCVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Chloride		mg/L	12.5	12.1	97	90 - 110	2006-07-31
Sulfate		mg/L	12.5	12.0	96	90 - 110	2006-07-31

### Standard (ICV-1)

QC Batch: 28607

Date Analyzed: 2006-08-02

Analyzed By: TP

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Dissolved Calcium		mg/L	50.0	50.5	101	90 - 110	2006-08-02
Dissolved Potassium		mg/L	50.0	48.6	97	90 - 110	2006-08-02
Dissolved Magnesium	•	mg/L	50.0	50.7	101	90 - 110	2006-08-02
Dissolved Sodium		mg/L	50.0	50.4	101	90 - 110	2006-08-02

### Standard (CCV-1)

QC Batch: 28607

Date Analyzed: 2006-08-02

Analyzed By: TP

			CCVs True	CCVs Found	CCVs Percent	Percent Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Dissolved Calcium		mg/L	50.0	50.8	102	90 - 110	2006-08-02
Dissolved Potassium	•	mg/L	50.0	47.2	94	90 - 110	2006-08-02
Dissolved Magnesium		mg/L	50.0	49.0	98	90 - 110	2006-08-02
Dissolved Sodium		mg/L	50.0	48.9	98	90 - 110	2006-08-02

### Standard (ICV-1)

QC Batch: 28666

Date Analyzed: 2006-08-01

Analyzed By: SM

•			<b>ICVs</b>	ICVs	<b>ICVs</b>	Percent	
			True	Found	' Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Total Dissolved Solids		mg/L	1000	982.0	98	90 - 110	2006-08-01

### Standard (CCV-1)

QC Batch: 28666

Date Analyzed: 2006-08-01

Analyzed By: SM

•			CCVs	CCVs	CCVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Total Dissolved Solids		mg/L	1000	1003	100	90 - 110	2006-08-01

Report Date: August 22, 2006

EME Junction A-20

Work Order: 6072813 EME Junction A-20 Page Number: 17 of 19 Lea County,NM

Standard (ICV-1)

QC Batch: 28762

Date Analyzed: 2006-08-07

Analyzed By: LJ

			<b>ICVs</b>	ICVs	<b>ICVs</b>	Percent	
•			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Total Alkalinity		mg/L as CaCo3	250	238	95	90 - 110	2006-08-07

Standard (CCV-1)

QC Batch: 28762

Date Analyzed: 2006-08-07

Analyzed By: LJ

			CCVs	CCVs	CCVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Total Alkalinity		mg/L as CaCo3	250	238	95	90 - 110	2006-08-07

Standard (ICV-1)

QC Batch: 28763

Date Analyzed: 2006-08-07

Analyzed By: LJ

			<b>ICVs</b>	ICVs	ICVs	Percent	
•			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Ånalyzed
Total Alkalinity		mg/L as CaCo3	250	236	94	90 - 110	2006-08-07

Standard (CCV-1)

QC Batch: 28763

Date Analyzed: 2006-08-07

Analyzed By: LJ

			CCVs	CCVs	CCVs	Percent	
			True	Found	Percent	Recovery	Date
Param	Flag	Units	Conc.	Conc.	Recovery	Limits	Analyzed
Total Alkalinity		mg/L as CaCo3	250	240	96	90 - 110	2006-08-07

Page Number: 18 of 19 Lea County,NM


Work Order: 6072813 EME Junction A-20

Report Date: August 22, 2006 EME Junction A-20

## Teleso, Tesa 798  Tel (915) 585-34  Far (1919) 5	e 9	•	_	1551	155 McCutcheon Way,	Vay, Suite H	$\vdash$		CHAIN-OF-CUSTODY AND ANALYSIS REQUEST	19-	TSUS	λgο	AND ON	ANAL	YSIS R		OUE	ST	]
Phone #   Phon		eAnalysis,	Inc.		El Paso, Texas Tel (915) 58: Fax (915) 58:	179932 5-3443 5-4944	<u></u>			LAB O	der ID	7	3	7	17		١,		
Fear #   Free	:6		Phone #:				_			'				1					
TOLE Volenties   Properties	ing Company		(505)393-9174							<u>د</u> ق	NAL	Specify	Metho	- N - S					
From the Mexico 88240   (805) 387-1471	(Street, City, Zip)		Fax #							-	, .	,,,,				-	-		-
Free Scientist   Free Door	r Street - Hobbs, New Mexico 88240		(505) 397-1471				_		7.0						<u>.</u>				<u>.</u>
Front Scennist   Free Comment   Fr	ч						<u> </u>												
Feeling   Feel	s - Pope, Project Scientist		kpope@ric	seswd.con			_	(98)											DJe
Feedback								) p											oue
Procedurative   Procedurativ	т абоvе)						_	uqe		_	_						(8		els L
Feel Date: Time:   Page 19   Page: Time:   Page 29   Page:   Page 29   Page: Time:   Page 29   Page: Time:   Page 29   Page:   Page 29   Page 29   Page:   Page 29   Page 29   Page:   Page 29			Project Name.					etx		_							:00	_	ron
New Mexico   Sangles Sangles   Sangles Sangles   Sangles   Sangles Sangles   Sangles				tion A-20				3 91		_			97				Н,		110:
FIELD CODE	on:		SamplerSigna	1/	ne Johnson	(505)631-93	<u>_</u>	100					9/0			(	03		919.
FIELD CODE			BAR	rozai	nne@val	ornet.cor	u l	XT /				206		80		³' K			י מוע
FIELD CODE			MATRIX	PRESE	RVATIVE THOD	SAMPL				sA g		1,8095							ı əwı
Monitor Well #1	EJET IN CODE	omA				90	218		00	A als		- B 1c					_		pur
Monitor Well #1         2         40 mi		/əmulo/	∕וצ 20ור	<sup>E</sup> ONI-	CE <sup>3</sup> 20°				728 HA¢	TCLP Met		SCWS A	SC/WS 8	cesticides	SST, GOS	Poisture Sations (	2) anoin/ eei@lsto7		Turn Arou -loid
Monitor Well #1         1         1L         X         7.24 14:20         X         7.24 14:20         X         7.24 10:35         X         A.24 10:35         X         7.24 10:35         X         7.24 10:35         X         X         7.24 10:35         X         X         X         7.24 10:35         X <t< td=""><td><b>7</b></td><td>40 m</td><td>1</td><td></td><td>×</td><td>7-24</td><td></td><td>-</td><td>j</td><td></td><td>-</td><td></td><td>1-1</td><td>┪</td><td></td><td>+</td><td>-</td><td></td><td>+</td></t<>	<b>7</b>	40 m	1		×	7-24		-	j		-		1-1	┪		+	-		+
Monitor Well #2         2         40 ml         X         X         7.24         10:35         X           Monitor Well #3         1         1L         X         X         7.24         10:35         X           Monitor Well #3         1         1L         X         X         7.24         9:25         X           Monitor Well #4         1         1L         X         X         7.24         8:15         X           Monitor Well #5         2         40 ml         X         X         7.24         11:55         X           Monitor Well #5         1         1L         X         X         7.24         11:55         X           Monitor Well #5         1         1L         X         X         7.24         11:55         X           Monitor Well #5         1         1L         X         X         7.24         11:55         X           Monitor Well #5         1         1L         X         X         7.24         11:55         X           Monitor Well #5         1         1L         X         X         7.24         11:55         X     Time: Time: Received by: Date: Time: Ti		7			×		1:20									×	×		
Monitor Well #3         1         1L         X         7.24         10:35         X         7.24         10:35         X         7.24         9:25         X         R	Monitor Well #2	40 ml		×	×		3:35	×											
Monitor Well #3         2         40 ml         X         X         7.24         9:25         X           Monitor Well #3         1         1L         X         X         7.24         9:25         X         X         7.24         9:25         X         X         X         7.24         8:15         X         X         X         7.24         8:15         X </td <td>Monitor Well #2</td> <td>11</td> <td></td> <td></td> <td>×</td> <td></td> <td>3:35</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><math>\dashv</math></td> <td></td> <td>×</td> <td>×</td> <td></td> <td></td>	Monitor Well #2	11			×		3:35							$\dashv$		×	×		
Monitor Well #4         1         2         40 ml         X         X         7.24         8:15         X         7         2         8:15         X         7         2         8:15         X         7         2         4:15         X         7         7:24         11:65         X         X         X         7:24         11:65         X         X         X         X		40 ml		×	×		:25	×						$\dashv$			$\dashv$		
Monitor Well #4         2         40 ml x         X         7.24         8:15         X           Monitor Well #5         2         40 ml x         X         7.24         8:15         X         7.24         8:15         X         7.24         8:15         X         7.24         8:15         X         7.24         11:55         X         7.24         11:		11			×	_	:25							$\dashv$		×	×		-
Monitor Well #5         2         40 ml         X         X         7.24         8:15         A           Monitor Well #5         1         11         X         X         7.24         11:55         X           Monitor Well #5         1         1         X         X         7.24         11:55         X           Monitor Well #5         1         1         X         X         7.24         11:55         X           Monitor Well #5         1         1         X         7.24         11:55         X         X           Monitor Well #5         1         1         X         7.24         11:55         X         7.24         11:55         X           Monitor Well #5         1         1         X         7.24         11:55         X         7.24         11:55         X         7         1         R         R         R         7         7         1		40 ml		×	×	${}$	:15	×					4	-			$\dashv$		-
Monitor Well #5         2         40 ml x         X         7.24 11:65         X           Monitor Well #5         1         1L X         X         7.24 11:65         X           Monitor Well #5         1         1L X         X         7.24 11:65         X           Monitor Well #5         Date: Time:         Received by: Date: Time:         Date: Time: Inject Y Inject         Inject Y Inject		4			×	_	:15							-		×	×		-
Monitor Weil #5  Monitor Weil #5  Date: Time: Received by: Date: Time: Intact YN  Date: Time: Received by: Date: Time: Headspace YN  Date: Time: Regized at Laboratory by: Date: Time: Temp		40 ml		×	×		1:65	×					$\Box$	-		4	$\dashv$		$\dashv$
Date: Time:  Date: Time:  Date: Time:  Date: Time:  Date: Time:  Date: Time:  Received by:  Date: Time:  Headspace VIN  Temp ( )	Monitor Weil #5	4			×		1:55							-		×	×		-
Date: Time:  Date: Time: Time:  Date: Time: Time:  Date: Time: Time														-	$\rightrightarrows$	7	$\dashv$	$\exists$	-
Date: Time: Received by: Date: Time: LAB USE ONLY RE Date: Time: Received by: Date: Time: Headspace YTM  Date: Time: Repelyed at Laboralogy by: Date: Time: Temp														-{	コ	$\exists$	_		-
Date: Time: Received by: Date: Time: Intact (*).    Pate: Time: Received by: Date: Time: Intact (*).	Date:	Received by:	]		me:			AB US	NO H	-	MARK		lease	Please email the results to	ii the	resu	lts to		
Date: Time: Received by: Date: Time: Intact (Y.M. Headspace Y.M. Date: Time: Temp 6	m hufae			l			1	}		i		포	)obe	kpope@riceswd.com	swd	E S			
Date: Time: Repeived at Laboratory by: Date: Time: Temp C.	Date:	Received by:	u		me:		an Inte	$\forall$	XXX	· ·		<b>≿</b>	i aŭ	mfranks (a) riceswo.com	Ices	NO.	ڇ	,	
Date: Time: Repelyed at Laboratory by: Date: Time:							Ĩ	adsbace	N/X			21	zann	rozanne@valornet.com	alorn	et.co	E		
7106 315 Log-in Review	Date:	Regeived at Lab	$M_{N}^{pq}$	7	(0 (0 )	1345	Ter	np -in Revi	7	۰۱ ۱	g D	eck if sı	secial 1	eportir	ig limil	ts nee	ded		
001/8/18			000,				-		A	Z	12	2	16	2	Ņ				

### Cation-Anion Balance Sheet

								Percentage	Error	8,226188729	13.70640222	21.44371123	19,64125916	7.963884863						
	EC	µМНОs/сm						Anions	in meq/L	79.65	89.39	66.66	122.84	26.98		7.0-55.0	7.25-0.77	7.55-0.77	7.55-0.77	.55-0.77
	TDS	mdd	4010	4825	4650	6135	4235	Cations	in meq/L	73.36	77.92	80.63	100.87	80.31		needs to be 0.55-0.77				
	Bromide	mdd						Bromide	in mea/L	0	0	0	0	0	TDS/Cat TDS/Anion	0.50	0.54	0.47		0.49
	Fluoride	mdd						Fluoride	in med/L	0	0	0	0	0		0.55	0.62	0.58	0.61	0.53
	Nitrate	mdd						Nitrate	in meq/L	0	0	0	0	0	TDS/EC	#DIA/0i	#DIA/0j	#DIA/0i	#DIN/0i	#DIA/0i
	Chloride	mdd	2182.19	2272.53	2890	. 3520	2305	Chloride	in meq/L	61.56	64.11	81,53	99.30	65.02						
	Sulfate	mdd	96.7985	647.558	566	908	573.887	Sulfate	in meq/L	2.02	13,48	11.78	16.78	11.95		0	0	0	0	0
	Alkalinity	mdd	804	590	334	338	500	Alkalinity	in meq/L	16.08	11.80	6.68	6.76	10.00		2	2	t)	Q.	ţ
	Potassium	mdd	31.7	43.6	37.	56.3	. 45.5	Potassium	in meq/L	0.81	1.12	0.95	1.44	1.16		0	0	0	0	0
	Sodium	mdd	1090	1080	993	1320	1220	Sodium	in meq/L	47.42	46.98	43.20	57.42	53.07		range	range	range	range	range
	Calcium Magnesium	mdd	206	203	239	291	175	Magnesium	in meq/L	16.95	16.70	19.67	23.95	14.40	EC/Anion	7965.49247	8939.02289	9999.102	12284.012	8697.23773
UAIL. BIZZIZUUD	Calcium	mdd	164	263	337	362	234	Calcium	in meq/L	8.18	13.12	16.82	18.06	11.68	EC/Cation		7792.3858	8062.557	10087.0344	8031.124
i i	Sample #		97130	97131	97132	97133	97134	Sample #		97130	97131	97132	97133	97134		97130	97131	97132	97133	97134



### Analytical Report

### Prepared for:

Kristin Farris-Pope Rice Operating Co. 122 W. Taylor Hobbs, NM 88240

Project: EME Jct. A-20

Project Number: None Given

Location: T20S-R37E-Sec20A, Lea Co., NM

Lab Order Number: 6J19008

Report Date: 10/31/06

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Monitor Well #1	6J19008-01	Water	10/17/06 12:40	10-19-2006 10:15
Monitor Well #2	6J19008-02	Water	10/17/06 10:00	10-19-2006 10:15
Monitor Well #3	6J19008-03	Water	10/17/06 11:45	10-19-2006 10:15
Monitor Well #4	6J19008-04	Water	10/17/06 10:55	10-19-2006 10:15
Monitor Well #5	6J19008-05	Water	10/17/06 09:10	10-19-2006 10:15

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### Organics by GC Environmental Lab of Texas

			<u> </u>						
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
Monitor Well #1 (6J19008-01) Water			<b>.</b>	<del></del>	<del></del>				
Benzene	0.0409	0.00100	mg/L	1	EJ62301	10/23/06	10/24/06	EPA 8021B	
Toluene	0.0187	0.00100	н	. "	•	•	P	•	
Ethylbenzene	0.124	0.00100	*		**	n	"	4	
Xylene (p/m)	0.0907	0.00100	н	"	u	n	, "	ч	
Xylene (o)	0.0582	0.00100	n			11	н	"	
Surrogate: a,a,a-Trifluorotoluene		104 %	80-12	20	**	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %	80-12	20	"	"	"	"	•
Monitor Well #2 (6J19008-02) Water									
Benzene	ND	0.00100	mg/L	1	EJ62301	10/23/06	10/24/06	EPA 8021B	
Toluene	ND	0.00100			H	"	11	41	
Ethylbenzene	ND	0.00100	"	**	н	**	ч	u	
Xylene (p/m)	ND	0.00100	"			**	ч ,	*	
Xylene (o)	ND	0.00100	0	H	11	**	"	**	
Surrogate: a,a,a-Trifluorotoluene		100 %	80-1.	20	.11	"	"	"	
Surrogate: 4-Bromofluorobenzene		85.2 %	80-12	20	"	"	"	"	
Monitor Well #3 (6J19008-03) Water									
Benzene	ND	0.00100	mg/L	1	EJ62301	10/23/06	10/24/06	EPA 8021B	_
Toluene	· ND	0.00100	n	"		11	"	11	
Ethylbenzene	ND	0.00100	H .	"	•	41	"	1f	
Xylene (p/m)	ND	0.00100	ir.	**	н	0	11	H	
Xylene (o)	ND	0.00100	*		н	tr.	11	н	
Surrogate: a,a,a-Trifluorotoluene		95.5 %	80-12	20	"	,,	"	"	
Surrogate: 4-Bromofluorobenzene		88.2 %	80-12	20	n	"	"	"	
Monitor Well #4 (6J19008-04) Water									
Benzene	I [0.000732]	0.00100	mg/L	1	EJ62301	10/23/06	10/24/06	EPA 8021B	
Toluene	ND	0.00100			**	n	н	19	
Ethylbenzene	ND	0.00100	*		**		**	u	
Xylene (p/m)	ND	0.00100	**	N	tr.	п	ч	u	
Xylene (o)	ND	0.00100	п .				"	н	
Surrogate: a,a,a-Trifluorotoluene		90.5 %	80-12	20	n	"	"	"	
Surrogate: 4-Bromofluorobenzene		80.5 %	80-12	20	"	. "	"	"	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### Organics by GC

### **Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Monitor Well #5 (6J19008-05) Water			•						
Benzene	ND	0.00100	mg/L	1	EJ62301	10/23/06	10/24/06	EPA 8021B	
Toluene	ND	0.00100	n	n	н		u	u	
Ethylbenzene	ND	0.00100	н	и	w	**	u .	н	
Xylene (p/m)	ND	0.00100		. *		11	"	**	
Xylene (o)	ND	0.00100	н	**	,,	11	41	**	
Surrogate: a,a,a-Trifluorotoluene		92.0 %	80-1	20	"	"	n n	"	
Surrogate: 4-Bromofluorobenzene		80.5 %	80-1	20	"	"	"	"	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### General Chemistry Parameters by EPA / Standard Methods Environmental Lab of Texas

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
Monitor Well #1 (6J19008-01) Water									
Total Alkalinity	870	10.0	mg/L	5	EJ62306	10/20/06	10/20/06	EPA 310.1M	
Chloride	1830	25.0	**	50	EJ62101	10/19/06	10/20/06	EPA 300.0	
Total Dissolved Solids	4050	10.0	•	1	EJ61903	10/19/06	10/19/06	EPA 160 1	
Sulfate	44.7	25.0	"	50	EJ62101	10/19/06	10/20/06	EPA 300.0	
Monitor Well #2 (6J19008-02) Water									
Total Alkalinity	400	4.00	mg/L	2	EJ62306	10/20/06	10/20/06	EPA 310.1M	
Chloride	2040	25.0	11	50	EJ62101	10/19/06	10/20/06	EPA 300.0	
Total Dissolved Solids	4590	10.0		ı	EJ61903	10/19/06	10/19/06	EPA 160.1	
Sulfate	. 679	25.0	"	50	EJ62101	10/19/06	10/20/06	EPA 300.0	
Monitor Well #3 (6J19008-03) Water									
Total Alkalinity	364	4.00	mg/L	2	EJ62306	10/20/06	10/20/06	EPA 310.1M	
Chloride	2310	50.0	•	100	EJ62101	10/19/06	10/20/06	EPA 300.0	
Total Dissolved Solids	4900	10.0		1	EJ61903	10/19/06	10/19/06	EPA 160.1	
Sulfate	563	50.0	"	100	EJ62101	10/19/06	10/20/06	EPA 300.0	
Monitor Well #4 (6J19008-04) Water									
Total Alkalinity	320	4.00	mg/L	. 2	EJ62306	10/20/06	10/20/06	EPA 310.1M	
Chloride	3020	50.0	**	100	EJ62101	10/19/06	10/20/06	EPA 300.0	
Total Dissolved Solids	6560	10.0	**	1	EJ61903	10/19/06	10/19/06	EPA 160.1	
Sulfate	791	50.0	e.	100	EJ62101	10/19/06	10/20/06	EPA 300.0	
Monitor Well #5 (6J19008-05) Water					-	•			
Total Alkalinity	456	4.00	mg/L	2	EJ62306	10/20/06	10/20/06	EPA 310.1M	-
Chloride	2100	50.0		100	EJ62101	10/19/06	10/20/06	EPA 300.0	
Total Dissolved Solids	4550	10.0	"	1	EJ61903	10/19/06	10/19/06	EPA 160.1	
Sulfate	573	50.0	н	100	EJ62101	10/19/06	10/20/06	EPA 300:0	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### Total Metals by EPA / Standard Methods Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Monitor Well #1 (6J19008-01) Water	,								
Calcium	157	4.05	mg/L	50	EJ62023	10/20/06	10/20/06	EPA 6010B	
Magnesium	186	1.80	**	*	"		н	м	
Potassium	20.6	0.600	**	. 10	**	"	н	*	
Sodium	1180	10.8	11	250	н	II.		Ħ	
Monitor Well #2 (6J19008-02) Water					_				
Calcium .	247	4.05	mg/L	50	EJ62023	10/20/06	10/20/06	EPA 6010B	
Magnesium	199	1.80	н	u		,	н	18	
Potassium	31.8	0.600		10	18	,	**		
Sodium	1130	10.8	"	250	"	"	u	19	
Monitor Well #3 (6J19008-03) Water									
Calcium	329	4.05	mg/L	50	EJ62023	10/20/06	10/20/06	EPA 6010B	
Magnesium	234	1.80	**	*	*		**	н	
Potassium	23.5	0.600	"	10	11	u	*	"	
Sodium	1080	10.8	**	250	"	и	. "	н	
Monitor Well #4 (6J19008-04) Water									
Calcium	345	4.05	mg/L	50	EJ62023	10/20/06	10/20/06	EPA 6010B	
Magnesium	268	1.80	н	*.			н	H .	
Potassium	31.8	0.600	• н	10		*	"	"	
Sodium	1410	10.8	"	250	"	44	*	"	•
Monitor Well #5 (6J19008-05) Water									
Calcium	229	4.05	mg/L	50	EJ62023	10/20/06	10/20/06	EPA 6010B	
Magnesium	183	. 1.80	**		н	• :	*	49	
Potassium	35.6	0.600		10	*	**	"	"	
Sodium	1190	10.8		250		н			

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### Organics by GC - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EJ62301 - EPA 5030C (GC)										
Blank (EJ62301-BLK1)			***	Prepared: 1	0/23/06 A	nalyzed: 10	)/24/06			
Benzene	ND	0.00100	mg/L		i					
Toluene	ND	0.00100	*		200					
Ethylbenzene	ND	0.00100	**							
Xylene (p/m)	NĐ	0.00100	н .							
Xylene (o)	ND	0.00100	. "							
Surrogate: a,a,a-Trifluorotoluene	34.7		ug/l	40.0		86.8	80-120			
Surrogate: 4-Bromofluorobenzene	34.3		"	40.0		85.8	80-120			
LCS (EJ62301-BS1)				Prepared: 1	0/23/06 A	nalvzed: 10	/24/06			
Benzene	0.0481	0.00100	mg/L	0.0500		96.2	80-120			
Toluene	0.0490	0.00100	"	0.0500		98.0	80-120			
Ethylbenzene	0.0500	0.00100	10	0.0500		100	80-120			
Xylene (p/m)	0.0980	0.00100		0.100		98.0	80-120			
Xylene (o)	0.0484	0.00100	te .	0.0500		96.8	80-120			
Surrogate: a,a,a-Trifluorotoluene	36.5		ug/l	40.0		91.2	80-120			
Surrogate: 4-Bromofluorobenzene	40.5		u	40.0		101	80-120			
Calibration Check (EJ62301-CCV1)				Prepared: 1	0/23/06 A	nalyzed: 10	/25/06		•	
Benzene	51,6	<del>, , , , , , , , , , , , , , , , , , , </del>	ug/l	50.0		103	80-120			
Toluene	49.4		"	50.0		98.8	80-120			
Ethylbenzene	52.2		N	50.0		104	80-120			
Xylene (p/m)	93.3			100		93.3	80-120			
Xylene (o)	47.8		u	50.0		95.6	80-120			
Surrogate: a,a,a-Trifluorotoluene	40.3		- "	40.0		101	80-120			
Surrogate: 4-Bromofluorobenzene	35.7		"	40.0		89.2	80-120			
Matrix Spike (EJ62301-MS1)	Sou	rce: 6J19031-0	08	Prepared: 1	0/23/06 A:	nalvzed: 10	/26/06			
Benzene	0.0464	0.00100	mg/L	0.0500	ND	92.8	80-120			
Foluene Foluene	0.0470	0.00100	"	0.0500	ND	94.0	80-120			
thylbenzene	0.0486	0.00100	н	0.0500	ND	97.2	80-120			
Kylene (p/m)	0.0915	0.00100	"	0.100	ND	91.5	80-120			
Kylene (o)	0.0475	0.00100		0.0500	ND	95.0	80-120			
urrogate: a,a,a-Trifluorotoluene	38.4		ug/l	40.0.		96.0	80-120	· <del>············</del>		
urrogate: 4-Bromofluorobenzene	39.0		. "	40.0		97.5	80-120			

Xylene (o)

Surrogate: a,a,a-Trifluorotoluene

Surrogate: 4-Bromofluorobenzene

Project: EME Jct. A-20

Project Number: None Given

Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### Organics by GC - Quality Control Environmental Lab of Texas

	•	Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EJ62301 - EPA 5030C (GC)				····						
Matrix Spike Dup (EJ62301-MSD1)	Sour	ce: 6J19031-0	08	Prepared: 1	0/23/06 A	nalyzed: 10	)/26/06			
Benzene	0.0476	0.00100	mg/L	0.0500	ND	95.2	80-120	2.55	20	
Toluene	0.0476	0.00100		0.0500	ND	95.2	80-120	1.27	20	
Ethylbenzene	0.0502	0.00100	**	0.0500	ND	100	80-120	2.84	20	
Xylene (p/m)	0.0927	0.00100	**	0.100	ND	92.7	80-120	1.30	20	

ug/l

0.0500

40.0

40.0

ND

80-120

80-120

80-120

96.0

96.5

1.05

20

0.0480

38.6

38.1

00100.0

Project: EME Jct. A-20

Project Number: None Given

Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### General Chemistry Parameters by EPA / Standard Methods - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch EJ61903 - Filtration Preparation										
Blank (EJ61903-BLK1)				Prepared &	Analyzed:	10/19/06				
Total Dissolved Solids	ND	10.0	mg/L							
Duplicate (EJ61903-DUP1)	Sou	rce: 6J17006-0	01	Prepared &	Analyzed:	10/19/06				
Total Dissolved Solids	6890	10.0	mg/L		6600			4.30	5	
Duplicate (EJ61903-DUP2)	Sou	rce: 6J19008-0	)4	Prepared &	Analyzed:	10/19/06				
Total Dissolved Solids	6790	10.0	mg/L		6560			3.45	5	
Batch EJ62101 - General Preparation (V	VetChem)									
Blank (EJ62101-BLK1)				Prepared: 1	10/19/06 A	nalyzed: 10	0/20/06			
Chloride	ND.	0.500	mg/L							
Sulfate	ND	0.500	*							
LCS (EJ62101-BS1)				Prepared: 1	10/19/06 A	nalyzed: 10	0/20/06			
Sulfate	11.5	0.500	mg/L	10.0	· · · · · · · · · · · · · · · · · · ·	115	80-120			
Chloride	10.5	0,500	,11	10.0		105	80-120			
Calibration Check (EJ62101-CCV1)				Prepared: 1	10/19/06 A	nalyzed: 10	0/20/06			
Chloride	10.8		mg/L	10.0		108	80-120			_
ulfate	11.9		11	10.0		. 119	80-120			
Duplicate (EJ62101-DUP1)	Sou	rce: 6J17007-0	)1	Prepared: 1	10/19/06 A	nalyzed: 10	0/20/06			
Sulfate	163	5.00	mg/L		164			0.612	20	
Chloride	256	5.00	n		256			0.00	20	
Ouplicate (EJ62101-DUP2)	Sou	rce: 6J19010-0	)2	Prepared: 1	0/19/06 A	nalyzed: 10	0/20/06			
ulfate	32.9	2.50	mg/L		32.7			0.610	20	
Chloride	20.2	2.50	.,		19.9			1.50	20	

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### General Chemistry Parameters by EPA / Standard Methods - Quality Control Environmental Lab of Texas

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch EJ62101 - General Preparation	n (WetChem)									
Matrix Spike (EJ62101-MS1)	Source	e: 6J17007-0	01	Prepared: 1	0/19/06 A	nalyzed: 10	/20/06			
Chloride	375	5,00	mg/L	100	256	119	80-120			
Sulfate	263	5.00	41	100	164	99.0	80-120			
Matrix Spike (EJ62101-MS2)	Source	e: 6J19010-0	02	Prepared: 1	0/19/06 A	nalyzed: 10	/20/06 \			
Sulfate	83.7	2.50	mg/L	50.0	32.7	102	80-120			
Chloride	. 77.7	2.50	п	50.0	19.9	116	80-120			
Chloride Batch EJ62306 - General Preparation Blank (EJ62306-BLK1)		2.50		50.0 Prepared &			80-120	÷		
Batch EJ62306 - General Preparation		2.50	mg/L				80-120	***************************************		
Batch EJ62306 - General Preparation Blank (EJ62306-BLK1)	ı (WetChem)		mg/L				80-120			
Batch EJ62306 - General Preparation Blank (EJ62306-BLK1) Total Alkalinity	ND ND	2.00	н		: Analyzed:	10/20/06	80-120	***************************************		
Batch EJ62306 - General Preparation Blank (EJ62306-BLK1) Total Alkalinity Hydroxide Alkalinity	ND ND	2.00	н	Prepared &	: Analyzed:	10/20/06	80-120	1.72	20	
Batch EJ62306 - General Preparation Blank (EJ62306-BLK1) Total Alkalinity Hydroxide Alkalinity Duplicate (EJ62306-DUP1)	n (WetChem)  ND  ND  Source	2.00 0.100 e: <b>6J19007-</b> (	D1	Prepared &	Analyzed: Analyzed: 234	10/20/06	80-120	1.72	20	

Sodium

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

1.03

20

### Total Metals by EPA / Standard Methods - Quality Control Environmental Lab of Texas

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
	resuit	Linat	Onits	Level	Result	/eREC	Limits	IG-D	PHIII	ivotes
Batch EJ62023 - 6010B/No Digestion					,					
Blank (EJ62023-BLK1)				Prepared &	k Analyzed:	10/20/06				
Calcium	· ND	0.0810	mg/L							
Magnesium	ND	0.0360								
Potassium	ND	0.0600	n							
Sodium	ND	0.0430	ч		•					
Calibration Check (EJ62023-CCV1)				Prepared &	k Analyzed:	10/20/06				
Calcium	2.07		mg/L	2.00		104	85-115			
Aagnesium	2.04		•	2.00		. 102	85-115			
otassium	2.08			2.00		104	85-115			
odium	1.72		10	2.00		86.0	85-115			
Ouplicate (EJ62023-DUP1)	Sou	rce: 6J19007-6	01	Prepared &	z Analyzed:	10/20/06				
Calcium	145	4.05	mg/L		145			0.00	20 -	
/agnesium	34.2	0.360			35.4			3.45	20	
Potassium	5.37	0.600	"		5.57			3.66	20	

97.6

2.15

Dup

Duplicate

Project: EME Jct. A-20

Project Number: None Given
Project Manager: Kristin Farris-Pope

Fax: (505) 397-1471

### Notes and Definitions

DET	Analyte DETECTED
ND .	Analyte NOT DETECTED at or above the reporting lim
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
LCS	Laboratory Control Spike
MS	Matrix Spike

,	Kaland K Julies		
Report Approved By:	700000110110	Date:	10/31/2006

Raland K. Tuttle, Lab Manager Celey D. Keene, Lab Director, Org. Tech Director Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director LaTasha Cornish, Chemist Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

### Vironmental Lab of Texas

12600 West I-20 East Odesea, Texas 79766

Phone: 432-563-1800 Fax: 432-563-1713

kpope@riceswd.com Company Name RICE Operating Company Company Address: 122 W. Taylor Street Project Manager: Kristin Farris Pope

Project Name:

Project Number:

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

EME Junction A-20

T20S-R37E-Sec20A, Lea County NM

Sampler Signature: Rozanne Johnson (505) 631-9310

Email: 1028nne@valornet.com

city/state/zip: Hobbs, New Mexico 88240

Tolephone No: (505) 393-9174

Fax No: (505) 397-1471

PO Number: Project Loc:

	1	1				ĺ							⊭	TOTAL	_	-	×	_				_	*	
	100				F	Preservative	9/	-	ح	Matrix		9	_	L	1	<u> </u>	ŀ	_						
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	Daite Sampled	time Sampled	No. of Containers	HMO <sup>2</sup> yes	absinr asselyg (mu GA (S) NOH	HOPN	H-SSO <sub>4</sub> Nitroe (1) 11 Liber Heart	Odrec (Specify)	relative septings	PS:	Ospsa. (absaup):	2001 2001 M2108 1.819 1#TT	Cations (Ct. SO4, CO3, HCC3)	2∃27,4837,844S	Reserved for the figure of the figure	Sample	Semination Series	BJEX 2021B/2000	MCRM.	Total Dissolved Solids		7 <b>7</b>	RUSH TAT (Pre-Schedule)	Standard TAT
Monitor Well #1	10/17/2006	12:40	n	×	2		*-		×				×				Ĥ	×		×			-	X
ーラス Monitor Well #2	10/17/2006	10:00	က	×	2		*-		×				×			-	Ĥ	×		×				×
C3   Monitor Well #3	10/17/2006	11:45	3	×	2		*		×				×				Ĥ	×		×				×
Oct Monitor Well #4	10/17/2006	10:55	(L)	×	2		1		×			_	×				Ĥ	×		×				×
Monitor Well #5	10/17/2006	9:10	, (C)	×	2		-	-	×			<del> </del>	×			-	Ĥ	×		×				X
			-	$\vdash$		<u> </u>			-	_			L	ļ		H		-						
			-	-		H			_	-			┞	<u> </u>		$\vdash$	├		<u> </u>			-	-	
			-						-			-					-	_	ļ					
				$\vdash$		$\vdash$	ļ		┞			┢		<u> </u>		_	├	_						
				_					$\vdash$				<u> </u>	_			<del>                                     </del>							
Special Instructions: PLEASE Email RESULTS TO		kpope@riceswd.com; mfranks@riceswd.com	m ox	mfr	Ē	89	rice	) ×	8	E			\$ B 3 5 E	inple bels lated	Sample Containers Infact? Labels or container? Custody Seals: Centainer Temperature Upon Receipt	taine ontail als	Te Control	tact7	<u></u>	( g/6 /	Å .	z		
														100		77.5		1						

Laboratory Comments:

91:9 Time

10-19-01

6:15

10-19-08

Date

Date

10-19-06

Date

0.15 Time

### Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

Rift, Do.	·	J		
Date/ Time: 10/19/00 10:15				
Date/ Time: 1019/01/01/01/01/01				
ab ID#: (0)[*1008				
nitials:				
0	01 - 111 <i>(</i>			
Sample Receipt	Checklist		<b>D</b> II. 44	
#1 Temperature of container/ cooler?	Yes	No	Client In	itials
	⊁es	No	2-10	
#2 Shipping container in good condition?	Yes	No	Not Present	$\dashv$
#3 Custody Seals intact on shipping container/ cooler? #4 Custody Seals intact on sample bottles/ container?	/es	No	Not Present  Not Present	
	Ø∂s	No	Not Flesent	
	Yêş	No		
	Yes	No		
	Yes	No	10 written on Cont / Lid	
#8 Chain of Custody agrees with sample label(s)? #9 Container label(s) legible and intact?	//es	No	ID written on Cont./ Lid	
#10 Sample matrix/ properties agree with Chain of Custody?	Yes	No	Not Applicable	
#11 Containers supplied by ELOT?	Yes,	No		
#12 Samples in proper container/ bottle?	Yes	No	See Below	
#13 Samples properly preserved?	Yes	No	See Below	
#14 Sample bottles intact?	₩es	No	See Below	
#15 Preservations documented on Chain of Custody?	≯es	No		-
#16 Containers documented on Chain of Custody?	≱es	No		
# Sufficient sample amount for indicated test(s)?	Yes	No	See Below	
#18 All samples received within sufficient hold time?	Yes	No	See Below	$\overline{}$
#19 VOC samples have zero headspace?	Ves	No	Not Applicable	
10 10 00 00 10 10 10 10 10 10 10 10 10 1	1 (92	<u></u>		
Variance Docur	nentation			٠
Contact: Contacted by:			Date/ Time:	
		-	<del></del>	
Regarding:		v		
	•			
	·	<del></del>		······
Corrective Action Taken:				
·				
111				
		•		
Charle all that Apply			·	
Check all that Apply: See attached e-mail/ fax	ld like to pro-	ood with	analysis	
Client understands and woul Cooling process had begun			•	

### ANALYTICAL REPORT

### Prepared for:

DONNIE ANDERSON RICE OPERATING CORP. 122 WEST TAYLOR HOBBS, NM 88242

**Project:** 

Jct A-20 box Upgrade

Order#:

G0202739

Report Date:

03/07/2002

Certificates
US EPA Laboratory Code TX00158

### SAMPLE WORK LIST

RICE OPERATING CORP.

Order#:

G0202739

122 WEST TAYLOR

Project:

Soil bore @ 25' ·

HOBBS, NM 88242

Project Name: Jct A-20 box Upgrade

Location:

**EME** 

The samples listed below were submitted to Environmental Lab of Texas and were received under chain of custody. Environmental Lab of Texas makes no representation or certification as to the method of sample collection, sample identification, or transportation/handling procedures used prior to the receipt of samples by Environmental Lab of Texas.

Date / Time

Date / Time

0202739-01

Soil bore @ 25' bgs

SOIL

3/5/02 17:00

4 oz Glass

ice

Lab Testing:

Rejected: No

Temp:

4C ·

8015M TPH GRO/DRO 8021B/5030 BTEX

Chloride

### ANALYTICAL REPORT

DONNIE ANDERSON RICE OPERATING CORP. 122.WEST TAYLOR HOBBS, NM 88242 Order#:

G0202739

Project:

Soil bore @ 25' bgs

Project Name:

Jct A-20 box Upgrade

Location:

EME

Lab ID:

0202739-01

Sample ID:

Soil bore @ 25' bgs

### 8015M TPH GRO/DRO

Method	
Blank	

Date Prepared Date <u>Analyzed</u> Sample Amount

Dilution <u>Factor</u> 1

<u>Analyst</u>

Method

0000785-02

3/6/02 12:59

CK

8015

Parameter	Result mg/kg	RL
GRO, C6-C12	<10	10.0
DRO, >C12-C28	111	10.0

### 8021B/5030 BTEX

Method
Blank
0000788-02

Date Prepared Date Analyzed Sample Amount

Dilution <u>Factor</u>

Analyst

Method

3/6/02 1 1 CK 8021B

Parameter	Result µg/kg	RL
Benzene	<25	25.0
Ethylbenzene	28.4	25.0
Toluene .	<25	25.0
p/m-Xylene	122	25.0
o-Xylene	<25	25.0

Soil 3/5/02 025/698 mw 240' maybe TP2 out

Irene Perry, QA Assistant Sandra Biezugbe, Lab Tech. Curt Cowdrey, Lab Tech.

Sara Molina, Lab Tech.

Date

Page 1 of 1

### ANALYTICAL REPORT

DONNIE ANDERSON RICE OPERATING CORP. 122 WEST TAYLOR HOBBS, NM 88242

Order#:

G0202739

Project:
Project Name:

Soil bore @ 25' bgs Jct A-20 box Upgrade

Location:

EME

Lab ID:

0202739-01

Sample ID:

Chloride

Soil bore @ 25' bgs

Test Parameters

Parameter

Result 248 Units mg/kg Dilution Factor

<u>RL</u> 5.0

Method

9253

Date
Analyzed A

Date

3/6/02

Analyst SB

Approval

Raland K. Tuttle, Lab Director, QA Officer Celey D. Keene, Org. Tech. Director Jeanne McMurrey, Inorg. Tech. Director Irene Perry, QA Assistant Sandra Biezugbe, Lab Tech.

Sandra Biezugbe, Lab Tec Curt Cowdrey, Lab Tech. Sara Molina, Lab Tech.

### QUALITY CONTROL REPORT

### 8015M TPH GRO/DRO

Order#: G0202739

BLANK	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
GRO, C6-C12-mg/kg	0000785-02			<10		
DRO, >C12-C28-mg/kg	0000785-02			<10		······································
MS	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
GRO, C6-C12-mg/kg	0202740-01	0	476	447	93.9%	
DRO, >C12-C28-mg/kg	0202740-01	0	476	563	118.3%	
MSD	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
GRO, C6-C12-mg/kg	0202740-01	0	476	424	89.1%	5.3%
DRO, >C12-C28-mg/kg	0202740-01	0	476	506	106.3%	10.7%
SRM	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
GRO, C6-C12-mg/kg	0000785-05		500	441	88.2%	0.%
DRO, >C12-C28-mg/kg	0000785-05		500	- 524	104.8%	0.%

### QUALITY CONTROL REPORT

		8021B/503	0 BTEX		Order#: G020	02739
BLANK	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Benzene-μg/kg	0000788-02		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<25		· · · · · · · · · · · · · · · · · · ·
Ethylbenzene-µg/kg	0000788-02			<25		
Toluene-µg/kg	0000788-02			<25		
p/m-Xylene-µg/kg	0000788-02	<del></del>		<25		
o-Xylene-µg/kg	0000788-02			<25		
CONTROL	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Benzene-ug/kg	0000788-03		100	112	112.%	· · · · · · · · · · · · · · · · · · ·
Ethylbenzene-μg/kg	-0000788-03	1	100	111	111.%	
Foluene-μg/kg	0000788-03		100	113	113.%	
o/m-Xylene-μg/kg	0000788-03		200	230	115,%	
o-Xylene-μg/kg	0000788-03		100	112	112.%	
CONTROL DUP	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Benzene-µg/kg	0000788-04		100	113	. 113.%	0.9%
Ethylbenzene-μg/kg	0000788-04		100	112	112.%	0.9%
Foluene-μg/kg	0000788-04		100	113	113.%	0.%
o/m-Xylene-µg/kg	0000788-04		200	228	114.%	0.9%
ylene-µg/kg	0000788-04		100	114	114.%	1.8%
SRM	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Benzene-µg/kg	0000788-05		001	112	112.%	0.%
Ethylbenzene-μg/kg	0000788-05		100	111	111.%	0.%
Γoluene-μg/kg	0000788-05		100	114	114.%	0.%
o/m-Xylene-μg/kg	0000788-05		200	229	114.5%	0.%
o-Xylene-μg/kg	0000788-05		100	112	112.%	0.%

### QUALITY CONTROL REPORT

### **Test Parameters**

Order#: G0202739

BLANK	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Chloride-mg/kg	0000787-01			<5.00		
MS	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Chloride-mg/kg	0202739-01	248	667	910	99.3%	
MSD	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Chloride-mg/kg	0202739-01	248	667	922	101.%	1.3%
SRM	LAB-ID#	Sample Concentr.	Spike Concentr.	QC Test Result	Pct (%) Recovery	RPD
Chloride-mg/kg	0000787-04		5000	5050	101.%	0.%

## cuvironmental Lab of Texas, Inc.

Odessa, Texas 79763 12600 West L. 350 st

Phone; 915-563-1800

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Fax: 915-563-1713

Project Name: 1ct H-30 box Upakude Project #: 50, bace a 25 bas Project Loc: EME TCLP: PO #: Fax No: (505)397-1471 City/State/Zip: HOBBS, NEW MEXICO, 88240. Company Name RICE OPERATING COMPANY Project Manager: DONNIE ANDERSON Company Address: 122 W. TAYLOR Telephone No: (505) 393-9174 Sampler Signature:

		TAT bisbrist	3	T	T	T		$\top$	T						
		(Pre-Schedule)	1	1	+.	+	1						7		
	_		Ť		-	$\top$	$\top$			T			7=		
	_		+	+-	<del> </del>	$\top$		1			1		7		
_	-		1	+	+-	1	_	1	1	+		_	- 		
			1	1-	+	1	1	1	1	$\top$	$\top$		\ <u>*</u>		
	_		$\vdash$	+-	1		1	Ť	$\top$	1	<u> </u>		- V		
			-	-	1	_	+-		+	+	+	<del></del>	- K		
1		9TEX 8021B/5030	7	+-	+	+-	+	+	+	+-	+	_		ĝ.	
1	_	Semivoliatiles	-	+	+	+	+-	+-	+	+	+	+-	2 4	Ľ I	
+		Volanies	ļ —	+-	╁	+-	+	+	+	+-	+		18.5		
+	95	Metals: As Ag Ba Cd Cr Pb Hg 5	<u></u>	-	$\vdash$	+	+		+	+-	-		Sample Contamets Infacts Temperature Upon Recept	*	
-		ORDIORO MÈTOR HAT.	7	<del> </del>	<del> </del>	+-	+-	+-	+-	+-	+-	+		j	
5	-	9001/2001 XT H9T		+	$\vdash$	+-	+-	+	+	+	_	+	₩ E 4	i	
t		1.814 H9T		-	-	+-	+-	+	1	1-	+	<del> `</del>	40000	Ι ξ	[ ]
ŀ	_	TOS/CL/SAR/EC	7	╁╴	-	+	+-	+-	+		+-	-	1	Time .	調え
t	_	Other (specify):		-		+-	┿	╁	+-	+-	+	+	1	J. D.	
	.≍		4	-	-	+-	+	+	+-	+-	+	-	1		~ <del>                                    </del>
1	Matrix	Sindge	د.		-	+-	+-	+	+		+-	+	1	5-5-07	thate 3 5-0.
1	_				-	-	+	+	+	+-	+	+	1	Date 5	E V
ŀ	_	Other ( Specify)		-	-	+-	+-	+-	+-	┿	+	+	•	4	, M
1						┼-	┼	-			+-	+	{		'
	9	. enoN				┼	-	┼	-	+-	+-	<del></del> -			
1	rreservative	'os'н				<del> </del>	╄	+-	+	+-	-				
	se	HOEN				<del> </del>	-	+	-	+-	-	<del>                                     </del>			
c	Ξ	HCI						-	┼	┼-	┼	-			
	-	HNO,	7			<u> </u>	_	ـــ	ļ	╀	4_	<del> </del>			100
L	4	- Pol	7			<del> </del>	_	↓_	<u> </u>	+	<u> </u>	-		)	ין י
		No. of Containers		ł										5	J.≱∖
	Ī													N	
	1	naiduuna autu	- 1			[								-	
		balqms2 emiT				}						1 1			$\cap$
								ļ		1		1 1		1	ds ``
	T			7										ļ. 3	久。百円
		naidura a			į					ĺ				Received by:	アイボヤ
		Date Sampled						-						ceived	Received
			-	-										\$ \. \.	Rec.
	1		$\dashv$	$\neg$							<del>                                     </del>				
									1		}		{	Time	Time
													Ì	# <u>.</u>	All Inch
			200						}					<del></del>	
			71	,		İ								" ×	Date 3-5.03
		FIELD CODE	82											Date SO	Dale 3-5.03
						}							1	×	1
		温(	15			ļ							f		
		电	20 KG (Q)				1		i			İ	}		1
Ì			2										)	A	
			\$	-								-			
ı			4										-	\$	
	i		N					1		Ì				14	1
	300					333		9883	S00001	(00001				· Jr	
		641										Special Instructions.	2	13	}
		1729 the 158 of 19	3												1 1 1 1 E
		ST 6										: l			hed
		# 6 a 6	1									<u>.</u>			Relinquished by:
		AB.	X.									2			
		□ □										Ű	j   d	<u> </u>	



PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR RICE OPERATING CO.

ATTN: DONNIE ANDERSON

122 W. TAYLOR **HOBBS, NM 88240** FAX TO: (505) 397-1471

Receiving Date: 01/08/02 Reporting Date: 01/09/02 Sampling Date: 01/08/02

Project·Number: A-20

Project Name: SOIL BORE AT 18' BGS 40' SOUTH OF JCT. Sample Received By: AH >

Project Location: EME

Sample Type: SOIL

Sample Condition: COOL & INTACT

Analyzed By: BC/AH

	GRO	DRO	
	$(C_6-C_{10})$	(>C <sub>10</sub> -C <sub>28</sub> )	CI*
LAB NUMBER SAMPLE ID	(mg/Kg)	(mg/Kg)	(mg/Kg)

ANALYSIS DATE	01/08/02	01/08/02	01/09/02
H6406-1 -	881	7090	206
	,		
Quality Control	817	737	1040
True Value QC	800	800	1000
% Recovery	102	92.1	104
Relative Percent Difference	7.0	3.3	1.0

METHODS: TPH GRO & DRO: EPA SW-846 8015 M; CI: Std. Methods 4500-CIB \*Analysis performed on a 1:4 w:v aqueous extract.

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries. affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.



PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR RICE OPERATING CO.

ATTN: DONNIE ANDERSON

122 W. TAYLOR HOBBS, NM 88240 FAX TO: (505) 397-1471

Receiving Date: 01/08/02 Reporting Date: 01/09/02 Sampling Date: 01/08/02

Sample Type: SOIL

Project Number: A-20

Sample Condition: COOL & INTACT

Project Name: SOIL BORE AT 18' BGS 40' SOUTH OF JCT.

Sample Received By: AH-

Project Location: EME

Analyzed By: BC

LAB NUMBER SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	ETHYL BENZENE (mg/Kg)	TOTAL XYLENES (mg/Kg)
ANALYSIS DATE	01/08/02	01/08/02	01/08/02	01/08/02
H6406-1 -	0.006	0.660	4.81	16.5
Quality Control	0.102	0.102	0.105	0.309
True Value QC	0.100	0.100	0.100	0.300
% Recovery	102	102	105	103
Relative Percent Difference	0.6	0.3	1.4	2.7

METHOD: EPA SW-846 8260

## ARDINAL LABORATORIES, INC.

# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

2111 Beechwood, Abilene, TX 79603 101 East Marland, Hobbs, NM 88240

-	(915) 673-7001 Fax (915) 673-7020	915	6	ü	702	ŏ	Ŝ	<u>8</u>	မ္တ	Ÿ	32	6	æ	6	<u>5</u>	39	(505) 393-2326 Fax (505) 393-2476													7	rage		9		1		
Company Name: Pice (Separting Co.	Operation Co.			ı			ŀ				i			'	,	İ						Ą	ANALYSIS	X	Si	짇	Ö	REQUEST	S								
Project Manager: The Donnie Anderson	Donnie Anderson	C							*****	1			OUTHE		7	PO#																					
Address: 122 W. TAYlog	AYloa								O	Company:	Pa	3	l																								
City: Hobbs	State: NM Zip: 86240	35	30	9		ĺ	ĺ		A	Attn:																											
Phone #: 393-9/74		!							Α	Address:	68										-															<u>.</u>	
*** 397-1471									C	Clty:																											
Project #: 1 -20	Project Owner:	•:							S	State:					Z	Zlp:																					
Project Name: Soil bolk	A	Sout	7	CF.	17.1	'			<b>-</b>	Phone #:	າe ≠	. <del>**</del>								···																	
Project Location: $\mathcal{E} \mathcal{M} \mathcal{E}$			Ī		ŀ				76	Fax#:	77		l			1				ζ.																	
FOR LAB USE ONLY		٦	7	П		ž	MATRIX	X		Н	꾺	PRES.		S	SAMPLING	P	NG	<u>,                                     </u>	X																		
LAB I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	QL QL	SLUDGE	OTHER:	ACID:		ICE / COOL	OTHER:		DATE	<b>,</b> п	TIME	35)10	BTE	11-	\	\	<u> </u>				<b>_</b>			1							l
1-9000-1						7	1	H	-		-	<u> </u>	ļ	1	þζ.		3	7	1	37	<u> </u>	$\vdash$			<u> </u>		+					_		1		L	
						$\vdash \vdash$								-	'										<u> </u>		-							1		<u> </u>	
						$\vdash$	$\vdash$															<del> </del>					-							<u> </u>		<u> </u>	
																									<u> </u>		-		<del>                                     </del>							<u> </u>	
																						_					<b></b>										
		$\dashv$			$\dashv$		$\dashv$		$\dashv$									·				_					-										
			7	-1						$\dashv$	$\dashv$																										
		7	$\dashv$		$\dashv$				-				_	ı													_										
		$\dashv$		-				$\dashv$	-			_																									
		+	$\dashv$	-		$\dashv$				-																	Н										
*LEASE NOTE: Listility and Damages. Curdnate listility and elect's auchains remedy for any claim arising whether besed in contract or tool, shed be intend to the amount paid by the client for the	Cardinal's listility and elent's sucketive		Ì	3	Ð	3	į	Š	į	8	ā	ğ		8	ž	8	amount paid by	the client fo	Ì	٢			5 3	Terms and Conditions: Interest will be obarged on at accounts more than to down next the stiffs and 24%, not account from the ordinal date of interiors.	ç	. 8	1	3		3	9	8	Š	3	ferme and Conditions: Interest will be oferged on at accounts more than		

† Cardin Annot accept verbal changes. Please fax written changes to 915-673-7020.

Cool Intact

Yes Yes

No No

CHECKED BY: (Initials)

Samplér - UPS - Bus - Other: Delivered By: (Circle One) service. In no event shall Cardrail be listile for incidental or consequental damages, including without limitation, business if artificials or successors arising out of or resisted to the performance of services have

Relinquished By:

Received By: (Lab Staff)

Phone Result 🖸 Yes
Fax Result: 🗇 Yes
REMARKS:

D No Additional Fax #:

his Radia

### ENVIRONMENTAL LAB OF , Inc.

"Don't Treat Your Soil Like Dirt!"

RICE OPERATING COMPANY ATTN: DONNIE ANDERSON 122 W TAYLOR HOBBS, NM 88240 FAX: 505-393-1471

Sample Type: Soil

Sample Condition: Intact/ Iced/ 1.0 deg C

FIELD CODE

A-20 23'

Project #: A-20

Project Name: EME Box Upgrade Project Location: Lea County

PO#: 716

0101808-01

Sampling Date: 10/04/01 Receiving Date: 10/19/01 Analysis Date: 10/22/01

Chloride mg/kg 213

QUALITY CONTROL	5050
TRUE VALUE	5000
% INSTRUMENT ACCURACY	101
SPIKED AMOUNT	500
ORIGINAL SAMPLE	558
SPIKE	1060
SPIKE DUP	1060
% EXTRACTION ACCURACY	100
BLANK	<5.00
RPD	0.0

Methods: SW 846-9253

Date

### ENVIRONMENTAL LAB OF

"Don't Treat Your Soil Like Dirt!"

RICE OPERATING COMPANY ATTN: DONNIE ANDERSON

122 W TAYLOR HOBBS, NM 88240 FAX: 505-393-1471

Sample Type: Soil

Sample Condition: Intact/ Iced/ 1.0 deg C

Project #: A-20

Project Name: EME Box Upgrade Project Location: Lea County

PO#: 716

Sampling Date: 10/04/01 Receiving Date: 10/19/01 Analysis Date: 10/19/01

ELT#	FIELD CODE	GRO C6-C10 mg/kg	DRO >C10-C28 mg/kg	
0101808-01	A-20 23'	<10	24	

QUALITY CONTROL	494	425
, TRUE VALUE	500	500
% INSTRUMENT ACCURACY	99	85
SPIKED AMOUNT	476	476
ORIGINAL SAMPLE	<10	21
SPIKE	539	527
SPIKE DUP	606	619
% EXTRACTION ACCURACY	113	106
BLANK	<10	<10
RPD	10.5	16.0

Methods: SW 846-8015M



"Don't Treat Your Soil Like Dirt!"

RICE OPERATING COMPANY ATTN: DONNIE ANDERSON

122 W. TAYLOR HOBBS, NM 88240 FAX: 505-393-1471

Sample Type: Soil

Sample Condition: Intact/ Iced/ 1.0 deg C

Project Name: EME Box Upgrade

Project #: A-20

Project Location: Lea County

PO#: 716

Sampling Date: 10/04/01 Receiving Date: 10/19/01 Analysis Date: 10/19/01

ELT#	FIELD CODE	BENZENE mg/kg	TOLUENE mg/kg	ETHYLBENZENE mg/kg	m,p-XYLENE mg/kg	o-XYLENE mg/kg	
0101808-01	A-20 23'	<0.025	<0.025	<0.025	<0.025	<0.025	

OUT TO CONTROL					
QUALITY CONTROL	0.094	0.087	0.086	0.175	0.086
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	94	87	86	88	86
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	< 0.025	0.034	0.030	0.096	0,050
SPIKE	0.100	0.098	0.089	0.185	0.094
SPIKE DUP	0.097	0.091	0.085	0.174	0.087
%EA	100	97	88	90	92
BLANK	<0.025	< 0.025	< 0.025	< 0.025	< 0.025
RPD	3.04	7.49	4.65	5.71	7.91

METHODS: EPA SW 846-8021B ,5030

Raland K. Tuttle

10 -2.3-01

Odana Tovas 79765 • (915) 563-1800 • Fax (915) 563-1713

Aug 07 01 10:22a

Environmental Lab of Texas, Inc.

RUSH TAT (Pre-Schedule) CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST Project Name: CME BOX Temperature Upon Receipt Samue Contenes Interes Analyze For abreatory Comments: B1EX 80518/2030 selitulnyirns2 Metals: As Ag Ba Cd Cr Pb Hg Se TCLP TOTAL ORD/ORD MC108 H9T Project Lac: PO #: Project #: 400112001 XT H9T 1.816 H9T THIE DEL BASI DI BOT Other (specify): lio2 Sindge Date Water Olher (Specify) '05'H HOWN HCI HINO No. of Containers Fax No: balqma2 amiT Date Sampled 7:30 Phone, 915-563-1800 Fax: 915-563-1713 16000 FIELD CODE Telephone No: 505 393.91 Сопралу Name Company Address: City/State/Zip: Sampler Signature: Project Manager: 12500 West 1-20 East Odessa, Texas 79763 Special Instructions

TAT brabact

p 2

### ENVIRONMENTAL LAB OF

"Don't Treat Your Soil Like Dirt!"

RICE OPERATING COMPANY ATTN: DONNIE ANDERSON

122 W TAYLOR HOBBS, NM 88240 FAX: 505-393-1471

Sample Type: Soil

Sample Condition: Intact/ Iced/ 1.0 deg C

Project #: A-20

Project Name: EME Box Upgrade Project Location: Lea County

PO#: 716

Sampling Date: 10/04/01 Receiving Date: 10/19/01

Analysis Date: 10/22/01

		Chloride
ELT#	FIELD CODE .	mg/kg

0101808-01

A-20 23'

below who combat?

QUALITY CONTROL	5050
TRUE VALUE	5000
% INSTRUMENT ACCURACY	101
SPIKED AMOUNT	500
ORIGINAL SAMPLE	558
SPIKE	1060
SPIKE DUP	1060
% EXTRACTION ACCURACY	100
BLANK	< 5.00
RPD	0.0

Methods: SW 846-9253

### ENVIRONMENTAL LAB OF , INC.

"Don't Treat Your Soil Like Dirt!"

RICE OPERATING COMPANY ATTN: DONNIE ANDERSON

122 W. TAYLOR HOBBS, NM 88240 FAX: 505-393-1471

Sample Type: Soil

Sample Condition: Intact/ Iced/ 1.0 deg C

Project Name: EME Box Upgrade

Project #: A-20

Project Location: Lea County

PO#: 716

Sampling Date: 10/04/01 Receiving Date: 10/19/01 Analysis Date: 10/19/01

ELT#	FIELD CODE	BENZENE mg/kg	TOLUENE mg/kg	ETHYLBENZENE mg/kg	m,p-XYLENE mg/kg	o-XYLENE mg/kg	
0101808-01	A-20 23'	<0.025	<0.025	<0.025	<0.025	<0.025	

QUALITY CONTROL	0.094	0.087	0.086	0.175	0.086
TRUE VALUE	0.100	0.100	0.100	0.200	0.100
% IA	94	87	86	88	86
SPIKED AMOUNT	0.100	0.100	0.100	0.200	0.100
ORIGINAL SAMPLE	<0.025	0.034	0.030	0.096	0.050
SPIKE	0.100	0.098	0.089	0.185	0.094
SPIKE DUP	0.097	0.091	0.085	0.174	0.087
%EA	100	97	88	90	92
BLANK	< 0.025	< 0.025	< 0.025	< 0.025	<0.025
RPD	3.04	7.49	4.65	5.71	7.91

METHODS: EPA SW 846-8021B ,5030

Raland K Tuttle

Date

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST Temperature Upon Recept Sample Containers Intact? Project Name: CME BOX Analyze For aboratory Comments: BTEX 8021B/5030 Seminniables **ZelitstoV** Metals: As Ag Ba Cd Cr Pb Hg Se TCLP: TOTAL: ORD/ORD Matos Hat Project Lac: PO #: Project #: 3001\2001 XT H9T 1 BIN HGT Thre TOSICOISARIEC Olyet (abecily): Matrix Date Sindge valer Other ( Specify) Preservative \*os<sup>2</sup>H HOeN HCI HNO ЭЭļ No. of Containers Fax No: Time Sampled Recorded by ELOT. Date Sampled Environmental Lab of Texas, Inc. 7:20 Fax: 915-563-1713 Phone: 915-563-1800 120003 FIELD CODE Telephone No: 505-393. Company Name Company Address: Gity/State/Zip: Sampler Signature: Project Manager: 12600 West I-20 East Odessa, Texas 79763 Special Instructions, AB # (lab use offly) 10.6081010

TAT brabnate

(Pre-Schedule



PHONE (505) 393-2326 • 101 E. MARLAND • HOBBS. NM 88240

ANALYTICAL RESULTS FOR RICE OPERATING CO. ATTN: CHRIS RODRIGUEZ 122 W. TAYLOR

**HOBBS, NM 88240** 

FAX TO:

Receiving Date: 09/27/01 Reporting Date: 10/01/01

Project Owner: RICE Project Name: A-20 PILE COMP.

Project Location: EME

Sampling Date: 09/24/01 Sample Type: SOIL

Sample Condition: COOL & INTACT


Sample Received By: BC ~ Analyzed By: BC/AH

**GRO** DRO  $(C_6-C_{10})$ CI\* (>C<sub>10</sub>-C<sub>28</sub>) LAB NUMBER SAMPLE ID (mg/Kg) (mg/Kg) (mg/Kg)

ANALYSIS DATE	09/28/01	09/28/01	09/28/01
H6180-1 PILE COMPOSITE	<50	<50	128
Quality Control	755	825	950
True Value QC	800	800	1000
% Recovery	94.3	103	95.0
Relative Percent Difference	3.5	7.1	3.0

METHODS: TPH GRO & DRO; EPA SW-846 8015 M; CI: Std. Methods 4500-CIB \*Analysis performed on a 1:4 w:v aqueous extract.

H6180A.XLS
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above-stated reasons or otherwise.





ANALYTICAL RESULTS FOR RICE OPERATING CO. ATTN: CHRIS RODRIGUEZ 122 W. TAYLOR HOBBS, NM 88240 FAX TO:

Receiving Date: 09/27/01 Reporting Date: 10/01/01

Project Owner: RICE

Project Name: A-20 PILE COMP.

Project Location: EME

Sampling Date: 09/24/01

Sample Type: SOIL

Sample Condition: COOL & INTACT

**TOTAL** 

8.0

Sample Received By: BC

Analyzed By: BC

ETHYL

LAB NUMBE	R SAMPLE ID	BENZENE (mg/Kg)	TOLUENE (mg/Kg)	BENZENE (mg/Kg)	XYLENES (mg/Kg)
ANALYSIS D	PATE	09/28/01	09/28/01	09/28/01	09/28/01
H6180-1	PILE COMPOSITE	<0.005	<0.005	<0.005	<0.015
	·				
Quality Contr	rol	0.098	0.102	0.110	0.327
True Value C	IC .	0.100	0.100	0.100	0.300
% Recovery		98.0	102	110	109

1.5

METHOD: EPA SW-846 8260

Relative Percent Difference

Date

2.3



Page of

ARDINAL LABORATORIES, INC.
2111 Beechwood, Abilene, TX 79603 101 East Marland, Hobbs, NM 88240
(045) 393-2476 (505) 393-2326 Fax (505) 393-2476

	l
ø	
4	
Ÿ	
3	
7	
ŝ	
$\geq$	
<u></u>	
ä	
Ļ	
0	
ò	
ĭ	
2	
7	Г
ô	l
ξ.	l
3	١
ਨ -	
nc) nzn/	
nc) nzn/-s	
nc) nzn/-s/c	
ns) 0707-579(c	
12) 070/-5/9(cl	
ns) nzn <i>t-61</i> 9(cl8)	
nc) nzn/-5/9(cla) xi	
Fax (915) 673-7020 (50	
1 Fax (915) 6/3-/020 (505) 39.	
001 Fax (915) 673-7020 (50	
-7001 Fax (915) 673-7020 (50	
3-7001 Fax (915) 673-7020 (50	
673-7001 Fax (915) 673-7020 (50	**************************************
0) 673-7001 Fax (915) 673-7020 (50	المارين المارين المارين المارين المارين المارين المارين المارين المارين المارين المارين المارين المارين المارين
(915) 673-7001 Fax (915) 673-7020 (505) 393-2326 Fax (505) 393	والمراقب وال

Company Name:	100 Jak	X		7	ANALYSIS REQUEST	
Project Manager:		9128	BILL TO PO#:	#		
Address:			Company:			
City:	State: Zip:		Attn:			
Phone #:			Address:			
Fax #:			City:			
Project #:	Project Owner:		State: Zip:	V		
Project Name:	20 Dils Co.	0,	Phone #:	7		
Project Location:	3115		Fax #:	15		
FOR LAB USE ONLY	والتالي فالتالي والتالي	MATRIX	PRES. SAMPLING			
LAB I.D.	Sample I.D.	G)RAB OR (C)OMP: CONTAINERS SROUNDWATER MASTEWATER SOIL SOIL	отнея: ACID: CE / COOL THER : OATE	Time () Tick, 8		
116 180-1	P. L.Connella		,	4		
•						
						,
	The state in the sear Construct States and States and States and States states whether the end in contract or local the finite of in the amount and for the state for the	and the state of t	The state of the s	a smooth redict to the rient for the	Terms and Conditions: Interest will be channed on all accounts more than	
neiyses. Al claims including those in the control i	*** Interest the control of the control of the control of the control of the control of the control of the control of the control of the applicable	Tenieroy for any count among whomen proceed when the pass make in the formal pass including without first action, business in the formal country to Control to the pass in the formal pass of the formal pa	some contest of co., standards within within which were designed by Cardinal within the widerugions, loss of use, or loss of profits are early rising is based into any of the an	re anount part of the control of the applicable 130 days after completion of the applicable is incurred by cilent, its subsidiantes, bouse stated reasons or otherwise	30 days past due at the rate of 24% per annum from the original date of involce, and all costs of collections, including attomey's fees.	
Sampler Relinquished	Sampler Relinquished: 7 Date: Received By:	Received By:		s	onal/Fax#:	
Mrs M	The Filme:			Fax Result:		
Relinquished By:	Time	Received By: (La	Lab Staff)			
	30, 200 closi	Jung .	A CLECKEN BY			
Sampler - UPS - Bus - Other:	. (Cilcle Oile) - Bus - Other:	Cool Intact  Yes Y Yes				
		% %				

<sup>†</sup> Cardinal cannot accept verbal changes. Please fax written changes to 915-673-7020.